

Claudio Grassi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1078270/claudio-grassi-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

133
papers

4,893
citations

42
h-index

66
g-index

157
ext. papers

5,996
ext. citations

5.5
avg, IF

5.45
L-index

#	Paper	IF	Citations
133	Early Noise-Induced Hearing Loss Accelerates Presbycusis Altering Aging Processes in the Cochlea.. <i>Frontiers in Aging Neuroscience</i> , 2022 , 14, 803973	5.3	5
132	Neural Stem Cell-Derived Extracellular Vesicles Counteract Insulin Resistance-Induced Senescence of Neurogenic Niche.. <i>Stem Cells</i> , 2022 , 40, 318-331	5.8	2
131	Transcranial Direct Current Stimulation Enhances Neuroplasticity and Accelerates Motor Recovery in a Stroke Mouse Model.. <i>Stroke</i> , 2022 , STROKEAHA121034200	6.7	1
130	Role of HSV-1 in Alzheimer's disease pathogenesis: A challenge for novel preventive/therapeutic strategies.. <i>Current Opinion in Pharmacology</i> , 2022 , 63, 102200	5.1	5
129	Biliverdin reductase bridges focal adhesion kinase to Src to modulate synaptic signaling.. <i>Science Signaling</i> , 2022 , 15, eabh3066	8.8	1
128	Epigenetic regulation of neural stem cells: The emerging role of nucleoporins. <i>Stem Cells</i> , 2021 , 39, 1601-1614	5.14	1
127	Auditory sensory deprivation induced by noise exposure exacerbates cognitive decline in a mouse model of Alzheimer's disease. <i>ELife</i> , 2021 , 10,	8.9	3
126	Basic and Preclinical Research for Personalized Medicine. <i>Journal of Personalized Medicine</i> , 2021 , 11,	3.6	2
125	High-Fat Diet Leads to Reduced Protein O-GlcNAcylation and Mitochondrial Defects Promoting the Development of Alzheimer's Disease Signatures. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
124	Noise-Induced Cochlear Damage Involves PPAR Down-Regulation through the Interplay between Oxidative Stress and Inflammation. <i>Antioxidants</i> , 2021 , 10,	7.1	3
123	Combined molecular and mathematical analysis of long noncoding RNAs expression in fine needle aspiration biopsies as novel tool for early diagnosis of thyroid cancer. <i>Endocrine</i> , 2021 , 72, 711-720	4	5
122	Styrene targets sensory and neural cochlear function through the crossroad between oxidative stress and inflammation. <i>Free Radical Biology and Medicine</i> , 2021 , 163, 31-42	7.8	4
121	Ca ²⁺ -dependent release of ATP from astrocytes affects herpes simplex virus type 1 infection of neurons. <i>Glia</i> , 2021 , 69, 201-215	9	3
120	Genetic deletion of $\alpha 7$ nicotinic acetylcholine receptors induces an age-dependent Alzheimer's disease-like pathology. <i>Progress in Neurobiology</i> , 2021 , 206, 102154	10.9	4
119	High fat diet leads to aberrant protein O-GlcNAcylation and to the development of Alzheimer disease signatures in mice. <i>Alzheimer's and Dementia</i> , 2020 , 16, e039449	1.2	
118	Signaling through estrogen receptors modulates long non-coding RNAs in prostate cancer. <i>Molecular and Cellular Endocrinology</i> , 2020 , 511, 110864	4.4	5
117	Herpes Simplex Virus-1 in the Brain: The Dark Side of a Sneaky Infection. <i>Trends in Microbiology</i> , 2020 , 28, 808-820	12.4	45

116	Chronic mild stress alters synaptic plasticity in the nucleus accumbens through GSK3 β -dependent modulation of Kv4.2 channels. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 8143-8153	11.5	12
115	Anti-oxidant and anti-inflammatory effects of caffeic acid: in vivo evidences in a model of noise-induced hearing loss. <i>Food and Chemical Toxicology</i> , 2020 , 143, 111555	4.7	18
114	The dual role of curcumin and ferulic acid in counteracting chemoresistance and cisplatin-induced ototoxicity. <i>Scientific Reports</i> , 2020 , 10, 1063	4.9	36
113	Passive immunotherapy for N-truncated tau ameliorates the cognitive deficits in two mouse Alzheimer's disease models. <i>Brain Communications</i> , 2020 , 2, fcaa039	4.5	14
112	Tau is not necessary for amyloid- β -induced synaptic and memory impairments. <i>Journal of Clinical Investigation</i> , 2020 , 130, 4831-4844	15.9	14
111	Resveratrol corrects aberrant splicing of pre-mRNA and Ca signal in myotonic dystrophy type 1 myotubes. <i>Neural Regeneration Research</i> , 2020 , 15, 1757-1766	4.5	1
110	Metabolic Reprogramming by Malat1 Depletion in Prostate Cancer. <i>Cancers</i> , 2020 , 13,	6.6	6
109	Enhancing Plasticity Mechanisms in the Mouse Motor Cortex by Anodal Transcranial Direct-Current Stimulation: The Contribution of Nitric Oxide Signaling. <i>Cerebral Cortex</i> , 2020 , 30, 2972-2985	5.1	11
108	NIR multiphoton ablation of cancer cells, fluorescence quenching and cellular uptake of dansyl-glutathione-coated gold nanoparticles. <i>Scientific Reports</i> , 2020 , 10, 11380	4.9	5
107	Somatic Deletion in Exon 10 of Aryl Hydrocarbon Receptor Gene in Human GH-Secreting Pituitary Tumors. <i>Frontiers in Endocrinology</i> , 2020 , 11, 591039	5.7	2
106	Neural Stem Cell-Derived Exosomes Revert HFD-Dependent Memory Impairment via CREB-BDNF Signalling. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	6
105	Plasma BDNF Levels Following Transcranial Direct Current Stimulation Allow Prediction of Synaptic Plasticity and Memory Deficits in 3 \times Tg-AD Mice. <i>Frontiers in Cell and Developmental Biology</i> , 2020 , 8, 541	5.7	6
104	Glucose Overload Inhibits Glutamatergic Synaptic Transmission: A Novel Role for CREB-Mediated Regulation of Synaptotagmins 2 and 4. <i>Frontiers in Cell and Developmental Biology</i> , 2020 , 8, 810	5.7	3
103	Brain insulin resistance impairs hippocampal plasticity. <i>Vitamins and Hormones</i> , 2020 , 114, 281-306	2.5	7
102	Does Impairment of Adult Neurogenesis Contribute to Pathophysiology of Alzheimer's Disease? A Still Open Question. <i>Frontiers in Molecular Neuroscience</i> , 2020 , 13, 578211	6.1	6
101	Brain Insulin Resistance and Hippocampal Plasticity: Mechanisms and Biomarkers of Cognitive Decline. <i>Frontiers in Neuroscience</i> , 2019 , 13, 788	5.1	67
100	Altered Nup153 Expression Impairs the Function of Cultured Hippocampal Neural Stem Cells Isolated from a Mouse Model of Alzheimer's Disease. <i>Molecular Neurobiology</i> , 2019 , 56, 5934-5949	6.2	16
99	Dopaminergic-GABAergic interplay and alcohol binge drinking. <i>Pharmacological Research</i> , 2019 , 141, 384-391	10.2	7

98	Neuromodulatory Action of Picomolar Extracellular A β 2 Oligomers on Presynaptic and Postsynaptic Mechanisms Underlying Synaptic Function and Memory. <i>Journal of Neuroscience</i> , 2019 , 39, 5986-6000	6.6	43
97	Recurrent herpes simplex virus-1 infection induces hallmarks of neurodegeneration and cognitive deficits in mice. <i>PLoS Pathogens</i> , 2019 , 15, e1007617	7.6	100
96	Biliverdin Reductase-A Mediates the Beneficial Effects of Intranasal Insulin in Alzheimer Disease. <i>Molecular Neurobiology</i> , 2019 , 56, 2922-2943	6.2	47
95	The Medial Septum Is Insulin Resistant in the AD Presymptomatic Phase: Rescue by Nerve Growth Factor-Driven IRS Activation. <i>Molecular Neurobiology</i> , 2019 , 56, 535-552	6.2	11
94	Glutamate/GABA co-release selectively influences postsynaptic glutamate receptors in mouse cortical neurons. <i>Neuropharmacology</i> , 2019 , 161, 107737	5.5	6
93	Herpes Simplex Virus Type-1 Infection Impairs Adult Hippocampal Neurogenesis via Amyloid- β Protein Accumulation. <i>Stem Cells</i> , 2019 , 37, 1467-1480	5.8	32
92	H19-Dependent Transcriptional Regulation of β and δ Integrins Upon Estrogen and Hypoxia Favors Metastatic Potential in Prostate Cancer. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	13
91	Maternal insulin resistance multigenerationally impairs synaptic plasticity and memory via gametic mechanisms. <i>Nature Communications</i> , 2019 , 10, 4799	17.4	22
90	GSK3 β Modulates Timing-Dependent Long-Term Depression Through Direct Phosphorylation of Kv4.2 Channels. <i>Cerebral Cortex</i> , 2019 , 29, 1851-1865	5.1	6
89	Environmental Enrichment and Social Isolation Mediate Neuroplasticity of Medium Spiny Neurons through the GSK3 Pathway. <i>Cell Reports</i> , 2018 , 23, 555-567	10.6	26
88	The Antioxidant Effect of Rosmarinic Acid by Different Delivery Routes in the Animal Model of Noise-Induced Hearing Loss. <i>Otology and Neurotology</i> , 2018 , 39, 378-386	2.6	12
87	Olfactory memory is enhanced in mice exposed to extremely low-frequency electromagnetic fields via Wnt/ β -catenin dependent modulation of subventricular zone neurogenesis. <i>Scientific Reports</i> , 2018 , 8, 262	4.9	20
86	Sildenafil normalizes MALAT1 level in diabetic cardiomyopathy. <i>Endocrine</i> , 2018 , 62, 259-262	4	15
85	Establishment of a protocol to extend the lifespan of human hormone-secreting pituitary adenoma cells. <i>Endocrine</i> , 2018 , 59, 102-108	4	4
84	Role of BDNF Signaling in Memory Enhancement Induced by Transcranial Direct Current Stimulation. <i>Frontiers in Neuroscience</i> , 2018 , 12, 427	5.1	20
83	The effect of amyloid- β peptide on synaptic plasticity and memory is influenced by different isoforms, concentrations, and aggregation status. <i>Neurobiology of Aging</i> , 2018 , 71, 51-60	5.6	32
82	Role of Amyloid- β and Tau Proteins in Alzheimer's Disease: Confuting the Amyloid Cascade. <i>Journal of Alzheimer's Disease</i> , 2018 , 64, S611-S631	4.3	45
81	Anodal transcranial direct current stimulation affects auditory cortex plasticity in normal-hearing and noise-exposed rats. <i>Brain Stimulation</i> , 2018 , 11, 1008-1023	5.1	17

80	Nucleoporin 153 regulates estrogen-dependent nuclear translocation of endothelial nitric oxide synthase and estrogen receptor beta in prostate cancer. <i>Oncotarget</i> , 2018 , 9, 27985-27997	3.3	10
79	Nutrient-Dependent Changes of Protein Palmitoylation: Impact on Nuclear Enzymes and Regulation of Gene Expression. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	12
78	Pioglitazone Represents an Effective Therapeutic Target in Preventing Oxidative/Inflammatory Cochlear Damage Induced by Noise Exposure. <i>Frontiers in Pharmacology</i> , 2018 , 9, 1103	5.6	20
77	Reduced gliotransmitter release from astrocytes mediates tau-induced synaptic dysfunction in cultured hippocampal neurons. <i>Glia</i> , 2017 , 65, 1302-1316	9	54
76	Human cardiac progenitor cells with regenerative potential can be isolated and characterized from 3D-electro-anatomic guided endomyocardial biopsies. <i>International Journal of Cardiology</i> , 2017 , 241, 330-343	3.2	6
75	LTP and memory impairment caused by extracellular A β and Tau oligomers is APP-dependent. <i>ELife</i> , 2017 , 6,	8.9	81
74	Brain insulin resistance impairs hippocampal synaptic plasticity and memory by increasing GluA1 palmitoylation through FoxO3a. <i>Nature Communications</i> , 2017 , 8, 2009	17.4	93
73	Transcription Factor CREM Mediates High Glucose Response in Cardiomyocytes and in a Male Mouse Model of Prolonged Hyperglycemia. <i>Endocrinology</i> , 2017 , 158, 2391-2405	4.8	14
72	Critical Role of d-Serine Signaling in Synaptic Plasticity Relevant to Cocaine Addiction 2017 , 155-161		
71	Loss of Leptin-Induced Modulation of Hippocampal Synaptic Transmission and Signal Transduction in High-Fat Diet-Fed Mice. <i>Frontiers in Cellular Neuroscience</i> , 2017 , 11, 225	6.1	19
70	Monitoring the Response of Hyperbilirubinemia in the Mouse Brain by In Vivo Bioluminescence Imaging. <i>International Journal of Molecular Sciences</i> , 2016 , 18,	6.3	3
69	Microbes and Alzheimer's Disease. <i>Journal of Alzheimers Disease</i> , 2016 , 51, 979-84	4.3	320
68	Extracellular Tau Oligomers Produce An Immediate Impairment of LTP and Memory. <i>Scientific Reports</i> , 2016 , 6, 19393	4.9	155
67	Styrene enhances the noise induced oxidative stress in the cochlea and affects differently mechanosensory and supporting cells. <i>Free Radical Biology and Medicine</i> , 2016 , 101, 211-225	7.8	16
66	A CREB-Sirt1-Hes1 Circuitry Mediates Neural Stem Cell Response to Glucose Availability. <i>Cell Reports</i> , 2016 , 14, 1195-1205	10.6	50
65	Effects of exposure to gradient magnetic fields emitted by nuclear magnetic resonance devices on clonogenic potential and proliferation of human hematopoietic stem cells. <i>Bioelectromagnetics</i> , 2016 , 37, 201-11	1.6	6
64	The nuclear pore protein Nup153 associates with chromatin and regulates cardiac gene expression in dystrophic mdx hearts. <i>Cardiovascular Research</i> , 2016 , 112, 555-567	9.9	26
63	Anodal transcranial direct current stimulation boosts synaptic plasticity and memory in mice via epigenetic regulation of Bdnf expression. <i>Scientific Reports</i> , 2016 , 6, 22180	4.9	134

62	MALAT1 and HOTAIR Long Non-Coding RNAs Play Opposite Role in Estrogen-Mediated Transcriptional Regulation in Prostate Cancer Cells. <i>Scientific Reports</i> , 2016 , 6, 38414	4.9	43
61	Herpes simplex virus type 1 infection in neurons leads to production and nuclear localization of APP intracellular domain (AICD): implications for Alzheimer's disease pathogenesis. <i>Journal of NeuroVirology</i> , 2015 , 21, 480-90	3.9	36
60	Intraneuronal A β accumulation induces hippocampal neuron hyperexcitability through A-type K(+) current inhibition mediated by activation of caspases and GSK-3. <i>Neurobiology of Aging</i> , 2015 , 36, 886-900	5.6	53
59	Herpes Simplex Virus type-1 infection induces synaptic dysfunction in cultured cortical neurons via GSK-3 activation and intraneuronal amyloid- β protein accumulation. <i>Scientific Reports</i> , 2015 , 5, 15444	4.9	61
58	Impact of electromagnetic fields on stem cells: common mechanisms at the crossroad between adult neurogenesis and osteogenesis. <i>Frontiers in Cellular Neuroscience</i> , 2015 , 9, 228	6.1	23
57	Modulation of hippocampal neural plasticity by glucose-related signaling. <i>Neural Plasticity</i> , 2015 , 2015, 657928	3.3	48
56	NO-donor thiocarbocyanines as multifunctional agents for Alzheimer's disease. <i>Bioorganic and Medicinal Chemistry</i> , 2015 , 23, 4688-4698	3.4	16
55	Epigenetic modulation of adult hippocampal neurogenesis by extremely low-frequency electromagnetic fields. <i>Molecular Neurobiology</i> , 2014 , 49, 1472-86	6.2	53
54	Extremely low-frequency electromagnetic fields enhance the survival of newborn neurons in the mouse hippocampus. <i>European Journal of Neuroscience</i> , 2014 , 39, 893-903	3.5	47
53	17 β -Estradiol protects cerebellar granule cells against β amyloid-induced toxicity via the apoptotic mitochondrial pathway. <i>Neuroscience Letters</i> , 2014 , 561, 134-9	3.3	27
52	Intracellular accumulation of amyloid- β protein plays a major role in A β -induced alterations of glutamatergic synaptic transmission and plasticity. <i>Journal of Neuroscience</i> , 2014 , 34, 12893-903	6.6	76
51	New perspectives in cyclic nucleotide-mediated functions in the CNS: the emerging role of cyclic nucleotide-gated (CNG) channels. <i>Pflugers Archiv European Journal of Physiology</i> , 2014 , 466, 1241-57	4.6	30
50	The neurogenic effects of exogenous neuropeptide Y: early molecular events and long-lasting effects in the hippocampus of trimethyltin-treated rats. <i>PLoS ONE</i> , 2014 , 9, e88294	3.7	20
49	Isolation of cancer stem cells from three human glioblastoma cell lines: characterization of two selected clones. <i>PLoS ONE</i> , 2014 , 9, e105166	3.7	43
48	The role of D-serine as co-agonist of NMDA receptors in the nucleus accumbens: relevance to cocaine addiction. <i>Frontiers in Synaptic Neuroscience</i> , 2014 , 6, 16	3.5	14
47	HSV-1 and Alzheimer's disease: more than a hypothesis. <i>Frontiers in Pharmacology</i> , 2014 , 5, 97	5.6	68
46	Alternative splicing alterations of Ca ²⁺ handling genes are associated with Ca ²⁺ signal dysregulation in myotonic dystrophy type 1 (DM1) and type 2 (DM2) myotubes. <i>Neuropathology and Applied Neurobiology</i> , 2014 , 40, 464-76	5.2	31
45	Lifestyles and Ageing: Targeting Key Mechanisms to Shift the Balance from Unhealthy to Healthy Ageing. <i>Studies in Health Technology and Informatics</i> , 2014 , 203, 99-111	0.5	2

44	A consensus panel review of central nervous system effects of the exposure to low-intensity extremely low-frequency magnetic fields. <i>Brain Stimulation</i> , 2013 , 6, 469-76	5.1	67
43	Effects of different amyloid β protein analogues on synaptic function. <i>Neurobiology of Aging</i> , 2013 , 34, 1032-44	5.6	48
42	Reduced D-serine levels in the nucleus accumbens of cocaine-treated rats hinder the induction of NMDA receptor-dependent synaptic plasticity. <i>Brain</i> , 2013 , 136, 1216-30	11.2	59
41	Role of cyclic nucleotide-gated channels in the modulation of mouse hippocampal neurogenesis. <i>PLoS ONE</i> , 2013 , 8, e73246	3.7	16
40	Protection of primary neurons and mouse brain from Alzheimer's pathology by molecular tweezers. <i>Brain</i> , 2012 , 135, 3735-48	11.2	75
39	Infectious agents and neurodegeneration. <i>Molecular Neurobiology</i> , 2012 , 46, 614-38	6.2	136
38	Expression of olfactory-type cyclic nucleotide-gated channels in rat cortical astrocytes. <i>Glia</i> , 2012 , 60, 1391-405	9	20
37	Modulation of LTP at rat hippocampal CA3-CA1 synapses by direct current stimulation. <i>Journal of Neurophysiology</i> , 2012 , 107, 1868-80	3.2	145
36	A role for neuronal cAMP responsive-element binding (CREB)-1 in brain responses to calorie restriction. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 621-6	11.5	118
35	HSV-1 promotes Ca ²⁺ -mediated APP phosphorylation and A β accumulation in rat cortical neurons. <i>Neurobiology of Aging</i> , 2011 , 32, 2323.e13-26	5.6	73
34	Surprising toxicity and assembly behaviour of amyloid β protein oxidized to sulfone. <i>Biochemical Journal</i> , 2011 , 433, 323-32	3.8	26
33	Dopamine D1-like receptor activation depolarizes medium spiny neurons of the mouse nucleus accumbens by inhibiting inwardly rectifying K ⁺ currents through a cAMP-dependent protein kinase A-independent mechanism. <i>Neuroscience</i> , 2010 , 167, 678-90	3.9	46
32	Exposure to extremely low-frequency (50 Hz) electromagnetic fields enhances adult hippocampal neurogenesis in C57BL/6 mice. <i>Experimental Neurology</i> , 2010 , 226, 173-82	5.7	96
31	APP processing induced by herpes simplex virus type 1 (HSV-1) yields several APP fragments in human and rat neuronal cells. <i>PLoS ONE</i> , 2010 , 5, e13989	3.7	93
30	Activation of mGluR5 induces spike afterdepolarization and enhanced excitability in medium spiny neurons of the nucleus accumbens by modulating persistent Na ⁺ currents. <i>Journal of Physiology</i> , 2009 , 587, 3233-50	3.9	38
29	Functional role of cyclic nucleotide-gated channels in rat medial vestibular nucleus neurons. <i>Journal of Physiology</i> , 2008 , 586, 803-15	3.9	26
28	Dysregulation of intracellular calcium homeostasis is responsible for neuronal death in an experimental model of selective hippocampal degeneration induced by trimethyltin. <i>Journal of Neurochemistry</i> , 2008 , 105, 2109-21	6	42
27	Role of methionine 35 in the intracellular Ca ²⁺ homeostasis dysregulation and Ca ²⁺ -dependent apoptosis induced by amyloid beta-peptide in human neuroblastoma IMR32 cells. <i>Journal of Neurochemistry</i> , 2008 , 107, 1070-82	6	25

26	Extremely low-frequency electromagnetic fields promote in vitro neurogenesis via upregulation of Ca(v)1-channel activity. <i>Journal of Cellular Physiology</i> , 2008 , 215, 129-39	7	175
25	Alzheimer's amyloid beta-peptide (1-42) induces cell death in human neuroblastoma via bax/bcl-2 ratio increase: an intriguing role for methionine 35. <i>Biochemical and Biophysical Research Communications</i> , 2006 , 342, 206-13	3.4	86
24	Role of L-type Ca ²⁺ channels in neural stem/progenitor cell differentiation. <i>European Journal of Neuroscience</i> , 2006 , 23, 935-44	3.5	118
23	Expression of cyclic nucleotide-gated channels in the rat medial vestibular nucleus. <i>NeuroReport</i> , 2005 , 16, 1939-43	1.7	4
22	50-Hz extremely low frequency electromagnetic fields enhance cell proliferation and DNA damage: possible involvement of a redox mechanism. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2005 , 1743, 120-9	4.9	195
21	Nitric oxide increases the spontaneous firing rate of rat medial vestibular nucleus neurons in vitro via a cyclic GMP-mediated PKG-independent mechanism. <i>European Journal of Neuroscience</i> , 2004 , 20, 2124-32	3.5	17
20	Effects of 50 Hz electromagnetic fields on voltage-gated Ca ²⁺ channels and their role in modulation of neuroendocrine cell proliferation and death. <i>Cell Calcium</i> , 2004 , 35, 307-15	4	154
19	Electrophysiological and molecular evidence of L-(Cav1), N- (Cav2.2), and R- (Cav2.3) type Ca ²⁺ channels in rat cortical astrocytes. <i>Glia</i> , 2004 , 45, 354-63	9	76
18	Modulation of Ca(v)1 and Ca(v)2.2 channels induced by nitric oxide via cGMP-dependent protein kinase. <i>Neurochemistry International</i> , 2004 , 45, 885-93	4.4	24
17	Nitric Oxide and Voltage-Gated Ca ²⁺ Channels 2004 , 137-155		1
16	Nitric oxide inhibits neuroendocrine Ca(V)1 L-channel gating via cGMP-dependent protein kinase in cell-attached patches of bovine chromaffin cells. <i>Journal of Physiology</i> , 2002 , 541, 351-66	3.9	55
15	cGMP/protein kinase G-dependent inhibition of N-type Ca ²⁺ channels induced by nitric oxide in human neuroblastoma IMR32 cells. <i>Journal of Neuroscience</i> , 2002 , 22, 7485-92	6.6	42
14	Ca ²⁺ channel inhibition induced by nitric oxide in rat insulinoma RINm5F cells. <i>Pflugers Archiv European Journal of Physiology</i> , 1999 , 437, 241-7	4.6	20
13	Auditory steady-state responses to click trains from the rat temporal cortex. <i>Clinical Neurophysiology</i> , 1999 , 110, 62-70	4.3	27
12	Characterization of Ca(2+)-channels responsible for K(+)-evoked [(3)H]noradrenaline release from rat brain cortex synaptosomes and their response to amyotrophic lateral sclerosis IgGs. <i>Experimental Neurology</i> , 1999 , 159, 520-7	5.7	8
11	Sympathetic control of skeletal muscle function: possible co-operation between noradrenaline and neuropeptide Y in rabbit jaw muscles. <i>Neuroscience Letters</i> , 1996 , 212, 204-8	3.3	17
10	A comparative study of changes operated by sympathetic nervous system activation on spindle afferent discharge and on tonic vibration reflex in rabbit jaw muscles. <i>Journal of the Autonomic Nervous System</i> , 1996 , 57, 163-7		20
9	Sympathetically-induced changes in microvascular cerebral blood flow and in the morphology of its low-frequency waves. <i>Journal of the Autonomic Nervous System</i> , 1996 , 59, 66-74		9

8	Down-regulation of non-L-, non-N-type (Q-like) Ca ²⁺ channels by Lambert-Eaton myasthenic syndrome (LEMS) antibodies in rat insulinoma RINm5F cells. <i>FEBS Letters</i> , 1996 , 387, 47-52	3.8	16
7	Possible modulation of auditory middle latency responses by nitric oxide in the inferior colliculus of anaesthetized rats. <i>Neuroscience Letters</i> , 1995 , 196, 213-7	3.3	18
6	Inhibition of low- and high-threshold Ca ²⁺ channels of human neuroblastoma IMR32 cells by Lambert-Eaton myasthenic syndrome (LEMS) IgGs. <i>Neuroscience Letters</i> , 1994 , 181, 50-6	3.3	29
5	Effect of sympathetic nervous system activation on the tonic vibration reflex in rabbit jaw closing muscles. <i>Journal of Physiology</i> , 1993 , 469, 601-13	3.9	28
4	Action of the sympathetic system on skeletal muscle. <i>Italian Journal of Neurological Sciences</i> , 1988 , 9, 23-8		20
3	Tension development in lumbrical muscles and concomitant increase of activity in A alpha and A beta afferents during sympathetic stimulation in the cat. <i>Brain Research</i> , 1987 , 435, 15-23	3.7	9
2	Postsynaptic alpha 1- and alpha 2-adrenoceptors mediating the action of the sympathetic system on muscle spindles, in the rabbit. <i>Pharmacological Research Communications</i> , 1986 , 18, 161-70		14
1	Sympathetically-induced development of tension in jaw muscles: the possible contraction of intrafusal muscle fibres. <i>Pflugers Archiv European Journal of Physiology</i> , 1985 , 405, 297-304	4.6	43