Sadik Sogut

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10783271/publications.pdf

Version: 2024-02-01

257450 434195 2,294 32 24 31 h-index citations g-index papers 32 32 32 2750 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Neutrophil/Lymphocyte Ratio, Serum Endocan, and Nesfatin-1 Levels in Patients with Psoriasis Vulgaris Undergoing Phototherapy Treatment. Medical Science Monitor, 2016, 22, 1232-1237.	1.1	25
2	Effects of \hat{I}^2 -glucan pretreatment on acetylsalicylic acid-induced gastric damage: An experimental study in rats. Current Therapeutic Research, 2010, 71, 369-383.	1.2	12
3	Associations between Mn-SOD genetic polymorphism and schizophrenia. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2006, 30, 761.	4.8	2
4	Erdosteine Against Acetaminophen Induced Renal Toxicity. Molecular and Cellular Biochemistry, 2006, 287, 185-191.	3.1	35
5	Current concepts in the pathophysiology of fibromyalgia: the potential role of oxidative stress and nitric oxide. Rheumatology International, 2006, 26, 585-597.	3.0	97
6	Antioxidant status, lipid peroxidation and nitric oxide in fibromyalgia: etiologic and therapeutic concerns. Rheumatology International, 2006, 26, 598-603.	3.0	91
7	Protective agent, erdosteine, against cisplatin-induced hepatic oxidant injury in rats. Molecular and Cellular Biochemistry, 2005, 278, 79-84.	3.1	84
8	The protective role of erdosteine on testicular tissue after testicular torsion and detorsion. Molecular and Cellular Biochemistry, 2005, 280, 193-199.	3.1	28
9	The activities of liver adenosine deaminase, xanthine oxidase, catalase, superoxide dismutase enzymes and the levels of malondialdehyde and nitric oxide after cisplatin toxicity in rats: protective effect of caffeic acid phenethyl ester. Toxicology and Industrial Health, 2005, 21, 67-73.	1.4	56
10	Association between Ala–9Val polymorphism of Mn-SOD gene and schizophrenia. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2005, 29, 123-131.	4.8	85
11	Erdosteine prevents bleomycin-induced pulmonary fibrosis in rats. European Journal of Pharmacology, 2004, 494, 213-220.	3.5	53
12	Serum nitric oxide, catalase, superoxide dismutase, and malondialdehyde status in patients with ankylosing spondylitis. Rheumatology International, 2004, 24, 80-83.	3.0	57
13	Protective effects of caffeic acid phenethyl ester on doxorubicin-induced cardiotoxicity in rats. Journal of Applied Toxicology, 2004, 24, 47-52.	2.8	130
14	In vivo evidence suggesting a role for purine-catabolizing enzymes in the pathogenesis of cisplatin-induced nephrotoxicity in rats and effect of erdosteine against this toxicity. Cell Biochemistry and Function, 2004, 22, 157-162.	2.9	21
15	The effects of erdosteine on the activities of some metabolic enzymes during cisplatin-induced nephrotoxicity in rats. Pharmacological Research, 2004, 50, 287-290.	7.1	82
16	Protective role of α-tocopherol and caffeic acid phenethyl ester on ischemia–reperfusion injury via nitric oxide and myeloperoxidase in rat kidneys. Clinica Chimica Acta, 2004, 339, 33-41.	1.1	85
17	Inhibitory effect of caffeic acid phenethyl ester on bleomycine-induced lung fibrosis in rats. Clinica Chimica Acta, 2004, 339, 65-75.	1.1	103
18	PCR/RFLP-based cost-effective identification of SOD2 signal (leader) sequence polymorphism (Ala–9Val) using NgoM IV: a detailed methodological approach. Clinica Chimica Acta, 2004, 345, 151-159.	1.1	16

#	Article	IF	CITATIONS
19	Hypothalamic superoxide dismutase, xanthine oxidase, nitric oxide, and malondialdehyde in rats fed with fish ω-3 fatty acids. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2004, 28, 693-698.	4.8	51
20	Protective effects of erdosteine against doxorubicinâ€induced cardiomyopathy in rats. Journal of Applied Toxicology, 2003, 23, 71-74.	2.8	88
21	Early contrast sensitivity loss and oxidative damage in healthy heavy smokers. Neuroscience Research Communications, 2003, 32, 123-133.	0.2	1
22	Effects of caffeic acid phenethyl ester and alpha-tocopherol on reperfusion injury in rat brain. Cell Biochemistry and Function, 2003, 21, 283-289.	2.9	111
23	The activities of tissue xanthine oxidase and adenosine deaminase and the levels of hydroxyproline and nitric oxide in rat hearts subjected to doxorubicin: protective effect of erdosteine. Toxicology, 2003, 191, 153-158.	4.2	45
24	Oral erdosteine administration attenuates cisplatin-induced renal tubular damage in rats. Pharmacological Research, 2003, 47, 149-156.	7.1	82
25	Erdosteine prevents doxorubicin-induced cardiotoxicity in rats. Pharmacological Research, 2003, 48, 377-382.	7.1	90
26	Changes in nitric oxide levels and antioxidant enzyme activities may have a role in the pathophysiological mechanisms involved in autism. Clinica Chimica Acta, 2003, 331, 111-117.	1.1	234
27	Potential role of dietary ω-3 essential fatty acids on some oxidant/antioxidant parameters in rats' corpus striatum. Prostaglandins Leukotrienes and Essential Fatty Acids, 2003, 69, 253-259.	2.2	101
28	The activities of serum adenosine deaminase and xanthine oxidase enzymes in Behcet's disease. Clinica Chimica Acta, 2002, 325, 133-138.	1.1	13
29	The indices of endogenous oxidative and antioxidative processes in plasma from schizophrenic patients. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2002, 26, 995-1005.	4.8	240
30	Tissue xanthine oxidase activity and nitric oxide levels after spinal cord ischemia/reperfusion injury in rabbits: comparison of caffeic acid phenethyl ester (CAPE) and methylprednisolone. Neuroscience Research Communications, 2002, 31, 111-121.	0.2	19
31	The protective role of caffeic acid phenethyl ester (CAPE) on testicular tissue after testicular torsion and detorsion. World Journal of Urology, 2002, 20, 264-270.	2.2	82
32	Caffeic acid phenethyl ester changes the indices of oxidative stress in serum of rats with renal ischaemia-reperfusion injury. Cell Biochemistry and Function, 2001, 19, 259-263.	2.9	75