

Masahiko Inamori

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/10784467/masahiko-inamori-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

100
papers

3,163
citations

31
h-index

54
g-index

103
ext. papers

3,525
ext. citations

4.1
avg, IF

4.01
L-index

#	Paper	IF	Citations
100	Effect of interprofessional collaboration among nursing home professionals on end-of-life care in nursing homes. <i>Drug Discoveries and Therapeutics</i> , 2021 , 15, 93-100	5	2
99	Early effects of acotiamide or mosapride intake on gastric emptying: a randomized 3-way crossover study using the 13C breath test. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2021 , 68, 264-267	3.1	
98	Evidence-based clinical practice guidelines for irritable bowel syndrome 2020. <i>Journal of Gastroenterology</i> , 2021 , 56, 193-217	6.9	22
97	A Survey of Palliative Care Ward Nurses' Awareness, Feelings, Behavioral Intentions and Hands-on Experience in Supporting an Environment in Which End-of-life Cancer Patients Nurture Love with Their Partners. <i>Palliative Care Research</i> , 2021 , 16, 153-162	0.1	
96	End-of-life care conferences in Japanese nursing homes. <i>Drug Discoveries and Therapeutics</i> , 2019 , 13, 47-51	5	1
95	Can sedation using a combination of propofol and dexmedetomidine enhance the satisfaction of the endoscopist in endoscopic submucosal dissection?. <i>Endoscopy International Open</i> , 2018 , 6, E3-E10	3	5
94	Comparison of the early effects of vonoprazan, lansoprazole and famotidine on intragastric pH: a three-way crossover study. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2018 , 63, 80-83	3.1	11
93	Is a fecal occult blood test a useful tool for judging whether to perform capsule endoscopy in low-dose aspirin users with negative colonoscopy and esophagogastroduodenoscopy?. <i>Journal of Gastroenterology</i> , 2017 , 52, 194-202	6.9	6
92	Association between endoscopic findings related to colonic diverticula and bowel habits: A multicenter study in Japan. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1938-1942	4	4
91	Lubiprostone improves visualization of small bowel for capsule endoscopy: a double-blind, placebo-controlled 2-way crossover study. <i>Endoscopy International Open</i> , 2017 , 5, E424-E429	3	2
90	Clinical importance of cine-MRI assessment of small bowel motility in patients with chronic intestinal pseudo-obstruction: a retrospective study of 33 patients. <i>Journal of Gastroenterology</i> , 2017 , 52, 577-584	6.9	26
89	Early effect on intragastric pH of oral administration of rabeprazole with mosapride compared with rabeprazole alone. <i>Annals of Gastroenterology</i> , 2017 , 30, 424-428	2.2	1
88	Report of Effect on the Medical Education of the Guidebook about the Behaviors of Physicians on the Death Pronouncement. <i>Palliative Care Research</i> , 2017 , 12, 906-910	0.1	
87	Liquid-containing Refluxes and Acid Refluxes May Be Less Frequent in the Japanese Population Than in Other Populations: Normal Values of 24-hour Esophageal Impedance and pH Monitoring. <i>Journal of Neurogastroenterology and Motility</i> , 2016 , 22, 620-629	4.4	9
86	Feasibility of deep sedation with a combination of propofol and dexmedetomidine hydrochloride for esophageal endoscopic submucosal dissection. <i>Digestive Endoscopy</i> , 2016 , 28, 145-51	3.7	16
85	Death Pronouncements: Recommendations Based on a Survey of Bereaved Family Members. <i>Journal of Palliative Medicine</i> , 2016 , 19, 646-51	2.2	7
84	Risk factors for low response to proton-pump inhibitor treatment in reflux esophagitis and non-erosive reflux disease evaluated by the frequency scale for the symptoms of gastroesophageal reflux disease. <i>Esophagus</i> , 2015 , 12, 225-232	5.4	7

83	Evidence-based clinical practice guidelines for irritable bowel syndrome. <i>Journal of Gastroenterology</i> , 2015 , 50, 11-30	6.9	84
82	Evaluation of Kampo medicine in the clinical practice guideline for irritable bowel syndrome. <i>Journal of Gastroenterology</i> , 2015 , 50, 817-8	6.9	
81	Effectiveness of therapeutic barium enema for diverticular hemorrhage. <i>World Journal of Gastroenterology</i> , 2015 , 21, 5555-9	5.6	6
80	Risk factors for small-bowel mucosal breaks in chronic low-dose aspirin users: data from a prospective multicenter capsule endoscopy registry. <i>Gastrointestinal Endoscopy</i> , 2014 , 80, 826-34	5.2	45
79	Comparison of intragastric balloon therapy and intensive lifestyle modification therapy with respect to weight reduction and abdominal fat distribution in super-obese Japanese patients. <i>Obesity Research and Clinical Practice</i> , 2014 , 8, e331-8	5.4	16
78	Intra-gastric pH following single oral administrations of rabeprazole and esomeprazole: double-blind cross-over comparison. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2014 , 55, 178-83	3.1	9
77	Association between the location of diverticular disease and the irritable bowel syndrome: a multicenter study in Japan. <i>American Journal of Gastroenterology</i> , 2014 , 109, 1900-5	0.7	36
76	Early colon cancer presenting as intussusception and successfully treated using endoscopic submucosal dissection. <i>Endoscopy</i> , 2014 , 46 Suppl 1 UCTN, E326-7	3.4	5
75	Endoscopic removal of a migrated stent in the gallbladder. <i>Endoscopy</i> , 2014 , 46 Suppl 1 UCTN, E539-40	3.4	
74	Lubiprostone decreases the small bowel transit time by capsule endoscopy: an exploratory, randomised, double-blind, placebo-controlled 3-way crossover study. <i>Gastroenterology Research and Practice</i> , 2014 , 2014, 879595	2	5
73	Assessment of small bowel motility in patients with chronic intestinal pseudo-obstruction using cine-MRI. <i>American Journal of Gastroenterology</i> , 2013 , 108, 1130-9	0.7	52
72	Characteristics of the small bowel lesions detected by capsule endoscopy in patients with chronic kidney disease. <i>Gastroenterology Research and Practice</i> , 2013 , 2013, 814214	2	7
71	Factors predicting the presence of small bowel lesions in patients with obscure gastrointestinal bleeding. <i>Digestive Endoscopy</i> , 2013 , 25, 412-20	3.7	29
70	Epidemiology and clinical experience of chronic intestinal pseudo-obstruction in Japan: a nationwide epidemiologic survey. <i>Journal of Epidemiology</i> , 2013 , 23, 288-94	3.4	51
69	Early Effect of Single-dose Sitagliptin Administration on Gastric Emptying: Crossover Study Using the (13)C Breath Test. <i>Journal of Neurogastroenterology and Motility</i> , 2013 , 19, 227-32	4.4	8
68	Comparative Study of 2 Different Questionnaires in Japanese Patients: The Quality of Life and Utility Evaluation Survey Technology Questionnaire (QUEST) Versus the Frequency Scale for the Symptoms of Gastroesophageal Reflux Disease Questionnaire (FSSG). <i>Journal of Neurogastroenterology and Motility</i> , 2013 , 19, 54-60	4.4	11
67	Number of aberrant crypt foci in the rectum is a useful surrogate marker of colorectal adenoma recurrence. <i>Digestive Endoscopy</i> , 2012 , 24, 353-7	3.7	11
66	An epidemiologic survey of chronic intestinal pseudo-obstruction and evaluation of the newly proposed diagnostic criteria. <i>Digestion</i> , 2012 , 86, 12-9	3.6	30

65	Early effect of oral administration of omeprazole with mosapride as compared with those of omeprazole alone on the intragastric pH. <i>BMC Gastroenterology</i> , 2012 , 12, 25	3	4
64	Clinical symptoms of FSSG in gastroesophageal reflux disease are critical for PPI treatment: Japanese multi-centers with 185 patients. <i>Digestive Endoscopy</i> , 2012 , 24, 407-11	3.7	5
63	Risk factors for colonic diverticular hemorrhage: Japanese multicenter study. <i>Digestion</i> , 2012 , 85, 261-5	3.6	30
62	Differences in the severity of small bowel mucosal injury based on the type of aspirin as evaluated by capsule endoscopy. <i>Digestive and Liver Disease</i> , 2012 , 44, 833-8	3.3	29
61	Characteristics of intestinal pseudo-obstruction in patients with mitochondrial diseases. <i>World Journal of Gastroenterology</i> , 2012 , 18, 4557-62	5.6	26
60	Early effects of oral administration of omeprazole and roxatidine on intragastric pH. <i>Journal of Zhejiang University: Science B</i> , 2012 , 13, 29-34	4.5	1
59	Effect of sumatriptan on gastric emptying: a crossover study using the BreathID system. <i>World Journal of Gastroenterology</i> , 2012 , 18, 3415-9	5.6	7
58	Endoscopic diagnosis of Barrett's esophagus. <i>World Journal of Gastroenterology</i> , 2012 , 18, 3477-8	5.6	1
57	A case of multiple ulcers of the small intestine observed by capsule endoscopy and single-balloon enteroscopy. <i>Progress of Digestive Endoscopy</i> , 2012 , 80, 116-117	0	
56	Effects of Histamine-2 Receptor Antagonists and Proton Pump Inhibitors on the Rate of Gastric Emptying: A Crossover Study Using a Continuous Real-Time C Breath Test (BreathID System). <i>Journal of Neurogastroenterology and Motility</i> , 2011 , 17, 287-93	4.4	9
55	Change of gastric emptying with chewing gum: evaluation using a continuous real-time C breath test (BreathID system). <i>Journal of Neurogastroenterology and Motility</i> , 2011 , 17, 174-9	4.4	5
54	Mosapride accelerates the delayed gastric emptying of high-viscosity liquids: a crossover study using continuous real-time C breath test (BreathID System). <i>Journal of Neurogastroenterology and Motility</i> , 2011 , 17, 395-401	4.4	5
53	Novel findings for the development of drug therapy for various liver diseases: Liver microsomal triglyceride transfer protein activator may be a possible therapeutic agent in non-alcoholic steatohepatitis. <i>Journal of Pharmacological Sciences</i> , 2011 , 115, 270-3	3.7	7
52	Discrimination between sclerosing cholangitis-associated autoimmune pancreatitis and primary sclerosing cholangitis, cancer using intraductal ultrasonography. <i>Digestive Endoscopy</i> , 2011 , 23, 10-6	3.7	20
51	Quantitative analysis of low-dose aspirin-associated small bowel injury using a capsule endoscopy scoring index. <i>Digestive Endoscopy</i> , 2011 , 23, 56-61	3.7	12
50	Is it worthwhile to perform capsule endoscopy for asymptomatic patients with positive immunochemical faecal occult blood test?. <i>Digestive Diseases and Sciences</i> , 2011 , 56, 3459-62	4	9
49	Usefulness of endoscopic biopsy using FOXP3+ Treg up-regulation in the duodenal papilla in the differential diagnosis between autoimmune pancreatitis and pancreatic cancer. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2011 , 18, 414-21	2.8	9
48	Efficacy of Lactobacillus casei treatment on small bowel injury in chronic low-dose aspirin users: a pilot randomized controlled study. <i>Journal of Gastroenterology</i> , 2011 , 46, 894-905	6.9	79

47	A review of the reported cases of chronic intestinal pseudo-obstruction in Japan and an investigation of proposed new diagnostic criteria. <i>Clinical Journal of Gastroenterology</i> , 2011 , 4, 141-146	1.1	12
46	Capsule-endoscopic findings of ulcerative colitis patients. <i>Digestion</i> , 2011 , 84, 306-14	3.6	21
45	Optimal approach for small bowel capsule endoscopy using polyethylene glycol and metoclopramide with the assistance of a real-time viewer. <i>Digestion</i> , 2011 , 84, 119-25	3.6	25
44	Visceral obesity and the risk of Barrett's esophagus. <i>Digestion</i> , 2011 , 83, 142-5	3.6	22
43	Metformin suppresses colorectal aberrant crypt foci in a short-term clinical trial. <i>Cancer Prevention Research</i> , 2010 , 3, 1077-83	3.2	241
42	Measurement of spleen volume is useful for distinguishing between simple steatosis and early-stage non-alcoholic steatohepatitis. <i>Hepatology Research</i> , 2010 , 40, 693-700	5.1	27
41	Efficacy of ezetimibe for the treatment of non-alcoholic steatohepatitis: An open-label, pilot study. <i>Hepatology Research</i> , 2010 , 40, 566-73	5.1	100
40	Highly active state of autoimmune pancreatitis with mikulicz disease. <i>Pancreas</i> , 2010 , 39, e6-10	2.6	21
39	Serum ferritin is a clinical biomarker in Japanese patients with nonalcoholic steatohepatitis (NASH) independent of HFE gene mutation. <i>Digestive Diseases and Sciences</i> , 2010 , 55, 808-14	4	61
38	Metformin suppresses azoxymethane-induced colorectal aberrant crypt foci by activating AMP-activated protein kinase. <i>Molecular Carcinogenesis</i> , 2010 , 49, 662-71	5	138
37	Shape of Barrett's epithelium is associated with prevalence of erosive esophagitis. <i>World Journal of Gastroenterology</i> , 2010 , 16, 484-9	5.6	12
36	Incidence of small bowel injury induced by low-dose aspirin: a crossover study using capsule endoscopy in healthy volunteers. <i>Digestion</i> , 2009 , 79, 44-51	3.6	68
35	Dysfunctional very-low-density lipoprotein synthesis and release is a key factor in nonalcoholic steatohepatitis pathogenesis. <i>Hepatology</i> , 2009 , 50, 772-80	11.2	153
34	Characteristics of small bowel injury in symptomatic chronic low-dose aspirin users: the experience of two medical centers in capsule endoscopy. <i>Journal of Gastroenterology</i> , 2009 , 44, 544-9	6.9	61
33	Early effects of oral administration of lafutidine with mosapride compared with lafutidine alone on intragastric pH values. <i>BMC Gastroenterology</i> , 2009 , 9, 52	3	4
32	Visceral obesity and the risk of Barrett's esophagus in Japanese patients with non-alcoholic fatty liver disease. <i>BMC Gastroenterology</i> , 2009 , 9, 56	3	36
31	Comparison of endoscopic findings with symptom assessment systems (FSSG and QUEST) for gastroesophageal reflux disease in Japanese centres. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2009 , 24, 633-8	4	51
30	A proposal for differentiation between early- and advanced-stage autoimmune pancreatitis by endoscopic ultrasonography. <i>Digestive Endoscopy</i> , 2009 , 21, 162-9	3.7	13

29	Association between angiotensin II type 1 receptor polymorphisms and the occurrence of nonalcoholic fatty liver disease. <i>Liver International</i> , 2009 , 29, 1078-85	7.9	58
28	Long-term combination therapy of ezetimibe and acarbose for non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2009 , 51, 548-56	13.4	69
27	Influence of inducible nitric oxide synthase polymorphisms in Japanese patients with non-alcoholic fatty liver disease. <i>Hepatology Research</i> , 2009 , 39, 963-71	5.1	22
26	A case of successful management of a duodenal varix by endoscopic variceal ligation. <i>Progress of Digestive Endoscopy</i> , 2009 , 75, 78-79	0	
25	Does postprandial coffee intake enhance gastric emptying?: a crossover study using continuous real time 13C breath test (BreathID system). <i>Hepato-Gastroenterology</i> , 2009 , 56, 918-20		11
24	Management of acute lower intestinal bleeding: what bowel preparation should be required for urgent colonoscopy?. <i>Hepato-Gastroenterology</i> , 2009 , 56, 1331-4		8
23	Differentiating sclerosing cholangitis caused by autoimmune pancreatitis and primary sclerosing cholangitis according to endoscopic duodenal papillary features. <i>Gastrointestinal Endoscopy</i> , 2008 , 68, 1204-8	5.2	45
22	Ingesting 500 ml of polyethylene glycol solution during capsule endoscopy improves the image quality and completion rate to the cecum. <i>Digestive Diseases and Sciences</i> , 2008 , 53, 3201-5	4	34
21	Association between PPARGC1A polymorphisms and the occurrence of nonalcoholic fatty liver disease (NAFLD). <i>BMC Gastroenterology</i> , 2008 , 8, 27	3	53
20	Plasma Pentraxin3 is a novel marker for nonalcoholic steatohepatitis (NASH). <i>BMC Gastroenterology</i> , 2008 , 8, 53	3	60
19	Effects of body positions on gastric emptying with enteral nutrition: a crossover study using a continuous real time 13C breath test (BreathID system). <i>Hepato-Gastroenterology</i> , 2008 , 55, 1905-7		9
18	Clinical factors predictive of spontaneous remission or relapse in cases of autoimmune pancreatitis. <i>Gastrointestinal Endoscopy</i> , 2007 , 66, 1142-51	5.2	103
17	Telmisartan, an angiotensin II type 1 receptor blocker, controls progress of nonalcoholic steatohepatitis in rats. <i>Digestive Diseases and Sciences</i> , 2007 , 52, 3455-64	4	62
16	Type IV collagen 7s domain is an independent clinical marker of the severity of fibrosis in patients with nonalcoholic steatohepatitis before the cirrhotic stage. <i>Journal of Gastroenterology</i> , 2007 , 42, 375-81	6.9	68
15	Is oral combination therapy with a proton-pump inhibitor and H2 receptor antagonist effective as initial treatment?. <i>Journal of Gastroenterology</i> , 2007 , 42, 510-1	6.9	1
14	High-sensitivity C-reactive protein is an independent clinical feature of nonalcoholic steatohepatitis (NASH) and also of the severity of fibrosis in NASH. <i>Journal of Gastroenterology</i> , 2007 , 42, 573-82	6.9	193
13	Early effects of peppermint oil on gastric emptying: a crossover study using a continuous real-time 13C breath test (BreathID system). <i>Journal of Gastroenterology</i> , 2007 , 42, 539-42	6.9	34
12	Transient elastography in patients with non-alcoholic fatty liver disease (NAFLD). <i>Gut</i> , 2007 , 56, 1330-1	19.2	177

11	Clinical significance of swollen duodenal papilla in autoimmune pancreatitis. <i>Pancreas</i> , 2007 , 35, e51-60	2.6	32
10	A case of bleeding jejunal varices following total gastrectomy. <i>Progress of Digestive Endoscopy</i> , 2007 , 70, 76-77	0	
9	A case of primary intestinal GIST diagnosed by double-balloon enteroscopy. <i>Progress of Digestive Endoscopy</i> , 2007 , 71, 94-95	0	1
8	The difficulty in the diagnosis of the pancreatic invasion from extrahepatic bile duct carcinoma due to the coexisting fibrosis even if endoscopic intraductal ultrasonography was performed-a case report. <i>Progress of Digestive Endoscopy</i> , 2006 , 68, 166-167	0	
7	Evaluation of the effects of anti-secretory drugs on intragastric acidity: is combined therapy with a proton pump inhibitor and an H2 receptor antagonist effective as initial treatment?. <i>Journal of Gastroenterology</i> , 2005 , 40, 213-4	6.9	4
6	Early effects of lafutidine or rabeprazole on intragastric acidity: which drug is more suitable for on-demand use?. <i>Journal of Gastroenterology</i> , 2005 , 40, 453-8	6.9	22
5	A case of successful resection of the islet cell tumor of the pancreas during endoscopic nasopancreatic drainage (ENPD) before the operation. <i>Progress of Digestive Endoscopy</i> , 2005 , 66, 100-101		
4	The comparative effects of single intravenous doses of omeprazole and famotidine on intragastric pH. <i>Journal of Gastroenterology</i> , 2004 , 39, 21-5	6.9	25
3	Clinical characteristics of Japanese reflux esophagitis patients as determined by Los Angeles classification. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2003 , 18, 172-6	4	58
2	Oral administration of lactoferrin reduces colitis in rats via modulation of the immune system and correction of cytokine imbalance. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2002 , 17, 1291-8	4	90
1	Lactoferrin reduces colitis in rats via modulation of the immune system and correction of cytokine imbalance. <i>American Journal of Physiology - Renal Physiology</i> , 2002 , 283, G187-95	5.1	75