
Matthew Broome

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10787335/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Adverse clinical outcomes in people at clinical high-risk for psychosis related to altered interactions between hippocampal activity and glutamatergic function. Translational Psychiatry, 2021, 11, 579.	4.8	4
2	Explaining why childhood abuse is a risk factor for poorer clinical course in bipolar disorder: a path analysis of 923 people with bipolar I disorder. Psychological Medicine, 2020, 50, 2346-2354.	4.5	9
3	Bullying victimisation and risk of psychotic phenomena: analyses of British national survey data. Lancet Psychiatry,the, 2015, 2, 618-624.	7.4	74
4	Continuity between Stressful Experiences and Delusion Content in Adolescents with Psychotic Disorders – A Pilot Study. Scandinavian Journal of Child and Adolescent Psychiatry and Psychology, 2015, 4, 14-22.	0.6	11
5	Spatial working memory ability in individuals at ultra high risk for psychosis. Journal of Psychiatric Research, 2014, 50, 100-105.	3.1	28
6	Mood instability, mental illness and suicidal ideas: results from a household survey. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1431-1437.	3.1	37
7	The prevalence and clinical associations of mood instability in adults living in England: Results from the Adult Psychiatric Morbidity Survey 2007. Psychiatry Research, 2013, 205, 262-268.	3.3	60
8	Effect of DISC1 on the P300 Waveform in Psychosis. Schizophrenia Bulletin, 2013, 39, 161-167.	4.3	19
9	Transition to Psychosis Associated With Prefrontal and Subcortical Dysfunction in Ultra High-Risk Individuals. Schizophrenia Bulletin, 2012, 38, 1268-1276.	4.3	120
10	Functional brain networks before the onset of psychosis: A prospective fMRI study with graph theoretical analysis. NeuroImage: Clinical, 2012, 1, 91-98.	2.7	40
11	Gray matter alterations related to P300 abnormalities in subjects at high risk for psychosis: Longitudinal MRI-EEG study. NeuroImage, 2011, 55, 320-328.	4.2	52
12	White matter alterations related to P300 abnormalities in individuals at high risk for psychosis: an MRI–EEG study. Journal of Psychiatry and Neuroscience, 2011, 36, 239-248.	2.4	46
13	Abnormal Frontostriatal Interactions in People With Prodromal Signs of Psychosis. Archives of General Psychiatry, 2010, 67, 683.	12.3	235
14	Elevated Striatal Dopamine Function Linked to Prodromal Signs of Schizophrenia. Archives of General Psychiatry, 2009, 66, 13.	12.3	653
15	Functional integration between the posterior hippocampus and prefrontal cortex is impaired in both first episode schizophrenia and the at risk mental state. Brain, 2009, 132, 2426-2436.	7.6	165
16	Multimodal functional imaging investigation before and after the onset of psychosis. International Journal of Neuropsychopharmacology, 2009, 12, 579.	2.1	5
17	Abnormal P300 in people with high risk of developing psychosis. NeuroImage, 2008, 41, 553-560.	4.2	87
18	Medial temporal lobe activity at recognition increases with the duration of mnemonic delay during an object working memory task. Human Brain Mapping, 2007, 28, 1235-1250.	3.6	31

#	Article	IF	CITATIONS
19	Neurofunctional correlates of vulnerability to psychosis: A systematic review and meta-analysis. Neuroscience and Biobehavioral Reviews, 2007, 31, 465-484.	6.1	276
20	Looking with both eyes open: fact and value in psychiatric diagnosis?. World Psychiatry, 2005, 4, 78-86.	10.4	44
21	What can philosophy do for psychiatry?. World Psychiatry, 2004, 3, 130-5.	10.4	17