

Qing Wan

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/10789966/qing-wan-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

83
papers

4,502
citations

36
h-index

65
g-index

83
ext. papers

4,780
ext. citations

6.4
avg, IF

5.52
L-index

#	Paper	IF	Citations
83	Fabrication of β -cyclodextrin containing AIE-active polymeric composites through formation of dynamic phenylboronic borate and their theranostic applications. <i>Cellulose</i> , 2019 , 26, 8829-8841	5.5	7
82	Facile fabrication of cross-linked fluorescent organic nanoparticles with aggregation-induced emission characteristic via the thiol-ene click reaction and their potential for biological imaging. <i>Materials Science and Engineering C</i> , 2019 , 98, 293-299	8.3	3
81	Synthesis of fluorescent dendrimers with aggregation-induced emission features through a one-pot multi-component reaction and their utilization for biological imaging. <i>Journal of Colloid and Interface Science</i> , 2018 , 509, 327-333	9.3	9
80	A one-step ultrasonic irradiation assisted strategy for the preparation of polymer-functionalized carbon quantum dots and their biological imaging. <i>Journal of Colloid and Interface Science</i> , 2018 , 532, 767-773	9.3	36
79	Room temperature preparation of fluorescent starch nanoparticles from starch-dopamine conjugates and their biological applications. <i>Materials Science and Engineering C</i> , 2018 , 82, 204-209	8.3	20
78	Surface modification and drug delivery applications of MoS ₂ nanosheets with polymers through the combination of mussel inspired chemistry and SET-LRP. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2018 , 82, 205-213	5.3	105
77	Self-catalyzed photo-initiated RAFT polymerization for fabrication of fluorescent polymeric nanoparticles with aggregation-induced emission feature. <i>Materials Science and Engineering C</i> , 2018 , 83, 154-159	8.3	16
76	Bottom-up preparation of nitrogen doped carbon quantum dots with green emission under microwave-assisted hydrothermal treatment and their biological imaging. <i>Materials Science and Engineering C</i> , 2018 , 84, 60-66	8.3	47
75	Synthesis and biological imaging of cross-linked fluorescent polymeric nanoparticles with aggregation-induced emission characteristics based on the combination of RAFT polymerization and the Biginelli reaction. <i>Journal of Colloid and Interface Science</i> , 2018 , 528, 192-199	9.3	19
74	Facile fabrication of luminescent hyaluronic acid with aggregation-induced emission through formation of dynamic bonds and their theranostic applications. <i>Materials Science and Engineering C</i> , 2018 , 91, 201-207	8.3	54
73	Facile Fabrication of AIE-Active Fluorescent Polymeric Nanoparticles with Ultra-Low Critical Micelle Concentration Based on Ce(IV) Redox Polymerization for Biological Imaging Applications. <i>Macromolecular Rapid Communications</i> , 2017 , 38, 1600752	4.8	16
72	Recent Advances and Future Prospects of Aggregation-induced Emission Carbohydrate Polymers. <i>Macromolecular Rapid Communications</i> , 2017 , 38, 1600575	4.8	19
71	A powerful one-pot tool for fabrication of AIE-active luminescent organic nanoparticles through the combination of RAFT polymerization and multicomponent reactions. <i>Materials Chemistry Frontiers</i> , 2017 , 1, 1051-1058	7.8	37
70	Facile synthesis of polymeric fluorescent organic nanoparticles based on the self-polymerization of dopamine for biological imaging. <i>Materials Science and Engineering C</i> , 2017 , 77, 972-977	8.3	139
69	Construction of biodegradable and biocompatible AIE-active fluorescent polymeric nanoparticles by Ce(IV)/HNO redox polymerization in aqueous solution. <i>Materials Science and Engineering C</i> , 2017 , 78, 191-197	8.3	28
68	Direct encapsulation of AIE-active dye with β -cyclodextrin terminated polymers: Self-assembly and biological imaging. <i>Materials Science and Engineering C</i> , 2017 , 78, 862-867	8.3	97
67	Facile preparation of MoS ₂ based polymer composites via mussel inspired chemistry and their high efficiency for removal of organic dyes. <i>Applied Surface Science</i> , 2017 , 419, 35-44	6.7	190

66	Mussel-inspired fabrication of functional materials and their environmental applications: Progress and prospects. <i>Applied Materials Today</i> , 2017 , 7, 222-238	6.6	248
65	Recent progress and development on polymeric nanomaterials for photothermal therapy: a brief overview. <i>Journal of Materials Chemistry B</i> , 2017 , 5, 194-206	7.3	165
64	Preparation of AIE-active fluorescent polymeric nanoparticles through a catalyst-free thiol-yne click reaction for bioimaging applications. <i>Materials Science and Engineering C</i> , 2017 , 80, 411-416	8.3	120
63	Photo-induced surface grafting of phosphorylcholine containing copolymers onto mesoporous silica nanoparticles for controlled drug delivery. <i>Materials Science and Engineering C</i> , 2017 , 79, 596-604	8.3	23
62	Microwave-assisted Diels-Alder reaction for rapid synthesis of luminescent nanodiamond with AIE-active dyes and their biomedical applications. <i>Materials Chemistry and Physics</i> , 2017 , 197, 256-265	4.4	10
61	Marrying the mussel inspired chemistry and Kabachnik-Fields reaction for preparation of SiO ₂ polymer composites and enhancement removal of methylene blue. <i>Applied Surface Science</i> , 2017 , 422, 17-27	6.7	25
60	Preparation and controlled drug delivery applications of mesoporous silica polymer nanocomposites through the visible light induced surface-initiated ATRP. <i>Applied Surface Science</i> , 2017 , 412, 571-577	6.7	29
59	Preparation of polymeric silica composites through polydopamine-mediated surface initiated ATRP for highly efficient removal of environmental pollutants. <i>Materials Chemistry and Physics</i> , 2017 , 193, 501-511	4.4	21
58	Polymerizable aggregation-induced emission dye for preparation of cross-linkable fluorescent nanoprobe with ultra-low critical micelle concentrations. <i>Materials Science and Engineering C</i> , 2017 , 76, 586-592	8.3	19
57	Recent progress and advances in redox-responsive polymers as controlled delivery nanoplateforms. <i>Materials Chemistry Frontiers</i> , 2017 , 1, 807-822	7.8	93
56	Novel Strategy toward AIE-Active Fluorescent Polymeric Nanoparticles from Polysaccharides: Preparation and Cell Imaging. <i>ACS Sustainable Chemistry and Engineering</i> , 2017 , 5, 9955-9964	8.3	36
55	Direct surface grafting of mesoporous silica nanoparticles with phospholipid choline-containing copolymers through chain transfer free radical polymerization and their controlled drug delivery. <i>Journal of Colloid and Interface Science</i> , 2017 , 508, 396-404	9.3	25
54	Synthesis and bioimaging of biodegradable red fluorescent organic nanoparticles with aggregation-induced emission characteristics. <i>Journal of Colloid and Interface Science</i> , 2017 , 508, 248-253	9.3	15
53	Marrying multicomponent reactions and aggregation-induced emission (AIE): new directions for fluorescent nanoprobe. <i>Polymer Chemistry</i> , 2017 , 8, 5644-5654	4.9	73
52	Aggregation-Induced Emission Polymers 2017 , 1-60		
51	Facile fabrication of luminescent polymeric nanoparticles containing dynamic linkages via a one-pot multicomponent reaction: Synthesis, aggregation-induced emission and biological imaging. <i>Materials Science and Engineering C</i> , 2017 , 80, 708-714	8.3	124
50	Aggregation-induced emission active luminescent polymeric nanoparticles: Non-covalent fabrication methodologies and biomedical applications. <i>Applied Materials Today</i> , 2017 , 9, 145-160	6.6	135
49	Synthesis of amphiphilic fluorescent polymers via a one-pot combination of multicomponent Hantzsch reaction and RAFT polymerization and their cell imaging applications. <i>Polymer Chemistry</i> , 2017 , 8, 4805-4810	4.9	28

48	Surface PEGylation of mesoporous silica materials via surface-initiated chain transfer free radical polymerization: Characterization and controlled drug release. <i>Materials Science and Engineering C</i> , 2017 , 81, 57-65	8.3	7
47	Fabrication, self-assembly and biomedical applications of luminescent sodium hyaluronate with aggregation-induced emission feature. <i>Materials Science and Engineering C</i> , 2017 , 81, 120-126	8.3	24
46	Fabrication of multifunctional fluorescent organic nanoparticles with AIE feature through photo-initiated RAFT polymerization. <i>Polymer Chemistry</i> , 2017 , 8, 7390-7399	4.9	21
45	Microwave-assisted multicomponent reactions for rapid synthesis of AIE-active fluorescent polymeric nanoparticles by post-polymerization method. <i>Materials Science and Engineering C</i> , 2017 , 80, 578-583	8.3	133
44	Fabrication of water dispersible and biocompatible AIE-active fluorescent polymeric nanoparticles through a one-pot Mannich reaction. <i>Polymer Chemistry</i> , 2017 , 8, 4746-4751	4.9	12
43	Fabrication and biological imaging of polyhedral oligomeric silsesquioxane cross-linked fluorescent polymeric nanoparticles with aggregation-induced emission feature. <i>Applied Surface Science</i> , 2017 , 423, 469-475	6.7	11
42	A new strategy for fabrication of water dispersible and biodegradable fluorescent organic nanoparticles with AIE and ESIPT characteristics and their utilization for bioimaging. <i>Talanta</i> , 2017 , 174, 803-808	6.2	35
41	Preparation of water soluble and biocompatible AIE-active fluorescent organic nanoparticles via multicomponent reaction and their biological imaging capability. <i>Chemical Engineering Journal</i> , 2017 , 308, 527-534	14.7	100
40	Ultrasonic-assisted Kabachnik-Fields reaction for rapid fabrication of AIE-active fluorescent organic nanoparticles. <i>Ultrasonics Sonochemistry</i> , 2017 , 35, 319-325	8.9	26
39	Rapid preparation of branched and degradable AIE-active fluorescent organic nanoparticles via formation of dynamic phenyl borate bond. <i>Colloids and Surfaces B: Biointerfaces</i> , 2017 , 150, 114-120	6	14
38	Preparation of PEGylated polymeric nanoprobe with aggregation-induced emission feature through the combination of chain transfer free radical polymerization and multicomponent reaction: Self-assembly, characterization and biological imaging applications. <i>Materials Science and Engineering C</i> , 2017 , 72, 352-358	8.3	38
37	Facile and highly efficient fabrication of graphene oxide-based polymer nanocomposites through mussel-inspired chemistry and their environmental pollutant removal application. <i>Journal of Materials Science</i> , 2017 , 52, 504-518	4.3	36
36	Facile Fabrication of PEGylated Fluorescent Organic Nanoparticles with Aggregation-Induced Emission Feature via Formation of Dynamic Bonds and Their Biological Imaging Applications. <i>Macromolecular Rapid Communications</i> , 2016 , 37, 1657-1661	4.8	25
35	Recent developments in polydopamine: an emerging soft matter for surface modification and biomedical applications. <i>Nanoscale</i> , 2016 , 8, 16819-16840	7.7	421
34	Facile synthesis and characterization of poly(levodopa)-modified silica nanocomposites via self-polymerization of levodopa and their adsorption behavior toward Cu ²⁺ . <i>Journal of Materials Science</i> , 2016 , 51, 9625-9637	4.3	16
33	Fabrication of aggregation induced emission active luminescent chitosan nanoparticles via a "one-pot" multicomponent reaction. <i>Carbohydrate Polymers</i> , 2016 , 152, 189-195	10.3	34
32	Facile preparation of carbon nanotubes based carboxymethyl chitosan nanocomposites through combination of mussel inspired chemistry and Michael addition reaction: Characterization and improved Cu ²⁺ removal capability. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2016 , 68, 446-454	5.3	86
31	Mussel-inspired PEGylated carbon nanotubes: biocompatibility evaluation and drug delivery applications. <i>Toxicology Research</i> , 2016 , 5, 1371-1379	2.6	19

30	Fabrication of amphiphilic fluorescent nanoparticles with an AIE feature via a one-pot clickable mercaptoacetic acid locking imine reaction: synthesis, self-assembly and bioimaging. <i>Polymer Chemistry</i> , 2016 , 7, 4559-4566	4.9	26
29	Fabrication and biological imaging application of AIE-active luminescent starch based nanoprobe. <i>Carbohydrate Polymers</i> , 2016 , 142, 38-44	10.3	52
28	Synthesis of Amphiphilic Hyperbranched AIE-active Fluorescent Organic Nanoparticles and Their Application in Biological Application. <i>Macromolecular Bioscience</i> , 2016 , 16, 223-30	5.5	27
27	Fabrication of AIE-active amphiphilic fluorescent polymeric nanoparticles through host-guest interaction. <i>RSC Advances</i> , 2016 , 6, 54812-54819	3.7	17
26	Facile preparation and biological imaging of luminescent polymeric nanoprobe with aggregation-induced emission characteristics through Michael addition reaction. <i>Colloids and Surfaces B: Biointerfaces</i> , 2016 , 145, 795-801	6	7
25	Facile fabrication of amphiphilic AIE active glucan via formation of dynamic bonds: self assembly, stimuli responsiveness and biological imaging. <i>Journal of Materials Chemistry B</i> , 2016 , 4, 4033-4039	7.3	52
24	Surface modification of nanodiamond through metal free atom transfer radical polymerization. <i>Applied Surface Science</i> , 2016 , 390, 710-717	6.7	29
23	Ultrafast Preparation of AIE-Active Fluorescent Organic Nanoparticles via a "One-Pot" Microwave-Assisted Kabachnik-Fields Reaction. <i>Macromolecular Rapid Communications</i> , 2016 , 37, 1754-1759	4.8	40
22	Fabrication and biomedical applications of AIE active nanotheranostics through the combination of a ring-opening reaction and formation of dynamic hydrazones. <i>Journal of Materials Chemistry B</i> , 2016 , 4, 5692-5699	7.3	34
21	One-step preparation of AIE-active dextran via formation of phenyl borate and their bioimaging application. <i>Chemical Engineering Journal</i> , 2016 , 304, 149-155	14.7	45
20	Facile preparation, through Schiff base formation, of luminescent amphiphilic carbohydrate polymers with aggregation-induced emission characteristics for biological imaging. <i>RSC Advances</i> , 2016 , 6, 76011-76016	3.7	4
19	PEGylation of carbon nanotubes via mussel inspired chemistry: Preparation, characterization and biocompatibility evaluation. <i>Applied Surface Science</i> , 2015 , 351, 425-432	6.7	65
18	Mussel inspired functionalization of carbon nanotubes for heavy metal ion removal. <i>RSC Advances</i> , 2015 , 5, 68430-68438	3.7	55
17	A rather facile strategy for the fabrication of PEGylated AIE nanoprobe. <i>Polymer Chemistry</i> , 2015 , 6, 5288-5294	4.9	53
16	Bioinspired preparation of thermo-responsive graphene oxide nanocomposites in an aqueous solution. <i>Polymer Chemistry</i> , 2015 , 6, 5876-5883	4.9	58
15	Surface modification of carbon nanotubes via combination of mussel inspired chemistry and chain transfer free radical polymerization. <i>Applied Surface Science</i> , 2015 , 346, 335-341	6.7	55
14	Toward the development of versatile functionalized carbon nanotubes. <i>RSC Advances</i> , 2015 , 5, 38316-38323	3.7	29
13	Mussel inspired preparation of highly dispersible and biocompatible carbon nanotubes. <i>RSC Advances</i> , 2015 , 5, 25329-25336	3.7	33

12	Marrying mussel inspired chemistry with SET-LRP: A novel strategy for surface functionalization of carbon nanotubes. <i>Journal of Polymer Science Part A</i> , 2015 , 53, 1872-1879	2.5	38
11	Preparation of amine functionalized carbon nanotubes via a bioinspired strategy and their application in Cu ²⁺ removal. <i>Applied Surface Science</i> , 2015 , 343, 19-27	6.7	279
10	Direct surface PEGylation of nanodiamond via RAFT polymerization. <i>Applied Surface Science</i> , 2015 , 357, 2147-2153	6.7	37
9	A bioinspired strategy for surface modification of silica nanoparticles. <i>Applied Surface Science</i> , 2015 , 357, 1996-2003	6.7	48
8	Carbon nanotube based polymer nanocomposites: biomimic preparation and organic dye adsorption applications. <i>RSC Advances</i> , 2015 , 5, 82503-82512	3.7	52
7	Preparation of ultrabright AIE nanoprobe via dynamic bonds. <i>Tetrahedron</i> , 2015 , 71, 8791-8797	2.4	24
6	Stimulus responsive cross-linked AIE-active polymeric nanoprobe: fabrication and biological imaging application. <i>Polymer Chemistry</i> , 2015 , 6, 8214-8221	4.9	59
5	Biomimic modification of graphene oxide. <i>New Journal of Chemistry</i> , 2015 , 39, 8172-8178	3.6	28
4	Towards development of a versatile and efficient strategy for fabrication of GO based polymer nanocomposites. <i>Polymer Chemistry</i> , 2015 , 6, 7211-7218	4.9	50
3	Biomimic preparation of highly dispersible silica nanoparticles based polymer nanocomposites. <i>Ceramics International</i> , 2015 , 41, 15075-15082	5.1	25
2	Nanodiamond based supermolecular nanocomposites: preparation and biocompatibility evaluation. <i>RSC Advances</i> , 2015 , 5, 96983-96989	3.7	13
1	Surface modification of carbon nanotubes by combination of mussel inspired chemistry and SET-LRP. <i>Polymer Chemistry</i> , 2015 , 6, 1786-1792	4.9	79