

Rongli Gao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1079628/publications.pdf>

Version: 2024-02-01

113
papers

2,042
citations

257450

24
h-index

289244

40
g-index

114
all docs

114
docs citations

114
times ranked

1223
citing authors

#	ARTICLE	IF	CITATIONS
1	Enhanced energy-storage performance of $\text{Pb}_{0.925}\text{La}_{0.05}\text{Zr}_{0.95}\text{Ti}_{0.05}\text{O}_3/\text{SiO}_2$ composite ceramics. <i>Journal of Alloys and Compounds</i> , 2022, 890, 161869.	5.5	18
2	Effect of core size on the magnetoelectric properties of $\text{Cu}_{0.8}\text{Co}_{0.2}\text{Fe}_2\text{O}_4/\text{Ba}_{0.8}\text{Sr}_{0.2}\text{TiO}_3$ ceramics. <i>Journal of Physics and Chemistry of Solids</i> , 2022, 160, 110314.	4.0	25
3	Effect of holding time on microstructure, ferroelectric and energy-storage properties of $\text{Pb}_{0.925}\text{La}_{0.05}\text{Zr}_{0.95}\text{Ti}_{0.05}\text{O}_3/\text{SiO}_2$ ceramics. <i>Journal of Alloys and Compounds</i> , 2022, 896, 162932.	5.5	21
4	Effect of sintering temperatures on the magnetoelectric properties of $\text{Bi}_{0.78}\text{La}_{0.08}\text{Sm}_{0.14}\text{Fe}_{0.85}\text{Ti}_{0.15}\text{O}_3$ ceramics. <i>Processing and Application of Ceramics</i> , 2022, 16, 89-96.	0.8	0
5	Influence of calcination temperature on structure and multiferroic properties of barium ferrite ceramics. <i>Processing and Application of Ceramics</i> , 2022, 16, 106-114.	0.8	1
6	Dielectric, ferroelectric and piezoelectric behaviors of thulium-doped KNN ceramics fabricated by microwave sintering. <i>Journal of Materials Science: Materials in Electronics</i> , 2022, 33, 17258-17271.	2.2	0
7	Cooling rate-dependent microstructure and electrical properties of BCZT ceramics. <i>Materials Science in Semiconductor Processing</i> , 2022, 150, 106950.	4.0	5
8	Enhancement in hybrid improper ferroelectricity of $\text{Ca}_3\text{Ti}_2\text{O}_7$ ceramics by a two-stage sintering. <i>Materials Chemistry and Physics</i> , 2021, 258, 124001.	4.0	9
9	Effect of Al_2O_3 Addition on Magnetoelectric Properties of $\text{Ni}_{0.5}\text{Zn}_{0.5}\text{Fe}_2\text{O}_4/\text{Ba}_{0.8}\text{Sr}_{0.2}\text{TiO}_3$ Composite Ceramics. <i>Journal of Electronic Materials</i> , 2021, 50, 2822-2830.	2.2	4
10	Influence of sintering method on microstructure, electrical and magnetic properties of $\text{BiFeO}_3/\text{BaTiO}_3$ solid solution ceramics. <i>Materials Today Chemistry</i> , 2021, 20, 100419.	3.5	13
11	Microstructure, Magnetodielectric, and Multiferroic Properties of $\text{Co}_{0.8}\text{Cu}_{0.2}\text{Fe}_2\text{O}_4/(0.8\text{BaTiO}_3/\text{BiAlO}_3)_{0.2}\text{BaTiO}_3$ Composite Ceramics. <i>Advanced Engineering Materials</i> , 2021, 23, 2100410.		
12	Optimization of sintering process and enhanced hybrid improper ferroelectricity of $\text{Ca}_3\text{Ti}_2\text{O}_7$ ceramics fabricated by an acetic acid sol-gel method. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 24328-24341.	2.2	3
13	Improvement of magnetoelectric coupling effect in $\text{Ba}_{0.8}\text{Sr}_{0.2}\text{TiO}_3\text{-Co}_{0.5}\text{Cu}_{0.5}\text{Fe}_2\text{O}_4$ multiferroic fluids by tuning the composition. <i>Materials Today Chemistry</i> , 2021, 21, 100511.	3.5	18
14	Effect of solution concentration on magnetoelectric properties of barium ferrite ceramics. <i>Applied Physics A: Materials Science and Processing</i> , 2021, 127, 1.	2.3	1
15	Dielectric, ferroelectric, magnetic and multiferroic properties of $x\text{Ni}_{0.15}\text{Cu}_{0.25}\text{Zn}_{0.6}\text{Fe}_2\text{O}_4\text{-}(1-x)\text{Ba}_{0.85}\text{Ca}_{0.15}\text{Zr}_{0.1}\text{Ti}_{0.9}\text{O}_3$ composite ceramics. <i>Applied Physics A: Materials Science and Processing</i> , 2021, 127, 1.	2.3	2
16	Influence of IrO_2 addition on magnetoelectric properties of $\text{Ni}_{0.5}\text{Zn}_{0.5}\text{Fe}_2\text{O}_4/\text{Ba}_{0.8}\text{Sr}_{0.2}\text{TiO}_3$ composite ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 2436-2445.	2.2	1
17	Dielectric, ferroelectric and magnetoelectric properties of in-situ synthesized $\text{CoFe}_2\text{O}_4/\text{BaTiO}_3$ composite ceramics. <i>Ceramics International</i> , 2020, 46, 9154-9160.	4.8	22
18	Effects of Sintering Method and BiAlO_3 Dopant on Dielectric Relaxation and Energy Storage Properties of $\text{BaTiO}_3/\text{BiYbO}_3$ Ceramics. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2020, 217, 1900721.	1.8	8

#	ARTICLE	IF	CITATIONS
19	Enhancement of magnetoelectric properties and coupling coefficient of $\text{Co}_{1-x}\text{Cu}_x\text{Fe}_2\text{O}_4/\text{Ba}_{0.8}\text{Sr}_{0.2}\text{TiO}_3$ composite liquid. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 885-895.	2.2	14
20	Effect of sintering temperature on magnetoelectric properties of $\text{PbTiO}_3/\text{NiFe}_2\text{O}_4$ composite ceramics. <i>Journal of Asian Ceramic Societies</i> , 2020, 8, 1206-1215.	2.3	10
21	Dielectric and multiferroic properties of $0.8\text{BaTiO}_3-0.2\text{BiAlO}_3/\text{Co}_{0.8}\text{Cu}_{0.2}\text{Fe}_2\text{O}_4$ composite ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 13730-13745.	2.2	4
22	Remarkable enhancement in hybrid improper ferroelectricity of $\text{Ca}_3\text{Ti}_2\text{O}_7$ ceramics by a simple sol-gel process. <i>Materials Letters</i> , 2020, 278, 128447.	2.6	8
23	Effect of particle size on magnetodielectric and magnetoelectric coupling effect of $\text{CoFe}_2\text{O}_4@\text{BaTiO}_3$ composite fluids. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 9026-9036.	2.2	12
24	Effects of oxygen partial pressure on the electrical properties and phase transitions in $(\text{Ba,Ca})(\text{Ti,Zr})\text{O}_3$ ceramics. <i>Journal of Materials Science</i> , 2020, 55, 9972-9992.	3.7	29
25	Enhanced ferroelectric and piezoelectric responses of $(\text{Ba}_{0.85}\text{Ca}_{0.15})(\text{Zr}_{0.1}\text{Ti}_{0.9})\text{O}_3$ ceramics by Tm^{3+} amphoteric substitution. <i>Materials Chemistry and Physics</i> , 2020, 252, 123242.	4.0	18
26	Structure, dielectric, piezoelectric, antiferroelectric and magnetic properties of $\text{CoFe}_2\text{O}_4@\text{PbZr}_{0.5}\text{Ti}_{0.48}\text{O}_3$ composite ceramics. <i>Materials Chemistry and Physics</i> , 2020, 249, 123144.	4.0	33
27	Study of structural, optical and enhanced multiferroic properties of Ni doped BFO thin films synthesized by sol-gel method. <i>Journal of Alloys and Compounds</i> , 2020, 831, 154857.	5.5	47
28	Study on magnetoelectric properties of $\text{Ni}_{0.5}\text{Zn}_{0.5}\text{Fe}_2\text{O}_4/\text{Ba}_{0.8}\text{Sr}_{0.2}\text{TiO}_3$ composite ceramics based on Bi_2O_3 as combustion aid. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 4073-4082.	2.2	7
29	Effect of volume fraction on magnetoelectric coupling effect of $\text{Co}_{0.1}\text{Cu}_{0.9}\text{Fe}_2\text{O}_4/\text{Ba}_{0.8}\text{Sr}_{0.2}\text{TiO}_3$ composite liquid. <i>Applied Physics A: Materials Science and Processing</i> , 2020, 126, 1.	2.3	11
30	Effects of Sintering Method and BaTiO_3 Dopant on the Microstructure and Electric Properties of $(\text{Fe}_{0.9}\text{Al}_{0.05}\text{Yb}_{0.05})\text{O}_3$ -Based Ceramics. <i>Journal of Electronic Materials</i> , 2020, 49, 2608-2616.	2.2	2
31	Synergistic effect of grain size and phase boundary on energy storage performance and electric properties of BCZT ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 9167-9175.	2.2	35
32	Enhanced the dielectric relaxation characteristics of BaTiO_3 ceramic doped by BiFeO_3 and synthesized by the microwave sintering method. <i>Materials Chemistry and Physics</i> , 2020, 250, 123034.	4.0	34
33	Effects of molar ratio on dielectric, ferroelectric and magnetic properties of $\text{Ni}_{0.5}\text{Zn}_{0.5}\text{Fe}_2\text{O}_4-\text{BaTiO}_3$ composite ceramics. <i>Processing and Application of Ceramics</i> , 2020, 14, 91-101.	0.8	8
34	Effect of sintering temperature on magnetoelectric coupling in $0.2\text{Ni}_{0.9}\text{Zn}_{0.1}\text{Fe}_2\text{O}_4-0.8\text{Ba}_{0.9}\text{Sr}_{0.1}\text{TiO}_3$ composite ceramics. <i>Processing and Application of Ceramics</i> , 2020, 14, 336-345.	0.8	10
35	Effect of annealing atmosphere on structural and multiferroic properties of BiFeO_3 thin film prepared by RF magnetron sputtering. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 16502-16509.	2.2	9
36	Effect of molar ratio on the microstructure, dielectric and electromagnetic properties of $\text{BaTiO}_3/\text{CoFe}_2\text{O}_4$ ceramic. <i>Materials Research Express</i> , 2019, 6, 116317.	1.6	4

#	ARTICLE	IF	CITATIONS
37	Electric fatigue of BCZT ceramics sintered in different atmospheres. Applied Physics A: Materials Science and Processing, 2019, 125, 1.	2.3	26
38	Effect of Ti doping on the dielectric, ferroelectric and magnetic properties of $\text{Bi}_{0.86}\text{La}_{0.08}\text{Sm}_{0.14}\text{FeO}_3$ ceramics. Materials Research Express, 2019, 6, 106317.	1.6	9
39	Effects of BiAlO ₃ dopant and sintering method on microstructure, dielectric relaxation characteristic and ferroelectric properties of BaTiO ₃ -based ceramics. Applied Physics A: Materials Science and Processing, 2019, 125, 1.	2.3	13
40	Anomalous Magnetoelectric Coupling Effect of CoFe_2O_4 – BaTiO_3 Binary Mixed Fluids. ACS Applied Electronic Materials, 2019, 1, 1120-1132.	4.3	31
41	Microstructure, dielectric and enhanced multiferroic properties of $\text{Fe}_3\text{O}_4/\text{PbZr}_{0.52}\text{Ti}_{0.48}\text{O}_3$ composite ceramics. Journal of Materials Science: Materials in Electronics, 2019, 30, 12295-12306.	2.2	1
42	Enhanced multiferroic properties of $\text{Co}_0.5\text{Ni}_0.5\text{Fe}_2\text{O}_4/\text{Ba}_{0.85}\text{Sr}_{0.15}\text{TiO}_3$ composites based on particle size effect. Journal of Materials Science: Materials in Electronics, 2019, 30, 10256-10273.	2.2	19
43	Strong magnetic properties and enhanced coupling effect by tailoring the molar ratio in $\text{BaTiO}_3/\text{Co}_{0.5}\text{Mg}_{0.3}\text{Zn}_{0.2}\text{Fe}_2\text{O}_4$ composite ceramics. Journal of Materials Science: Materials in Electronics, 2019, 30, 11563-11575.	2.2	3
44	Effects of glass additives on microstructure, dielectric and ferroelectric properties of BaTiO_3 – BiYbO_3 based ceramics. Materials Research Express, 2019, 6, 086319.	1.6	1
45	Effect of Magnetic Phase on Structural and Multiferroic Properties of $\text{Ni}_{1-x}\text{Zn}_x\text{Fe}_2\text{O}_4/\text{BaTiO}_3$ Composite Ceramics. Journal of Electronic Materials, 2019, 48, 4806-4817.	2.2	42
46	A comparative study of the dielectric, ferroelectric and anomalous magnetic properties of $\text{Mn}_{0.5}\text{Mg}_{0.5}\text{Fe}_2\text{O}_4/\text{Ba}_{0.8}\text{Sr}_{0.2}\text{Ti}_{0.9}\text{Zr}_{0.1}\text{O}_3$ composite ceramics. Materials Chemistry and Physics, 2019, 232, 428-437.	4.0	36
47	Enhanced piezoelectric response of $(\text{Ba,Ca})(\text{Ti,Zr})\text{O}_3$ ceramics by super large grain size and construction of phase boundary. Journal of Alloys and Compounds, 2019, 794, 542-552.	5.5	60
48	Enhancement of magnetoelectric properties of $(1-x)\text{Mn}_{0.5}\text{Zn}_{0.5}\text{Fe}_2\text{O}_4$ - $x\text{Ba}_{0.85}\text{Sr}_{0.15}\text{Ti}_{0.9}\text{Hf}_{0.1}\text{O}_3$ composite ceramics. Journal of Alloys and Compounds, 2019, 795, 501-512.	5.5	140
49	The electronic structure and optical properties of $\text{Ca}_3(\text{Mn}_{1-x}\text{Ti}_x)_2\text{O}_7$ from first-principle calculations. Journal of Advanced Dielectrics, 2019, 09, 1950007.	2.4	6
50	Micro-Area Ferroelectric, Piezoelectric and Conductive Properties of Single BiFeO_3 Nanowire by Scanning Probe Microscopy. Nanomaterials, 2019, 9, 190.	4.1	53
51	Microstructure, Enhanced Relaxor-Like Behavior and Electric Properties of $(\text{Ba}_{0.85}\text{Ca}_{0.15})(\text{Zr}_{0.1-x}\text{Hf}_x\text{Ti}_{0.9})\text{O}_3$ Ceramics. Journal of Electronic Materials, 2019, 48, 3239-3247.	2.2	11
52	A comparative study on the structural, dielectric, ferroelectric and magnetic properties of $\text{CoFe}_2\text{O}_4/\text{PbZr}_{0.52}\text{Ti}_{0.48}\text{O}_3$ multiferroic composite with different molar ratios. Journal of Physics Communications, 2019, 3, 125010.	1.2	11
53	Effects of sintering time on microstructure and electric properties of $\text{Ba}_{0.7}\text{Sr}_{0.3}\text{TiO}_3$ ceramics. Ferroelectrics, 2019, 551, 5-16.	0.6	0
54	Microstructure and ferroelectric properties of $(\text{Ca}_{1-x}\text{Sr}_x)_3(\text{Ti}_{1-y}\text{Mn}_y)\text{O}_7$ ceramics. Journal of Materials Science: Materials in Electronics, 2019, 30, 2177-2185.	2.2	10

#	ARTICLE	IF	CITATIONS
55	Magnetocapacitance and magnetoelectric coupling effect of Ni _{0.5} Cu _{0.5} Fe ₂ O ₄ /BaTiO ₃ mixed multiferroic fluids. <i>Materials Research Express</i> , 2019, 6, 026308.	1.6	21
56	A comparative study on the structural, dielectric and multiferroic properties of Co _{0.6} Cu _{0.3} Zn _{0.1} Fe ₂ O ₄ /Ba _{0.9} Sr _{0.1} Zr _{0.1} Ti _{0.9} O ₃ composite ceramics. <i>Composites Part B: Engineering</i> , 2019, 166, 204-212.	12.0	158
57	Dielectric and ferroelectric properties of LaFeO ₃ particles derived from metal organic frameworks precursor. <i>Ceramics International</i> , 2019, 45, 1825-1830.	4.8	15
58	The Study of Microstructure, Dielectric and Multiferroic Properties of (1-x)Co _{0.8} Cu _{0.2} Fe ₂ O ₄ -xBa _{0.6} Sr _{0.4} TiO ₃ Composites. <i>Journal of Electronic Materials</i> , 2019, 48, 386-400.	2.2	27
59	Microstructure, enhanced electric and magnetic properties of Bi _{0.9} La _{0.1} FeO ₃ ceramics prepared by microwave sintering. <i>Journal of Alloys and Compounds</i> , 2019, 774, 61-68.	5.5	23
60	Influence of molar ratio on dielectric, ferroelectric and magnetic properties of Co _{0.5} Mg _{0.5} Fe ₂ O ₄ /Ba _{0.85} Sr _{0.15} TiO ₃ composite ceramics. <i>Processing and Application of Ceramics</i> , 2019, 13, 257-268.	0.8	2
61	Microstructure and Electric Properties of (Sr ^x Cax) ₃ Sn ₂ O ₇ Ceramics with Ruddlesden-Popper Structure. , 2018, , 189-197.		1
62	Influences of La on Optical and Electric Properties of BiFeO ₃ Thin Films. , 2018, , 171-180.		0
63	Effects of Sintering Temperature on Microstructure, Electric Properties of Ba _{0.7} Sr _{0.3} TiO ₃ Ceramics. , 2018, , 587-598.		1
64	Microstructure, enhanced piezoelectric, optical and magnetic properties of Mn substituted BiFeO ₃ film synthesized by chemical method. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 6870-6878.	2.2	11
65	Electric Field-Induced Magnetization Rotation in Magnetoelectric Multiferroic Fluids. <i>Advanced Electronic Materials</i> , 2018, 4, 1800030.	5.1	69
66	Photovoltaic effect in rhombohedral and tetragonal phase BiFeO ₃ ferroelectric thin films. <i>Integrated Ferroelectrics</i> , 2018, 192, 146-153.	0.7	1
67	Effect of annealing temperature on crystalline structure and domains configuration of BiFeO ₃ films. <i>Ferroelectrics</i> , 2018, 536, 122-131.	0.6	2
68	Microstructure, dielectric and ferroelectric properties of (1-x) BaTiO ₃ -xBiYbO ₃ ceramics fabricated by conventional and microwave sintering methods. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 20017-20032.	2.2	14
69	Effects of sintering method and BiFeO ₃ dopant on the dielectric and ferroelectric properties of BaTiO ₃ -BiYbO ₃ based solid solution ceramics. <i>Ceramics International</i> , 2018, 44, 16880-16889.	4.8	28
70	Effect of molar ratio on the microstructure, dielectric and multiferroic properties of Ni _{0.5} Zn _{0.5} Fe ₂ O ₄ -Pb _{0.8} Zr _{0.2} TiO ₃ nanocomposite. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 16226-16237.	2.2	45
71	Influence of core size on the multiferroic properties of CoFe ₂ O ₄ @BaTiO ₃ core shell structured composites. <i>Ceramics International</i> , 2018, 44, S84-S87.	4.8	109
72	Strong magnetoelectric coupling effect in BaTiO ₃ @CoFe ₂ O ₄ magnetoelectric multiferroic fluids. <i>Nanoscale</i> , 2018, 10, 11750-11759.	5.6	97

#	ARTICLE	IF	CITATIONS
73	Effects of sintering temperature and holding time on the microstructure and electric properties of Ba(Zr _{0.3} Ti _{0.7})O ₃ ceramics. Processing and Application of Ceramics, 2018, 12, 45-55.	0.8	11
74	Influence of Co ion doping on the microstructure, magnetic and dielectric properties of Ni _{1-x} Co _x Fe ₂ O ₄ ceramics. Processing and Application of Ceramics, 2018, 12, 335-341.	0.8	5
75	Dielectric, ferroelectric and magnetic properties of Bi _{0.78} La _{0.08} Sm _{0.14} Fe _{0.85} Ti _{0.15} O ₃ ceramics prepared at different sintering conditions. Processing and Application of Ceramics, 2018, 12, 394-402.	0.8	7
76	Microstructural Regulation and Optical Performance of Bismuth Ferrite Nanowires by Precipitant. , 2018, , 199-205.		0
77	Effects of Sn doping on the microstructure and dielectric and ferroelectric properties of Ba(Zr _{0.2} Ti _{0.8})O ₃ ceramics. Journal of Materials Science: Materials in Electronics, 2017, 28, 8177-8185.	2.2	11
78	Thickness Dependence of Photovoltaic Effect in BiFeO ₃ Thin Films Based on Asymmetric Structures. Journal of Electronic Materials, 2017, 46, 2373-2378.	2.2	26
79	Study on the structure and properties of (1-x) BiYbO ₃ -xBaTiO ₃ ceramics synthesized by sol-gel method. Ferroelectrics, 2017, 507, 127-138.	0.6	1
80	Effects of annealing atmosphere on microstructure, electrical properties and domain structure of BiFeO ₃ thin films. Journal of Materials Science: Materials in Electronics, 2017, 28, 12039-12047.	2.2	7
81	Electric Control of the Hall effect in Pt/Bi _{0.9} La _{0.1} FeO ₃ bilayers. Scientific Reports, 2016, 6, 20330.	3.3	34
82	Sol-Gel Synthesis and Characterization of (1-x)BiYbO ₃ -xLiNbO ₃ -yBaTiO ₃ Ceramics. Transactions of the Indian Ceramic Society, 2016, 75, 220-224.	1.0	1
83	Effects of annealing temperature and template diameter on the microstructures of BiFeO ₃ nanowires. Ferroelectrics, 2016, 505, 184-189.	0.6	1
84	The growth, enhanced optical and magnetic response of BiFeO ₃ nanorods synthesized by hydrothermal method. Journal of Materials Science: Materials in Electronics, 2016, 27, 8242-8246.	2.2	6
85	Anomalous Hall effect based on Pt/Bi _{0.9} La _{0.1} FeO ₃ bilayers. Japanese Journal of Applied Physics, 2016, 55, 045801.	1.5	0
86	Enhanced ferroelectric photovoltaic effect based on converging depolarization field. Materials Research Bulletin, 2016, 84, 93-98.	5.2	11
87	Effect of processing parameters on the structural, electrical and magnetic properties of BFO thin film synthesized via RF magnetron sputtering. Journal of Alloys and Compounds, 2016, 684, 510-515.	5.5	24
88	Switchable photovoltaic effect in Au/Bi _{0.9} La _{0.1} FeO ₃ /La _{0.7} Sr _{0.3} MnO ₃ heterostructures. Materials Chemistry and Physics, 2016, 181, 277-283.	4.0	10
89	Enhanced photovoltaic effect of La _{0.8} Sr _{0.2} MnO ₃ thin films based on electric field training. Materials Letters, 2016, 166, 5-8.	2.6	1
90	Resistance switching mechanism of La _{0.8} Sr _{0.2} MnO ₃ thin films. Physica B: Condensed Matter, 2016, 483, 99-102.	2.7	5

#	ARTICLE	IF	CITATIONS
91	Dielectric and ferroelectric properties of $x\text{BaZr}_{0.52}\text{Ti}_{0.48}\text{O}_3 \cdot (1-x)\text{BiFeO}_3$ solid solution ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2015, 26, 322-330.	2.2	9
92	Mechanism of ferroelectric resistive switching in $\text{Bi}_{0.9}\text{La}_{0.1}\text{FeO}_3$ thin films. <i>Thin Solid Films</i> , 2015, 583, 13-18.	1.8	6
93	Tunable photovoltaic effects induced by different cooling oxygen pressure in $\text{Bi}_{0.9}\text{La}_{0.1}\text{FeO}_3$ thin films. <i>Journal of Alloys and Compounds</i> , 2015, 624, 1-8.	5.5	35
94	Low-temperature large reversible "table-like" magnetocaloric effect in $\text{HoNi}_{0.9}\text{Cu}_{0.1}\text{Al}$ compound. <i>Physica B: Condensed Matter</i> , 2015, 457, 36-39.	2.7	5
95	Microstructures and Dielectric Properties of $\text{BaHf}_{0.1}\text{Ti}_{0.9}\text{O}_3$ Ceramics Prepared Using Conventional and Microwave Sintering Methods. <i>Ferroelectrics</i> , 2014, 467, 78-84.	0.6	1
96	Electrically controlled magnetization switching in $\text{CoFe}_2\text{O}_4/\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3 \cdot \text{PbTiO}_3$ heterostructure. <i>Materials Letters</i> , 2014, 121, 50-53.	2.6	7
97	Microstructure, dielectric and ferroelectric properties of barium zirconate titanate ceramics prepared by microwave sintering. <i>Journal of Materials Science: Materials in Electronics</i> , 2014, 25, 4841-4850.	2.2	7
98	Photovoltaic enhancement based on improvement of ferroelectric property and band gap in Ti-doped bismuth ferrite thin films. <i>Journal of Alloys and Compounds</i> , 2014, 617, 240-246.	5.5	80
99	Effect of vanadium doping on the electric properties of barium titanate hafnate ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2013, 24, 2438-2444.	2.2	4
100	Effect of Zr doping on the microstructure and electric properties of $\text{BaHf}_{0.1}\text{Ti}_{0.9}\text{O}_3$ ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2013, 24, 1303-1307.	2.2	1
101	Magnetisation behaviour of mixtures of ferrofluids and paramagnetic fluids with same particle volume fractions. <i>Journal of Experimental Nanoscience</i> , 2012, 7, 282-297.	2.4	14
102	Microstructure and electric properties of strontium niobate ceramics. <i>Ceramics International</i> , 2012, 38, 2601-2603.	4.8	8
103	Effect of Mn doping on the dielectric properties of $\text{BaTi}_{0.9}\text{Sn}_{0.1}\text{O}_3$ ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2011, 22, 47-51.	2.2	6
104	The modification effect in magnetization behaviors for $\text{CoFe}_2\text{O}_4 \cdot \text{p-NiFe}_2\text{O}_4$ binary ferrofluids. <i>Applied Physics A: Materials Science and Processing</i> , 2010, 98, 179-186.	2.3	6
105	A study of modified Fe_3O_4 nanoparticles for the synthesis of ionic ferrofluids. <i>Applied Surface Science</i> , 2010, 256, 6977-6981.	6.1	34
106	The structural force arising from magnetic interactions in polydisperse ferrofluids. <i>Applied Physics Letters</i> , 2009, 94, .	3.3	29
107	Synthesis of self-assembly BaTiO_3 nanowire by sol-gel and microwave method. <i>Applied Surface Science</i> , 2009, 255, 9444-9446.	6.1	13
108	Study of magnetisation behaviours for binary ionic ferrofluids. <i>Journal of Experimental Nanoscience</i> , 2009, 4, 9-19.	2.4	11

#	ARTICLE	IF	CITATIONS
109	Voltage tunable Ba _{0.6} Sr _{0.4} TiO ₃ thin films and coplanar phase shifters. Thin Solid Films, 2008, 516, 5258-5261.	1.8	21
110	Study of coercive force for ZnFe ₂ O ₄ (1 Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 Td (âˆ”<i>y</i>)) Nanoscience, 2008, 3, 245-257.	2.4	9
111	INVESTIGATION OF MAGNETIZATION BEHAVIORS OF IONIC FERROFLUIDS BASED ON CoFe ₂ O ₄ NANOPARTICLES. International Journal of Nanoscience, 2008, 07, 269-277.	0.7	4
112	Coplanar Phase Shifters Based on Ferroelectric Thin Films. Journal of Infrared, Millimeter and Terahertz Waves, 2007, 28, 229-235.	0.6	8
113	Effect of particle size of ferroelectric phase on multiferroic properties of MnFe ₂ O ₄ âˆ”PbZr _{0.52} Ti _{0.48} O ₃ multiferroic liquid. Journal of Materials Science: Materials in Electronics, 0, , .	2.2	1