

Shane J Nho

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10797062/publications.pdf>

Version: 2024-02-01

173
papers

7,570
citations

50170

46
h-index

58464

82
g-index

173
all docs

173
docs citations

173
times ranked

2742
citing authors

#	ARTICLE	IF	CITATIONS
1	Multicenter Outcomes After Primary Hip Arthroscopy: A Comparative Analysis of Two-Year Outcomes After Labral Repair, Segmental Labral Reconstruction, or Circumferential Labral Reconstruction. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2022, 38, 352-361.	1.3	13
2	MRI- and CT-based metrics for the quantification of arthroscopic bone resections in femoroacetabular impingement syndrome. <i>Journal of Orthopaedic Research</i> , 2022, 40, 1174-1181.	1.2	9
3	Influence of Fatty Infiltration on Hip Abductor Repair Outcomes: A Systematic Review and Meta-analysis. <i>American Journal of Sports Medicine</i> , 2022, 50, 2568-2580.	1.9	14
4	Return to Sport in Athletes With Borderline Hip Dysplasia After Hip Arthroscopy for Femoroacetabular Impingement Syndrome. <i>American Journal of Sports Medicine</i> , 2022, 50, 30-39.	1.9	5
5	Association Between Preoperative Patient Factors and Clinically Meaningful Outcomes After Hip Arthroscopy for Femoroacetabular Impingement Syndrome: A Machine Learning Analysis. <i>American Journal of Sports Medicine</i> , 2022, 50, 746-756.	1.9	14
6	Three-Dimensional Quantification of Cam Resection Using MRI Bone Models: A Comparison of 2 Techniques. <i>Orthopaedic Journal of Sports Medicine</i> , 2022, 10, 232596712210954.	0.8	2
7	Sex-Based Differences in Femoroacetabular Impingement Syndrome and the Effect of Cam Deformity Location on the Extent of Labral Tearing: A 3-Dimensional Computed Tomography Study. <i>Orthopaedic Journal of Sports Medicine</i> , 2022, 10, 232596712210951.	0.8	3
8	Outcomes for the Arthroscopic Treatment of Femoroacetabular Impingement Syndrome With Acetabular Retroversion: A 3D Computed Tomography Analysis. <i>American Journal of Sports Medicine</i> , 2022, 50, 2155-2164.	1.9	4
9	The Influence of Body Mass Index on Outcomes After Hip Arthroscopy for Femoroacetabular Impingement Syndrome: Five-Year Results in 140 Patients. <i>American Journal of Sports Medicine</i> , 2021, 49, 90-96.	1.9	20
10	Large Heterogeneity Among Minimal Clinically Important Differences for Hip Arthroscopy Outcomes: A Systematic Review of Reporting Trends and Quantification Methods. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 1028-1037.e6.	1.3	18
11	Physical Examination of the Hip. <i>Sports Health</i> , 2021, 13, 149-153.	1.3	4
12	Complications with Hip Arthroscopy and Open Hip Surgery. , 2021, , 1-16.		0
13	Greater Trochanteric Pain Syndrome. , 2021, , 1-9.		0
14	Repeat Revision Hip Arthroscopy Outcomes Match That of Initial Revision But Not That of Primary Surgery for Femoroacetabular Impingement Syndrome. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 3434-3441.	1.3	11
15	Intraoperative Computer Vision Integrated Interactive Fluoroscopy Correlates With Successful Femoroplasty on Clinic-Based Radiographs. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 3371-3382.	1.3	7
16	Hip Arthroscopy for Femoroacetabular Impingement Syndrome in Adolescents Provides Clinically Significant Outcome Benefit at Minimum 5-Year Follow-Up. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 1467-1473.e2.	1.3	20
17	Effect of Capsular Closure After Hip Arthroscopy for Femoroacetabular Impingement Syndrome on Achieving Clinically Meaningful Outcomes: A Meta-analysis of Prospective and Comparative Studies. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712110174.	0.8	16
18	Arthroscopic Anchor-Based Hip Capsular Reconstruction Without Graft Augmentation. <i>Arthroscopy Techniques</i> , 2021, 10, e1511-e1515.	0.5	1

#	ARTICLE	IF	CITATIONS
19	Arthroscopic Fixation of Os Acetabuli and Labral Repair: Suture-on-Screw Technique. <i>Arthroscopy Techniques</i> , 2021, 10, e1491-e1496.	0.5	4
20	Complete Capsular Closure Provides Higher Rates of Clinically Significant Outcome Improvement and Higher Survivorship Versus Partial Closure After Hip Arthroscopy at Minimum 5-Year Follow-Up. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 1833-1842.	1.3	12
21	Use of Younger Patient Age and Greater Anterior Center-Edge Angle to Predict the Need for Bilateral Hip Arthroscopy in Patients With Bilateral Femoroacetabular Impingement-Related Hip Pain. <i>American Journal of Sports Medicine</i> , 2021, 49, 2110-2116.	1.9	2
22	Defining Clinically Significant Improvement on the Patient-Reported Outcomes Measurement Information System Test at 1-Year Follow-up for Patients Undergoing Hip Arthroscopy for the Treatment of Femoroacetabular Impingement Syndrome. <i>American Journal of Sports Medicine</i> , 2021, 49, 2457-2465.	1.9	12
23	Association Between Orientation and Magnitude of Femoral Torsion and Propensity for Clinically Meaningful Improvement After Hip Arthroscopy for Femoroacetabular Impingement Syndrome: A Computed Tomography Analysis. <i>American Journal of Sports Medicine</i> , 2021, 49, 2466-2474.	1.9	9
24	Superior Gluteal Reconstruction Results in Promising Outcomes for Massive Abductor Tendon Tears. <i>Arthroscopy, Sports Medicine, and Rehabilitation</i> , 2021, 3, e1321-e1327.	0.8	4
25	Multicenter Outcomes After Revision Hip Arthroscopy: Comparative Analysis of 2-Year Outcomes After Labral Repair Versus Labral Reconstruction. <i>American Journal of Sports Medicine</i> , 2021, 49, 2968-2976.	1.9	13
26	Patient-Reported Outcomes Measurement Information System Test Is Less Responsive Than Legacy Hip-Specific Patient-Reported Outcome Measures in Patients Undergoing Arthroscopy for Femoroacetabular Impingement Syndrome. <i>Arthroscopy, Sports Medicine, and Rehabilitation</i> , 2021, 3, e1645-e1650.	0.8	4
27	Pain Catastrophizing and Kinesiophobia Affect Return to Sport in Patients Undergoing Hip Arthroscopy for the Treatment of Femoroacetabular Impingement. <i>Arthroscopy, Sports Medicine, and Rehabilitation</i> , 2021, 3, e1087-e1095.	0.8	4
28	Patients Require Less Time to Complete Preoperative Patient-Reported Outcomes Measurement Information System (PROMIS) Than Legacy Patient-Reported Outcome Measures. <i>Arthroscopy, Sports Medicine, and Rehabilitation</i> , 2021, 3, e1413-e1419.	0.8	11
29	Gender and Age-Specific Differences Observed in Rates of Achieving Meaningful Clinical Outcomes 5-Years After Hip Arthroscopy for Femoroacetabular Impingement Syndrome. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 2488-2496.e1.	1.3	17
30	Hip Capsular Plication With Crossed Mattress Stitch Configuration for a Revision Hip Arthroscopy in the Setting of Capsular Insufficiency. <i>Arthroscopy Techniques</i> , 2021, 10, e1955-e1960.	0.5	0
31	Collection of the International Hip Outcome Tool-12 Using a Smartphone Application Format Is Faster and Preferred When Compared With the Paper Version: A Pilot Study of rHip. <i>Arthroscopy, Sports Medicine, and Rehabilitation</i> , 2021, 3, e1401-e1405.	0.8	1
32	Capsular Management with Traction-Assisted T-Capsulotomy Technique During Hip Arthroscopy. <i>Arthroscopy Techniques</i> , 2021, 10, e2271-e2278.	0.5	4
33	High rate of return to tennis after hip arthroscopy for patients with femoroacetabular impingement syndrome. <i>Physical Therapy in Sport</i> , 2021, 51, 45-49.	0.8	2
34	Three-Dimensional Measures of Bony Resection During Femoral Osteochondroplasty Are Related to Alpha Angle Measures: A Cadaveric Study. <i>Arthroscopy, Sports Medicine, and Rehabilitation</i> , 2021, 3, e1857-e1863.	0.8	0
35	Multicenter Outcomes After Hip Arthroscopy: Comparative Analysis of Patients Undergoing Concomitant Labral Repair and Ligamentum Teres Debridement Versus Isolated Labral Repair. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712110364.	0.8	0
36	The Natural Course of Recovery After Hip Arthroscopy for Femoroacetabular Impingement According to the International Hip Outcome Tool-12 and Hip Outcome Score Sports Subscale. <i>American Journal of Sports Medicine</i> , 2021, 49, 3250-3260.	1.9	7

#	ARTICLE	IF	CITATIONS
37	Surgical Technique: Arthroscopic Capsular Plication. , 2021, , 1-6.		0
38	Clinically Significant Outcome Improvement After Hip Arthroscopy in Patients With Femoroacetabular Impingement Syndrome and Severe Femoral Torsion. Orthopaedic Journal of Sports Medicine, 2021, 9, 232596712110345.	0.8	4
39	Author Reply to "Regarding "Arthroscopic Fixation of Os Acetabuli and Labral Repair: Suture-on-Screw Technique" Arthroscopy - Journal of Arthroscopic and Related Surgery, 2021, 37, 3225-3226.	1.3	0
40	Capsular Management Techniques and Hip Arthroscopy. Sports Medicine and Arthroscopy Review, 2021, 29, 22-27.	1.0	8
41	Atraumatic Instability and Surgical Technique. , 2021, , 1-16.		0
42	Iliopsoas Bursitis Managed with Endoscopic Bursectomy and Lesser Trochanter Decompression. JBJS Case Connector, 2021, 11, .	0.1	2
43	Prolonged Postoperative Opioid Use After Arthroscopic Femoroacetabular Impingement Syndrome Surgery: Predictors and Outcomes at Minimum 2-Year Follow-up. Orthopaedic Journal of Sports Medicine, 2021, 9, 232596712110389.	0.8	2
44	Quantification of Acetabular Coverage on 3-Dimensional Reconstructed Computed Tomography Scan Bone Models in Patients With Femoroacetabular Impingement Syndrome: A Descriptive Study. Orthopaedic Journal of Sports Medicine, 2021, 9, 232596712110494.	0.8	4
45	Assessment of Femoral Torsion on Magnetic Resonance Imaging is More Reliable Using Axial-Oblique Sequences Compared with Standard Axial Slices in Patients with Femoroacetabular Impingement Syndrome. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2021, , .	1.3	5
46	Preoperative Duration of Symptoms Is Associated With Outcomes 5 Years After Hip Arthroscopy for Femoroacetabular Impingement Syndrome. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2020, 36, 1022-1029.	1.3	32
47	Two-Year Patient-Reported Outcomes for Patients Undergoing Revision Hip Arthroscopy with Capsular Incompetency. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2020, 36, 127-136.	1.3	20
48	The Role of Comprehensive Capsular Management in Hip Arthroscopy for the Treatment of Femoroacetabular Impingement Syndrome. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2020, 36, 9-11.	1.3	20
49	Comparing Outcomes of Competitive Athletes Versus Nonathletes Undergoing Hip Arthroscopy for Treatment of Femoroacetabular Impingement Syndrome. American Journal of Sports Medicine, 2020, 48, 159-166.	1.9	30
50	Defining Meaningful Functional Improvement on the Visual Analog Scale for Satisfaction at 2 Years After Hip Arthroscopy for Femoroacetabular Impingement Syndrome. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2020, 36, 734-742.e2.	1.3	29
51	Application of Machine Learning for Predicting Clinically Meaningful Outcome After Arthroscopic Femoroacetabular Impingement Surgery. American Journal of Sports Medicine, 2020, 48, 415-423.	1.9	48
52	The Influence of Lumbosacral Spine Pathology on Minimum 2-Year Outcome After Hip Arthroscopy: A Nested Case-Control Analysis. American Journal of Sports Medicine, 2020, 48, 403-408.	1.9	24
53	The Effect of Postoperative Opioid Prescription Refills on Achieving Meaningful Clinical Outcomes After Hip Arthroscopy for Femoroacetabular Impingement Syndrome. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2020, 36, 1599-1607.	1.3	16
54	A tiered system using substantial clinical benefit and patient acceptable symptomatic state scores to evaluate 2-year outcomes of hip arthroscopy with the Hip Outcome Score. Journal of Hip Preservation Surgery, 2020, 7, 62-69.	0.6	5

#	ARTICLE	IF	CITATIONS
55	Preoperative Hip Extension Strength Is an Independent Predictor of Achieving Clinically Significant Outcomes After Hip Arthroscopy for Femoroacetabular Impingement Syndrome. <i>Sports Health</i> , 2020, 12, 361-372.	1.3	12
56	Patients With Borderline Hip Dysplasia Achieve Clinically Significant Improvement After Arthroscopic Femoroacetabular Impingement Surgery: A Case-Control Study With a Minimum 5-Year Follow-up. <i>American Journal of Sports Medicine</i> , 2020, 48, 1616-1624.	1.9	24
57	Squat and gait biomechanics 6 months following hip arthroscopy for femoroacetabular impingement syndrome. <i>Journal of Hip Preservation Surgery</i> , 2020, 7, 27-37.	0.6	15
58	Travel Distance Does Not Affect Outcomes in Hip Preservation Surgery: A Case for Centers of Excellence. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712090882.	0.8	14
59	Defining the Clinically Meaningful Outcomes for Arthroscopic Treatment of Femoroacetabular Impingement Syndrome at Minimum 5-Year Follow-up. <i>American Journal of Sports Medicine</i> , 2020, 48, 901-907.	1.9	113
60	Regarding "Routine Interportal Capsular Repair Does Not Lead to Superior Clinical Outcome Following Arthroscopic Femoroacetabular Impingement Correction With Labral Repair" Arthroscopy - <i>Journal of Arthroscopic and Related Surgery</i> , 2020, 36, 1788-1789.	1.3	1
61	Patients With a Hypotrophic Labrum Achieve Similar Outcomes After Primary Labral Repair Compared With Patients With a Normal-Sized Labrum: A Matched Cohort Analysis of 346 Patients With Femoroacetabular Impingement Syndrome. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2020, 36, 2614-2620.	1.3	13
62	Case (and capsule) closed! Can we really claim that capsular repair may not influence outcomes after hip arthroscopy?. <i>HIP International</i> , 2020, 30, 363-364.	0.9	2
63	What is the Role of Kinesiophobia and Pain Catastrophizing in Outcomes After Hip Arthroscopy for Femoroacetabular Impingement Syndrome?. <i>Arthroscopy, Sports Medicine, and Rehabilitation</i> , 2020, 2, e97-e104.	0.8	13
64	Hip and Groin Injuries in Basketball. , 2020, , 313-331.		1
65	Anatomic Evaluation of the Interportal Capsulotomy Made with the Modified Anterior Portal versus Standard Anterior Portal: Comparable Utility with Decreased Capsule Morbidity. <i>Hip and Pelvis</i> , 2020, 32, 42-49.	0.6	2
66	Prevalence and Clinical Implications of Chondral Injuries After Hip Arthroscopic Surgery for Femoroacetabular Impingement Syndrome. <i>American Journal of Sports Medicine</i> , 2019, 47, 2626-2635.	1.9	24
67	Patients With Borderline Hip Dysplasia Achieve Clinically Significant Outcome After Arthroscopic Femoroacetabular Impingement Surgery: A Case-Control Study With Minimum 2-Year Follow-up. <i>American Journal of Sports Medicine</i> , 2019, 47, 2636-2645.	1.9	47
68	Early Hip Arthroscopy for Femoroacetabular Impingement Syndrome Provides Superior Outcomes When Compared With Delaying Surgical Treatment Beyond 6 Months. <i>American Journal of Sports Medicine</i> , 2019, 47, 2038-2044.	1.9	56
69	Contemporary Management of the Hip Capsule During Arthroscopic Hip Preservation Surgery. <i>Current Reviews in Musculoskeletal Medicine</i> , 2019, 12, 260-270.	1.3	48
70	How Can We Define Clinically Important Improvement in Pain Scores After Hip Arthroscopy for Femoroacetabular Impingement Syndrome? Minimum 2-Year Follow-up Study. <i>American Journal of Sports Medicine</i> , 2019, 47, 3133-3140.	1.9	56
71	Effect of prior ipsilateral lower extremity surgery on 2-year outcomes following hip arthroscopy for femoroacetabular impingement syndrome. <i>Journal of Hip Preservation Surgery</i> , 2019, 6, 241-248.	0.6	3
72	Defining Minimal Clinically Important Difference and Patient Acceptable Symptom State After Isolated Endoscopic Gluteus Medius Repair. <i>American Journal of Sports Medicine</i> , 2019, 47, 3141-3147.	1.9	56

#	ARTICLE	IF	CITATIONS
73	Endoscopic Repair of Proximal Hamstring Tear With Double-Row Suture Bridge Construct. <i>Arthroscopy Techniques</i> , 2019, 8, e675-e678.	0.5	15
74	A T-capsulotomy provides increased hip joint visualization compared with an extended interportal capsulotomy. <i>Journal of Hip Preservation Surgery</i> , 2019, 6, 157-163.	0.6	19
75	Radiographic Prevalence of Sacroiliac Joint Abnormalities and Clinical Outcomes in Patients With Femoroacetabular Impingement Syndrome. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019, 35, 2598-2605.e1.	1.3	23
76	Preoperative Predictors of Achieving Clinically Significant Athletic Functional Status After Hip Arthroscopy for Femoroacetabular Impingement at Minimum 2-Year Follow-Up. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019, 35, 3049-3056.e1.	1.3	40
77	Contemporary Hip Capsular Management and Closure Using a Suture Passing Device. <i>Arthroscopy Techniques</i> , 2019, 8, e947-e952.	0.5	20
78	Systematic Review of Hip Arthroscopy for Femoroacetabular Impingement: The Importance of Labral Repair and Capsular Closure. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019, 35, 646-656.e3.	1.3	119
79	Is there a correlation between outcomes after hip arthroscopy for femoroacetabular impingement syndrome and patient cortical bone thickness?. <i>Journal of Hip Preservation Surgery</i> , 2019, 6, 16-24.	0.6	10
80	Survivorship and Outcome of Hip Arthroscopy for Femoroacetabular Impingement Syndrome Performed With Modern Surgical Techniques. <i>American Journal of Sports Medicine</i> , 2019, 47, 1662-1669.	1.9	83
81	Reconstruction Guide for the Measurement of Segmental Labral Insufficiency: An Alternative Technique for Acetabular Labral Reconstruction. <i>Arthroscopy Techniques</i> , 2019, 8, e223-e229.	0.5	9
82	Comparable patient-reported outcomes in females with or without joint hypermobility after hip arthroscopy and capsular plication for femoroacetabular impingement syndrome. <i>Journal of Hip Preservation Surgery</i> , 2019, 6, 33-40.	0.6	25
83	Radiographic Prevalence of Symphysis Pubis Abnormalities and Clinical Outcomes in Patients With Femoroacetabular Impingement Syndrome. <i>American Journal of Sports Medicine</i> , 2019, 47, 1467-1472.	1.9	24
84	The Patient Acceptable Symptomatic State of the 12-Item International Hip Outcome Tool at 1-Year Follow-Up of Hip-Preservation Surgery. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019, 35, 1457-1462.	1.3	37
85	Do Female Athletes Return to Sports After Hip Preservation Surgery for Femoroacetabular Impingement Syndrome?: A Comparative Analysis. <i>Orthopaedic Journal of Sports Medicine</i> , 2019, 7, 232596711983175.	0.8	24
86	Predictors of Persistent Postoperative Pain at Minimum 2 Years After Arthroscopic Treatment of Femoroacetabular Impingement. <i>American Journal of Sports Medicine</i> , 2019, 47, 552-559.	1.9	38
87	Return to Dance and Predictors of Outcome After Hip Arthroscopy for Femoroacetabular Impingement Syndrome. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019, 35, 1101-1108.e3.	1.3	29
88	Influence of Acetabular Labral Tear Length on Outcomes After Hip Arthroscopy for Femoroacetabular Impingement Syndrome With Capsular Plication. <i>American Journal of Sports Medicine</i> , 2019, 47, 1145-1150.	1.9	19
89	Influence of Cigarette Smoking at the Time of Surgery on Postoperative Outcomes in Patients With Femoroacetabular Impingement: A Matched-Pair Cohort Analysis. <i>American Journal of Sports Medicine</i> , 2019, 47, 1138-1144.	1.9	17
90	Return to Pilates following hip arthroscopy for treatment of femoroacetabular impingement syndrome. <i>Journal of Hip Preservation Surgery</i> , 2019, , .	0.6	2

#	ARTICLE	IF	CITATIONS
91	Arthroscopic Femoral Osteochondroplasty With Capsular Plication for Osteochondroma of the Femoral Neck. <i>Arthroscopy Techniques</i> , 2019, 8, e1353-e1359.	0.5	5
92	Is There an Association Between Preoperative Expectations and Patient-Reported Outcome After Hip Arthroscopy for Femoroacetabular Impingement Syndrome?. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019, 35, 3250-3258.e1.	1.3	15
93	Functional and Clinical Outcomes of Patients Undergoing Revision Hip Arthroscopy With Borderline Hip Dysplasia at 2-Year Follow-up. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019, 35, 3240-3247.	1.3	13
94	A T-capsulotomy provides increased hip joint visualization compared with an extended interportal capsulotomy: commentary response. <i>Journal of Hip Preservation Surgery</i> , 2019, 6, 290-291.	0.6	0
95	How Should We Define Clinically Significant Outcome Improvement on the iHOT-12?. <i>HSS Journal</i> , 2019, 15, 103-108.	0.7	99
96	Hip Arthroscopy for Femoroacetabular Impingement Improves Sleep Quality Postoperatively. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019, 35, 461-469.	1.3	46
97	Intra-articular Volume Reduction With Arthroscopic Plication for Capsular Laxity of the Hip: A Cadaveric Comparison of Two Surgical Techniques. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019, 35, 471-477.	1.3	22
98	Preoperative Symptom Duration Is Associated With Outcomes After Hip Arthroscopy. <i>American Journal of Sports Medicine</i> , 2019, 47, 131-137.	1.9	50
99	High Rate of Return to Yoga for Athletes After Hip Arthroscopy for Femoroacetabular Impingement Syndrome. <i>Sports Health</i> , 2018, 10, 434-440.	1.3	24
100	High Rate of Return to Cycling After Hip Arthroscopy for Femoroacetabular Impingement Syndrome. <i>Sports Health</i> , 2018, 10, 259-265.	1.3	34
101	Clinically Meaningful Improvements After Hip Arthroscopy for Femoroacetabular Impingement in Adolescent and Young Adult Patients Regardless of Gender. <i>Journal of Pediatric Orthopaedics</i> , 2018, 38, 465-470.	0.6	90
102	High Degree of Variability in Reporting of Clinical and Patient-Reported Outcomes After Hip Arthroscopy. <i>American Journal of Sports Medicine</i> , 2018, 46, 3040-3046.	1.9	41
103	Hip Arthroscopic Surgery for Femoroacetabular Impingement With Capsular Management: Factors Associated With Achieving Clinically Significant Outcomes. <i>American Journal of Sports Medicine</i> , 2018, 46, 288-296.	1.9	103
104	Risk Factors for Bilateral Femoroacetabular Impingement Syndrome Requiring Surgery. <i>Journal of the American Academy of Orthopaedic Surgeons Global Research and Reviews</i> , 2018, 2, e070.	0.4	3
105	The Influence of Pain in Other Major Joints and the Spine on 2-Year Outcomes After Hip Arthroscopy. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2018, 34, 3196-3201.	1.3	36
106	A Systematic Approach to Magnetic Resonance Imaging Interpretation of Sports Medicine Injuries of the Hip. <i>JBJS Reviews</i> , 2018, 6, e6-e6.	0.8	4
107	Return to Golf After Arthroscopic Management of Femoroacetabular Impingement Syndrome. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2018, 34, 3187-3193.e1.	1.3	16
108	Vertical Extension of the T-Capsulotomy Incision in Hip Arthroscopic Surgery Does Not Affect the Force Required for Hip Distraction: Effect of Capsulotomy Size, Type, and Subsequent Repair. <i>American Journal of Sports Medicine</i> , 2018, 46, 3127-3133.	1.9	35

#	ARTICLE	IF	CITATIONS
109	High Rate of Return to Swimming After Hip Arthroscopy for Femoroacetabular Impingement. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2018, 34, 1471-1477.	1.3	24
110	Hip Capsular Management. The Journal of Hip Surgery, 2018, 02, 111-116.	0.1	2
111	The Importance of Comprehensive Cam Correction: Radiographic Parameters Are Predictive of Patient-Reported Outcome Measures at 2 Years After Hip Arthroscopy. American Journal of Sports Medicine, 2018, 46, 2072-2078.	1.9	32
112	Self-reported Mental Disorders Negatively Influence Surgical Outcomes After Arthroscopic Treatment of Femoroacetabular Impingement. Orthopaedic Journal of Sports Medicine, 2018, 6, 232596711877331.	0.8	31
113	Arthroscopic hip preservation surgery practice patterns: an international survey. Journal of Hip Preservation Surgery, 2017, 4, hnw036.	0.6	14
114	Amateur and Recreational Athletes Return to Sport at a High Rate Following Hip Arthroscopy for Femoroacetabular Impingement. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2017, 33, 748-755.	1.3	75
115	Do Patients With Borderline Dysplasia Have Inferior Outcomes After Hip Arthroscopic Surgery for Femoroacetabular Impingement Compared With Patients With Normal Acetabular Coverage?. American Journal of Sports Medicine, 2017, 45, 2116-2124.	1.9	70
116	The Influence of Body Mass Index on Outcomes After Hip Arthroscopic Surgery With Capsular Plication for the Treatment of Femoroacetabular Impingement. American Journal of Sports Medicine, 2017, 45, 2303-2311.	1.9	43
117	Hip Arthroscopy for Atypical Posterior Hip Pain: A Comparative Matched-Pair Analysis. American Journal of Sports Medicine, 2017, 45, 1627-1632.	1.9	40
118	The Effect of Capsulotomy and Capsular Repair on Hip Distraction: A Cadaveric Investigation. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2017, 33, 559-565.	1.3	87
119	A Comparison of Clinical Outcomes After Unilateral or Bilateral Hip Arthroscopic Surgery: Age- and Sex-Matched Cohort Study. American Journal of Sports Medicine, 2017, 45, 3044-3051.	1.9	27
120	Does the Hip Capsule Remain Closed After Hip Arthroscopy With Routine Capsular Closure for Femoroacetabular Impingement? A Magnetic Resonance Imaging Analysis in Symptomatic Postoperative Patients. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2017, 33, 108-115.	1.3	28
121	High Rate of Return to Running for Athletes After Hip Arthroscopy for the Treatment of Femoroacetabular Impingement and Capsular Plication. American Journal of Sports Medicine, 2017, 45, 127-134.	1.9	77
122	Rotational Alignment of the Knee is Different in Osteological Specimens with and without a Large Cam Deformity of the Proximal Femur. HIP International, 2017, 27, 401-405.	0.9	1
123	Specific Tissues and Conditions: Extra-articular Pathologic Conditions. , 2017, , 571-581.		0
124	A FOUR-PHASE PHYSICAL THERAPY REGIMEN FOR RETURNING ATHLETES TO SPORT FOLLOWING HIP ARTHROSCOPY FOR FEMOROACETABULAR IMPINGEMENT WITH ROUTINE CAPSULAR CLOSURE. International Journal of Sports Physical Therapy, 2017, 12, 683-696.	0.5	18
125	Ability to return to work without restrictions in workers compensation patients undergoing hip arthroscopy. Journal of Hip Preservation Surgery, 2016, 4, hnw037.	0.6	12
126	Capsular Management in Hip Arthroscopy: An Anatomic, Biomechanical, and Technical Review. Frontiers in Surgery, 2016, 3, 13.	0.6	51

#	ARTICLE	IF	CITATIONS
127	Outcomes for Hip Arthroscopy According to Sex and Age. Journal of Bone and Joint Surgery - Series A, 2016, 98, 797-804.	1.4	142
128	Hip Dislocation or Subluxation After Hip Arthroscopy: A Systematic Review. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2016, 32, 1428-1434.	1.3	106
129	Capsulotomy Size Affects Hip Joint Kinematic Stability. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2016, 32, 1571-1580.	1.3	88
130	Hip Arthroscopy Outcomes With Respect to Patient Acceptable Symptomatic State and Minimal Clinically Important Difference. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2016, 32, 1877-1886.	1.3	159
131	All-Endoscopic Single-Row Repair of Full-Thickness Gluteus Medius Tears. Arthroscopy Techniques, 2016, 5, e1-e6.	0.5	29
132	Does Hip Arthroscopy Affect the Outcomes of a Subsequent Total Hip Arthroplasty?. Journal of Arthroplasty, 2016, 31, 1516-1518.	1.5	30
133	Complications in Hip Arthroscopy. Sports Medicine and Arthroscopy Review, 2015, 23, 187-193.	1.0	99
134	Evaluation of Sexual Function Before and After Hip Arthroscopic Surgery for Symptomatic Femoroacetabular Impingement. American Journal of Sports Medicine, 2015, 43, 1850-1856.	1.9	19
135	Capsular Plication for Treatment of Iatrogenic Hip Instability. Arthroscopy Techniques, 2015, 4, e625-e630.	0.5	25
136	Sex Differences in Patients With CAM Deformities With Femoroacetabular Impingement: 3-Dimensional Computed Tomographic Quantification. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2015, 31, 2301-2306.	1.3	37
137	Revision Hip Arthroscopy: A Systematic Review of Diagnoses, Operative Findings, and Outcomes. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2015, 31, 1382-1390.	1.3	145
138	The Patient Acceptable Symptomatic State for the Modified Harris Hip Score and Hip Outcome Score Among Patients Undergoing Surgical Treatment for Femoroacetabular Impingement. American Journal of Sports Medicine, 2015, 43, 1844-1849.	1.9	270
139	Biomechanical Evaluation of Capsulotomy, Capsulectomy, and Capsular Repair on Hip Rotation. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2015, 31, 1511-1517.	1.3	167
140	Application of the Goutallier/Fuchs Rotator Cuff Classification to the Evaluation of Hip Abductor Tendon Tears and the Clinical Correlation With Outcome After Repair. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2015, 31, 2145-2151.	1.3	79
141	Atraumatic Instability and Surgical Technique. , 2015, , 1001-1014.		1
142	Complications with Hip Arthroscopy and Open Hip Surgery. , 2015, , 399-412.		0
143	Greater Trochanteric Pain Syndrome. , 2015, , 839-846.		1
144	Endoscopic Treatment of Greater Trochanteric Pain Syndrome of the Hip. JBJS Reviews, 2014, 2, .	0.8	7

#	ARTICLE	IF	CITATIONS
145	Improved Outcomes After Hip Arthroscopic Surgery in Patients Undergoing T-Capsulotomy With Complete Repair Versus Partial Repair for Femoroacetabular Impingement. <i>American Journal of Sports Medicine</i> , 2014, 42, 2634-2642.	1.9	312
146	Evidence of capsular defect following hip arthroscopy. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014, 22, 902-905.	2.3	105
147	What's New in Femoroacetabular Impingement Surgery. <i>Sports Health</i> , 2014, 6, 162-170.	1.3	14
148	Complications with Hip Arthroscopy and Open Hip Surgery. , 2014, , 1-17.		1
149	Atraumatic Microinstability and Surgical Technique. , 2014, , 1-17.		0
150	Complications and Reoperations During and After Hip Arthroscopy: A Systematic Review of 92 Studies and More Than 6,000 Patients. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2013, 29, 589-595.	1.3	370
151	Routine Complete Capsular Closure During Hip Arthroscopy. <i>Arthroscopy Techniques</i> , 2013, 2, e89-e94.	0.5	170
152	A Biomechanical Comparison of Repair Techniques for Complete Gluteus Medius Tears. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2012, 28, 1410-1416.	1.3	31
153	The Use of Double-Loaded Suture Anchors for Labral Repair and Capsular Repair During Hip Arthroscopy. <i>Arthroscopy Techniques</i> , 2012, 1, e213-e217.	0.5	73
154	Outcomes after the Arthroscopic Treatment of Femoroacetabular Impingement in a Mixed Group of High-Level Athletes. <i>American Journal of Sports Medicine</i> , 2011, 39, 14-19.	1.9	223
155	Prospective evaluation of arthroscopic rotator cuff repairs at 5 years: part II "prognostic factors for clinical and radiographic outcomes. <i>Journal of Shoulder and Elbow Surgery</i> , 2011, 20, 941-946.	1.2	118
156	Outcomes after Arthroscopic Revision Rotator Cuff Repair. <i>American Journal of Sports Medicine</i> , 2010, 38, 40-46.	1.9	75
157	Biomechanical and Biologic Augmentation for the Treatment of Massive Rotator Cuff Tears. <i>American Journal of Sports Medicine</i> , 2010, 38, 619-629.	1.9	83
158	Greater Trochanteric Pain Syndrome. <i>Sports Medicine and Arthroscopy Review</i> , 2010, 18, 113-119.	1.0	150
159	Complications associated with subpectoral biceps tenodesis: Low rates of incidence following surgery. <i>Journal of Shoulder and Elbow Surgery</i> , 2010, 19, 764-768.	1.2	197
160	Does the Literature Confirm Superior Clinical Results in Radiographically Healed Rotator Cuffs After Rotator Cuff Repair?. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2010, 26, 393-403.	1.3	158
161	Arthroscopic Repair of Anterosuperior Rotator Cuff Tears Combined With Open Biceps Tenodesis. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2010, 26, 1667-1674.	1.3	46
162	Long Head of the Biceps Tendinopathy: Diagnosis and Management. <i>Journal of the American Academy of Orthopaedic Surgeons</i> , The, 2010, 18, 645-656.	1.1	210

#	ARTICLE	IF	CITATIONS
163	Arthroscopic Rotator Cuff Repair. American Journal of Sports Medicine, 2009, 37, 1938-1945.	1.9	58
164	Prospective analysis of arthroscopic rotator cuff repair: Prognostic factors affecting clinical and ultrasound outcome. Journal of Shoulder and Elbow Surgery, 2009, 18, 13-20.	1.2	205
165	Prospective analysis of arthroscopic rotator cuff repair: Subgroup analysis. Journal of Shoulder and Elbow Surgery, 2009, 18, 697-704.	1.2	90
166	Observations on retrieved glenoid components from total shoulder arthroplasty. Journal of Shoulder and Elbow Surgery, 2009, 18, 371-378.	1.2	38
167	Does the Literature Support Double-Row Suture Anchor Fixation for Arthroscopic Rotator Cuff Repair? A Systematic Review Comparing Double-Row and Single-Row Suture Anchor Configuration. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2009, 25, 1319-1328.	1.3	87
168	Comparison of conforming and nonconforming retrieved glenoid components. Journal of Shoulder and Elbow Surgery, 2008, 17, 914-920.	1.2	22
169	Rotator Cuff Degeneration. American Journal of Sports Medicine, 2008, 36, 987-993.	1.9	176
170	Magnetic Resonance Imaging and Clinical Evaluation of Patellar Resurfacing with Press-Fit Osteochondral Autograft Plugs. American Journal of Sports Medicine, 2008, 36, 1101-1109.	1.9	81
171	Biomechanical Fixation in Arthroscopic Rotator Cuff Repair. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2007, 23, 94-102.e1.	1.3	36
172	Innovations in the Management of Displaced Proximal Humerus Fractures. Journal of the American Academy of Orthopaedic Surgeons, The, 2007, 15, 12-26.	1.1	86
173	Temporary Intentional Leg Shortening and Deformation to Facilitate Wound Closure Using the Iliarov/Taylor Spatial Frame. Journal of Orthopaedic Trauma, 2006, 20, 419-424.	0.7	114