

# Ann Mcneill

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10806634/publications.pdf>

Version: 2024-02-01

197  
papers

10,965  
citations

31976

53  
h-index

36028

97  
g-index

199  
all docs

199  
docs citations

199  
times ranked

8024  
citing authors

#	ARTICLE	IF	CITATIONS
1	Smoking cessation guidelines for health professionals: an update. Thorax, 2000, 55, 987-999.	5.6	750
2	Change in mental health after smoking cessation: systematic review and meta-analysis. BMJ, The, 2014, 348, g1151-g1151.	6.0	743
3	Electronic Nicotine Delivery Systems. American Journal of Preventive Medicine, 2013, 44, 207-215.	3.0	563
4	Nicotine, Carcinogen, and Toxin Exposure in Long-Term E-Cigarette and Nicotine Replacement Therapy Users. Annals of Internal Medicine, 2017, 166, 390.	3.9	401
5	Text and Graphic Warnings on Cigarette Packages. American Journal of Preventive Medicine, 2007, 32, 202-209.	3.0	376
6	E-Cigarettes: Prevalence and Attitudes in Great Britain. Nicotine and Tobacco Research, 2013, 15, 1737-1744.	2.6	264
7	Associations Between E-Cigarette Type, Frequency of Use, and Quitting Smoking: Findings From a Longitudinal Online Panel Survey in Great Britain. Nicotine and Tobacco Research, 2015, 17, 1187-1194.	2.6	244
8	How reactions to cigarette packet health warnings influence quitting: findings from the ITC Four-Country survey. Addiction, 2009, 104, 669-675.	3.3	238
9	Heat-not-burn tobacco products: a systematic literature review. Tobacco Control, 2019, 28, 582-594.	3.2	235
10	Is the use of electronic cigarettes while smoking associated with smoking cessation attempts, cessation and reduced cigarette consumption? A survey with a 1-year follow-up. Addiction, 2015, 110, 1160-1168.	3.3	218
11	Prevalence of vaping and smoking among adolescents in Canada, England, and the United States: repeat national cross sectional surveys. BMJ: British Medical Journal, 2019, 365, l2219.	2.3	217
12	Healthcare interventions to promote and assist tobacco cessation: a review of efficacy, effectiveness and affordability for use in national guideline development. Addiction, 2015, 110, 1388-1403.	3.3	208
13	Prevalence and characteristics of e-cigarette users in Great Britain: Findings from a general population survey of smokers. Addictive Behaviors, 2014, 39, 1120-1125.	3.0	203
14	"You can't go without a fag" "If you need it for your hash" a qualitative exploration of smoking, cannabis, and young people. Addiction, 2004, 99, 77-81.	3.3	192
15	Cigarette pack design and perceptions of risk among UK adults and youth. European Journal of Public Health, 2009, 19, 631-637.	0.3	140
16	A systematic review of the effectiveness of smoking relapse prevention interventions for abstinent smokers. Addiction, 2010, 105, 1362-1380.	3.3	131
17	Perceived relative harm of electronic cigarettes over time and impact on subsequent use. A survey with 1-year and 2-year follow-ups. Drug and Alcohol Dependence, 2015, 157, 106-111.	3.2	131
18	Awareness, Trial, and Current Use of Electronic Cigarettes in 10 Countries: Findings from the ITC Project. International Journal of Environmental Research and Public Health, 2014, 11, 11691-11704.	2.6	129

#	ARTICLE	IF	CITATIONS
19	A mixed-method systematic review and meta-analysis of mental health professionals' attitudes toward smoking and smoking cessation among people with mental illnesses. <i>Addiction</i> , 2016, 111, 1536-1553.	3.3	129
20	A Systematic Review of Smoking Cessation Interventions for Adults in Substance Abuse Treatment or Recovery. <i>Nicotine and Tobacco Research</i> , 2016, 18, 993-1001.	2.6	118
21	Diverging Trends in Smoking Behaviors According to Mental Health Status. <i>Nicotine and Tobacco Research</i> , 2015, 17, 356-360.	2.6	115
22	Evaluation of the removal of point-of-sale tobacco displays in Ireland. <i>Tobacco Control</i> , 2011, 20, 137-143.	3.2	104
23	A national strategy for smoking cessation treatment in England. <i>Addiction</i> , 2005, 100, 1-11.	3.3	103
24	Cigarette Yields and Human Exposure: A Comparison of Alternative Testing Regimens. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 1495-1501.	2.5	102
25	The Association Between Smoking and Electronic Cigarette Use in a Cohort of Young People. <i>Journal of Adolescent Health</i> , 2018, 62, 539-547.	2.5	101
26	Young People's Use of E-Cigarettes across the United Kingdom: Findings from Five Surveys 2015-2017. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 973.	2.6	100
27	Smokers' beliefs about the relative safety of other tobacco products: Findings from the ITC Collaboration. <i>Nicotine and Tobacco Research</i> , 2007, 9, 1033-1042.	2.6	98
28	Ambivalence and uncertainty: experiences of and attitudes towards addiction and smoking cessation in the mid-to-late teens. <i>Health Education Research</i> , 2005, 21, 181-191.	1.9	97
29	Cessation assistance reported by smokers in 15 countries participating in the International Tobacco Control (ITC) policy evaluation surveys. <i>Addiction</i> , 2012, 107, 197-205.	3.3	97
30	Efficacy and tolerability of pharmacotherapy for smoking cessation in adults with serious mental illness: a systematic review and network meta-analysis. <i>Addiction</i> , 2016, 111, 599-612.	3.3	92
31	A survey of tobacco dependence treatment services in 121 countries. <i>Addiction</i> , 2013, 108, 1476-1484.	3.3	91
32	Smoking prevalence in the European Union: a comparison of national and transnational prevalence survey methods and results. <i>Tobacco Control</i> , 2011, 20, e4-e4.	3.2	87
33	Is Consumer Response to Plain/Standardised Tobacco Packaging Consistent with Framework Convention on Tobacco Control Guidelines? A Systematic Review of Quantitative Studies. <i>PLoS ONE</i> , 2013, 8, e75919.	2.5	87
34	Reducing harm from tobacco use. <i>Journal of Psychopharmacology</i> , 2013, 27, 13-18.	4.0	80
35	Tobacco dependence, treatment and smoke-free policies: a survey of mental health professionals' knowledge and attitudes. <i>General Hospital Psychiatry</i> , 2009, 31, 576-582.	2.4	77
36	Recommended core items to assess e-cigarette use in population-based surveys. <i>Tobacco Control</i> , 2018, 27, 341-346.	3.2	77

#	ARTICLE	IF	CITATIONS
37	Smoking and its treatment in addiction services: Clients' and staff behaviour and attitudes. BMC Health Services Research, 2014, 14, 304.	2.2	74
38	Methods of the ITC Four Country Smoking and Vaping Survey, wave 1 (2016). Addiction, 2019, 114, 6-14.	3.3	74
39	Reasons for regular vaping and for its discontinuation among smokers and recent ex-smokers: findings from the 2016 ITC Four Country Smoking and Vaping Survey. Addiction, 2019, 114, 35-48.	3.3	74
40	Revising the machine smoking regime for cigarette emissions: implications for tobacco control policy. Tobacco Control, 2007, 16, 8-14.	3.2	72
41	Improving access to smoking cessation services for disadvantaged groups: a systematic review. Journal of Public Health, 2009, 31, 258-277.	1.8	68
42	Smoking and quitting behaviours by mental health conditions in Great Britain (1993-2014). Addictive Behaviors, 2019, 90, 14-19.	3.0	68
43	The use of snus for quitting smoking compared with medicinal products. Nicotine and Tobacco Research, 2010, 12, 817-822.	2.6	67
44	Smoking by people with mental illness and benefits of smoke-free mental health services. Advances in Psychiatric Treatment, 2008, 14, 217-228.	0.5	66
45	A survey of tobacco dependence treatment services in 36 countries. Addiction, 2009, 104, 279-287.	3.3	66
46	Trends in E-Cigarette Awareness, Trial, and Use Under the Different Regulatory Environments of Australia and the United Kingdom. Nicotine and Tobacco Research, 2015, 17, 1203-1211.	2.6	66
47	Prevalence of awareness, ever-use and current use of nicotine vaping products (NVPs) among adult current smokers and ex-smokers in 14 countries with differing regulations on sales and marketing of NVPs: cross-sectional findings from the ITC Project. Addiction, 2019, 114, 1060-1073.	3.3	66
48	Tobacco packaging design for reducing tobacco use. The Cochrane Library, 2017, 2017, CD011244.	2.8	65
49	Regulation of nicotine replacement therapies (NRT): a critique of current practice. Addiction, 2001, 96, 1757-1768.	3.3	64
50	The association between use of snus and quit rates for smoking: results from seven Norwegian cross-sectional studies. Addiction, 2011, 106, 162-167.	3.3	63
51	Harm perceptions of e-cigarettes and other nicotine products in a UK sample. Addiction, 2019, 114, 879-888.	3.3	62
52	Factors that influence smokers' and ex-smokers' use of IQOS: a qualitative study of IQOS users and ex-users in the UK. Tobacco Control, 2021, 30, 16-23.	3.2	60
53	Tobacco display and brand communication at the point of sale: implications for adolescent smoking behaviour. Tobacco Control, 2014, 23, 64-69.	3.2	59
54	Harm reduction. BMJ: British Medical Journal, 2004, 328, 885-887.	2.3	57

#	ARTICLE	IF	CITATIONS
55	A new classification system for describing concurrent use of nicotine vaping products alongside cigarettes (so-called “dual use”): findings from the ITC’s Country Smoking and Vaping wave 1 Survey. <i>Addiction</i> , 2019, 114, 24-34.	3.3	57
56	Does the Regulatory Environment for E-Cigarettes Influence the Effectiveness of E-Cigarettes for Smoking Cessation?: Longitudinal Findings From the ITC Four Country Survey. <i>Nicotine and Tobacco Research</i> , 2017, 19, 1268-1276.	2.6	56
57	What factors are associated with current smokers using or stopping e-cigarette use?. <i>Drug and Alcohol Dependence</i> , 2017, 173, 139-143.	3.2	53
58	Saliva cotinine as indicator of cigarette smoking in pregnant women. <i>Addiction</i> , 2001, 96, 1001-1006.	3.3	52
59	To what extent should waterpipe tobacco smoking become a public health priority?. <i>Addiction</i> , 2013, 108, 1873-1884.	3.3	51
60	The smoking culture in psychiatry: time for change. <i>British Journal of Psychiatry</i> , 2011, 198, 6-7.	2.8	50
61	Tobacco, nicotine and harm reduction. <i>Drug and Alcohol Review</i> , 2011, 30, 119-123.	2.1	50
62	The delivery of smoking cessation interventions to primary care patients with mental health problems. <i>Addiction</i> , 2013, 108, 1487-1494.	3.3	49
63	A critique of a World Health Organization-commissioned report and associated paper on electronic cigarettes. <i>Addiction</i> , 2014, 109, 2128-2134.	3.3	48
64	Smokers' use of nicotine replacement therapy for reasons other than stopping smoking: findings from the ITC Four Country Survey. <i>Addiction</i> , 2008, 103, 1696-1703.	3.3	46
65	Nicotine without smoke—putting electronic cigarettes in context. <i>BMJ</i> , The, 2016, 353, i1745.	6.0	46
66	Trends in beliefs about the harmfulness and use of stop-smoking medications and smokeless tobacco products among cigarettes smokers: Findings from the ITC four-country survey. <i>Harm Reduction Journal</i> , 2011, 8, 21.	3.2	45
67	Unplanned attempts to quit smoking: missed opportunities for health promotion?. <i>Addiction</i> , 2009, 104, 1901-1909.	3.3	44
68	Smoke-free policy in acute mental health wards: avoiding the pitfalls. <i>General Hospital Psychiatry</i> , 2009, 31, 131-136.	2.4	43
69	Association between use of nicotine replacement therapy for harm reduction and smoking cessation: a prospective study of English smokers. <i>Tobacco Control</i> , 2013, 22, 118-122.	3.2	41
70	E-Cigarette Uptake Amongst UK Youth: Experimentation, but Little or No Regular Use in Nonsmokers. <i>Nicotine and Tobacco Research</i> , 2015, 18, ntv132.	2.6	40
71	Progress in implementation of WHO FCTC Article 14 and its guidelines: a survey of tobacco dependence treatment provision in 142 countries. <i>Addiction</i> , 2017, 112, 2023-2031.	3.3	40
72	How and Why Do Smokers Start Using E-Cigarettes? Qualitative Study of Vapers in London, UK. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 661.	2.6	39

#	ARTICLE	IF	CITATIONS
73	CLINICAL STUDY: A comparison of exposure to carcinogens among roll-your-own and factory-made cigarette smokers. <i>Addiction Biology</i> , 2009, 14, 315-320.	2.6	38
74	Social norms as a predictor of smoking uptake among youth: a systematic review, meta-analysis and meta-regression of prospective cohort studies. <i>Addiction</i> , 2021, 116, 2953-2967.	3.3	38
75	Patterns of Dual Use of Snus and Cigarettes in a Mature Snus Market. <i>Nicotine and Tobacco Research</i> , 2013, 15, 678-684.	2.6	37
76	Where Do Vapers Buy Their Vaping Supplies? Findings from the International Tobacco Control (ITC) 4 Country Smoking and Vaping Survey. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 338.	2.6	37
77	The Conceptual Model and Methods of Wave 1 ( 2016 ) of the EUREST-PLUS ITC 6 European Countries Survey. <i>Tobacco Induced Diseases</i> , 2018, 16, A3.	0.6	35
78	Implementation of smoke-free policies in mental health in-patient settings in England. <i>British Journal of Psychiatry</i> , 2009, 194, 547-551.	2.8	34
79	The impact of the United Kingdom's national smoking cessation strategy on quit attempts and use of cessation services: Findings from the International Tobacco Control Four Country Survey. <i>Nicotine and Tobacco Research</i> , 2010, 12, S64-S71.	2.6	33
80	Harm perceptions of electronic cigarettes and nicotine: A nationally representative cross-sectional survey of young people in Great Britain. <i>Drug and Alcohol Dependence</i> , 2018, 192, 257-263.	3.2	33
81	Image, context and transition: smoking in mid-to-late adolescence. <i>Journal of Adolescence</i> , 2005, 28, 603-617.	2.4	32
82	How does the emotive content of televised anti-smoking mass media campaigns influence monthly calls to the NHS Stop Smoking helpline in England?. <i>Preventive Medicine</i> , 2014, 69, 43-48.	3.4	32
83	Effectiveness of the European Union text-only cigarette health warnings: findings from four countries. <i>European Journal of Public Health</i> , 2012, 22, 693-699.	0.3	31
84	Quitting activity and use of cessation assistance reported by smokers in eight European countries: Findings from the EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , 2018, 16, .	0.6	31
85	Lessons from the English smoking treatment services. <i>Addiction</i> , 2005, 100, 84-91.	3.3	29
86	Economic evaluation of the removal of tobacco promotional displays in Ireland. <i>Tobacco Control</i> , 2011, 20, 151-155.	3.2	29
87	Australian smokers'™ support for plain or standardised packs before and after implementation: findings from the ITC Four Country Survey. <i>Tobacco Control</i> , 2015, 24, 616-621.	3.2	29
88	A pre-post pilot study of electronic cigarettes to reduce smoking in people with severe mental illness. <i>Psychological Medicine</i> , 2019, 49, 1033-1040.	4.5	29
89	A survey of tobacco dependence treatment guidelines in 31 countries. <i>Addiction</i> , 2009, 104, 1243-1250.	3.3	28
90	Exposure to point-of-sale displays and changes in susceptibility to smoking: findings from a cohort study of school students. <i>Addiction</i> , 2015, 110, 693-702.	3.3	28

#	ARTICLE	IF	CITATIONS
91	Support for e-cigarette policies: a survey of smokers and ex-smokers in Great Britain. Tobacco Control, 2017, 26, e7-e15.	3.2	28
92	How did UK cigarette makers reduce tar to 10 mg or less?. BMJ: British Medical Journal, 2006, 332, 302.1.	2.3	27
93	Characteristics of nicotine vaping products used by participants in the 2016 ITC Four Country Smoking and Vaping Survey. Addiction, 2019, 114, 15-23.	3.3	27
94	A survey of tobacco dependence treatment guidelines in 121 countries. Addiction, 2013, 108, 1470-1475.	3.3	26
95	Retail Price and Point of Sale Display of Tobacco in the UK: A Descriptive Study of Small Retailers. PLoS ONE, 2012, 7, e29871.	2.5	26
96	Cost effectiveness of interventions to reduce relapse to smoking following smoking cessation. Addiction, 2011, 106, 1819-1826.	3.3	25
97	What Factors Influence Smoking Prevalence and Smoke Free Policy Enactment across the European Union Member States. PLoS ONE, 2011, 6, e23889.	2.5	25
98	Has growth in electronic cigarette use by smokers been responsible for the decline in use of licensed nicotine products? Findings from repeated cross-sectional surveys. Thorax, 2015, 70, 974-978.	5.6	24
99	Impact on smoking of England's 2012 partial tobacco point of sale display ban: a repeated cross-sectional national study. Tobacco Control, 2017, 26, 141-148.	3.2	24
100	Social norms towards smoking and vaping and associations with product use among youth in England, Canada, and the US. Drug and Alcohol Dependence, 2019, 205, 107635.	3.2	24
101	Support for removal of point-of-purchase tobacco advertising and displays: findings from the International Tobacco Control (ITC) Canada survey. Tobacco Control, 2012, 21, 555-559.	3.2	23
102	Exempting mental health units from smoke-free laws. BMJ: British Medical Journal, 2006, 333, 407-408.	2.3	22
103	Tailored tobacco dependence support for mental health patients: a model for inpatient and community services. Addiction, 2012, 107, 18-25.	3.3	22
104	Self-Reported Quit Aids and Assistance Used By Smokers At Their Most Recent Quit Attempt: Findings from the 2020 International Tobacco Control Four Country Smoking and Vaping Survey. Nicotine and Tobacco Research, 2021, 23, 1699-1707.	2.6	22
105	Heated Tobacco Products and Nicotine Pouches: A Survey of People with Experience of Smoking and/or Vaping in the UK. International Journal of Environmental Research and Public Health, 2021, 18, 8852.	2.6	22
106	Smokers' strategies across social grades to minimise the cost of smoking in a period with annual tax increases: evidence from a national survey in England. BMJ Open, 2019, 9, e026320.	1.9	21
107	Contrasting snus and NRT as methods to quit smoking. an observational study. Harm Reduction Journal, 2012, 9, 10.	3.2	20
108	Electronic cigarettes: time for an accurate and evidence-based debate. Addiction, 2014, 109, 867-868.	3.3	20

#	ARTICLE	IF	CITATIONS
109	Exploring mental health professionals' practice in relation to smoke-free policy within a mental health trust: a qualitative study using the COM-B model of behaviour. <i>BMC Psychiatry</i> , 2019, 19, 54.	2.6	20
110	Associations between vaping and relapse to smoking: preliminary findings from a longitudinal survey in the UK. <i>Harm Reduction Journal</i> , 2019, 16, 76.	3.2	20
111	The effectiveness of using e-cigarettes for quitting smoking compared to other cessation methods among adults in the United Kingdom. <i>Addiction</i> , 2021, 116, 2825-2836.	3.3	20
112	Knowledge of the health risks of smoking and impact of cigarette warning labels among tobacco users in six European countries: Findings from the EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , 2018, 16, A10.	0.6	20
113	Indicators of cigarette smoking dependence and relapse in former smokers who vape compared with those who do not: findings from the 2016 International Tobacco Control Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019, 114, 49-60.	3.3	19
114	"I perceive it to be less harmful, I have no idea if it is or not:" a qualitative exploration of the harm perceptions of IQOS among adult users. <i>Harm Reduction Journal</i> , 2021, 18, 42.	3.2	19
115	The impact of cigarette smoking on life expectancy in schizophrenia, schizoaffective disorder and bipolar affective disorder: An electronic case register cohort study. <i>Schizophrenia Research</i> , 2021, 238, 29-35.	2.0	19
116	Effects of a Fact Sheet on beliefs about the harmfulness of alternative nicotine delivery systems compared with cigarettes. <i>Harm Reduction Journal</i> , 2012, 9, 19.	3.2	18
117	Association of amount and duration of NRT use in smokers with cigarette consumption and motivation to stop smoking: A national survey of smokers in England. <i>Addictive Behaviors</i> , 2015, 40, 33-38.	3.0	17
118	Tobacco Dependence Treatment Training Programs: An International Survey. <i>Nicotine and Tobacco Research</i> , 2016, 18, 1012-1018.	2.6	17
119	Recommendations for the implementation of WHO Framework Convention on Tobacco Control Article 14 on tobacco cessation support. <i>Addiction</i> , 2017, 112, 1703-1708.	3.3	17
120	Discussions between health professionals and smokers about nicotine vaping products: results from the 2016 ITC Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019, 114, 71-85.	3.3	17
121	Exposure to Negative News Stories About Vaping, and Harm Perceptions of Vaping, Among Youth in England, Canada, and the United States Before and After the Outbreak of E-cigarette or Vaping-Associated Lung Injury (EVALI™). <i>Nicotine and Tobacco Research</i> , 2022, 24, 1386-1395.	2.6	17
122	Case studies of tobacco dependence treatment in Brazil, England, India, South Africa and Uruguay. <i>Addiction</i> , 2010, 105, 1721-1728.	3.3	16
123	Acceptance and patterns of personal vaporizer use in Australia and the United Kingdom: Results from the International Tobacco Control survey. <i>Drug and Alcohol Dependence</i> , 2018, 185, 142-148.	3.2	16
124	Factors associated with future intentions to use personal vaporisers among those with some experience of vaping. <i>Drug and Alcohol Review</i> , 2018, 37, 216-225.	2.1	16
125	Mental health and smoking cessation—a population survey in England. <i>BMC Medicine</i> , 2020, 18, 161.	5.5	16
126	Gender Differences in Reasons for Using Electronic Cigarettes and Product Characteristics: Findings From the 2018 ITC Four Country Smoking and Vaping Survey. <i>Nicotine and Tobacco Research</i> , 2021, 23, 678-686.	2.6	15



#	ARTICLE	IF	CITATIONS
127	Challenges to implementing the WHO Framework Convention on Tobacco Control guidelines on tobacco cessation treatment: a qualitative analysis. <i>Addiction</i> , 2020, 115, 527-533.	3.3	14
128	Should Clinicians Recommend E-cigarettes to Their Patients Who Smoke? Yes.. <i>Annals of Family Medicine</i> , 2016, 14, 300-301.	1.9	13
129	Differences in norms towards the use of nicotine vaping products among adult smokers, former smokers and nicotine vaping product users: cross-sectional findings from the 2016 ITC Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019, 114, 97-106.	3.3	13
130	England SimSmoke: the impact of nicotine vaping on smoking prevalence and smoking-attributable deaths in England. <i>Addiction</i> , 2021, 116, 1196-1211.	3.3	13
131	Differences in cigarette smoking quit attempts and cessation between adults who did and did not take up nicotine vaping: Findings from the ITC four country smoking and vaping surveys. <i>Addictive Behaviors</i> , 2022, 132, 107339.	3.0	13
132	Treating Nicotine Addiction. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2001, 164, 13-15.	5.6	12
133	E-cigarette use in public places: striking the right balance. <i>Tobacco Control</i> , 2017, 26, e5-e6.	3.2	12
134	Cross-country comparison of smokers' reasons for thinking about quitting over time: findings from the International Tobacco Control Four Country Survey (ITC-4C), 2002-2015. <i>Tobacco Control</i> , 2017, 26, 641-648.	3.2	12
135	The association between smokers' self-reported health problems and quitting: Findings from the ITC Four Country Smoking and Vaping Wave 1 Survey. <i>Tobacco Prevention and Cessation</i> , 2019, 5, 49.	0.4	12
136	Smoking before, during and after pregnancy in England. <i>Health Education Journal</i> , 1994, 53, 163-173.	1.2	11
137	Prevalence and Impact of Long-term Use of Nicotine Replacement Therapy in UK Stop-Smoking Services: Findings From the ELONS Study. <i>Nicotine and Tobacco Research</i> , 2017, 20, ntw258.	2.6	11
138	Time to Smoke: Facilitating Smoking Breaks in Mental Health Inpatient Settings: Table 1.. <i>Nicotine and Tobacco Research</i> , 2016, 18, 1794-1797.	2.6	11
139	Cohort study investigating the effects of first stage of the English tobacco point-of-sale display ban on awareness, susceptibility and smoking uptake among adolescents. <i>BMJ Open</i> , 2017, 7, e012451.	1.9	11
140	European adult smokers' perceptions of the harmfulness of e-cigarettes relative to combustible cigarettes: cohort findings from the 2016 and 2018 EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii38-iii45.	0.3	11
141	Harm Perceptions of E-cigarettes Among Smokers With and Without Mental Health Conditions in England: A Cross-Sectional Population Survey. <i>Nicotine and Tobacco Research</i> , 2021, 23, 511-517.	2.6	11
142	Patterns of tobacco use, quit attempts, readiness to quit and self-efficacy among smokers with anxiety or depression: Findings among six countries of the EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , 2018, 16, A9.	0.6	11
143	Tobacco control in Europe: A deadly lack of progress. <i>European Journal of Public Health</i> , 2012, 22, 1-3.	0.3	10
144	Reducing the social gradient in smoking: Initiatives in the United Kingdom. <i>Drug and Alcohol Review</i> , 2012, 31, 693-697.	2.1	10

#	ARTICLE	IF	CITATIONS
145	Exposure to and perceptions of health warning labels on nicotine vaping products: findings from the 2016 International Tobacco Control Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019, 114, 134-143.	3.3	10
146	Transitions in smoking and nicotine use from 2016 to 2017 among a <scp>UK</scp> cohort of adult smokers and ex-smokers. <i>Drug and Alcohol Review</i> , 2020, 39, 994-1005.	2.1	10
147	Social norms for e-cigarettes and smoking: associations with initiation of e-cigarette use, intentions to quit smoking and quit attempts: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii46-iii54.	0.3	10
148	Quitting behaviours and cessation methods used in eight European Countries in 2018: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii26-iii33.	0.3	10
149	Impact of cigarette package warnings on attitudes towards sharing and gifting cigarettes in China: a nationwide study of smokers and non-smokers. <i>Tobacco Control</i> , 2022, 31, 750-753.	3.2	10
150	Prescribing of nicotine replacement therapy to adolescents in England. <i>Addiction</i> , 2011, 106, 1513-1519.	3.3	9
151	Whither tobacco product regulation?: Table 1. <i>Tobacco Control</i> , 2012, 21, 221-226.	3.2	9
152	How Are Self-Reported Physical and Mental Health Conditions Related to Vaping Activities among Smokers and Quitters: Findings from the ITC Four Country Smoking and Vaping Wave 1 Survey. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1412.	2.6	9
153	Smoking cessation for improving mental health. <i>The Cochrane Library</i> , 0, , .	2.8	9
154	A rational approach to e-cigarettes: challenging ERS policy on tobacco harm reduction. <i>European Respiratory Journal</i> , 2020, 55, 2000166.	6.7	9
155	Feasibility of offering nicotine replacement therapy as a relapse prevention treatment in routine smoking cessation services. <i>BMC Health Services Research</i> , 2013, 13, 38.	2.2	8
156	A survey of tobacco dependence treatment guidelines content in 61 countries. <i>Addiction</i> , 2018, 113, 1499-1506.	3.3	8
157	Awareness of Changes in E-cigarette Regulations and Behavior Before and After Implementation: A Longitudinal Survey of Smokers, Ex-smokers, and Vapers in the United Kingdom. <i>Nicotine and Tobacco Research</i> , 2020, 22, 705-712.	2.6	8
158	Changes in Smoking and Vaping over 18 Months among Smokers and Recent Ex-Smokers: Longitudinal Findings from the 2016 and 2018 ITC Four Country Smoking and Vaping Surveys. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7084.	2.6	8
159	Trends in Social Norms Towards Smoking Between 2002 and 2015 Among Daily Smokers: Findings From the International Tobacco Control Four Country Survey (ITC 4C). <i>Nicotine and Tobacco Research</i> , 2021, 23, 203-211.	2.6	8
160	Characteristics and changes over time of nicotine vaping products used by vapers in the 2016 and 2018 ITC Four Country Smoking and Vaping Surveys. <i>Tobacco Control</i> , 2022, 31, e66-e73.	3.2	8
161	Mental health professionals' perceptions, judgements and decision-making practices regarding the use of electronic cigarettes as a tobacco harm reduction intervention in mental healthcare: A qualitative focus group study. <i>Addictive Behaviors Reports</i> , 2019, 10, 100184.	1.9	7
162	Surveillance indicators for potential reduced exposure products (PREPs): developing survey items to measure awareness. <i>Harm Reduction Journal</i> , 2009, 6, 27.	3.2	6

#	ARTICLE	IF	CITATIONS
163	The importance of addressing waterpipe tobacco smoking: research and policy responses. <i>Addiction</i> , 2013, 108, 1887-1888.	3.3	6
164	Content and Methods used to Train Tobacco Cessation Treatment Providers: An International Survey. <i>Journal of Smoking Cessation</i> , 2017, 12, 213-220.	1.0	6
165	Rules about smoking and vaping in the home: findings from the 2016 International Tobacco Control Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019, 114, 107-114.	3.3	6
166	A qualitative exploration of smokers' views regarding aspects of a community-based mobile stop smoking service in the United Kingdom. <i>BMC Public Health</i> , 2011, 11, 873.	2.9	5
167	Prescribing of nicotine replacement therapy to cardiovascular disease patients in England. <i>Addiction</i> , 2012, 107, 1341-1348.	3.3	5
168	Effectiveness of tobacco warning labels before and after implementation of the European Tobacco Products Directive—findings from the longitudinal EUREST-PLUS ITC Europe surveys. <i>European Journal of Public Health</i> , 2020, 30, iii84-iii90.	0.3	5
169	Missed opportunities: a qualitative study of views and experiences of smoking cessation amongst adults in substance misuse treatment. <i>Addiction Research and Theory</i> , 2018, 26, 507-513.	1.9	4
170	Transitions from and to roll-your-own tobacco, perceptions and health beliefs among smokers: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii18-iii25.	0.3	4
171	The Use of Tobacco Industry Vaping Products in the UK and Product Characteristics: A Cross-Sectional Survey. <i>Nicotine and Tobacco Research</i> , 2022, 24, 1003-1011.	2.6	4
172	The challenges of getting youth cessation services right. <i>Addiction</i> , 2007, 102, 1023-1024.	3.3	3
173	Smoking in cars in England: a study of school students in an English city. <i>BMC Public Health</i> , 2014, 14, 559.	2.9	3
174	International Tobacco Control. <i>Current Addiction Reports</i> , 2015, 2, 1-7.	3.4	3
175	Reducing Smoking Among People With Schizophrenia: Perspectives on Priorities for Advancing Research. <i>Frontiers in Psychiatry</i> , 2018, 9, 711.	2.6	3
176	Cutting edge smoking cessation support: SCIMITAR+. <i>Lancet Psychiatry</i> , 2019, 6, 358-359.	7.4	3
177	Tobacco smoking and vulnerable groups: Overcoming the barriers to harm reduction. <i>Addictive Behaviors</i> , 2019, 90, 134-135.	3.0	3
178	Smokers who have not tried alternative nicotine products: a 2019 survey of adults in Great Britain. <i>Harm Reduction Journal</i> , 2020, 17, 46.	3.2	3
179	Moving Towards Smoke-free Mental Health Services. <i>Mental Health Review Journal</i> , 2007, 12, 18-24.	0.7	2
180	FCTC BACKGROUND REPORT ON SMOKELESS TOBACCO IS INCOMPATIBLE WITH WHO SCIENTIFIC REPORTS. <i>Addiction</i> , 2011, 106, 225-227.	3.3	2

#	ARTICLE	IF	CITATIONS
181	Regulatory Issues Concerning the Development and Circulation of Nicotine-Containing Products: A Qualitative Study. <i>Nicotine and Tobacco Research</i> , 2013, 15, 1052-1059.	2.6	2
182	Comparing Factors Related to Any Conventional Cigarette Smokers, Exclusive New Alternative Product Users, and Non-Users among Japanese Youth: A Nationwide Survey. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3128.	2.6	2
183	“Don’t Know” Responses for Nicotine Vaping Product Features among Adult Vapers: Findings from the 2018 and 2020 ITC Four Country Smoking and Vaping Surveys. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7928.	2.6	2
184	The impacts of including information about the number of carcinogens in smoke on standardized cigarette packs in the UK. <i>European Journal of Public Health</i> , 2021, 31, 1031-1037.	0.3	2
185	Nicotine replacement treatment, e-cigarettes and an online behavioural intervention to reduce relapse in recent ex-smokers: a multinational four-arm RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-82.	2.8	2
186	“You Just Went In and You Got It All Sorted Straightaway” “What is the Appeal of a Community-Based Mobile Stop Smoking Service?”. <i>Journal of Smoking Cessation</i> , 2015, 10, 65-73.	1.0	1
187	Tobacco packaging design for preventing tobacco uptake. <i>The Cochrane Library</i> , 0, , .	2.8	1
188	Evaluation of a novel intervention providing insight into the tobacco industry to prevent the uptake of smoking in school-aged children: a mixed-methods study. <i>BMJ Open</i> , 2017, 7, e018031.	1.9	1
189	Fire Incidents in a Mental Health Setting: Effects of Implementing Smokefree Policies and Permitting the Use of Different Types of E-Cigarettes. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8951.	2.6	1
190	An observational study of system-level changes to improve the recording of very brief advice for smoking cessation in an inpatient mental health setting. <i>BMC Public Health</i> , 2020, 20, 559.	2.9	1
191	Harm perceptions of nicotine-containing products and associated sources of information in UK adults with and without mental ill health: A cross-sectional survey. <i>Addiction</i> , 2021, , .	3.3	1
192	Development and evaluation of an intervention providing insight into the tobacco industry to prevent smoking uptake: a mixed-methods study. <i>Public Health Research</i> , 2016, 4, 1-180.	1.3	1
193	Commentary on Zacher et al. (2014): Emerging behavioural impact of packaging changes in Australia: time for action elsewhere. <i>Addiction</i> , 2014, 109, 704-705.	3.3	0
194	Response to Letter to the Editor by Benmarhnia T, Leas E, Hendrickson E, Trinidad D, Strong D, Pierce J. The Potential Influence of Regulatory Environment for e-cigarettes on the Effectiveness of e-cigarettes for Smoking Cessation: Different Reasons to Temper the Conclusions From Inadequate Data. <i>Nicotine and Tobacco Research</i> , 2018, 20, 660-661.	2.6	0
195	The Authors reply. <i>Journal of Adolescent Health</i> , 2018, 63, 118-119.	2.5	0
196	Response to Braillon (2021): No, not the exception. <i>Addiction</i> , 2021, 116, 2924-2926.	3.3	0
197	Tobacco Use Disorders. , 2021, , 207-229.		0