

# Einar Bjornsson

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/10808558/einar-bjornsson-publications-by-year.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

63

papers

5,787

citations

39

h-index

66

g-index

66

ext. papers

6,569

ext. citations

6.2

avg, IF

5.82

L-index

#	Paper	IF	Citations
63	Drug-Induced Liver Injury due to Flucloxacillin: Relevance of Multiple Human Leukocyte Antigen Alleles. <i>Clinical Pharmacology and Therapeutics</i> , <b>2019</b> , 106, 245-253	6.1	35
62	Genetic association analysis identifies variants associated with disease progression in primary sclerosing cholangitis. <i>Gut</i> , <b>2018</b> , 67, 1517-1524	19.2	28
61	Mapping chronic liver disease questionnaire scores onto SF-6D utility values in patients with primary sclerosing cholangitis. <i>Quality of Life Research</i> , <b>2016</b> , 25, 947-57	3.7	5
60	Hepatotoxicity by Drugs: The Most Common Implicated Agents. <i>International Journal of Molecular Sciences</i> , <b>2016</b> , 17, 224	6.3	128
59	Drug-Induced Liver Injury <b>2016</b> , 503-507		
58	Small duct primary sclerosing cholangitis without inflammatory bowel disease is genetically different from large duct disease. <i>Liver International</i> , <b>2014</b> , 34, 1488-95	7.9	28
57	Prevalence of pre-transplant electrocardiographic abnormalities and post-transplant cardiac events in patients with liver cirrhosis. <i>BMC Gastroenterology</i> , <b>2014</b> , 14, 65	3	26
56	The impact of elevated serum IgG4 levels in patients with primary sclerosing cholangitis. <i>Digestive and Liver Disease</i> , <b>2014</b> , 46, 903-8	3.3	31
55	Pre-transplant renal impairment predicts posttransplant cardiac events in patients with liver cirrhosis. <i>Transplantation</i> , <b>2014</b> , 98, 107-14	1.8	17
54	Epidemiology and risk factors for idiosyncratic drug-induced liver injury. <i>Seminars in Liver Disease</i> , <b>2014</b> , 34, 115-22	7.3	57
53	Hepatic encephalopathy is related to anemia and fat-free mass depletion in liver transplant candidates with cirrhosis. <i>Scandinavian Journal of Gastroenterology</i> , <b>2013</b> , 48, 577-84	2.4	22
52	Gastrointestinal symptoms in patients with cirrhosis: a longitudinal study before and after liver transplantation. <i>Scandinavian Journal of Gastroenterology</i> , <b>2013</b> , 48, 1308-16	2.4	11
51	Genome-wide association analysis in primary sclerosing cholangitis and ulcerative colitis identifies risk loci at GPR35 and TCF4. <i>Hepatology</i> , <b>2013</b> , 58, 1074-83	11.2	118
50	Dense genotyping of immune-related disease regions identifies nine new risk loci for primary sclerosing cholangitis. <i>Nature Genetics</i> , <b>2013</b> , 45, 670-5	36.3	267
49	Factors related to fatigue in patients with cirrhosis before and after liver transplantation. <i>Clinical Gastroenterology and Hepatology</i> , <b>2012</b> , 10, 174-81, 181.e1	6.9	41
48	Hepatotoxicity associated with statins: reports of idiosyncratic liver injury post-marketing. <i>Journal of Hepatology</i> , <b>2012</b> , 56, 374-80	13.4	214
47	Extended analysis of a genome-wide association study in primary sclerosing cholangitis detects multiple novel risk loci. <i>Journal of Hepatology</i> , <b>2012</b> , 57, 366-75	13.4	173

46	Mortality and cancer risk related to primary sclerosing cholangitis in a Swedish population-based cohort. <i>Liver International</i> , <b>2012</b> , 32, 441-8	7.9	55
45	Patients with typical laboratory features of autoimmune hepatitis rarely need a liver biopsy for diagnosis. <i>Clinical Gastroenterology and Hepatology</i> , <b>2011</b> , 9, 57-63	6.9	38
44	Alkaline phosphatase normalization is associated with better prognosis in primary sclerosing cholangitis. <i>Digestive and Liver Disease</i> , <b>2011</b> , 43, 309-13	3.3	105
43	Primary sclerosing cholangitis associated with elevated immunoglobulin G4: clinical characteristics and response to therapy. <i>American Journal of Therapeutics</i> , <b>2011</b> , 18, 198-205	1	96
42	Genome-wide association analysis in primary sclerosing cholangitis identifies two non-HLA susceptibility loci. <i>Nature Genetics</i> , <b>2011</b> , 43, 17-9	36.3	181
41	Three ulcerative colitis susceptibility loci are associated with primary sclerosing cholangitis and indicate a role for IL2, REL, and CARD9. <i>Hepatology</i> , <b>2011</b> , 53, 1977-85	11.2	96
40	The use of liver biopsy evaluation in discrimination of idiopathic autoimmune hepatitis versus drug-induced liver injury. <i>Hepatology</i> , <b>2011</b> , 54, 931-9	11.2	199
39	Characteristics and long-term outcome of patients with autoimmune hepatitis related to the initial treatment response. <i>Scandinavian Journal of Gastroenterology</i> , <b>2010</b> , 45, 457-67	2.4	59
38	Drugs associated with hepatotoxicity and their reporting frequency of liver adverse events in Vigibase: unified list based on international collaborative work. <i>Drug Safety</i> , <b>2010</b> , 33, 503-22	5.1	110
37	Risk factors for idiosyncratic drug-induced liver injury. <i>Gastroenterology</i> , <b>2010</b> , 138, 2246-59	13.3	233
36	Drug-induced liver injury: a clinical update. <i>Current Opinion in Gastroenterology</i> , <b>2010</b> , 26, 222-6	3	95
35	Coronary artery disease in patients with liver cirrhosis. <i>Digestive Diseases and Sciences</i> , <b>2010</b> , 55, 467-75	4	65
34	Oral medications with significant hepatic metabolism at higher risk for hepatic adverse events. <i>Hepatology</i> , <b>2010</b> , 51, 615-20	11.2	190
33	Drug-induced autoimmune hepatitis: clinical characteristics and prognosis. <i>Hepatology</i> , <b>2010</b> , 51, 2040-8	11.2	293
32	Incidence and prevalence of primary sclerosing cholangitis in a defined adult population in Sweden. <i>Hepatology</i> , <b>2010</b> , 52, 571-7	11.2	122
31	The natural history of drug-induced liver injury. <i>Seminars in Liver Disease</i> , <b>2009</b> , 29, 357-63	7.3	26
30	Hepatic and extrahepatic malignancies in autoimmune hepatitis. A long-term follow-up in 473 Swedish patients. <i>Journal of Hepatology</i> , <b>2009</b> , 50, 388-93	13.4	59
29	The long-term follow-up after idiosyncratic drug-induced liver injury with jaundice. <i>Journal of Hepatology</i> , <b>2009</b> , 50, 511-7	13.4	107

28	Coronary artery disease in liver cirrhosis: does the aetiology of liver disease matter?. <i>Journal of Hepatology</i> , <b>2009</b> , 51, 962-3; author reply 963-4	13.4	15
27	Gut transit is associated with gastrointestinal symptoms and gut hormone profile in patients with cirrhosis. <i>Clinical Gastroenterology and Hepatology</i> , <b>2009</b> , 7, 346-52	6.9	38
26	Abstinence in patients with alcoholic liver cirrhosis: A follow-up study. <i>Hepatology Research</i> , <b>2008</b> , 38, 869-76	5.1	9
25	Epidemiology and the initial presentation of autoimmune hepatitis in Sweden: a nationwide study. <i>Scandinavian Journal of Gastroenterology</i> , <b>2008</b> , 43, 1232-40	2.4	151
24	Hepatic encephalopathy in patients with liver cirrhosis: is there a role of malnutrition?. <i>World Journal of Gastroenterology</i> , <b>2008</b> , 14, 3438-9	5.6	17
23	Pregabalin as a probable cause of acute liver injury. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2008</b> , 20, 1049	2.2	23
22	Inadequate use of proton-pump inhibitors in patients with liver cirrhosis. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2008</b> , 20, 512-8	2.2	28
21	Immunoglobulin G4-associated cholangitis. <i>Current Opinion in Gastroenterology</i> , <b>2008</b> , 24, 389-94	3	31
20	Cognitive dysfunction in liver cirrhosis: does hepatitis C virus play a role?. <i>Journal of Gastroenterology</i> , <b>2008</b> , 43, 248	6.9	1
19	Type and etiology of liver cirrhosis are not related to the presence of hepatic encephalopathy or health-related quality of life: a cross-sectional study. <i>BMC Gastroenterology</i> , <b>2008</b> , 8, 46	3	23
18	Relationship between daily dose of oral medications and idiosyncratic drug-induced liver injury: search for signals. <i>Hepatology</i> , <b>2008</b> , 47, 2003-9	11.2	294
17	Altered postprandial glucose, insulin, leptin, and ghrelin in liver cirrhosis: correlations with energy intake and resting energy expenditure. <i>American Journal of Clinical Nutrition</i> , <b>2007</b> , 85, 808-15	7	57
16	Immunoglobulin G4 associated cholangitis: description of an emerging clinical entity based on review of the literature. <i>Hepatology</i> , <b>2007</b> , 45, 1547-54	11.2	195
15	Lactulose treatment for hepatic encephalopathy, gastrointestinal symptoms, and health-related quality of life. <i>Hepatology</i> , <b>2007</b> , 46, 949-50; author reply 951	11.2	13
14	Malnutrition and diabetes mellitus are related to hepatic encephalopathy in patients with liver cirrhosis. <i>Liver International</i> , <b>2007</b> , 27, 1194-201	7.9	70
13	Non-alcoholic fatty liver disease. <i>Scandinavian Journal of Gastroenterology</i> , <b>2007</b> , 42, 1023-30	2.4	39
12	Gastrointestinal symptoms in patients with liver cirrhosis: associations with nutritional status and health-related quality of life. <i>Scandinavian Journal of Gastroenterology</i> , <b>2006</b> , 41, 1464-72	2.4	93
11	Clinical characteristics and prognostic markers in disulfiram-induced liver injury. <i>Journal of Hepatology</i> , <b>2006</b> , 44, 791-7	13.4	60

10	Drug-induced liver injury: Hys rule revisited. <i>Clinical Pharmacology and Therapeutics</i> , <b>2006</b> , 79, 521-8	6.1	81
9	Long-term follow-up of patients with alcoholic liver disease after liver transplantation in Sweden: impact of structured management on recidivism. <i>Scandinavian Journal of Gastroenterology</i> , <b>2005</b> , 40, 206-16	2.4	101
8	Fatigue is not a specific symptom in patients with primary biliary cirrhosis. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2005</b> , 17, 351-7	2.2	39
7	Outcome and prognostic markers in severe drug-induced liver disease. <i>Hepatology</i> , <b>2005</b> , 42, 481-9	11.2	441
6	Intestinal permeability and bacterial growth of the small bowel in patients with primary sclerosing cholangitis. <i>Scandinavian Journal of Gastroenterology</i> , <b>2005</b> , 40, 1090-4	2.4	50
5	Fulminant drug-induced hepatic failure leading to death or liver transplantation in Sweden. <i>Scandinavian Journal of Gastroenterology</i> , <b>2005</b> , 40, 1095-101	2.4	107
4	Dominant strictures in patients with primary sclerosing cholangitis. <i>American Journal of Gastroenterology</i> , <b>2004</b> , 99, 502-8	0.7	135
3	Sclerosing cholangitis. <i>Current Opinion in Gastroenterology</i> , <b>2003</b> , 19, 270-5	3	7
2	Effects of duodenal lipids on gastric sensitivity and relaxation in patients with ulcer-like and dysmotility-like dyspepsia. <i>Digestion</i> , <b>2003</b> , 67, 209-17	3.6	22
1	Bile duct bacterial isolates in primary sclerosing cholangitis: a study of explanted livers. <i>Journal of Hepatology</i> , <b>1998</b> , 28, 426-32	13.4	110