
Nelson Spector

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10808909/publications.pdf Version: 2024-02-01



NELSON SPECTOR

#	Article	IF	CITATIONS
1	Identification of distinct clinical phenotypes in mechanically ventilated patients with acute brain dysfunction using cluster analysis. Medicine (United States), 2020, 99, e20041.	0.4	4
2	Treatment outcomes for Hodgkin lymphoma: First report from the Brazilian Prospective Registry. Hematological Oncology, 2018, 36, 189-195.	0.8	15
3	Lower socioeconomic status is independently associated with shorter survival in Hodgkin Lymphoma patients—An analysis from the Brazilian Hodgkin Lymphoma Registry. International Journal of Cancer, 2018, 142, 883-890.	2.3	17
4	Outcomes in Critically III Patients with Cancer-Related Complications. PLoS ONE, 2016, 11, e0164537.	1.1	31
5	Sepsis-Associated Outcomes in Critically III Patients with Malignancies. Annals of the American Thoracic Society, 2015, 12, 150618124156002.	1.5	55
6	Antiphospholipid antibodies in critically ill patients. Revista Brasileira De Terapia Intensiva, 2014, 26, 176-82.	0.1	7
7	Antiphospholipid antibodies in critically ill patients with cancer: A prospective cohort study. Journal of Critical Care, 2014, 29, 533-538.	1.0	36
8	Deep molecular responses achieved in patients with CML-CP who are switched to nilotinib after long-term imatinib. Blood, 2014, 124, 729-736.	0.6	84
9	CD137 Is Expressed in Follicular Dendritic Cell Tumors and in Classical Hodgkin and T-Cell Lymphomas. American Journal of Pathology, 2012, 181, 795-803.	1.9	52
10	JAK2V617F Mutation in Patients with Splanchnic Vein Thrombosis. Digestive Diseases and Sciences, 2010, 55, 1770-1777.	1.1	39
11	Advanced Hodgkin's lymphoma: results in 216 patients treated with ABVD in Brazil. Revista Brasileira De Hematologia E Hemoterapia, 2010, 32, 303-307.	0.7	4
12	Human germinal center-associated lymphoma protein expression is associated with improved failure-free survival in Brazilian patients with classical Hodgkin lymphoma. Leukemia and Lymphoma, 2009, 50, 1830-1836.	0.6	16
13	The Number of CD4+ T-Lymphocytes in the Autograft Correlates with Outcome After Autologous Stem-Cell Transplantation in Relapsed Hodgkin Lymphoma and Diffuse Large B-Cell Lymphoma Blood, 2009, 114, 3422-3422.	0.6	2
14	Evaluation of intra―and interobserver agreement and its clinical significance for scoring bclâ€2 immunohistochemical expression in diffuse large Bâ€cell lymphoma. Pathology International, 2008, 58, 596-600.	0.6	11
15	Short- and Long-term Outcomes of Critically Ill Patients With Cancer and Prolonged ICU Length of Stay. Chest, 2008, 134, 520-526.	0.4	665
16	Low prevalence of the JAK2V617F in patients with ischemic stroke or cerebral venous thrombosis. Blood Coagulation and Fibrinolysis, 2008, 19, 468-469.	0.5	19
17	Prognosis of Lung Cancer Patients With Life-Threatening Complications. Chest, 2007, 131, 840-846.	0.4	121
18	Socioeconomic inequality and short-term outcome in Hodgkin's lymphoma. International Journal of Cancer, 2007, 120, 875-879.	2.3	22

NELSON SPECTOR

#	Article	IF	CITATIONS
19	PKC-beta II expression has prognostic impact in nodal diffuse large B-cell lymphoma. Modern Pathology, 2007, 20, 326-330.	2.9	21
20	Effect of age on survival of critically ill patients with cancer*. Critical Care Medicine, 2006, 34, 715-721.	0.4	197
21	Prognosis of Critically Ill Patients With Cancer and Acute Renal Dysfunction. Journal of Clinical Oncology, 2006, 24, 4003-4010.	0.8	158
22	Characteristics and outcomes of cancer patients requiring mechanical ventilatory support for >24 hrs*. Critical Care Medicine, 2005, 33, 520-526.	0.4	164
23	Impact of two different comorbidity measures on the 6-month mortality of critically ill cancer patients. Intensive Care Medicine, 2005, 31, 408-415.	3.9	63
24	p53 Expression As a Prognostic Indicator in Hodgkin's Lymphoma. Journal of Clinical Oncology, 2005, 23, 3158-3159.	0.8	2
25	The prognostic value of the expression of Bcl-2, p53 and LMP-1 in patients with Hodgkin's lymphoma. Leukemia and Lymphoma, 2005, 46, 1301-1306.	0.6	25
26	FLT3 Internal Tandem Duplications in Adults with De Novo Acute Myeloid Leukemia Blood, 2004, 104, 4430-4430.	0.6	0
27	Characteristics and Outcomes of Critically III Patients with Hematologic Malignancies Blood, 2004, 104, 5288-5288.	0.6	Ο
28	Classificação dos linfomas não-Hodgkin: estudo morfológico e imunoistoquÃmico de 145 casos. Jornal Brasileiro De Patologia E Medicina Laboratorial, 2002, 38, 315-324.	0.3	6
29	Intensified ABVP chemotherapy for the primary treatment of Hodgkin's disease. Oncology Reports, 2002, 9, 439-42.	1.2	2
30	Application of the IDSA Guidelines for the Use of Antimicrobial Agents in Neutropenic Patients: Impact on Reducing the Use of Glycopeptides. Infection Control and Hospital Epidemiology, 2001, 22, 651-653.	1.0	26
31	Thiabendazole for the Treatment of Strongyloidiasis in Patients with Hematologic Malignancies. Clinical Infectious Diseases, 2000, 31, 821-822.	2.9	21
32	Comparison of the Toxicity of Amphotericin B in 5% Dextrose with That of Amphotericin B in Fat Emulsion in a Randomized Trial with Cancer Patients. Antimicrobial Agents and Chemotherapy, 1999, 43, 1445-1448.	1.4	53
33	Fungemia in cancer patients in Brazil: predominance of non-albicans species. Mycopathologia, 1998, 141, 65-68.	1.3	25
34	Risk Factors for Death Among Cancer Patients with Fungemia. Clinical Infectious Diseases, 1998, 27, 107-111.	2.9	72
35	Risk Factors for Death in Patients with Candidemia. Infection Control and Hospital Epidemiology, 1998, 19, 846-850.	1.0	137
36	Lymphomatoid papulosis followed by Hodgkin's disease. International Journal of Dermatology, 1998, 37, 541-543.	0.5	12

#	Article	IF	CITATIONS
37	Clinical Factors Predictive of Bone Marrow Involvement in Hodgkin's Disease. Leukemia and Lymphoma, 1997, 26, 171-176.	0.6	14
38	Antibiotic regimen as an independent risk factor for disseminated fungal infections in neutropenic patients in Brazil. Transactions of the Royal Society of Tropical Medicine and Hygiene, 1995, 89, 107-110.	0.7	8
39	Fungal infections in neutropenic patients: a 8-year prospective study. Revista Do Instituto De Medicina Tropical De Sao Paulo, 1995, 37, 397-406.	0.5	32
40	C-MOPP/ABV yields good results in a public hospital population with Hodgkin disease in Brazil. Cancer, 1993, 71, 2823-2827.	2.0	15