

Erik Kristensen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1081033/publications.pdf>

Version: 2024-02-01

123
papers

9,659
citations

28190

55
h-index

38300

95
g-index

127
all docs

127
docs citations

127
times ranked

6399
citing authors

#	ARTICLE	IF	CITATIONS
1	Sand-capping " A large-scale approach to restore organic-enriched estuarine sediments. <i>Marine Environmental Research</i> , 2022, 173, 105534.	1.1	8
2	Sand-capping stabilizes muddy sediment and improves benthic light conditions in eutrophic estuaries: Laboratory verification and the potential for recovery of eelgrass (<i>Zostera marina</i>). <i>Journal of Sea Research</i> , 2022, 181, 102177.	0.6	8
3	The role of biogenic structures for greenhouse gas balance in vegetated intertidal wetlands. , 2022, , 233-267.		4
4	Spatial overlap between lugworm (<i>Arenicola marina</i>) and eelgrass (<i>Zostera marina</i>) distribution in coastal waters: The role of environmental stressors. <i>Estuarine, Coastal and Shelf Science</i> , 2022, 272, 107886.	0.9	1
5	Nitrogen and Phosphorus Export After Flooding of Agricultural Land by Coastal Managed Realignment. <i>Estuaries and Coasts</i> , 2021, 44, 657-671.	1.0	8
6	Internal Nutrient Loading Controls Macroalgal and Cyanobacterial Succession in a Coastal Lagoon Restored by Managed Realignment of Agricultural Land. <i>Frontiers in Marine Science</i> , 2021, 8, .	1.2	2
7	Sediment reworking by the burrowing polychaete <i>Hediste diversicolor</i> modulated by environmental and biological factors across the temperate North Atlantic. A tribute to Gaston Desrosiers. <i>Journal of Experimental Marine Biology and Ecology</i> , 2021, 541, 151588.	0.7	10
8	Assessing methods for restoring seagrass (<i>Zostera muelleri</i>) in Australia's subtropical waters. <i>Marine and Freshwater Research</i> , 2020, 71, 996.	0.7	14
9	Polychaete Invasion May Lead to Biogeochemical Change in Host Marine Environment. <i>Journal of Marine Science and Engineering</i> , 2020, 8, 940.	1.2	1
10	Macrofaunal control of microbial community structure in continental margin sediments. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 15911-15922.	3.3	40
11	Stable C and N Isotope Composition of Primary Producers and Consumers Along an Estuarine Salinity Gradient: Tracing Mixing Patterns and Trophic Discrimination. <i>Estuaries and Coasts</i> , 2019, 42, 144-156.	1.0	5
12	Functional Performance of Three Invasive <i>Marenzelleria</i> Species Under Contrasting Ecological Conditions Within the Baltic Sea. <i>Estuaries and Coasts</i> , 2018, 41, 1766-1781.	1.0	12
13	Benthic macrofauna bioturbation and early colonization in newly flooded coastal habitats. <i>PLoS ONE</i> , 2018, 13, e0196097.	1.1	16
14	Trophic discrimination of stable isotopes and potential food source partitioning by leaf-eating crabs in mangrove environments. <i>Limnology and Oceanography</i> , 2017, 62, 2097-2112.	1.6	35
15	Biogeochemical Cycles: Global Approaches and Perspectives. , 2017, , 163-209.		16
16	Variation in size and chemical composition of seeds from the seagrass <i>Zostera marina</i> "Ecological implications. <i>Aquatic Botany</i> , 2016, 131, 7-14.	0.8	25
17	Diet-shift driven $\delta^{13}C$ and $\delta^{15}N$ changes in liver and muscle tissues of juvenile clownfish <i>Amphiprion frenatus</i> : A laboratory experiment. <i>Journal of Experimental Marine Biology and Ecology</i> , 2016, 475, 137-143.	0.7	1
18	Carbon mineralization pathways and bioturbation in coastal Brazilian sediments. <i>Scientific Reports</i> , 2015, 5, 16122.	1.6	34

#	ARTICLE	IF	CITATIONS
19	Seeing the Unseen – Bioturbation in 4D: Tracing Bioirrigation in Marine Sediment Using Positron Emission Tomography and Computed Tomography. <i>PLoS ONE</i> , 2015, 10, e0122201.	1.1	8
20	Do marine rooted plants grow in sediment or soil? A critical appraisal on definitions, methodology and communication. <i>Earth-Science Reviews</i> , 2015, 145, 1-8.	4.0	14
21	Sensitivity of <i>Ruppia maritima</i> and <i>Zostera marina</i> to sulfide exposure around roots. <i>Journal of Experimental Marine Biology and Ecology</i> , 2015, 468, 138-145.	0.7	14
22	Influence of benthic macrofauna community shifts on ecosystem functioning in shallow estuaries. <i>Frontiers in Marine Science</i> , 2014, 1, .	1.2	94
23	Temporal changes in physical, chemical and biological sediment parameters in a tropical estuary after mangrove deforestation. <i>Estuarine, Coastal and Shelf Science</i> , 2014, 142, 32-40.	0.9	17
24	Influence of benthic macroinvertebrates on the erodability of estuarine cohesive sediments: Density- and biomass-specific responses. <i>Estuarine, Coastal and Shelf Science</i> , 2013, 134, 80-87.	0.9	29
25	Distribution pattern of benthic invertebrates in Danish estuaries: The use of Taylor's power law as a species-specific indicator of dispersion and behavior. <i>Journal of Sea Research</i> , 2013, 77, 70-78.	0.6	13
26	Impact of the invasive polychaete <i>Marenzelleria viridis</i> on the biogeochemistry of sandy marine sediments. <i>Biogeochemistry</i> , 2013, 115, 95-109.	1.7	41
27	Benthic metabolism and nitrogen transformations affected by fish cage farming in the tropical Nha Phu estuary (Vietnam). <i>Marine and Freshwater Research</i> , 2012, 63, 887.	0.7	5
28	Organic carbon dynamics in a constructed mangrove wastewater wetland populated with benthic fauna: A modelling approach. <i>Ecological Modelling</i> , 2012, 232, 97-108.	1.2	12
29	Arctic herbivore diet can be inferred from stable carbon and nitrogen isotopes in C ₃ plants, faeces, and wool. <i>Canadian Journal of Zoology</i> , 2011, 89, 892-899.	0.4	53
30	Contrasting effects of the polychaetes <i>Marenzelleria viridis</i> and <i>Nereis diversicolor</i> on benthic metabolism and solute transport in sandy coastal sediment. <i>Marine Ecology - Progress Series</i> , 2011, 425, 125-139.	0.9	60
31	Burrow ventilation and associated porewater irrigation by the polychaete <i>Marenzelleria viridis</i> . <i>Journal of Experimental Marine Biology and Ecology</i> , 2011, 397, 179-187.	0.7	59
32	Burial of seeds and seedlings by the lugworm <i>Arenicola marina</i> hampers eelgrass (<i>Zostera marina</i>) recovery. <i>Journal of Experimental Marine Biology and Ecology</i> , 2011, 410, 45-52.	0.7	87
33	Microbial carbon oxidation rates and pathways in sediments of two Tanzanian mangrove forests. <i>Biogeochemistry</i> , 2011, 103, 143-158.	1.7	72
34	Bias-corrected Pearson estimating functions for Taylor's power law applied to benthic macrofauna data. <i>Statistics and Probability Letters</i> , 2011, 81, 749-758.	0.4	8
35	Associations between macrobenthos and invasive cordgrass, <i>Spartina anglica</i> , in the Danish Wadden Sea. <i>Helgoland Marine Research</i> , 2010, 64, 321-329.	1.3	22
36	The influence of infaunal (<i>Nereis diversicolor</i>) abundance on degradation of organic matter in sandy sediments. <i>Journal of Experimental Marine Biology and Ecology</i> , 2010, 393, 148-157.	0.7	24

#	ARTICLE	IF	CITATIONS
37	The role of biogenic structures on the biogeochemical functioning of mangrove constructed wetlands sediments – A mesocosm approach. <i>Marine Pollution Bulletin</i> , 2010, 60, 560-572.	2.3	29
38	Food partitioning of leaf-eating mangrove crabs (Sesarinae): Experimental and stable isotope (^{13}C and $\delta^{15}\text{N}$) Tj ETQq0,0,0 rgBT /Overlock 1	0.9	41
39	Ecosystem engineering potential of the gastropod <i>Terebralia palustris</i> (Linnaeus, 1767) in mangrove wastewater wetlands – A controlled mesocosm experiment. <i>Environmental Pollution</i> , 2010, 158, 258-266.	3.7	17
40	Sulfur, carbon, and nitrogen cycling in faunated marine sediments impacted by repeated organic enrichment. <i>Marine Ecology - Progress Series</i> , 2010, 400, 37-53.	0.9	59
41	Degradation of dissolved organic monomers and short-chain fatty acids in sandy marine sediment by fermentation and sulfate reduction. <i>Geochimica Et Cosmochimica Acta</i> , 2010, 74, 1593-1605.	1.6	40
42	Vulnerability of <i>Zostera marina</i> seedlings to physical stress. <i>Marine Ecology - Progress Series</i> , 2010, 418, 119-130.	0.9	77
43	Are fiddler crabs potentially useful ecosystem engineers in mangrove wastewater wetlands?. <i>Marine Pollution Bulletin</i> , 2009, 58, 1694-1703.	2.3	71
44	Metabolic threshold and sulfide-buffering in diffusion controlled marine sediments impacted by continuous organic enrichment. <i>Biogeochemistry</i> , 2009, 95, 335-353.	1.7	69
45	Leaf removal by sesarimid crabs in Bangrong mangrove forest, Phuket, Thailand; with emphasis on the feeding ecology of <i>Neopeisesarma versicolor</i> . <i>Estuarine, Coastal and Shelf Science</i> , 2008, 80, 573-580.	0.9	30
46	Mangrove production and carbon sinks: A revision of global budget estimates. <i>Global Biogeochemical Cycles</i> , 2008, 22, .	1.9	812
47	Organic carbon dynamics in mangrove ecosystems: A review. <i>Aquatic Botany</i> , 2008, 89, 201-219.	0.8	966
48	Mangrove crabs as ecosystem engineers; with emphasis on sediment processes. <i>Journal of Sea Research</i> , 2008, 59, 30-43.	0.6	408
49	Emission of CO_2 and CH_4 to the atmosphere by sediments and open waters in two Tanzanian mangrove forests. <i>Marine Ecology - Progress Series</i> , 2008, 370, 53-67.	0.9	109
50	Importance of intertidal sediment processes and porewater exchange on the water column biogeochemistry in a pristine mangrove creek (Ras Dege, Tanzania). <i>Biogeosciences</i> , 2007, 4, 311-322.	1.3	151
51	<i>Arenicola marina</i> (Polychaeta) and organic matter mineralisation in sandy marine sediments: In situ and microcosm comparison. <i>Estuarine, Coastal and Shelf Science</i> , 2007, 72, 213-222.	0.9	43
52	Impact of microphytobenthos and macroinfauna on temporal variation of benthic metabolism in shallow coastal sediments. <i>Journal of Experimental Marine Biology and Ecology</i> , 2007, 349, 99-112.	0.7	30
53	Simultaneous study of particle reworking, irrigation transport and reaction rates in sediment bioturbated by the polychaetes <i>Heteromastus</i> and <i>Marenzelleria</i> . <i>Journal of Experimental Marine Biology and Ecology</i> , 2007, 352, 392-406.	0.7	69
54	Microbial reaction rates and bacterial communities in sediment surrounding burrows of two nereidid polychaetes (<i>Nereis diversicolor</i> and <i>N. virens</i>). <i>Marine Biology</i> , 2006, 148, 541-550.	0.7	91

#	ARTICLE	IF	CITATIONS
55	Control by fiddler crabs (<i>Uca vocans</i>) and plant roots (<i>Avicennia marina</i>) on carbon, iron, and sulfur biogeochemistry in mangrove sediment. <i>Limnology and Oceanography</i> , 2006, 51, 1557-1571.	1.6	201
56	Carbon and nitrogen balance of leaf-eating sesarmid crabs (<i>Neopisesarma versicolor</i>) offered different food sources. <i>Estuarine, Coastal and Shelf Science</i> , 2005, 65, 213-222.	0.9	77
57	Carbon Fixation and Phototrophy. <i>Advances in Marine Biology</i> , 2005, 48, 95-127.	0.7	9
58	The Silicon Cycle. <i>Advances in Marine Biology</i> , 2005, 48, 441-463.	0.7	13
59	Structure and Growth of Microbial Populations. <i>Advances in Marine Biology</i> , 2005, 48, 23-64.	0.7	2
60	Thermodynamics and Microbial Metabolism. <i>Advances in Marine Biology</i> , 2005, 48, 65-94.	0.7	11
61	Heterotrophic Carbon Metabolism. <i>Advances in Marine Biology</i> , 2005, 48, 129-166.	0.7	24
62	The Iron and Manganese Cycles. <i>Advances in Marine Biology</i> , 2005, , 269-312.	0.7	27
63	Microbial Ecosystems. <i>Advances in Marine Biology</i> , 2005, 48, 465-506.	0.7	2
64	Diffusion scale dependent change in anaerobic carbon and nitrogen mineralization: True effect or experimental artifact?. <i>Journal of Marine Research</i> , 2005, 63, 645-669.	0.3	17
65	Sediment properties and bacterial community in burrows of the ghost shrimp <i>Pestarella tyrrhena</i> (Decapoda: Thalassinidea). <i>Aquatic Microbial Ecology</i> , 2005, 38, 181-190.	0.9	86
66	Microscale distribution of oxygen and nitrate in sediment inhabited by <i>Nereis diversicolor</i> : spatial patterns and estimated reaction rates. <i>Aquatic Microbial Ecology</i> , 2004, 34, 23-32.	0.9	68
67	Impact of <i>Pestarella tyrrhena</i> on benthic metabolism in sediment microcosms enriched with seagrass and macroalgal detritus. <i>Marine Ecology - Progress Series</i> , 2004, 281, 165-179.	0.9	28
68	Temporal behavior of manganese and iron in a sandy coastal sediment exposed to water column anoxia. <i>Estuaries and Coasts</i> , 2003, 26, 690-699.	1.7	31
69	Impact of fiddler crabs (<i>Uca</i> spp.) on rates and pathways of benthic mineralization in deposited mangrove shrimp pond waste. <i>Journal of Experimental Marine Biology and Ecology</i> , 2003, 289, 59-81.	0.7	77
70	Benthic metabolism and sulfur cycling along an inundation gradient in a tidal <i>Spartina anglica</i> salt marsh. <i>Limnology and Oceanography</i> , 2003, 48, 2151-2162.	1.6	65
71	Impact of <i>Arenicola marina</i> (Polychaeta) on sediment sulfur dynamics. <i>Aquatic Microbial Ecology</i> , 2003, 33, 95-105.	0.9	35
72	Impact of fiddler crabs and plant roots on sediment biogeochemistry in a Georgia saltmarsh. <i>Marine Ecology - Progress Series</i> , 2003, 259, 237-251.	0.9	153

#	ARTICLE	IF	CITATIONS
73	Impact of the burrow-dwelling polychaete <i>Nereis diversicolor</i> on the degradation of fresh and aged macroalgal detritus in a coastal marine sediment. <i>Marine Ecology - Progress Series</i> , 2003, 265, 141-153.	0.9	70
74	The rates and pathways of carbon oxidation in bioturbated saltmarsh sediments. <i>Limnology and Oceanography</i> , 2002, 47, 230-240.	1.6	170
75	The importance of bacteria and microalgae in the diet of the deposit-feeding polychaete <i>Arenicola marina</i> . <i>Ophelia</i> , 2002, 56, 179-196.	0.3	58
76	The Influence of Water Column Hypoxia on the Behaviour of Manganese and Iron in Sandy Coastal Marine Sediment. <i>Estuarine, Coastal and Shelf Science</i> , 2002, 55, 645-654.	0.9	81
77	Carbon, nitrogen and phosphorus dynamics in creek water of a southeast Asian mangrove forest. <i>Hydrobiologia</i> , 2002, 474, 197-211.	1.0	32
78	Title is missing!. <i>Wetlands Ecology and Management</i> , 2002, 10, 371-379.	0.7	17
79	Title is missing!. <i>Wetlands Ecology and Management</i> , 2002, 10, 453-460.	0.7	29
80	Effects of sea level rise on growth of <i>Spartina anglica</i> and oxygen dynamics in rhizosphere and salt marsh sediments. <i>Marine Ecology - Progress Series</i> , 2002, 225, 197-204.	0.9	63
81	Effects of bioturbation and plant roots on salt marsh biogeochemistry: a mesocosm study. <i>Marine Ecology - Progress Series</i> , 2002, 241, 71-87.	0.9	71
82	Decomposition of plant materials in marine sediment exposed to different electron acceptors (O ₂ , Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5) bioturbation. <i>Geochimica Et Cosmochimica Acta</i> , 2001, 65, 419-433.	1.6	232
83	Impact of polychaetes (<i>Nereis</i> spp. and <i>Arenicola marina</i>) on carbon biogeochemistry in coastal marine sediments. <i>Geochemical Transactions</i> , 2001, 2, 92.	1.8	145
84	Anoxic Decomposition in Sediments from a Tropical Mangrove Forest and the Temperate Wadden Sea: Implications of N and P Addition Experiments. <i>Estuarine, Coastal and Shelf Science</i> , 2001, 53, 125-140.	0.9	39
85	Impact of polychaetes (<i>Nereis</i> spp. and <i>Arenicola marina</i>) on carbon biogeochemistry in coastal marine sediments Presented during the ACS Division of Geochemistry symposium ?Biogeochemical Consequences of Dynamic Interactions Between Benthic Fauna, Microbes and Aquatic Sediments?, San Diego, April 2001.. <i>Geochemical Transactions</i> , 2001, 2, 92.	1.8	19
86	Title is missing!. <i>Hydrobiologia</i> , 2000, 426, 1-24.	1.0	507
87	Organic matter diagenesis at the oxic/anoxic interface in coastal marine sediments, with emphasis on the role of burrowing animals. , 2000, , 1-24.		31
88	Carbon and nitrogen mineralization in sediments of the Bangrong mangrove area, Phuket, Thailand. <i>Aquatic Microbial Ecology</i> , 2000, 22, 199-213.	0.9	141
89	Carbon and nitrogen fluxes in sediment inhabited by suspension-feeding (<i>Nereis diversicolor</i>) and non-suspension-feeding (<i>N. virens</i>) polychaetes. <i>Marine Ecology - Progress Series</i> , 2000, 192, 203-217.	0.9	148
90	Effects of two polychaete worms, <i>Nereis diversicolor</i> and <i>Arenicola marina</i> , on aerobic and anaerobic decomposition in a sandy marine sediment. <i>Aquatic Microbial Ecology</i> , 1999, 19, 189-204.	0.9	169

#	ARTICLE	IF	CITATIONS
91	Organic matter diagenesis in sediments on the continental shelf and slope of the Eastern Tropical and temperate North Pacific. <i>Continental Shelf Research</i> , 1999, 19, 1331-1351.	0.9	24
92	Title is missing!. <i>Biogeochemistry</i> , 1999, 45, 147-168.	1.7	19
93	Transformation and exchange processes in the Bangrong mangrove forest-seagrass bed system, Thailand. Seasonal and spatial variations in benthic metabolism and sulfur biogeochemistry. <i>Aquatic Microbial Ecology</i> , 1999, 20, 203-212.	0.9	46
94	The Role of Water Movement and Spatial Scaling for Measurement of Dissolved Inorganic Nitrogen Fluxes in Intertidal Sediments. <i>Estuarine, Coastal and Shelf Science</i> , 1998, 46, 221-232.	0.9	60
95	The impact of the polychaete <i>Nereis diversicolor</i> and enrichment with macroalgal (<i>Chaetomorpha</i>) Tj ETQq1 1 0.784314 rgBT /Overlook sediment. <i>Journal of Experimental Marine Biology and Ecology</i> , 1998, 231, 201-223.	0.7	92
96	Influence of bioturbating animals on flux of cadmium into estuarine sediment. <i>Marine Environmental Research</i> , 1998, 45, 403-415.	1.1	51
97	Transformation and transport of inorganic nitrogen in sediments of a southeast Asian mangrove forest. <i>Aquatic Microbial Ecology</i> , 1998, 15, 165-175.	0.9	75
98	Impact of Macrofaunal Recolonization on Benthic Metabolism and Nutrient Fluxes in a Shallow Marine Sediment Previously Overgrown with Macroalgal Mats. <i>Estuarine, Coastal and Shelf Science</i> , 1997, 45, 613-628.	0.9	111
99	Title is missing!. <i>Hydrobiologia</i> , 1997, 364, 65-74.	1.0	61
100	Dynamics of sigmaCO2 in a surficial sandy marine sediment: the role of chemoautotrophy. <i>Aquatic Microbial Ecology</i> , 1997, 12, 165-176.	0.9	22
101	Nitrification and denitrification in Wadden Sea sediments (KÅ¶nigshafen, Island of Sylt, Germany) as measured by nitrogen isotope pairing and isotope dilution. <i>Aquatic Microbial Ecology</i> , 1996, 11, 181-191.	0.9	62
102	Seasonality of sulfate reduction and pore water solutes in a marine fish farm sediment: the importance of temperature and sedimentary organic matter. <i>Biogeochemistry</i> , 1996, 32, 15.	1.7	87
103	Impact of the soft-shell clam <i>Mya arenaria</i> on sulfate reduction in an intertidal sediment. <i>Aquatic Microbial Ecology</i> , 1996, 10, 181-194.	0.9	65
104	Decay of plant detritus in organic-poor marine sediment: Production rates and stoichiometry of dissolved C and N compounds. <i>Journal of Marine Research</i> , 1995, 53, 675-702.	0.3	94
105	Aerobic and anaerobic decomposition of organic matter in marine sediment: Which is fastest?. <i>Limnology and Oceanography</i> , 1995, 40, 1430-1437.	1.6	329
106	Decomposition of macroalgae, vascular plants and sediment detritus in seawater: Use of stepwise thermogravimetry. <i>Biogeochemistry</i> , 1994, 26, 1-24.	1.7	57
107	Biogeochemical cycling of sulfur and iron in sediments of a south-east Asian mangrove, Phuket Island, Thailand. <i>Biogeochemistry</i> , 1994, 26, 145.	1.7	61
108	Effects of mercury on the ventilation behaviour of the polychaete <i>Nereis virens</i> (Sars). <i>Journal of Experimental Marine Biology and Ecology</i> , 1994, 184, 67-81.	0.7	12

#	ARTICLE	IF	CITATIONS
109	Organic matter mineralization in an organic-rich sediment: Experimental stimulation of sulfate reduction by fish food pellets. <i>FEMS Microbiology Ecology</i> , 1994, 14, 33-44.	1.3	40
110	Sulfate reduction, acetate turnover and carbon metabolism in sediments of the Ao Nam Bor mangrove, Phuket, Thailand. <i>Marine Ecology - Progress Series</i> , 1994, 109, 245-255.	0.9	54
111	Seasonal Variations in Benthic Community Metabolism and Nitrogen Dynamics in a Shallow, Organic-Poor Danish Lagoon. <i>Estuarine, Coastal and Shelf Science</i> , 1993, 36, 565-586.	0.9	81
112	The importance of benthic macrofauna in decomposition of microalgae in a coastal marine sediment. <i>Limnology and Oceanography</i> , 1992, 37, 1392-1403.	1.6	74
113	Effects of benthic macrofauna and temperature on degradation of macroalgal detritus: The fate of organic carbon. <i>Limnology and Oceanography</i> , 1992, 37, 1404-1419.	1.6	107
114	Direct measurement of dissolved inorganic nitrogen exchange and denitrification in individual polychaete (<i>Nereis virens</i>) burrows. <i>Journal of Marine Research</i> , 1991, 49, 355-377.	0.3	129
115	Oxic and anoxic decomposition of tubes from the burrowing sea anemone <i>Ceriantheopsis americanus</i>; Implications for bulk sediment carbon and nitrogen balance. <i>Journal of Marine Research</i> , 1991, 49, 589-617.	0.3	27
116	Characterization of biogenic organic matter by stepwise thermogravimetry (STG). <i>Biogeochemistry</i> , 1990, 9, 135-159.	1.7	76
117	Factors influencing the distribution of nereid polychaetes in Danish coastal waters. <i>Ophelia</i> , 1988, 29, 127-140.	0.3	43
118	The fate of organic carbon and nitrogen in experimental marine sediment systems: Influence of bioturbation and anoxia. <i>Journal of Marine Research</i> , 1987, 45, 231-257.	0.3	270
119	Determination of organic carbon in marine sediments: a comparison of two CHN-analyzer methods. <i>Journal of Experimental Marine Biology and Ecology</i> , 1987, 109, 15-23.	0.7	217
120	The impact of polychaete (<i>Nereis virens</i> Sars) burrows on nitrification and nitrate reduction in estuarine sediments. <i>Journal of Experimental Marine Biology and Ecology</i> , 1985, 85, 75-91.	0.7	128
121	Effect of natural concentrations on nutrient exchange between a polychaete burrow in estuarine sediment and the overlying water. <i>Journal of Experimental Marine Biology and Ecology</i> , 1984, 75, 171-190.	0.7	84
122	Life cycle, growth and production in estuarine populations of the polychaetes <i>Nereis virens</i> and <i>N. diversicolor</i>. <i>Ecography</i> , 1984, 7, 249-250.	2.1	25
123	Direct measurement of ventilation and oxygen uptake in three species of tubicolous polychaetes (<i>Nereis</i> spp.). <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 1981, 145, 45-50.	0.7	32