

# Katharina M Main

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1081080/katharina-m-main-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

149  
papers

10,271  
citations

57  
h-index

99  
g-index

155  
ext. papers

11,494  
ext. citations

5.5  
avg, IF

5.89  
L-index

#	Paper	IF	Citations
149	Prepubertal and pubertal gonadal morphology, expression of cell lineage markers and hormonal evaluation in two 46,XY siblings with 17 $\beta$ hydroxysteroid dehydrogenase 3 deficiency.. <i>Journal of Pediatric Endocrinology and Metabolism</i> , <b>2022</b> ,	1.6	0
148	Environmental factors in declining human fertility.. <i>Nature Reviews Endocrinology</i> , <b>2021</b> ,	15.2	6
147	Brain tumours result in sleep disorders in children and adolescents. <i>Sleep Medicine</i> , <b>2021</b> , 88, 13-21	4.6	1
146	Associations between Prenatal Exposure to Phthalates and Timing of Menarche and Growth and Adiposity into Adulthood: A Twenty-Years Birth Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , <b>2021</b> , 18,	4.6	4
145	Long-term opioid treatment and endocrine measures in chronic non-cancer pain patients: A systematic review and meta-analysis. <i>European Journal of Pain</i> , <b>2021</b> , 25, 1859-1875	3.7	
144	Pubarche and Gonadarche Onset and Progression Are Differently Associated With Birth Weight and Infancy Growth Patterns. <i>Journal of the Endocrine Society</i> , <b>2021</b> , 5, bvab108	0.4	0
143	Associations between exposure to perfluoroalkyl substances and body fat evaluated by DXA and MRI in 109 adolescent boys. <i>Environmental Health</i> , <b>2021</b> , 20, 73	6	1
142	Non-Classic Congenital Adrenal Hyperplasia in Two Adolescents With Gender Dysphoria. <i>Journal of Psychosexual Health</i> , <b>2021</b> , 3, 275-279	0.9	
141	The influence of prenatal exposure to phthalates on subsequent male growth and body composition in adolescence. <i>Environmental Research</i> , <b>2021</b> , 195, 110313	7.9	4
140	Menstrual Pattern, Reproductive Hormones, and Transabdominal 3D Ultrasound in 317 Adolescent Girls. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2020</b> , 105,	5.6	6
139	Use of stored serum in the study of time trends and geographical differences in exposure of pregnant women to phthalates. <i>Environmental Research</i> , <b>2020</b> , 184, 109231	7.9	10
138	The effects of long-term opioid treatment on the immune system in chronic non-cancer pain patients: A systematic review. <i>European Journal of Pain</i> , <b>2020</b> , 24, 481-496	3.7	11
137	Associations between male reproductive health and exposure to endocrine-disrupting chemicals. <i>Current Opinion in Endocrine and Metabolic Research</i> , <b>2019</b> , 7, 49-61	1.7	12
136	Patient reported outcomes and neuropsychological testing in patients with chronic non-cancer pain in long-term opioid therapy: a pilot study. <i>Scandinavian Journal of Pain</i> , <b>2019</b> , 19, 533-543	1.9	4
135	Populations, decreasing fertility, and reproductive health. <i>Lancet, The</i> , <b>2019</b> , 393, 1500-1501	40	20
134	Low-saturated-fat and low-cholesterol diet does not alter pubertal development and hormonal status in adolescents. <i>Acta Paediatrica, International Journal of Paediatrics</i> , <b>2019</b> , 108, 321-327	3.1	2
133	Variations in repeated serum concentrations of UV filters, phthalates, phenols and parabens during pregnancy. <i>Environment International</i> , <b>2019</b> , 123, 318-324	12.9	15

132	Association of Endocrine Disrupting Chemicals With Male Reproductive Health <b>2019</b> , 802-811		1
131	Postnatal Changes in Testicular Position Are Associated With IGF-I and Function of Sertoli and Leydig Cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2018</b> , 103, 1429-1437	5.6	16
130	Determination of thyroid hormones in placenta using isotope-dilution liquid chromatography quadrupole time-of-flight mass spectrometry. <i>Journal of Chromatography A</i> , <b>2018</b> , 1534, 85-92	4.5	18
129	A complex phenotype in a family with a pathogenic SOX3 missense variant. <i>European Journal of Medical Genetics</i> , <b>2018</b> , 61, 168-172	2.6	9
128	Morbidity, Mortality, and Socioeconomics in Females With 46,XY Disorders of Sex Development: A Nationwide Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2018</b> , 103, 1418-1428	5.6	11
127	Differential Impact of Genetic Loci on Age at Thelarche and Menarche in Healthy Girls. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2018</b> , 103, 228-234	5.6	8
126	The Possible Impact of Antenatal Exposure to Ubiquitous Phthalates Upon Male Reproductive Function at 20 Years of Age. <i>Frontiers in Endocrinology</i> , <b>2018</b> , 9, 288	5.7	27
125	Prenatal pesticide exposure associated with glycated haemoglobin and markers of metabolic dysfunction in adolescents. <i>Environmental Research</i> , <b>2018</b> , 166, 71-77	7.9	3
124	Transition in Pediatric and Adolescent Hypogonadal Girls: Gynecological Aspects, Estrogen Replacement Therapy, and Contraception. <i>Endocrine Development</i> , <b>2018</b> , 33, 113-127		3
123	Anogenital distance as a phenotypic signature through infancy. <i>Pediatric Research</i> , <b>2018</b> , 83, 573-579	3.2	17
122	Association of In Utero Persistent Organic Pollutant Exposure With Placental Thyroid Hormones. <i>Endocrinology</i> , <b>2018</b> , 159, 3473-3481	4.8	30
121	Sex Differences in Reproductive Hormones During Mini-Puberty in Infants With Normal and Disordered Sex Development. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2018</b> , 103, 3028-3037	5.6	41
120	Adrenal Suppression in Infants Treated with Topical Ocular Glucocorticoids. <i>Ophthalmology</i> , <b>2018</b> , 125, 1638-1643	7.3	9
119	Interaction between prenatal pesticide exposure and a common polymorphism in the gene on DNA methylation in genes associated with cardio-metabolic disease risk-an exploratory study. <i>Clinical Epigenetics</i> , <b>2017</b> , 9, 35	7.7	22
118	Anthropometry, DXA, and leptin reflect subcutaneous but not visceral abdominal adipose tissue on MRI in 197 healthy adolescents. <i>Pediatric Research</i> , <b>2017</b> , 82, 620-628	3.2	15
117	Maternal use of mild analgesics during pregnancy associated with reduced anogenital distance in sons: a cohort study of 1027 mother-child pairs. <i>Human Reproduction</i> , <b>2017</b> , 32, 223-231	5.7	41
116	Genetic Variation of Follicle-Stimulating Hormone Action Is Associated With Age at Testicular Growth in Boys. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2017</b> , 102, 1740-1749	5.6	13
115	Testicular Growth During Puberty in Boys With and Without a History of Congenital Cryptorchidism. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2016</b> , 101, 2570-7	5.6	29

114	Genetic Variations in FSH Action Affect Sex Hormone Levels and Breast Tissue Size in Infant Girls: A Pilot Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2016</b> , 101, 3191-8	5.6	7
113	The association between phthalate exposure and atopic dermatitis with a discussion of phthalate induced secretion of interleukin-1 $\beta$ and thymic stromal lymphopoietin. <i>Expert Review of Clinical Immunology</i> , <b>2016</b> , 12, 609-16	5.1	5
112	Genetic variations altering FSH action affect circulating hormone levels as well as follicle growth in healthy peripubertal girls. <i>Human Reproduction</i> , <b>2016</b> , 31, 897-904	5.7	16
111	Migration of phthalates on culture plates - an important challenge to consider for in vitro studies. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , <b>2016</b> , 76, 165-71	2	1
110	Phthalates Are Metabolised by Primary Thyroid Cell Cultures but Have Limited Influence on Selected Thyroid Cell Functions In Vitro. <i>PLoS ONE</i> , <b>2016</b> , 11, e0151192	3.7	11
109	Prenatal Exposure to Phthalates and Anogenital Distance in Male Infants from a Low-Exposed Danish Cohort (2010-2012). <i>Environmental Health Perspectives</i> , <b>2016</b> , 124, 1107-13	8.4	65
108	Prenatal Triclosan Exposure and Anthropometric Measures Including Anogenital Distance in Danish Infants. <i>Environmental Health Perspectives</i> , <b>2016</b> , 124, 1261-8	8.4	60
107	Pubertal Onset in Boys and Girls Is Influenced by Pubertal Timing of Both Parents. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2016</b> , 101, 2667-74	5.6	37
106	Analgesic use - prevalence, biomonitoring and endocrine and reproductive effects. <i>Nature Reviews Endocrinology</i> , <b>2016</b> , 12, 381-93	15.2	81
105	Incidence, Prevalence, Diagnostic Delay, and Clinical Presentation of Female 46,XY Disorders of Sex Development. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2016</b> , 101, 4532-4540	5.6	39
104	Glandular breast tissue volume by magnetic resonance imaging in 100 healthy peripubertal girls: evaluation of clinical Tanner staging. <i>Pediatric Research</i> , <b>2016</b> , 80, 526-30	3.2	12
103	AMH as Predictor of Premature Ovarian Insufficiency: A Longitudinal Study of 120 Turner Syndrome Patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2015</b> , 100, E1030-8	5.6	64
102	Pathogenesis of germ cell neoplasia in testicular dysgenesis and disorders of sex development. <i>Seminars in Cell and Developmental Biology</i> , <b>2015</b> , 45, 124-37	7.5	39
101	Circulating AMH reflects ovarian morphology by magnetic resonance imaging and 3D ultrasound in 121 healthy girls. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2015</b> , 100, 880-90	5.6	36
100	Uterine volume and endometrial thickness in healthy girls evaluated by ultrasound (3-dimensional) and magnetic resonance imaging. <i>Fertility and Sterility</i> , <b>2015</b> , 104, 452-9.e2	4.8	23
99	A Longitudinal Study of Growth, Sex Steroids, and IGF-1 in Boys With Physiological Gynecomastia. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2015</b> , 100, 3752-9	5.6	25
98	Interaction between paraoxonase 1 polymorphism and prenatal pesticide exposure on metabolic markers in children using a multiplex approach. <i>Reproductive Toxicology</i> , <b>2015</b> , 51, 22-30	3.4	7
97	Association between levels of persistent organic pollutants in adipose tissue and cryptorchidism in early childhood: a case-control study. <i>Environmental Health</i> , <b>2015</b> , 14, 78	6	25

96	Hormonal disturbances due to severe and mild forms of congenital adrenal hyperplasia are already detectable in neonatal life. <i>Acta Paediatrica, International Journal of Paediatrics</i> , <b>2015</b> , 104, e57-62	3.1	1
95	Validity of self-assessment of pubertal maturation. <i>Pediatrics</i> , <b>2015</b> , 135, 86-93	7.4	155
94	Serum levels of insulin-like factor 3, anti-Mullerian hormone, inhibin B, and testosterone during pubertal transition in healthy boys: a longitudinal pilot study. <i>Reproduction</i> , <b>2014</b> , 147, 529-35	3.8	28
93	Polychlorinated dibenzo-p-dioxins, furans, and biphenyls (PCDDs/PCDFs and PCBs) in breast milk and early childhood growth and IGF1. <i>Reproduction</i> , <b>2014</b> , 147, 391-9	3.8	31
92	The influence of antenatal exposure to phthalates on subsequent female reproductive development in adolescence: a pilot study. <i>Reproduction</i> , <b>2014</b> , 147, 379-90	3.8	69
91	Human urinary excretion of non-persistent environmental chemicals: an overview of Danish data collected between 2006 and 2012. <i>Reproduction</i> , <b>2014</b> , 147, 555-65	3.8	159
90	Sex, age, pubertal development and use of oral contraceptives in relation to serum concentrations of DHEA, DHEAS, 17 $\beta$ hydroxyprogesterone, $\beta$ -androstenedione, testosterone and their ratios in children, adolescents and young adults. <i>Clinica Chimica Acta</i> , <b>2014</b> , 437, 6-13	6.2	41
89	Current exposure of 200 pregnant Danish women to phthalates, parabens and phenols. <i>Reproduction</i> , <b>2014</b> , 147, 443-53	3.8	94
88	Association of placenta organotin concentrations with growth and ponderal index in 110 newborn boys from Finland during the first 18 months of life: a cohort study. <i>Environmental Health</i> , <b>2014</b> , 13, 45	6	44
87	Possible fetal determinants of male infertility. <i>Nature Reviews Endocrinology</i> , <b>2014</b> , 10, 553-62	15.2	100
86	Pubertal onset in girls is strongly influenced by genetic variation affecting FSH action. <i>Scientific Reports</i> , <b>2014</b> , 4, 6412	4.9	22
85	Urinary bisphenol A levels in young men: association with reproductive hormones and semen quality. <i>Environmental Health Perspectives</i> , <b>2014</b> , 122, 478-84	8.4	134
84	A longitudinal study of urinary phthalate excretion in 58 full-term and 67 preterm infants from birth through 14 months. <i>Environmental Health Perspectives</i> , <b>2014</b> , 122, 998-1005	8.4	41
83	Ovarian morphology and function during growth hormone therapy of short girls born small for gestational age. <i>Fertility and Sterility</i> , <b>2014</b> , 102, 1733-41	4.8	6
82	Determination of adrenal volume by MRI in healthy children: associations with age, body size, pubertal stage and serum levels of adrenal androgens. <i>Clinical Endocrinology</i> , <b>2014</b> , 81, 183-9	3.4	12
81	The 2014 Danish references from birth to 20 years for height, weight and body mass index. <i>Acta Paediatrica, International Journal of Paediatrics</i> , <b>2014</b> , 103, 214-24	3.1	125
80	No association between exposure to perfluorinated compounds and congenital cryptorchidism: a nested case-control study among 215 boys from Denmark and Finland. <i>Reproduction</i> , <b>2014</b> , 147, 411-7	3.8	26
79	The pubertal transition in 179 healthy Danish children: associations between pubarche, adrenarche, gonadarche, and body composition. <i>European Journal of Endocrinology</i> , <b>2013</b> , 168, 129-36	6.5	71

78	Temporal variability in urinary excretion of bisphenol A and seven other phenols in spot, morning, and 24-h urine samples. <i>Environmental Research</i> , <b>2013</b> , 126, 164-70	7.9	90
77	FSHB-211 and FSHR 2039 are associated with serum levels of follicle-stimulating hormone and antimüllerian hormone in healthy girls: a longitudinal cohort study. <i>Fertility and Sterility</i> , <b>2013</b> , 100, 1089-95	4.8	14
76	Bisphenol A and other phenols in urine from Danish children and adolescents analyzed by isotope diluted TurboFlow-LC-MS/MS. <i>International Journal of Hygiene and Environmental Health</i> , <b>2013</b> , 216, 710-20	6.8	93
75	Association of placenta organotin concentrations with congenital cryptorchidism and reproductive hormone levels in 280 newborn boys from Denmark and Finland. <i>Human Reproduction</i> , <b>2013</b> , 28, 1647-60	5.7	31
74	Androgen receptor CAG repeat length is associated with body fat and serum SHBG in boys: a prospective cohort study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2013</b> , 98, E605-9	5.6	13
73	Anti-müllerian hormone and its clinical use in pediatrics with special emphasis on disorders of sex development. <i>International Journal of Endocrinology</i> , <b>2013</b> , 2013, 198698	2.7	42
72	Thyroid effects of endocrine disrupting chemicals. <i>Molecular and Cellular Endocrinology</i> , <b>2012</b> , 355, 240-8	4.4	418
71	Low concentration of circulating antimüllerian hormone is not predictive of reduced fecundability in young healthy women: a prospective cohort study. <i>Fertility and Sterility</i> , <b>2012</b> , 98, 1602-8.e2	4.8	110
70	45,X/46,XY mosaicism: phenotypic characteristics, growth, and reproductive function--a retrospective longitudinal study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2012</b> , 97, E1540-9	5.6	93
69	Endocrine evaluation of reproductive function in girls during infancy, childhood and adolescence. <i>Endocrine Development</i> , <b>2012</b> , 22, 24-39		15
68	Paraoxonase 1 polymorphism and prenatal pesticide exposure associated with adverse cardiovascular risk profiles at school age. <i>PLoS ONE</i> , <b>2012</b> , 7, e36830	3.7	32
67	Individual serum levels of anti-Müllerian hormone in healthy girls persist through childhood and adolescence: a longitudinal cohort study. <i>Human Reproduction</i> , <b>2012</b> , 27, 861-6	5.7	98
66	Male patients with partial androgen insensitivity syndrome: a longitudinal follow-up of growth, reproductive hormones and the development of gynecomastia. <i>Archives of Disease in Childhood</i> , <b>2012</b> , 97, 403-9	2.2	42
65	Pathological and incidental findings on brain MRI in a single-center study of 229 consecutive girls with early or precocious puberty. <i>PLoS ONE</i> , <b>2012</b> , 7, e29829	3.7	59
64	Testicular descent: INSL3, testosterone, genes and the intrauterine milieu. <i>Nature Reviews Urology</i> , <b>2011</b> , 8, 187-96	5.5	116
63	Serum concentrations of Anti-Müllerian Hormone (AMH) in 95 patients with Klinefelter syndrome with or without cryptorchidism. <i>Acta Paediatrica, International Journal of Paediatrics</i> , <b>2011</b> , 100, 839-45	3.1	46
62	Lower birth weight and increased body fat at school age in children prenatally exposed to modern pesticides: a prospective study. <i>Environmental Health</i> , <b>2011</b> , 10, 79	6	48
61	Response to the comment by M. Jensen et al. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , <b>2011</b> , 91, 127-127		1



60	Intrauterine exposure to mild analgesics is a risk factor for development of male reproductive disorders in human and rat. <i>Human Reproduction</i> , <b>2011</b> , 26, 235-44	5.7	194
59	Normal sweat secretion despite impaired growth hormone-insulin-like growth factor-I axis in obese subjects. <i>International Journal of Endocrinology</i> , <b>2011</b> , 2011, 493840	2.7	1
58	Diagnostic work-up of 449 consecutive girls who were referred to be evaluated for precocious puberty. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2011</b> , 96, 1393-401	5.6	94
57	Familial isolated primary pigmented nodular adrenocortical disease associated with a novel low penetrance PRKAR1A gene splice site mutation. <i>Hormone Research in Paediatrics</i> , <b>2010</b> , 73, 115-9	3.3	6
56	Childhood exposure to phthalates: associations with thyroid function, insulin-like growth factor I, and growth. <i>Environmental Health Perspectives</i> , <b>2010</b> , 118, 1458-64	8.4	219
55	FSH, LH, inhibin B and estradiol levels in Turner syndrome depend on age and karyotype: longitudinal study of 70 Turner girls with or without spontaneous puberty. <i>Human Reproduction</i> , <b>2010</b> , 25, 3134-41	5.7	71
54	Genital anomalies in boys and the environment. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , <b>2010</b> , 24, 279-89	6.5	113
53	Serum levels of anti-Müllerian hormone as a marker of ovarian function in 926 healthy females from birth to adulthood and in 172 Turner syndrome patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2010</b> , 95, 5003-10	5.6	250
52	Testicular adrenal rest tumours in boys, adolescents and adult men with congenital adrenal hyperplasia may be associated with the CYP21A2 mutation. <i>Journal of Developmental and Physical Disabilities</i> , <b>2010</b> , 33, 521-7		38
51	Cryptorchidism and hypospadias as a sign of testicular dysgenesis syndrome (TDS): environmental connection. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , <b>2010</b> , 88, 910-9		151
50	Association of thyroid gland volume, serum insulin-like growth factor-I, and anthropometric variables in euthyroid prepubertal children. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2009</b> , 94, 4031-5	5.6	24
49	Narrow intra-individual variation of maternal thyroid function in pregnancy based on a longitudinal study on 132 women. <i>European Journal of Endocrinology</i> , <b>2009</b> , 161, 903-10	6.5	50
48	Testicular dysgenesis syndrome: foetal origin of adult reproductive problems. <i>Clinical Endocrinology</i> , <b>2009</b> , 71, 459-65	3.4	138
47	Re: The true incidence of cryptorchidism in Denmark: D. Cortes, E. M. Kjellberg, M. Breddam and J. Thorup, <i>J Urol</i> 2008; 179: 314-318. <i>Journal of Urology</i> , <b>2009</b> , 181, 922-4	2.5	2
46	Environmental chemicals and thyroid function: an update. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , <b>2009</b> , 16, 385-91	4	94
45	Impaired reproductive development in sons of women occupationally exposed to pesticides during pregnancy. <i>Environmental Health Perspectives</i> , <b>2008</b> , 116, 566-72	8.4	115
44	Cryptorchidism: Main et al. Respond. <i>Environmental Health Perspectives</i> , <b>2008</b> , 116,	8.4	78
43	Risk factors for congenital cryptorchidism in a prospective birth cohort study. <i>PLoS ONE</i> , <b>2008</b> , 3, e3051	3.7	68

42	PBDEs and Cryptorchidism: Main et al. Respond. <i>Environmental Health Perspectives</i> , <b>2008</b> , 116,	8.4	78
41	Concentrations of persistent organochlorine compounds in human milk and placenta are higher in Denmark than in Finland. <i>Human Reproduction</i> , <b>2008</b> , 23, 201-10	5.7	71
40	Flame retardants in placenta and breast milk and cryptorchidism in newborn boys. <i>Environmental Health Perspectives</i> , <b>2007</b> , 115, 1519-26	8.4	299
39	Cryptorchidism and maternal alcohol consumption during pregnancy. <i>Environmental Health Perspectives</i> , <b>2007</b> , 115, 272-7	8.4	59
38	Cryptorchidism: classification, prevalence and long-term consequences. <i>Acta Paediatrica, International Journal of Paediatrics</i> , <b>2007</b> , 96, 611-6	3.1	171
37	Insulin-like factor 3 levels in cord blood and serum from children: effects of age, postnatal hypothalamic-pituitary-gonadal axis activation, and cryptorchidism. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2007</b> , 92, 4020-7	5.6	99
36	Early pituitary-gonadal activation before clinical signs of puberty in 5- to 8-year-old adopted girls: a study of 99 foreign adopted girls and 93 controls. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2007</b> , 92, 2538-44	5.6	26
35	Reduced serum testosterone levels in infant boys conceived by intracytoplasmic sperm injection. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2007</b> , 92, 2598-603	5.6	45
34	High normal testosterone levels in infants with non-mosaic Klinefelter syndrome. <i>European Journal of Endocrinology</i> , <b>2007</b> , 157, 345-50	6.5	66
33	From mother to child: investigation of prenatal and postnatal exposure to persistent bioaccumulating toxicants using breast milk and placenta biomonitoring. <i>Chemosphere</i> , <b>2007</b> , 67, S256-62	8.4	88
32	Luteinizing hormone in testicular descent. <i>Molecular and Cellular Endocrinology</i> , <b>2007</b> , 269, 34-7	4.4	25
31	Hormonal changes in 3-month-old cryptorchid boys. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2006</b> , 91, 953-8	5.6	107
30	Serum insulin-like growth factor-I (IGF-I) and growth in children born after assisted reproduction. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2006</b> , 91, 4352-60	5.6	44
29	Mild gestational diabetes as a risk factor for congenital cryptorchidism. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2006</b> , 91, 4862-5	5.6	71
28	Human breast milk contamination with phthalates and alterations of endogenous reproductive hormones in infants three months of age. <i>Environmental Health Perspectives</i> , <b>2006</b> , 114, 270-6	8.4	510
27	Persistent pesticides in human breast milk and cryptorchidism. <i>Environmental Health Perspectives</i> , <b>2006</b> , 114, 1133-8	8.4	219
26	Postnatal penile length and growth rate correlate to serum testosterone levels: a longitudinal study of 1962 normal boys. <i>European Journal of Endocrinology</i> , <b>2006</b> , 154, 125-9	6.5	156
25	Pegvisomant treatment in a 4-year-old girl with neurofibromatosis type 1. <i>Hormone Research in Paediatrics</i> , <b>2006</b> , 65, 1-5	3.3	12



24	Environmental chemicals and thyroid function. <i>European Journal of Endocrinology</i> , <b>2006</b> , 154, 599-611	6.5	375
23	Larger testes and higher inhibin B levels in Finnish than in Danish newborn boys. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2006</b> , 91, 2732-7	5.6	77
22	Impaired cognitive function in women with congenital adrenal hyperplasia. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2006</b> , 91, 1376-81	5.6	48
21	Enantiomeric ratios as an indicator of exposure processes for persistent pollutants in human placentas. <i>Chemosphere</i> , <b>2006</b> , 62, 390-5	8.4	20
20	Quality of life in 70 women with disorders of sex development. <i>European Journal of Endocrinology</i> , <b>2006</b> , 155, 877-85	6.5	125
19	Is human fecundity declining?. <i>Journal of Developmental and Physical Disabilities</i> , <b>2006</b> , 29, 2-11		235
18	Cinacalcet HCl: a novel treatment for secondary hyperparathyroidism in stage 5 chronic kidney disease. <i>Kidney International</i> , <b>2005</b> , S24-8	9.9	77
17	Circannual rhythm in the incidence of cryptorchidism in Finland. <i>Journal of Developmental and Physical Disabilities</i> , <b>2005</b> , 28, 53-7		19
16	Determination of phthalate monoesters in human milk, consumer milk, and infant formula by tandem mass spectrometry (LC-MS-MS). <i>Analytical and Bioanalytical Chemistry</i> , <b>2005</b> , 382, 1084-92	4.4	142
15	Delayed diagnosis of congenital adrenal hyperplasia with salt wasting due to type II 3beta-hydroxysteroid dehydrogenase deficiency. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2005</b> , 90, 2076-80	5.6	20
14	Decrease in anogenital distance among male infants with prenatal phthalate exposure. <i>Environmental Health Perspectives</i> , <b>2005</b> , 113, 1056-61	8.4	1192
13	Insulin-like growth factor I (IGF-I) and IGF-binding protein 3 as diagnostic markers of growth hormone deficiency in infancy. <i>Hormone Research in Paediatrics</i> , <b>2005</b> , 63, 15-21	3.3	18
12	Kidney growth in 717 healthy children aged 0-18 months: a longitudinal cohort study. <i>Pediatric Nephrology</i> , <b>2004</b> , 19, 992-1003	3.2	39
11	Increased kidney growth in formula-fed versus breast-fed healthy infants. <i>Pediatric Nephrology</i> , <b>2004</b> , 19, 1137-44	3.2	36
10	Increase in maternal placental growth hormone during pregnancy and disappearance during parturition in normal and growth hormone-deficient pregnancies. <i>American Journal of Obstetrics and Gynecology</i> , <b>2003</b> , 188, 247-51	6.4	59
9	Early postnatal treatment of hypogonadotropic hypogonadism with recombinant human FSH and LH. <i>European Journal of Endocrinology</i> , <b>2002</b> , 146, 75-9	6.5	61
8	Longitudinal study of serum placental GH in 455 normal pregnancies: correlation to gestational age, fetal gender, and weight. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2002</b> , 87, 2734-9	5.6	49
7	Gender difference in breast tissue size in infancy: correlation with serum estradiol. <i>Pediatric Research</i> , <b>2002</b> , 52, 682-6	3.2	61

6	Impact of exposure to endocrine disrupters in utero and in childhood on adult reproduction. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , <b>2002</b> , 16, 289-309	6.5	90
5	Effect of gender and lean body mass on kidney size in healthy 10-year-old children. <i>Pediatric Nephrology</i> , <b>2001</b> , 16, 366-70	3.2	22
4	Sweat secretion rates in growth hormone disorders. <i>Clinical Endocrinology</i> , <b>2000</b> , 53, 601-8	3.4	16
3	A possible role for reproductive hormones in newborn boys: progressive hypogonadism without the postnatal testosterone peak. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2000</b> , 85, 4905-7	5.6	98
2	Influence of gender on the correlation between plasma growth hormone profiles and urinary growth hormone excretion. <i>Hormone Research</i> , <b>1997</b> , 48, 16-22		2
1	A Possible Role for Reproductive Hormones in Newborn Boys: Progressive Hypogonadism without the Postnatal Testosterone Peak		24