
Christophe Lançon

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10813172/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Association Between Mental Health Disorders and Mortality Among Patients With COVID-19 in 7 Countries. JAMA Psychiatry, 2021, 78, 1208.	6.0	155
2	ls Hormonal Therapy Associated with Better Quality of Life in Transsexuals? A Cross‣ectional Study. Journal of Sexual Medicine, 2012, 9, 531-541.	0.3	140
3	The development of the S-QoL 18: A shortened quality of life questionnaire for patients with schizophrenia. Schizophrenia Research, 2010, 121, 241-250.	1.1	101
4	Hormonal Therapy Is Associated With Better Self-esteem, Mood, and Quality of Life in Transsexuals. Journal of Nervous and Mental Disease, 2013, 201, 996-1000.	0.5	100
5	Burnout in French physicians: A systematic review and meta-analysis. Journal of Affective Disorders, 2019, 246, 132-147.	2.0	96
6	The "Functional Remission of General Schizophrenia―(FROGS) scale: Development and validation of a new questionnaire. Schizophrenia Research, 2009, 113, 218-225.	1.1	95
7	The Role of Inflammation in the Treatment of Schizophrenia. Frontiers in Psychiatry, 2020, 11, 160.	1.3	84
8	Disparities in Intensive Care Unit Admission and Mortality Among Patients With Schizophrenia and COVID-19: A National Cohort Study. Schizophrenia Bulletin, 2021, 47, 624-634.	2.3	72
9	Quality of life among caregivers of individuals with affective disorders. Journal of Affective Disorders, 2012, 136, 660-665.	2.0	70
10	Measuring quality of life in patients with schizophrenia:an overview. Expert Review of Pharmacoeconomics and Outcomes Research, 2013, 13, 343-349.	0.7	67
11	Predictive value of brain perfusion SPECT for rTMS response in pharmacoresistant depression. European Journal of Nuclear Medicine and Molecular Imaging, 2011, 38, 1715-1722.	3.3	63
12	A structural equation modelling approach to explore the determinants of quality of life in schizophrenia. Schizophrenia Research, 2016, 171, 27-34.	1.1	61
13	Quality of life among caregivers of patients with schizophrenia: a cross-cultural comparison of Chilean and French families. BMC Family Practice, 2012, 13, 42.	2.9	57
14	Parieto-temporal alpha EEG band power at baseline as a predictor of antidepressant treatment response with repetitive Transcranial Magnetic Stimulation: A preliminary study. Journal of Affective Disorders, 2012, 137, 156-160.	2.0	56
15	End-of-life care among patients with schizophrenia and cancer: a population-based cohort study from the French national hospital database. Lancet Public Health, The, 2019, 4, e583-e591.	4.7	56
16	Maintenance transcranial magnetic stimulation reduces depression relapse: A propensity-adjusted analysis. Journal of Affective Disorders, 2013, 151, 129-135.	2.0	53
17	C-Reactive Protein as a Peripheral Biomarker in Schizophrenia. An Updated Systematic Review. Frontiers in Psychiatry, 2018, 9, 392.	1.3	53
18	Evaluating the impact of a quality of life assessment with feedback to clinicians in patients with schizophrenia: randomised controlled trial. British Journal of Psychiatry, 2013, 202, 447-453.	1.7	51

#	Article	IF	CITATIONS
19	Psychometric properties of the abbreviated version of the Scale to Assess Unawareness in Mental Disorder in schizophrenia. BMC Psychiatry, 2013, 13, 229.	1.1	47
20	Association of metabolic syndrome and inflammation with neurocognition in patients with schizophrenia. Psychiatry Research, 2013, 210, 381-386.	1.7	46
21	Schizophrenia with preserved insight is associated with increased perfusion of the precuneus. Journal of Psychiatry and Neuroscience, 2012, 37, 297-304.	1.4	45
22	Comorbid Major Depressive Disorder in Schizophrenia: A Systematic Review and Meta-Analysis. Schizophrenia Bulletin, 2021, 47, 298-308.	2.3	45
23	Psychometric properties of the Ruminative Response Scale-short form in a clinical sample of patients with major depressive disorder. Patient Preference and Adherence, 2017, Volume 11, 929-937.	0.8	42
24	Self-reported quality of life measure is reliable and valid in adult patients suffering from schizophrenia with executive impairment. Schizophrenia Research, 2013, 147, 58-67.	1.1	41
25	Evaluation of the Housing First program in patients with severe mental disorders in France: study protocol for a randomized controlled trial. Trials, 2013, 14, 309.	0.7	38
26	Microbiota-Orientated Treatments for Major Depression and Schizophrenia. Nutrients, 2020, 12, 1024.	1.7	38
27	Effectiveness of clozapine in neuroleptic-resistant schizophrenia: clinical response and plasma concentrations. Journal of Psychiatry and Neuroscience, 2002, 27, 30-7.	1.4	37
28	Assessing health-related quality of life in patients suffering from schizophrenia: a comparison of instruments. European Psychiatry, 2005, 20, 510-519.	0.1	36
29	Neurocognition, Insight and Medication Nonadherence in Schizophrenia: A Structural Equation Modeling Approach. PLoS ONE, 2012, 7, e47655.	1.1	36
30	Innovative mechanisms of action for pharmaceutical cognitive enhancement: A systematic review. Psychiatry Research, 2015, 229, 12-20.	1.7	36
31	Remission of depression in patients with schizophrenia and comorbid major depressive disorder: results from the FACE-SZ cohort. British Journal of Psychiatry, 2018, 213, 464-470.	1.7	35
32	Evaluation of depression in schizophrenia: psychometric properties of a French version of the Calgary Depression Scale. Psychiatry Research, 1999, 89, 123-132.	1.7	33
33	Sensory gating in adult with attention-deficit/hyperactivity disorder: Event-evoked potential and perceptual experience reports comparisons with schizophrenia. Biological Psychology, 2015, 107, 16-23.	1.1	32
34	<p>Measuring the Patient Experience of Mental Health Care: A Systematic and Critical Review of Patient-Reported Experience Measures</p> . Patient Preference and Adherence, 2020, Volume 14, 2147-2161.	0.8	32
35	The 4-Point ordinal Alliance Self-report: a self-report questionnaire for assessing therapeutic relationships in routine mental health. Comprehensive Psychiatry, 2009, 50, 181-185.	1.5	31
36	Perceptual abnormalities related to sensory gating deficit are core symptoms in adults with ADHD. Psychiatry Research, 2015, 230, 357-363.	1.7	29

#	Article	IF	CITATIONS
37	A Multilevel Functional Study of a <i>SNAP25</i> At-Risk Variant for Bipolar Disorder and Schizophrenia. Journal of Neuroscience, 2017, 37, 10389-10397.	1.7	29
38	Frequent Visits to a French Psychiatric Emergency Service: Diagnostic Variability in Psychotic Disorders. Psychiatric Services, 2011, 62, 966-970.	1.1	28
39	Sensory Gating Capacity and Attentional Function in Adults With ADHD: A Preliminary Neurophysiological and Neuropsychological Study. Journal of Attention Disorders, 2019, 23, 1199-1209.	1.5	27
40	Toward Meeting the Needs of Homeless People with Schizophrenia: The Validity of Quality of Life Measurement. PLoS ONE, 2013, 8, e79677.	1.1	26
41	Do schizophrenia patients with low P50-suppression report more perceptual anomalies with the sensory gating inventory?. Schizophrenia Research, 2014, 157, 157-162.	1.1	26
42	<p>The Patient-Reported Experience Measure for Improving qUality of care in Mental health (PREMIUM) project in France: study protocol for the development and implementation strategy</p> . Patient Preference and Adherence, 2019, Volume 13, 165-177.	0.8	26
43	Functional involvement of superior temporal sulcus in quality of life of patients with schizophrenia. Psychiatry Research - Neuroimaging, 2012, 202, 155-160.	0.9	25
44	Elevated C-reactive protein is associated with sensory gating deficit in schizophrenia. Schizophrenia Research, 2015, 165, 94-96.	1.1	24
45	Virtual reality cue exposure for the relapse prevention of tobacco consumption: a study protocol for a randomized controlled trial. Trials, 2016, 17, 96.	0.7	24
46	Improvement of health-related quality of life in depression after transcranial magnetic stimulation in a naturalistic trial is associated with decreased perfusion in precuneus. Health and Quality of Life Outcomes, 2012, 10, 87.	1.0	23
47	Satisfaction of hospitalized psychiatry patients: why should clinicians care?. Patient Preference and Adherence, 2014, 8, 575.	0.8	23
48	Relative efficacy and tolerability of vortioxetine versus selected antidepressants by indirect comparisons of similar clinical studies. Current Medical Research and Opinion, 2014, 30, 2589-2606.	0.9	23
49	Neurophysiological correlates of metabolic syndrome and cognitive impairment in schizophrenia: A structural equation modeling approach. Psychoneuroendocrinology, 2014, 50, 95-105.	1.3	22
50	Equivalent brain SPECT perfusion changes underlying therapeutic efficiency in pharmacoresistant depression using either high-frequency left or low-frequency right prefrontal rTMS. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2012, 39, 364-370.	2.5	21
51	Validation of a functional remission threshold for the Functional Remission of General Schizophrenia (FROGS) scale. Comprehensive Psychiatry, 2013, 54, 1016-1022.	1.5	21
52	Nicotine dependence is associated with depression and childhood trauma in smokers with schizophrenia: results from the FACE-SZ dataset. European Archives of Psychiatry and Clinical Neuroscience, 2017, 267, 567-577.	1.8	21
53	Working Memory Deficit as a Risk Factor for Severe Apathy in Schizophrenia: A 1-Year Longitudinal Study. Schizophrenia Bulletin, 2016, 42, 642-651.	2.3	20
54	Determinants of patient satisfaction with hospital health care in psychiatry: results based on the SATISPSY-22 questionnaire. Patient Preference and Adherence, 2014, 8, 1457.	0.8	18

#	Article	IF	CITATIONS
55	Neural substrate of quality of life in patients with schizophrenia: a magnetisation transfer imaging study. Scientific Reports, 2015, 5, 17650.	1.6	17
56	Pregnancy, delivery and neonatal complications in women with schizophrenia: a national population-based cohort study. Lancet Regional Health - Europe, The, 2021, 10, 100209.	3.0	17
57	Mental Disorders among Children and Adolescents Admitted to a French Psychiatric Emergency Service. Emergency Medicine International, 2013, 2013, 1-7.	0.3	16
58	Systematic Review Reveals Heterogeneity in the Use of the Scale to Assess Unawareness of Mental Disorder (SUMD). Current Psychiatry Reports, 2013, 15, 361.	2.1	15
59	Positive clinical effects of gamma knife capsulotomy in a patient with deep brain stimulation-refractory Tourette Syndrome and Obsessive Compulsive Disorder. Clinical Neurology and Neurosurgery, 2018, 170, 34-37.	0.6	15
60	Self-reported pain in patients with schizophrenia. Results from the national first-step FACE-SZ cohort. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2018, 85, 62-68.	2.5	14
61	Improving diet for psychiatric patientsÂ: High potential benefits and evidence for safety. Journal of Affective Disorders, 2020, 265, 567-569.	2.0	14
62	Effects of Clozapine on Perceptual Abnormalities and Sensory Gating. Journal of Clinical Psychopharmacology, 2015, 35, 184-187.	0.7	13
63	Does sensory gating have a protective effect against hallucinatory behavior in schizophrenia?. Clinical Neurophysiology, 2016, 127, 1746-1748.	0.7	13
64	Effect of Psychiatric Advance Directives Facilitated by Peer Workers on Compulsory Admission Among People With Mental Illness. JAMA Psychiatry, 2022, 79, 752.	6.0	13
65	Quantification of relevance of quality of life assessment for patients with cognitive impairment: the suitability indices. BMC Neurology, 2014, 14, 78.	0.8	12
66	MMPI-2 Profile of French Transsexuals: The Role of Sociodemographic and Clinical Factors. A cross-sectional design. Scientific Reports, 2016, 6, 24281.	1.6	12
67	Are Cardiovascular Risk Factors Associated with Verbal Learning and Memory Impairment in Patients with Schizophrenia? A Cross-Sectional Study. Cardiovascular Psychiatry and Neurology, 2012, 2012, 1-8.	0.8	11
68	Validation of the French sensory gating inventory: A confirmatory factor analysis. Psychiatry Research, 2014, 220, 1106-1112.	1.7	11
69	How to interpret multidimensional quality of life questionnaires for patients with schizophrenia?. Quality of Life Research, 2015, 24, 2483-2492.	1.5	10
70	Modernizing quality of life assessment: development of a multidimensional computerized adaptive questionnaire for patients with schizophrenia. Quality of Life Research, 2018, 27, 1041-1054.	1.5	10
71	Do patients with schizophrenia use prosody to encode contrastive discourse status?. Frontiers in Psychology, 2014, 5, 755.	1.1	9
72	Clozapine and negative symptoms. An open study. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2000, 24, 373-384.	2.5	8

#	Article	IF	CITATIONS
73	Unmasking Partial Seizure after Deep Brain Stimulation for Treatment-Resistant Depression: A Case Report. Brain Stimulation, 2016, 9, 636-638.	0.7	8
74	Health related quality of life in patients having schizophrenia negative symptoms – a systematic review. Journal of Market Access & Health Policy, 2018, 6, 1517573.	0.8	8
75	Recurrent major depressive disorder's impact on end-of-life care of cancer: A nationwide study. Journal of Affective Disorders, 2020, 263, 326-335.	2.0	8
76	Virtual Reality and Fear of Shark Attack: A Case Study for the Treatment of Squalophobia. Clinical Case Studies, 2020, 19, 339-354.	0.5	8
77	Palliative and high-intensity end-of-life care in schizophrenia patients with lung cancer: results from a French national population-based study. European Archives of Psychiatry and Clinical Neuroscience, 2020, 271, 1571-1578.	1.8	8
78	End of life breast cancer care in women with severe mental illnesses. Scientific Reports, 2021, 11, 10167.	1.6	8
79	Fiabilité des références diagnostiques du Recueil d'Informations Médicalisées en Psychiatrie. Sante Publique, 2012, Vol. 23, 31-38.	0.0	8
80	Genetic and molecular exploration of UHMK1 in schizophrenic patients. Psychiatric Genetics, 2011, 21, 315-318.	0.6	7
81	Predict the outcome of depression after rTMS using neuroimaging: Issue of response or non-response?. Brain Stimulation, 2013, 6, 95-96.	0.7	7
82	Psychiatric advance directives for people living with schizophrenia, bipolar I disorders, or schizoaffective disorders: Study protocol for a randomized controlled trial – DAiP study. BMC Psychiatry, 2019, 19, 422.	1.1	7
83	The puzzle of quality of life in schizophrenia: putting the pieces together with the FACE-SZ cohort. Psychological Medicine, 2022, 52, 1501-1508.	2.7	7
84	End-of-Life Care Among Patients With Bipolar Disorder and Cancer: A Nationwide Cohort Study. Psychosomatic Medicine, 2020, 82, 722-732.	1.3	7
85	Overlap and Mutual Distinctions Between Clinical Recovery and Personal Recovery in People With Schizophrenia in a One-Year Study. Schizophrenia Bulletin, 2022, 48, 382-394.	2.3	7
86	Recommendations of the treatment-resistant depression expert center network for promoting tobacco smoking cessation based on the results from the real-world FACE-TRD national cohort. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2022, 114, 110479.	2.5	7
87	Association of metabolic syndrome with sensory gating deficits in patients with chronic schizophrenia. Psychoneuroendocrinology, 2015, 57, 125-133.	1.3	6
88	Toward a transdiagnostic tool to evaluate depressive symptoms across mental disorders: Validation of the Calgary depression rating scale in patients with major depressive disorder. Psychiatry Research, 2018, 268, 68-71.	1.7	6
89	The cognitive, affective motivational and clinical longitudinal determinants of apathy in schizophrenia. European Archives of Psychiatry and Clinical Neuroscience, 2019, 269, 911-920.	1.8	6
90	Brain PET metabolic substrate of TMS response in pharmaco-resistant depression. Brain Stimulation, 2020, 13, 683-685.	0.7	6

#	Article	IF	CITATIONS
91	Functional brain substrate of quality of life in patients with schizophrenia: A brain SPECT multidimensional analysis. Psychiatry Research - Neuroimaging, 2016, 249, 67-75.	0.9	5
92	The development of the SGI-16: a shortened sensory gating deficit and distractibility questionnaire for adults with ADHD. ADHD Attention Deficit and Hyperactivity Disorders, 2017, 9, 179-187.	1.7	5
93	Mortality among inpatients with bipolar disorders and COVID-19: a propensity score matching analysis in a national French cohort study. Psychological Medicine, 2023, 53, 1979-1988.	2.7	5
94	A Case of Recovery After Delayed Intracranial Hemorrhage After Deep Brain Stimulation for Treatment-Resistant Depression. Biological Psychiatry, 2018, 83, e11-e13.	0.7	4
95	Outcome prediction with a social cognitive battery: a multicenter longitudinal study. NPJ Schizophrenia, 2021, 7, 30.	2.0	4
96	The Validity of the SQoL-18 in Patients with Bipolar and Depressive Disorders: A Psychometric Study from the PREMIUM Project. Journal of Clinical Medicine, 2022, 11, 743.	1.0	3
97	Precision-medicine findings from the FACE-SZ cohort to develop motivation-enhancing programs in real-world schizophrenia. World Journal of Biological Psychiatry, 2022, 23, 703-714.	1.3	2
98	Psychometric properties of the BIRT Motivation Questionnaire (BMQ), a self-measure of avolition in	1.5	2
99	Relationship between neurocognition and theory of mind as a function of symptomatic profile in schizophrenia: results from the national FACE-SZ cohort. Cognitive Neuropsychiatry, 2022, 27, 49-68.	0.7	2
100	Recommendations of the Schizophrenia Expert Center network for adequate physical activity in real-world schizophrenia (FACE-SZ). European Archives of Psychiatry and Clinical Neuroscience, 2022, , 1.	1.8	2
101	Can we well assess the relative efficacy and tolerability of a new drug versus others at the time of marketing authorization using mixed treatment comparisons? A detailed illustration with escitalopram. Journal of Market Access & Health Policy, 2015, 3, 26776.	0.8	1
102	Defining functioning levels in patients with schizophrenia: A combination of a novel clustering method and brain SPECT analysis. Psychiatry Research - Neuroimaging, 2017, 270, 32-38.	0.9	1
103	Authors' reply. British Journal of Psychiatry, 2014, 204, 80-81.	1.7	0