

Shaogui Wan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10814602/publications.pdf>

Version: 2024-02-01

32
papers

926
citations

430442

18
h-index

454577

30
g-index

32
all docs

32
docs citations

32
times ranked

2031
citing authors

#	ARTICLE	IF	CITATIONS
1	Increased Drp1 promotes autophagy and ESCC progression by mtDNA stress mediated cGAS-STING pathway. <i>Journal of Experimental and Clinical Cancer Research</i> , 2022, 41, 76.	3.5	22
2	Characterization of fragment sizes, copy number aberrations and 4â€mer end motifs in cellâ€free DNA of hepatocellular carcinoma for enhanced liquid biopsyâ€based cancer detection. <i>Molecular Oncology</i> , 2021, 15, 2377-2389.	2.1	14
3	Circulating Cell-Free mtDNA Content as a Non-invasive Prognostic Biomarker in HCC Patients Receiving TACE and Traditional Chinese Medicine. <i>Frontiers in Genetics</i> , 2021, 12, 719451.	1.1	5
4	Upregulation of histamine receptor H1 promotes tumor progression and contributes to poor prognosis in hepatocellular carcinoma. <i>Oncogene</i> , 2020, 39, 1724-1738.	2.6	30
5	Machine learning-based genome-wide interrogation of somatic copy number aberrations in circulating tumor DNA for early detection of hepatocellular carcinoma. <i>EBioMedicine</i> , 2020, 56, 102811.	2.7	40
6	Mitochondrial fission-induced mtDNA stress promotes tumor-associated macrophage infiltration and HCC progression. <i>Oncogene</i> , 2019, 38, 5007-5020.	2.6	119
7	Donor Plasma Mitochondrial DNA Is Correlated with Posttransplant Renal Allograft Function. <i>Transplantation</i> , 2019, 103, 2347-2358.	0.5	20
8	Association of clinical outcomes in metastatic breast cancer patients with circulating tumour cell and circulating cell-free DNA. <i>European Journal of Cancer</i> , 2019, 106, 133-143.	1.3	35
9	High Sensitive and Non-invasive ctDNAs Sequencing Facilitate Clinical Diagnosis And Clinical Guidance of Non-small Cell Lung Cancer Patient: A Time Course Study. <i>Frontiers in Oncology</i> , 2018, 8, 491.	1.3	5
10	Ferritin level prospectively predicts hepatocarcinogenesis in patients with chronic hepatitis B virus infection. <i>Oncology Letters</i> , 2018, 16, 3499-3508.	0.8	15
11	Prospective and longitudinal evaluations of telomere length of circulating DNA as a risk predictor of hepatocellular carcinoma in HBV patients. <i>Carcinogenesis</i> , 2017, 38, 439-446.	1.3	6
12	Cell-free circulating mitochondrial DNA content and risk of hepatocellular carcinoma in patients with chronic HBV infection. <i>Scientific Reports</i> , 2016, 6, 23992.	1.6	66
13	Alterations of telomere length and mtDNA copy number are associated with overall survival in hepatocellular carcinoma patients treated with transarterial chemoembolization. <i>Cancer Chemotherapy and Pharmacology</i> , 2016, 78, 791-799.	1.1	18
14	Genetic variations in genes of metabolic enzymes predict postoperational prognosis of patients with colorectal cancer. <i>Molecular Cancer</i> , 2015, 14, 171.	7.9	12
15	Aspartate aminotransferase to platelet ratio index as a prospective predictor of hepatocellular carcinoma risk in patients with chronic hepatitis <scp>B</scp> virus infection. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015, 30, 131-138.	1.4	31
16	Polymorphisms in Genes of Tricarboxylic Acid Cycle Key Enzymes Are Associated with Early Recurrence of Hepatocellular Carcinoma. <i>PLoS ONE</i> , 2015, 10, e0124471.	1.1	5
17	Circulating Mitochondrial DNA Content Associated with the Risk of Liver Cirrhosis: A Nested Caseâ€Control Study. <i>Digestive Diseases and Sciences</i> , 2015, 60, 1707-1715.	1.1	14
18	Effect of thymidylate synthase gene polymorphism on the response to chemotherapy and clinical outcome of non-small cell lung cancer patients. <i>Tumor Biology</i> , 2015, 36, 7151-7157.	0.8	3

#	ARTICLE	IF	CITATIONS
19	Functional polymorphisms in the <i>NPAS2</i> gene are associated with overall survival in transcatheter arterial chemoembolization-treated hepatocellular carcinoma patients. <i>Cancer Science</i> , 2014, 105, 825-832.	1.7	26
20	Polymorphisms of <i>EPCAM</i> gene and prognosis for non-small-cell lung cancer in Han Chinese. <i>Cancer Science</i> , 2014, 105, 89-96.	1.7	8
21	Association between leukocyte telomere length and glioma risk: a case-control study. <i>Neuro-Oncology</i> , 2014, 16, 505-512.	0.6	36
22	Genetic Variants in the <i>EPCAM</i> Gene Is Associated with the Prognosis of Transarterial Chemoembolization Treated Hepatocellular Carcinoma with Portal Vein Tumor Thrombus. <i>PLoS ONE</i> , 2014, 9, e93416.	1.1	9
23	Post-diagnosis hemoglobin change associates with overall survival of multiple malignancies – results from a 14-year hospital-based cohort of lung, breast, colorectal, and liver cancers. <i>BMC Cancer</i> , 2013, 13, 340.	1.1	21
24	Preoperative Platelet Count Associates with Survival and Distant Metastasis in Surgically Resected Colorectal Cancer Patients. <i>Journal of Gastrointestinal Cancer</i> , 2013, 44, 293-304.	0.6	49
25	Genetic Polymorphisms in Pre-microRNA Genes as Prognostic Markers of Colorectal Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 217-227.	1.1	74
26	Telomere length in circulating serum <i>DNA</i> as a novel non-invasive biomarker for cirrhosis: a nested case-control analysis. <i>Liver International</i> , 2012, 32, 1233-1241.	1.9	20
27	Predictive value of alpha-fetoprotein in the long-term risk of developing hepatocellular carcinoma in patients with hepatitis B virus infection – Results from a clinic-based longitudinal cohort. <i>European Journal of Cancer</i> , 2012, 48, 2319-2327.	1.3	21
28	Relative telomere length: a novel non-invasive biomarker for the risk of non-cirrhotic hepatocellular carcinoma in patients with chronic hepatitis B infection. <i>European Journal of Cancer</i> , 2012, 48, 1014-1022.	1.3	52
29	Comprehensive Analysis of Common Serum Liver Enzymes as Prospective Predictors of Hepatocellular Carcinoma in HBV Patients. <i>PLoS ONE</i> , 2012, 7, e47687.	1.1	67
30	Potentially functional genetic variants in <i>KDR</i> gene as prognostic markers in patients with resected colorectal cancer. <i>Cancer Science</i> , 2012, 103, 561-568.	1.7	31
31	Genetic Polymorphism in a VEGF-Independent Angiogenesis Gene <i>ANGPT1</i> and Overall Survival of Colorectal Cancer Patients after Surgical Resection. <i>PLoS ONE</i> , 2012, 7, e34758.	1.1	14
32	GWAS-identified colorectal cancer susceptibility locus associates with disease prognosis. <i>European Journal of Cancer</i> , 2011, 47, 1699-1707.	1.3	38