

ZerrÄ°n YÄ°ÄÄ°t

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10820265/publications.pdf>

Version: 2024-02-01

15
papers

466
citations

1163117

8
h-index

1058476

14
g-index

15
all docs

15
docs citations

15
times ranked

773
citing authors

#	ARTICLE	IF	CITATIONS
1	NT-proBNP Response to Sacubitril/Valsartan in Hospitalized Heart Failure Patients With Reduced Ejection Fraction. <i>JACC: Heart Failure</i> , 2020, 8, 822-833.	4.1	21
2	Initiation of sacubitril/valsartan in haemodynamically stabilised heart failure patients in hospital or early after discharge: primary results of the randomised TRANSITION study. <i>European Journal of Heart Failure</i> , 2019, 21, 998-1007.	7.1	233
3	Efficacy and Safety of S-Amlodipine 2.5 and 5 mg/d in Hypertensive Patients Who Were Treatment-Naive or Previously Received Antihypertensive Monotherapy. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2018, 23, 318-328.	2.0	8
4	Relationship of respiratory muscle strength, pulmonary function, and functional capacity with quality of life in patients with atrial fibrillation. <i>Journal of International Medical Research</i> , 2018, 46, 195-203.	1.0	6
5	Effects of inspiratory muscle training on pulmonary function, respiratory muscle strength and functional capacity in patients with atrial fibrillation: a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2016, 30, 1165-1174.	2.2	33
6	Venous claudication in Behçet's disease. <i>Journal of Vascular Surgery</i> , 2015, 62, 698-703.e1.	1.1	7
7	The effect of oxidative stress related with ischemia-reperfusion damage on the pathogenesis of atrial fibrillation developing after coronary artery bypass graft surgery. <i>Türk Kardiyoloji Dernegi Arsivi</i> , 2014, 42, 419-425.	0.5	14
8	Serum N-Terminal Brain Natriuretic Peptide Indicates Exercise Induced Augmentation of Pulmonary Artery Pressure in Patients with Mitral Stenosis. <i>Echocardiography</i> , 2011, 28, 8-14.	0.9	7
9	Stunning of the Left Atrium after Conversion of Atrial Fibrillation: Predictor for Maintenance of Sinus Rhythm?. <i>Echocardiography</i> , 2005, 22, 402-407.	0.9	14
10	Serum N-Terminal pro-BNP Levels Correlate with Symptoms and Echocardiographic Findings in Patients with Mitral Stenosis. <i>Echocardiography</i> , 2005, 22, 473-478.	0.9	45
11	The Effect of Exercise to P Wave Dispersion and Its Evaluation as a Predictor of Atrial Fibrillation. <i>Annals of Noninvasive Electrocardiology</i> , 2003, 8, 308-312.	1.1	18
12	Restoring Sinus Rhythm Improves Excessive Heart Rate Response to Exercise in Patients With Atrial Fibrillation.. <i>International Heart Journal</i> , 2003, 44, 73-82.	0.6	3
13	The Safety of Low-Molecular Weight Heparins for the Prevention of Thromboembolic Events after Cardioversion of Atrial Fibrillation. <i>International Heart Journal</i> , 2003, 44, 369-377.	0.6	7
14	Predictors for Maintenance of Sinus Rhythm after Cardioversion in Patients with Nonvalvular Atrial Fibrillation. <i>Echocardiography</i> , 2002, 19, 351-357.	0.9	50
15	Kalp yetersizliÄyi hastalarÄ±nda depresyon ve anksiyete. <i>Pamukkale Medical Journal</i> , 0, , 24-24.	0.2	0