

Henrik Ohlsson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10826635/publications.pdf>

Version: 2024-02-01

120
papers

4,496
citations

136950

32
h-index

118850

62
g-index

120
all docs

120
docs citations

120
times ranked

7058
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | A brief conceptual tutorial of multilevel analysis in social epidemiology: using measures of clustering in multilevel logistic regression to investigate contextual phenomena. <i>Journal of Epidemiology and Community Health</i> , 2006, 60, 290-297. | 3.7 | 1,207 |
| 2 | Neighborhood walkability, physical activity, and walking behavior: The Swedish Neighborhood and Physical Activity (SNAP) study. <i>Social Science and Medicine</i> , 2011, 72, 1266-1273. | 3.8 | 195 |
| 3 | Genetic and Familial Environmental Influences on the Risk for Drug Abuse. <i>Archives of General Psychiatry</i> , 2012, 69, 690-7. | 12.3 | 162 |
| 4 | Common adult psychiatric disorders in Swedish primary care where most mental health patients are treated. <i>BMC Psychiatry</i> , 2017, 17, 235. | 2.6 | 147 |
| 5 | An Extended Swedish National Adoption Study of Alcohol Use Disorder. <i>JAMA Psychiatry</i> , 2015, 72, 211. | 11.0 | 105 |
| 6 | Family environment and the malleability of cognitive ability: A Swedish national home-reared and adopted-away cosibling control study. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 4612-4617. | 7.1 | 98 |
| 7 | IQ and Schizophrenia in a Swedish National Sample: Their Causal Relationship and the Interaction of IQ With Genetic Risk. <i>American Journal of Psychiatry</i> , 2015, 172, 259-265. | 7.2 | 87 |
| 8 | Physical Activity and Concordance between Objective and Perceived Walkability. <i>Medicine and Science in Sports and Exercise</i> , 2012, 44, 280-287. | 0.4 | 84 |
| 9 | Long-term effects of neighbourhood deprivation on diabetes risk: quasi-experimental evidence from a refugee dispersal policy in Sweden. <i>Lancet Diabetes and Endocrinology</i> , 2016, 4, 517-524. | 11.4 | 84 |
| 10 | Applying Causal Inference Methods in Psychiatric Epidemiology. <i>JAMA Psychiatry</i> , 2020, 77, 637. | 11.0 | 82 |
| 11 | Alcohol Use Disorder and Mortality Across the Lifespan. <i>JAMA Psychiatry</i> , 2016, 73, 575. | 11.0 | 80 |
| 12 | The Genetic Epidemiology of Treated Major Depression in Sweden. <i>American Journal of Psychiatry</i> , 2018, 175, 1137-1144. | 7.2 | 80 |
| 13 | Familial risk of venous thromboembolism in first-, second- and third-degree relatives: a nationwide family study in Sweden. <i>Thrombosis and Haemostasis</i> , 2013, 109, 458-463. | 3.4 | 74 |
| 14 | Social capital and health—Purely a question of context?. <i>Health and Place</i> , 2011, 17, 946-953. | 3.3 | 72 |
| 15 | Neighborhood walkability, deprivation and incidence of type 2 diabetes: A population-based study on 512,061 Swedish adults. <i>Health and Place</i> , 2015, 31, 24-30. | 3.3 | 71 |
| 16 | The Hippo Signaling Pathway in Pancreatic Cancer. <i>Anticancer Research</i> , 2019, 39, 3317-3321. | 1.1 | 69 |
| 17 | Genetic and Family and Community Environmental Effects on Drug Abuse in Adolescence: A Swedish National Twin and Sibling Study. <i>American Journal of Psychiatry</i> , 2014, 171, 209-217. | 7.2 | 64 |
| 18 | Prediction of Onset of Substance-Induced Psychotic Disorder and Its Progression to Schizophrenia in a Swedish National Sample. <i>American Journal of Psychiatry</i> , 2019, 176, 711-719. | 7.2 | 60 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Validity of registration of ICD codes and prescriptions in a research database in Swedish primary care: a cross-sectional study in Skaraborg primary care database. <i>BMC Medical Informatics and Decision Making</i> , 2010, 10, 23. | 3.0 | 58 |
| 20 | Alcohol Use Disorder and Risk of Suicide in a Swedish Population-Based Cohort. <i>American Journal of Psychiatry</i> , 2020, 177, 627-634. | 7.2 | 55 |
| 21 | Early-onset pancreatic cancer: a population-based study using the SEER registry. <i>Langenbeck's Archives of Surgery</i> , 2019, 404, 565-571. | 1.9 | 50 |
| 22 | Within-Family Environmental Transmission of Drug Abuse. <i>JAMA Psychiatry</i> , 2013, 70, 235. | 11.0 | 45 |
| 23 | Family history of venous thromboembolism as a risk factor and genetic research tool. <i>Thrombosis and Haemostasis</i> , 2015, 114, 890-900. | 3.4 | 41 |
| 24 | Risk of irritable bowel syndrome in first-degree, second-degree and third-degree relatives of affected individuals: a nationwide family study in Sweden. <i>Gut</i> , 2015, 64, 215-221. | 12.1 | 41 |
| 25 | Sources of Parent-Offspring Resemblance for Major Depression in a National Swedish Extended Adoption Study. <i>JAMA Psychiatry</i> , 2018, 75, 194. | 11.0 | 41 |
| 26 | Socioeconomic status and alcohol use disorders across the lifespan: A co-relative control study. <i>PLoS ONE</i> , 2019, 14, e0224127. | 2.5 | 40 |
| 27 | Family Genetic Risk Scores and the Genetic Architecture of Major Affective and Psychotic Disorders in a Swedish National Sample. <i>JAMA Psychiatry</i> , 2021, 78, 735. | 11.0 | 40 |
| 28 | A Swedish National Prospective and Co-relative Study of School Achievement at Age 16, and Risk for Schizophrenia, Other Nonaffective Psychosis, and Bipolar Illness. <i>Schizophrenia Bulletin</i> , 2016, 42, sbv103. | 4.3 | 37 |
| 29 | Observed Cognitive Performance and Deviation From Familial Cognitive Aptitude at Age 16 Years and Ages 18 to 20 Years and Risk for Schizophrenia and Bipolar Illness in a Swedish National Sample. <i>JAMA Psychiatry</i> , 2016, 73, 465. | 11.0 | 37 |
| 30 | The patterns of family genetic risk scores for eleven major psychiatric and substance use disorders in a Swedish national sample. <i>Translational Psychiatry</i> , 2021, 11, 326. | 4.8 | 37 |
| 31 | On the Genetic and Environmental Relationship Between Suicide Attempt and Death by Suicide. <i>American Journal of Psychiatry</i> , 2021, 178, 1060-1069. | 7.2 | 37 |
| 32 | Unexpected adverse childhood experiences and subsequent drug use disorder: a Swedish population study (1995-2011). <i>Addiction</i> , 2014, 109, 1119-1127. | 3.3 | 35 |
| 33 | Familial and neighborhood effects on psychiatric disorders in childhood and adolescence. <i>Journal of Psychiatric Research</i> , 2015, 66-67, 7-15. | 3.1 | 35 |
| 34 | Triparental Families: A New Genetic-Epidemiological Design Applied to Drug Abuse, Alcohol Use Disorders, and Criminal Behavior in a Swedish National Sample. <i>American Journal of Psychiatry</i> , 2015, 172, 553-560. | 7.2 | 34 |
| 35 | Peer Deviance, Parental Divorce, and Genetic Risk in the Prediction of Drug Abuse in a Nationwide Swedish Sample. <i>JAMA Psychiatry</i> , 2014, 71, 439. | 11.0 | 33 |
| 36 | Self-employment of immigrants and natives in Sweden - a multilevel analysis. <i>Entrepreneurship and Regional Development</i> , 2012, 24, 405-423. | 3.3 | 32 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Walkability parameters, active transportation and objective physical activity: moderating and mediating effects of motor vehicle ownership in a cross-sectional study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012, 9, 123. | 4.6 | 32 |
| 38 | High Familial Risk of Atrial Fibrillation/Atrial Flutter in Multiplex Families: A Nationwide Family Study in Sweden. <i>Journal of the American Heart Association</i> , 2013, 2, e003384. | 3.7 | 32 |
| 39 | The Sources of Parent-Child Transmission of Risk for Suicide Attempt and Deaths by Suicide in Swedish National Samples. <i>American Journal of Psychiatry</i> , 2020, 177, 928-935. | 7.2 | 32 |
| 40 | The Protective Effect of Pregnancy on Risk for Drug Abuse: A Population, Co-Relative, Co-Spouse, and Within-Individual Analysis. <i>American Journal of Psychiatry</i> , 2017, 174, 954-962. | 7.2 | 29 |
| 41 | Understanding the effects of a decentralized budget on physicians' compliance with guidelines for statin prescription – a multilevel methodological approach. <i>BMC Health Services Research</i> , 2007, 7, 68. | 2.2 | 27 |
| 42 | An Extended Swedish National Adoption Study of Bipolar Disorder Illness and Cross-Generational Familial Association With Schizophrenia and Major Depression. <i>JAMA Psychiatry</i> , 2020, 77, 814. | 11.0 | 24 |
| 43 | Therapeutic traditions, patient socioeconomic characteristics and physicians' early new drug prescribing – a multilevel analysis of rosuvastatin prescription in south Sweden. <i>European Journal of Clinical Pharmacology</i> , 2009, 65, 141-150. | 1.9 | 23 |
| 44 | Revisiting causal neighborhood effects on individual ischemic heart disease risk: A quasi-experimental multilevel analysis among Swedish siblings. <i>Social Science and Medicine</i> , 2013, 76, 39-46. | 3.8 | 23 |
| 45 | A sibling based design to quantify genetic and shared environmental effects of venous thromboembolism in Sweden. <i>Thrombosis Research</i> , 2017, 149, 82-87. | 1.7 | 23 |
| 46 | Academic Achievement and Drug Abuse Risk Assessed Using Instrumental Variable Analysis and Co-relative Designs. <i>JAMA Psychiatry</i> , 2018, 75, 1182. | 11.0 | 23 |
| 47 | Swedish rape offenders – a latent class analysis. <i>Forensic Sciences Research</i> , 2021, 6, 124-132. | 1.6 | 23 |
| 48 | The Rearing Environment and Risk for Major Depression: A Swedish National High-Risk Home-Reared and Adopted-Away Co-Sibling Control Study. <i>American Journal of Psychiatry</i> , 2020, 177, 447-453. | 7.2 | 22 |
| 49 | Age, period and cohort trends in drug abuse hospitalizations within the total Swedish population (1975–2010). <i>Drug and Alcohol Dependence</i> , 2014, 134, 355-361. | 3.2 | 21 |
| 50 | Place effects for areas defined by administrative boundaries: A life course analysis of mortality and cause specific morbidity in Scania, Sweden. <i>Social Science and Medicine</i> , 2011, 73, 1145-1151. | 3.8 | 20 |
| 51 | A developmental etiological model for drug abuse in men. <i>Drug and Alcohol Dependence</i> , 2017, 179, 220-228. | 3.2 | 20 |
| 52 | Age and sex-specific seasonal variation of venous thromboembolism in patients with and without family history: a nationwide family study in Sweden. <i>Thrombosis and Haemostasis</i> , 2013, 110, 1164-1171. | 3.4 | 19 |
| 53 | Drug abuse-associated mortality across the lifespan: a population-based longitudinal cohort and co-relative analysis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 877-886. | 3.1 | 19 |
| 54 | Causal nature of neighborhood deprivation on individual risk of coronary heart disease or ischemic stroke: A prospective national Swedish co-relative control study in men and women. <i>Health and Place</i> , 2018, 50, 1-5. | 3.3 | 19 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Self-employment. <i>International Journal of Entrepreneurial Behaviour and Research</i> , 2016, 22, 329-345. | 3.8 | 18 |
| 56 | Is physician adherence to prescription guidelines a general trait of health care practices or dependent on drug type? A multilevel logistic regression analysis in South Sweden. <i>Pharmacoepidemiology and Drug Safety</i> , 2009, 18, 682-690. | 1.9 | 17 |
| 57 | Socioeconomic position and secondary preventive therapy after an AMI. <i>Pharmacoepidemiology and Drug Safety</i> , 2010, 19, 358-366. | 1.9 | 17 |
| 58 | Performance Evaluations and League Tables. <i>Medical Care</i> , 2011, 49, 327-331. | 2.4 | 17 |
| 59 | Understanding adherence to therapeutic guidelines: a multilevel analysis of statin prescription in the Skaraborg Primary Care Database. <i>European Journal of Clinical Pharmacology</i> , 2011, 67, 415-423. | 1.9 | 17 |
| 60 | Testing the association between social capital and health over time: a family-based design. <i>BMC Public Health</i> , 2013, 13, 665. | 2.9 | 17 |
| 61 | A population-based Swedish Twin and Sibling Study of cannabis, stimulant and sedative abuse in men. <i>Drug and Alcohol Dependence</i> , 2015, 149, 49-54. | 3.2 | 17 |
| 62 | Venous Thromboembolism Does Not Share Strong Familial Susceptibility With Ischemic Stroke. <i>Circulation: Cardiovascular Genetics</i> , 2011, 4, 484-490. | 5.1 | 16 |
| 63 | Family history of venous thromboembolism is a risk factor for venous thromboembolism in combined oral contraceptive users: a nationwide case-control study. <i>Thrombosis Journal</i> , 2015, 13, 34. | 2.1 | 16 |
| 64 | The risk for drug abuse, alcohol use disorder, and psychosocial dysfunction in offspring from high-density pedigrees: its moderation by personal, family, and community factors. <i>Molecular Psychiatry</i> , 2020, 25, 1777-1786. | 7.9 | 15 |
| 65 | Is the physician's adherence to prescription guidelines associated with the patient's socio-economic position? An analysis of statin prescription in South Sweden. <i>Journal of Epidemiology and Community Health</i> , 2010, 64, 678-683. | 3.7 | 14 |
| 66 | Alcohol use disorder and non-fatal suicide attempt: findings from a Swedish National Cohort Study. <i>Addiction</i> , 2022, 117, 96-105. | 3.3 | 14 |
| 67 | The impact of sex, age at onset, recurrence, mode of ascertainment and medical complications on the family genetic risk score profiles for alcohol use disorder. <i>Psychological Medicine</i> , 2023, 53, 1732-1740. | 4.5 | 14 |
| 68 | A Contagion Model for Within-Family Transmission of Drug Abuse. <i>American Journal of Psychiatry</i> , 2019, 176, 239-248. | 7.2 | 13 |
| 69 | Genetic liability to suicide attempt, suicide death, and psychiatric and substance use disorders on the risk for suicide attempt and suicide death: a Swedish national study. <i>Psychological Medicine</i> , 2023, 53, 1639-1648. | 4.5 | 13 |
| 70 | Differences in genetic risk score profiles for drug use disorder, major depression, and ADHD as a function of sex, age at onset, recurrence, mode of ascertainment, and treatment. <i>Psychological Medicine</i> , 2023, 53, 3448-3460. | 4.5 | 13 |
| 71 | Practice variation in a longitudinal perspective: a multilevel analysis of the prescription of simvastatin in general practices between 2003 and 2009. <i>European Journal of Clinical Pharmacology</i> , 2011, 67, 1205-1211. | 1.9 | 12 |
| 72 | School Achievement, IQ, and Risk of Alcohol Use Disorder: A Prospective, Co-Relative Analysis in a Swedish National Cohort. <i>Journal of Studies on Alcohol and Drugs</i> , 2017, 78, 186-194. | 1.0 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Protective Effects of Pregnancy on Risk of Alcohol Use Disorder. <i>American Journal of Psychiatry</i> , 2019, 176, 138-145. | 7.2 | 12 |
| 74 | Diagnoses have the greatest impact on variation in sick-leave certification rate among primary-care patients in Sweden: A multilevel analysis including patient, physician and primary health-care centre levels. <i>Scandinavian Journal of Public Health</i> , 2015, 43, 704-712. | 2.3 | 11 |
| 75 | The Nature of the Shared Environment. <i>Behavior Genetics</i> , 2019, 49, 1-10. | 2.1 | 11 |
| 76 | Socioeconomic sequelae of drug abuse in a Swedish national cohort. <i>Drug and Alcohol Dependence</i> , 2020, 212, 107990. | 3.2 | 11 |
| 77 | A distinctive profile of family genetic risk scores in a Swedish national sample of cases of fibromyalgia, irritable bowel syndrome, and chronic fatigue syndrome compared to rheumatoid arthritis and major depression. <i>Psychological Medicine</i> , 2023, 53, 3879-3886. | 4.5 | 11 |
| 78 | Low prevalence of irritable bowel syndrome in primary health care in four Swedish counties. <i>Scandinavian Journal of Primary Health Care</i> , 2013, 31, 132-137. | 1.5 | 10 |
| 79 | Epidemiology of Familial Aggregation of Venous Thromboembolism. <i>Seminars in Thrombosis and Hemostasis</i> , 2016, 42, 821-832. | 2.7 | 10 |
| 80 | Variation in plasma calcium analysis in primary care in Sweden - a multilevel analysis. <i>BMC Family Practice</i> , 2010, 11, 43. | 2.9 | 9 |
| 81 | The Role of PEDF in Pancreatic Cancer. <i>Anticancer Research</i> , 2019, 39, 3311-3315. | 1.1 | 9 |
| 82 | Clinical features of registry-ascertained alcohol use disorders that reflect familial risk. <i>Drug and Alcohol Dependence</i> , 2016, 164, 135-142. | 3.2 | 8 |
| 83 | Environmental clustering of drug abuse in households and communities: multi-level modeling of a national Swedish sample. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 1277-1284. | 3.1 | 7 |
| 84 | Criminal offending and the family environment: Swedish national high-risk home-reared and adopted-away co-sibling control study. <i>British Journal of Psychiatry</i> , 2016, 209, 294-299. | 2.8 | 7 |
| 85 | Deadly violence in Sweden: Profiling offenders through a latent class analysis. <i>International Journal of Law and Psychiatry</i> , 2020, 71, 101603. | 0.9 | 7 |
| 86 | Attention deficit hyperactivity disorder in first- and second-generation immigrant children and adolescents: A nationwide cohort study in Sweden. <i>Journal of Psychosomatic Research</i> , 2021, 141, 110330. | 2.6 | 7 |
| 87 | Shared genetic and environmental etiology between substance use disorders and suicidal behavior. <i>Psychological Medicine</i> , 2023, 53, 2380-2388. | 4.5 | 7 |
| 88 | The moderation of the genetic risk for alcohol and drug use disorders in a Swedish national sample by the genetic aptitude for educational attainment. <i>Psychological Medicine</i> , 2023, 53, 3077-3084. | 4.5 | 7 |
| 89 | The role of regions for different forms of business organizations. <i>Entrepreneurship and Regional Development</i> , 2017, 29, 197-214. | 3.3 | 6 |
| 90 | Familial transmission of externalizing syndromes in extended Swedish families. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018, 177, 308-318. | 1.7 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Parent-offspring transmission of drug abuse and alcohol use disorder: Application of the multiple parenting relationships design. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019, 180, 249-257. | 1.7 | 6 |
| 92 | Family history as a risk factor for recurrent hospitalization for lone atrial fibrillation: a nationwide family study in Sweden. <i>BMC Cardiovascular Disorders</i> , 2012, 12, 121. | 1.7 | 5 |
| 93 | A Bivariate Genetic Analysis of Drug Abuse Ascertained Through Medical and Criminal Registries in Swedish Twins, Siblings and Half-Siblings. <i>Behavior Genetics</i> , 2016, 46, 735-741. | 2.1 | 5 |
| 94 | The clinical features of alcohol use disorders in biological and step-fathers that predict risk for alcohol use disorders in offspring. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017, 174, 779-785. | 1.7 | 5 |
| 95 | Association of irritable bowel syndrome and venous thromboembolism. <i>Scandinavian Journal of Gastroenterology</i> , 2018, 53, 784-789. | 1.5 | 5 |
| 96 | Immigrant enclaves and risk of drug involvement among asylum-seeking immigrants in Sweden: A quasi-experimental study. <i>Drug and Alcohol Dependence</i> , 2019, 205, 107666. | 3.2 | 5 |
| 97 | Evidence for a Causal Relationship Between Academic Achievement and Cigarette Smoking. <i>Nicotine and Tobacco Research</i> , 2021, 23, 334-340. | 2.6 | 5 |
| 98 | The causal effect of education and cognitive performance on risk for suicide attempt: A combined instrumental variable and co-relative approach in a Swedish national cohort. <i>Journal of Affective Disorders</i> , 2022, 305, 115-121. | 4.1 | 5 |
| 99 | Risk of non-fatal suicide attempt in individuals with substance use disorder: the roles of aggregate genetic liability and environmental exposures in a Swedish population-based cohort. <i>Addiction</i> , 2022, 117, 2943-2952. | 3.3 | 5 |
| 100 | Maternal half-sibling families with discordant fathers: a contrastive design assessing cross-generational paternal genetic transmission of alcohol use disorder, drug abuse and major depression. <i>Psychological Medicine</i> , 2020, 50, 973-980. | 4.5 | 4 |
| 101 | Nature of the Causal Relationship Between Academic Achievement and the Risk for Alcohol Use Disorder. <i>Journal of Studies on Alcohol and Drugs</i> , 2020, 81, 446-453. | 1.0 | 4 |
| 102 | Facilitating Versus Inhibiting the Transmission of Drug Abuse from High-Risk Parents to Their Children: A Swedish National Study. <i>Twin Research and Human Genetics</i> , 2020, 23, 1-7. | 0.6 | 4 |
| 103 | Is There Important Variation Among Health Care Institutions?. <i>Medical Care</i> , 2010, 48, 757-758. | 2.4 | 3 |
| 104 | Sources of Parent-Child Transmission of Drug Abuse. <i>Journal of Nervous and Mental Disease</i> , 2018, 206, 239-244. | 1.0 | 3 |
| 105 | Within-Family Transmission of Alcohol Use Disorder in Parent-Offspring, Sibling, and Cousin Pairs. <i>Journal of Nervous and Mental Disease</i> , 2020, 208, 637-645. | 1.0 | 3 |
| 106 | Roles of alcohol use disorder and resilience in risk of suicide attempt in men: A Swedish population-based cohort. <i>Suicide and Life-Threatening Behavior</i> , 2022, 52, 341-351. | 1.9 | 3 |
| 107 | Seasonal variation of pulmonary embolism and age dependence. <i>Thrombosis Research</i> , 2017, 150, 76-77. | 1.7 | 2 |
| 108 | Geographical proximity and the transmission of drug abuse among siblings: evaluating a contagion model in a Swedish National Sample. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e51. | 3.9 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 109 | Mediational Pathways From Genetic Risk to Alcohol Use Disorder in Swedish Men and Women. <i>Journal of Studies on Alcohol and Drugs</i> , 2021, 82, 431-438. | 1.0 | 2 |
| 110 | Coronary heart disease in mothers and fathers of adult children with alcohol use disorders. <i>Addiction</i> , 2021, 116, 3390-3397. | 3.3 | 2 |
| 111 | Firearm-Related Homicide in Sweden: A Latent Class Analysis of Suspected Offenders. <i>Crime and Delinquency</i> , 2023, 69, 88-104. | 1.7 | 2 |
| 112 | The rearing environment and the risk for alcohol use disorder: a Swedish national high-risk home-reared v. adopted co-sibling control study. <i>Psychological Medicine</i> , 2021, 51, 2370-2377. | 4.5 | 2 |
| 113 | Impact of comorbidity on family genetic risk profiles for psychiatric and substance use disorders: a descriptive analysis. <i>Psychological Medicine</i> , 2023, 53, 2389-2398. | 4.5 | 2 |
| 114 | Is an elevated family-genetic risk for major psychiatric disorders specific to creative occupations?. <i>Psychological Medicine</i> , 0, , 1-13. | 4.5 | 2 |
| 115 | Contagion models for the transmission of drug abuse among propinquity-of-rearing defined acquaintances: A Swedish national study. <i>Drug and Alcohol Dependence</i> , 2019, 201, 94-100. | 3.2 | 1 |
| 116 | The causal effect of resilience on risk for drug abuse: a Swedish national instrumental variable, co-relative and propensity-score analysis. <i>Psychological Medicine</i> , 2021, 51, 846-852. | 4.5 | 1 |
| 117 | Cognitive ability in Swedish conscripts and future risk of venous thromboembolism: A co-relative prospective national study. <i>European Journal of Internal Medicine</i> , 2016, 30, 68-71. | 2.2 | 0 |
| 118 | The Decomposition of Shared Environmental Influences on Externalizing Syndromes in the Swedish Population: A Multivariate Study. <i>Twin Research and Human Genetics</i> , 2017, 20, 298-309. | 0.6 | 0 |
| 119 | A Multilevel Mediational Model of the Association of Neighborhood Deprivation With Risk for Nonaffective Psychosis. <i>JAMA Psychiatry</i> , 2020, 77, 668. | 11.0 | 0 |
| 120 | Conduct Disorder in Immigrant Children and Adolescents: A Nationwide Cohort Study in Sweden. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10643. | 2.6 | 0 |