

Henrik Ohlsson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10826635/publications.pdf>

Version: 2024-02-01

120
papers

4,496
citations

136950

32
h-index

118850

62
g-index

120
all docs

120
docs citations

120
times ranked

7058
citing authors

#	ARTICLE	IF	CITATIONS
1	Genetic liability to suicide attempt, suicide death, and psychiatric and substance use disorders on the risk for suicide attempt and suicide death: a Swedish national study. <i>Psychological Medicine</i> , 2023, 53, 1639-1648.	4.5	13
2	Firearm-Related Homicide in Sweden: A Latent Class Analysis of Suspected Offenders. <i>Crime and Delinquency</i> , 2023, 69, 88-104.	1.7	2
3	The impact of sex, age at onset, recurrence, mode of ascertainment and medical complications on the family genetic risk score profiles for alcohol use disorder. <i>Psychological Medicine</i> , 2023, 53, 1732-1740.	4.5	14
4	Impact of comorbidity on family genetic risk profiles for psychiatric and substance use disorders: a descriptive analysis. <i>Psychological Medicine</i> , 2023, 53, 2389-2398.	4.5	2
5	Shared genetic and environmental etiology between substance use disorders and suicidal behavior. <i>Psychological Medicine</i> , 2023, 53, 2380-2388.	4.5	7
6	Differences in genetic risk score profiles for drug use disorder, major depression, and ADHD as a function of sex, age at onset, recurrence, mode of ascertainment, and treatment. <i>Psychological Medicine</i> , 2023, 53, 3448-3460.	4.5	13
7	A distinctive profile of family genetic risk scores in a Swedish national sample of cases of fibromyalgia, irritable bowel syndrome, and chronic fatigue syndrome compared to rheumatoid arthritis and major depression. <i>Psychological Medicine</i> , 2023, 53, 3879-3886.	4.5	11
8	The moderation of the genetic risk for alcohol and drug use disorders in a Swedish national sample by the genetic aptitude for educational attainment. <i>Psychological Medicine</i> , 2023, 53, 3077-3084.	4.5	7
9	Alcohol use disorder and non-fatal suicide attempt: findings from a Swedish National Cohort Study. <i>Addiction</i> , 2022, 117, 96-105.	3.3	14
10	Roles of alcohol use disorder and resilience in risk of suicide attempt in men: A Swedish population-based cohort. <i>Suicide and Life-Threatening Behavior</i> , 2022, 52, 341-351.	1.9	3
11	The causal effect of education and cognitive performance on risk for suicide attempt: A combined instrumental variable and co-relative approach in a Swedish national cohort. <i>Journal of Affective Disorders</i> , 2022, 305, 115-121.	4.1	5
12	Risk of non-fatal suicide attempt in individuals with substance use disorder: the roles of aggregate genetic liability and environmental exposures in a Swedish population-based cohort. <i>Addiction</i> , 2022, 117, 2943-2952.	3.3	5
13	The causal effect of resilience on risk for drug abuse: a Swedish national instrumental variable, co-relative and propensity-score analysis. <i>Psychological Medicine</i> , 2021, 51, 846-852.	4.5	1
14	Evidence for a Causal Relationship Between Academic Achievement and Cigarette Smoking. <i>Nicotine and Tobacco Research</i> , 2021, 23, 334-340.	2.6	5
15	Swedish rape offenders – a latent class analysis. <i>Forensic Sciences Research</i> , 2021, 6, 124-132.	1.6	23
16	Attention deficit hyperactivity disorder in first- and second-generation immigrant children and adolescents: A nationwide cohort study in Sweden. <i>Journal of Psychosomatic Research</i> , 2021, 141, 110330.	2.6	7
17	The patterns of family genetic risk scores for eleven major psychiatric and substance use disorders in a Swedish national sample. <i>Translational Psychiatry</i> , 2021, 11, 326.	4.8	37
18	Mediation Pathways From Genetic Risk to Alcohol Use Disorder in Swedish Men and Women. <i>Journal of Studies on Alcohol and Drugs</i> , 2021, 82, 431-438.	1.0	2

#	ARTICLE	IF	CITATIONS
19	Coronary heart disease in mothers and fathers of adult children with alcohol use disorders. <i>Addiction</i> , 2021, 116, 3390-3397.	3.3	2
20	On the Genetic and Environmental Relationship Between Suicide Attempt and Death by Suicide. <i>American Journal of Psychiatry</i> , 2021, 178, 1060-1069.	7.2	37
21	Family Genetic Risk Scores and the Genetic Architecture of Major Affective and Psychotic Disorders in a Swedish National Sample. <i>JAMA Psychiatry</i> , 2021, 78, 735.	11.0	40
22	Conduct Disorder in Immigrant Children and Adolescents: A Nationwide Cohort Study in Sweden. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10643.	2.6	0
23	The rearing environment and the risk for alcohol use disorder: a Swedish national high-risk home-reared v. adopted co-sibling control study. <i>Psychological Medicine</i> , 2021, 51, 2370-2377.	4.5	2
24	Maternal half-sibling families with discordant fathers: a contrastive design assessing cross-generational paternal genetic transmission of alcohol use disorder, drug abuse and major depression. <i>Psychological Medicine</i> , 2020, 50, 973-980.	4.5	4
25	The risk for drug abuse, alcohol use disorder, and psychosocial dysfunction in offspring from high-density pedigrees: its moderation by personal, family, and community factors. <i>Molecular Psychiatry</i> , 2020, 25, 1777-1786.	7.9	15
26	Geographical proximity and the transmission of drug abuse among siblings: evaluating a contagion model in a Swedish National Sample. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e51.	3.9	2
27	Applying Causal Inference Methods in Psychiatric Epidemiology. <i>JAMA Psychiatry</i> , 2020, 77, 637.	11.0	82
28	Deadly violence in Sweden: Profiling offenders through a latent class analysis. <i>International Journal of Law and Psychiatry</i> , 2020, 71, 101603.	0.9	7
29	Nature of the Causal Relationship Between Academic Achievement and the Risk for Alcohol Use Disorder. <i>Journal of Studies on Alcohol and Drugs</i> , 2020, 81, 446-453.	1.0	4
30	Within-Family Transmission of Alcohol Use Disorder in Parent-Offspring, Sibling, and Cousin Pairs. <i>Journal of Nervous and Mental Disease</i> , 2020, 208, 637-645.	1.0	3
31	The Sources of Parent-Child Transmission of Risk for Suicide Attempt and Deaths by Suicide in Swedish National Samples. <i>American Journal of Psychiatry</i> , 2020, 177, 928-935.	7.2	32
32	The Rearing Environment and Risk for Major Depression: A Swedish National High-Risk Home-Reared and Adopted-Away Co-Sibling Control Study. <i>American Journal of Psychiatry</i> , 2020, 177, 447-453.	7.2	22
33	A Multilevel Mediation Model of the Association of Neighborhood Deprivation With Risk for Nonaffective Psychosis. <i>JAMA Psychiatry</i> , 2020, 77, 668.	11.0	0
34	Socioeconomic sequelae of drug abuse in a Swedish national cohort. <i>Drug and Alcohol Dependence</i> , 2020, 212, 107990.	3.2	11
35	An Extended Swedish National Adoption Study of Bipolar Disorder Illness and Cross-Generational Familial Association With Schizophrenia and Major Depression. <i>JAMA Psychiatry</i> , 2020, 77, 814.	11.0	24
36	Facilitating Versus Inhibiting the Transmission of Drug Abuse from High-Risk Parents to Their Children: A Swedish National Study. <i>Twin Research and Human Genetics</i> , 2020, 23, 1-7.	0.6	4

#	ARTICLE	IF	CITATIONS
37	Alcohol Use Disorder and Risk of Suicide in a Swedish Population-Based Cohort. <i>American Journal of Psychiatry</i> , 2020, 177, 627-634.	7.2	55
38	Early-onset pancreatic cancer: a population-based study using the SEER registry. <i>Langenbeck's Archives of Surgery</i> , 2019, 404, 565-571.	1.9	50
39	The Role of PEDF in Pancreatic Cancer. <i>Anticancer Research</i> , 2019, 39, 3311-3315.	1.1	9
40	The Hippo Signaling Pathway in Pancreatic Cancer. <i>Anticancer Research</i> , 2019, 39, 3317-3321.	1.1	69
41	Socioeconomic status and alcohol use disorders across the lifespan: A co-relative control study. <i>PLoS ONE</i> , 2019, 14, e0224127.	2.5	40
42	Contagion models for the transmission of drug abuse among propinquity-of-rearing defined acquaintances: A Swedish national study. <i>Drug and Alcohol Dependence</i> , 2019, 201, 94-100.	3.2	1
43	Prediction of Onset of Substance-Induced Psychotic Disorder and Its Progression to Schizophrenia in a Swedish National Sample. <i>American Journal of Psychiatry</i> , 2019, 176, 711-719.	7.2	60
44	A Contagion Model for Within-Family Transmission of Drug Abuse. <i>American Journal of Psychiatry</i> , 2019, 176, 239-248.	7.2	13
45	Parent-offspring transmission of drug abuse and alcohol use disorder: Application of the multiple parenting relationships design. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019, 180, 249-257.	1.7	6
46	Immigrant enclaves and risk of drug involvement among asylum-seeking immigrants in Sweden: A quasi-experimental study. <i>Drug and Alcohol Dependence</i> , 2019, 205, 107666.	3.2	5
47	The Nature of the Shared Environment. <i>Behavior Genetics</i> , 2019, 49, 1-10.	2.1	11
48	Protective Effects of Pregnancy on Risk of Alcohol Use Disorder. <i>American Journal of Psychiatry</i> , 2019, 176, 138-145.	7.2	12
49	Association of irritable bowel syndrome and venous thromboembolism. <i>Scandinavian Journal of Gastroenterology</i> , 2018, 53, 784-789.	1.5	5
50	Sources of Parent-Child Transmission of Drug Abuse. <i>Journal of Nervous and Mental Disease</i> , 2018, 206, 239-244.	1.0	3
51	Causal nature of neighborhood deprivation on individual risk of coronary heart disease or ischemic stroke: A prospective national Swedish co-relative control study in men and women. <i>Health and Place</i> , 2018, 50, 1-5.	3.3	19
52	Familial transmission of externalizing syndromes in extended Swedish families. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018, 177, 308-318.	1.7	6
53	Sources of Parent-Offspring Resemblance for Major Depression in a National Swedish Extended Adoption Study. <i>JAMA Psychiatry</i> , 2018, 75, 194.	11.0	41
54	Academic Achievement and Drug Abuse Risk Assessed Using Instrumental Variable Analysis and Co-relative Designs. <i>JAMA Psychiatry</i> , 2018, 75, 1182.	11.0	23

#	ARTICLE	IF	CITATIONS
55	The Genetic Epidemiology of Treated Major Depression in Sweden. <i>American Journal of Psychiatry</i> , 2018, 175, 1137-1144.	7.2	80
56	A sibling based design to quantify genetic and shared environmental effects of venous thromboembolism in Sweden. <i>Thrombosis Research</i> , 2017, 149, 82-87.	1.7	23
57	Seasonal variation of pulmonary embolism and age dependence. <i>Thrombosis Research</i> , 2017, 150, 76-77.	1.7	2
58	The Protective Effect of Pregnancy on Risk for Drug Abuse: A Population, Co-Relative, Co-Spouse, and Within-Individual Analysis. <i>American Journal of Psychiatry</i> , 2017, 174, 954-962.	7.2	29
59	Drug abuse-associated mortality across the lifespan: a population-based longitudinal cohort and co-relative analysis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 877-886.	3.1	19
60	School Achievement, IQ, and Risk of Alcohol Use Disorder: A Prospective, Co-Relative Analysis in a Swedish National Cohort. <i>Journal of Studies on Alcohol and Drugs</i> , 2017, 78, 186-194.	1.0	12
61	The clinical features of alcohol use disorders in biological and stepfathers that predict risk for alcohol use disorders in offspring. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017, 174, 779-785.	1.7	5
62	A developmental etiological model for drug abuse in men. <i>Drug and Alcohol Dependence</i> , 2017, 179, 220-228.	3.2	20
63	The Decomposition of Shared Environmental Influences on Externalizing Syndromes in the Swedish Population: A Multivariate Study. <i>Twin Research and Human Genetics</i> , 2017, 20, 298-309.	0.6	0
64	Common adult psychiatric disorders in Swedish primary care where most mental health patients are treated. <i>BMC Psychiatry</i> , 2017, 17, 235.	2.6	147
65	The role of regions for different forms of business organizations. <i>Entrepreneurship and Regional Development</i> , 2017, 29, 197-214.	3.3	6
66	A Swedish National Prospective and Co-relative Study of School Achievement at Age 16, and Risk for Schizophrenia, Other Nonaffective Psychosis, and Bipolar Illness. <i>Schizophrenia Bulletin</i> , 2016, 42, sbv103.	4.3	37
67	Self-employment. <i>International Journal of Entrepreneurial Behaviour and Research</i> , 2016, 22, 329-345.	3.8	18
68	Observed Cognitive Performance and Deviation From Familial Cognitive Aptitude at Age 16 Years and Ages 18 to 20 Years and Risk for Schizophrenia and Bipolar Illness in a Swedish National Sample. <i>JAMA Psychiatry</i> , 2016, 73, 465.	11.0	37
69	Clinical features of registry-ascertained alcohol use disorders that reflect familial risk. <i>Drug and Alcohol Dependence</i> , 2016, 164, 135-142.	3.2	8
70	Alcohol Use Disorder and Mortality Across the Lifespan. <i>JAMA Psychiatry</i> , 2016, 73, 575.	11.0	80
71	Criminal offending and the family environment: Swedish national high-risk home-reared and adopted-away co-sibling control study. <i>British Journal of Psychiatry</i> , 2016, 209, 294-299.	2.8	7
72	A Bivariate Genetic Analysis of Drug Abuse Ascertained Through Medical and Criminal Registries in Swedish Twins, Siblings and Half-Siblings. <i>Behavior Genetics</i> , 2016, 46, 735-741.	2.1	5

#	ARTICLE	IF	CITATIONS
73	Epidemiology of Familial Aggregation of Venous Thromboembolism. <i>Seminars in Thrombosis and Hemostasis</i> , 2016, 42, 821-832.	2.7	10
74	Long-term effects of neighbourhood deprivation on diabetes risk: quasi-experimental evidence from a refugee dispersal policy in Sweden. <i>Lancet Diabetes and Endocrinology</i> , 2016, 4, 517-524.	11.4	84
75	Cognitive ability in Swedish conscripts and future risk of venous thromboembolism: A co-relative prospective national study. <i>European Journal of Internal Medicine</i> , 2016, 30, 68-71.	2.2	0
76	Family history of venous thromboembolism is a risk factor for venous thromboembolism in combined oral contraceptive users: a nationwide case-control study. <i>Thrombosis Journal</i> , 2015, 13, 34.	2.1	16
77	Family history of venous thromboembolism as a risk factor and genetic research tool. <i>Thrombosis and Haemostasis</i> , 2015, 114, 890-900.	3.4	41
78	An Extended Swedish National Adoption Study of Alcohol Use Disorder. <i>JAMA Psychiatry</i> , 2015, 72, 211.	11.0	105
79	Diagnoses have the greatest impact on variation in sick-leave certification rate among primary-care patients in Sweden: A multilevel analysis including patient, physician and primary health-care centre levels. <i>Scandinavian Journal of Public Health</i> , 2015, 43, 704-712.	2.3	11
80	Risk of irritable bowel syndrome in first-degree, second-degree and third-degree relatives of affected individuals: a nationwide family study in Sweden. <i>Gut</i> , 2015, 64, 215-221.	12.1	41
81	Environmental clustering of drug abuse in households and communities: multi-level modeling of a national Swedish sample. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 1277-1284.	3.1	7
82	Familial and neighborhood effects on psychiatric disorders in childhood and adolescence. <i>Journal of Psychiatric Research</i> , 2015, 66-67, 7-15.	3.1	35
83	A population-based Swedish Twin and Sibling Study of cannabis, stimulant and sedative abuse in men. <i>Drug and Alcohol Dependence</i> , 2015, 149, 49-54.	3.2	17
84	Family environment and the malleability of cognitive ability: A Swedish national home-reared and adopted-away sibling control study. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 4612-4617.	7.1	98
85	Triparental Families: A New Genetic-Epidemiological Design Applied to Drug Abuse, Alcohol Use Disorders, and Criminal Behavior in a Swedish National Sample. <i>American Journal of Psychiatry</i> , 2015, 172, 553-560.	7.2	34
86	IQ and Schizophrenia in a Swedish National Sample: Their Causal Relationship and the Interaction of IQ With Genetic Risk. <i>American Journal of Psychiatry</i> , 2015, 172, 259-265.	7.2	87
87	Neighborhood walkability, deprivation and incidence of type 2 diabetes: A population-based study on 512,061 Swedish adults. <i>Health and Place</i> , 2015, 31, 24-30.	3.3	71
88	Genetic and Family and Community Environmental Effects on Drug Abuse in Adolescence: A Swedish National Twin and Sibling Study. <i>American Journal of Psychiatry</i> , 2014, 171, 209-217.	7.2	64
89	Unexpected adverse childhood experiences and subsequent drug use disorder: a Swedish population study (1995-2011). <i>Addiction</i> , 2014, 109, 1119-1127.	3.3	35
90	Age, period and cohort trends in drug abuse hospitalizations within the total Swedish population (1975-2010). <i>Drug and Alcohol Dependence</i> , 2014, 134, 355-361.	3.2	21

#	ARTICLE	IF	CITATIONS
91	Peer Deviance, Parental Divorce, and Genetic Risk in the Prediction of Drug Abuse in a Nationwide Swedish Sample. <i>JAMA Psychiatry</i> , 2014, 71, 439.	11.0	33
92	Testing the association between social capital and health over time: a family-based design. <i>BMC Public Health</i> , 2013, 13, 665.	2.9	17
93	Revisiting causal neighborhood effects on individual ischemic heart disease risk: A quasi-experimental multilevel analysis among Swedish siblings. <i>Social Science and Medicine</i> , 2013, 76, 39-46.	3.8	23
94	Low prevalence of irritable bowel syndrome in primary health care in four Swedish counties. <i>Scandinavian Journal of Primary Health Care</i> , 2013, 31, 132-137.	1.5	10
95	Within-Family Environmental Transmission of Drug Abuse. <i>JAMA Psychiatry</i> , 2013, 70, 235.	11.0	45
96	High Familial Risk of Atrial Fibrillation/Atrial Flutter in Multiplex Families: A Nationwide Family Study in Sweden. <i>Journal of the American Heart Association</i> , 2013, 2, e003384.	3.7	32
97	Familial risk of venous thromboembolism in first-, second- and third-degree relatives: a nationwide family study in Sweden. <i>Thrombosis and Haemostasis</i> , 2013, 109, 458-463.	3.4	74
98	Age-and sex-specific seasonal variation of venous thromboembolism in patients with and without family history: a nationwide family study in Sweden. <i>Thrombosis and Haemostasis</i> , 2013, 110, 1164-1171.	3.4	19
99	Physical Activity and Concordance between Objective and Perceived Walkability. <i>Medicine and Science in Sports and Exercise</i> , 2012, 44, 280-287.	0.4	84
100	Genetic and Familial Environmental Influences on the Risk for Drug Abuse. <i>Archives of General Psychiatry</i> , 2012, 69, 690-7.	12.3	162
101	Self-employment of immigrants and natives in Sweden – a multilevel analysis. <i>Entrepreneurship and Regional Development</i> , 2012, 24, 405-423.	3.3	32
102	Family history as a risk factor for recurrent hospitalization for lone atrial fibrillation: a nationwide family study in Sweden. <i>BMC Cardiovascular Disorders</i> , 2012, 12, 121.	1.7	5
103	Walkability parameters, active transportation and objective physical activity: moderating and mediating effects of motor vehicle ownership in a cross-sectional study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012, 9, 123.	4.6	32
104	Performance Evaluations and League Tables. <i>Medical Care</i> , 2011, 49, 327-331.	2.4	17
105	Neighborhood walkability, physical activity, and walking behavior: The Swedish Neighborhood and Physical Activity (SNAP) study. <i>Social Science and Medicine</i> , 2011, 72, 1266-1273.	3.8	195
106	Place effects for areas defined by administrative boundaries: A life course analysis of mortality and cause specific morbidity in Scania, Sweden. <i>Social Science and Medicine</i> , 2011, 73, 1145-1151.	3.8	20
107	Social capital and health – Purely a question of context?. <i>Health and Place</i> , 2011, 17, 946-953.	3.3	72
108	Understanding adherence to therapeutic guidelines: a multilevel analysis of statin prescription in the Skaraborg Primary Care Database. <i>European Journal of Clinical Pharmacology</i> , 2011, 67, 415-423.	1.9	17

#	ARTICLE	IF	CITATIONS
109	Practice variation in a longitudinal perspective: a multilevel analysis of the prescription of simvastatin in general practices between 2003 and 2009. <i>European Journal of Clinical Pharmacology</i> , 2011, 67, 1205-1211.	1.9	12
110	Venous Thromboembolism Does Not Share Strong Familial Susceptibility With Ischemic Stroke. <i>Circulation: Cardiovascular Genetics</i> , 2011, 4, 484-490.	5.1	16
111	Is There Important Variation Among Health Care Institutions?. <i>Medical Care</i> , 2010, 48, 757-758.	2.4	3
112	Validity of registration of ICD codes and prescriptions in a research database in Swedish primary care: a cross-sectional study in Skaraborg primary care database. <i>BMC Medical Informatics and Decision Making</i> , 2010, 10, 23.	3.0	58
113	Variation in plasma calcium analysis in primary care in Sweden - a multilevel analysis. <i>BMC Family Practice</i> , 2010, 11, 43.	2.9	9
114	Socioeconomic position and secondary preventive therapy after an AMI. <i>Pharmacoepidemiology and Drug Safety</i> , 2010, 19, 358-366.	1.9	17
115	Is the physician's adherence to prescription guidelines associated with the patient's socio-economic position? An analysis of statin prescription in South Sweden. <i>Journal of Epidemiology and Community Health</i> , 2010, 64, 678-683.	3.7	14
116	Therapeutic traditions, patient socioeconomic characteristics and physicians' early new drug prescribing—a multilevel analysis of rosuvastatin prescription in south Sweden. <i>European Journal of Clinical Pharmacology</i> , 2009, 65, 141-150.	1.9	23
117	Is physician adherence to prescription guidelines a general trait of health care practices or dependent on drug type?—A multilevel logistic regression analysis in South Sweden. <i>Pharmacoepidemiology and Drug Safety</i> , 2009, 18, 682-690.	1.9	17
118	Understanding the effects of a decentralized budget on physicians' compliance with guidelines for statin prescription — a multilevel methodological approach. <i>BMC Health Services Research</i> , 2007, 7, 68.	2.2	27
119	A brief conceptual tutorial of multilevel analysis in social epidemiology: using measures of clustering in multilevel logistic regression to investigate contextual phenomena. <i>Journal of Epidemiology and Community Health</i> , 2006, 60, 290-297.	3.7	1,207
120	Is an elevated family-genetic risk for major psychiatric disorders specific to creative occupations?. <i>Psychological Medicine</i> , 0, , 1-13.	4.5	2