

# Akihisa Inoue

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10826655/publications.pdf>

Version: 2024-02-01

912  
papers

54,387  
citations

1883

102  
h-index

2233

201  
g-index

925  
all docs

925  
docs citations

925  
times ranked

11003  
citing authors

#	ARTICLE	IF	CITATIONS
1	Stabilization of metallic supercooled liquid and bulk amorphous alloys. Acta Materialia, 2000, 48, 279-306.	3.8	5,263
2	Classification of Bulk Metallic Glasses by Atomic Size Difference, Heat of Mixing and Period of Constituent Elements and Its Application to Characterization of the Main Alloying Element. Materials Transactions, 2005, 46, 2817-2829.	0.4	3,222
3	High Strength Bulk Amorphous Alloys with Low Critical Cooling Rates (&lt;l&gt;Overview&lt;/l&gt;). Materials Transactions, JIM, 1995, 36, 866-875.	0.9	1,031
4	Zr&ndash;Al&ndash;Ni Amorphous Alloys with High Glass Transition Temperature and Significant Supercooled Liquid Region. Materials Transactions, JIM, 1990, 31, 177-183.	0.9	879
5	Amorphous, nanoquasicrystalline and nanocrystalline alloys in Al-based systems. Progress in Materials Science, 1998, 43, 365-520.	16.0	826
6	A Stable Quasicrystal in Al-Cu-Fe System. Japanese Journal of Applied Physics, 1987, 26, L1505-L1507.	0.8	760
7	Amorphous Zr&ndash;Al&ndash;TM (TM=Co, Ni, Cu) Alloys with Significant Supercooled Liquid Region of Over 100 K. Materials Transactions, JIM, 1991, 32, 1005-1010.	0.9	742
8	Al&ndash;La&ndash;Ni Amorphous Alloys with a Wide Supercooled Liquid Region. Materials Transactions, JIM, 1989, 30, 965-972.	0.9	704
9	Calculations of Mixing Enthalpy and Mismatch Entropy for Ternary Amorphous Alloys. Materials Transactions, JIM, 2000, 41, 1372-1378.	0.9	662
10	Glass-forming ability of alloys. Journal of Non-Crystalline Solids, 1993, 156-158, 473-480.	1.5	616
11	Cobalt-based bulk glassy alloy with ultrahigh strength and soft magnetic properties. Nature Materials, 2003, 2, 661-663.	13.3	514
12	New Amorphous Mg-Ce-Ni Alloys with High Strength and Good Ductility. Japanese Journal of Applied Physics, 1988, 27, L2248-L2251.	0.8	504
13	Direct observation of local atomic order in a metallic glass. Nature Materials, 2011, 10, 28-33.	13.3	483
14	Thermal and Magnetic Properties of Bulk Fe-Based Glassy Alloys Prepared by Copper Mold Casting. Materials Transactions, JIM, 1995, 36, 1427-1433.	0.9	434
15	Soft magnetic properties of nanocrystalline bcc Fe&Zr&B and Fe&M&B&Cu (M=transition metal) alloys with high saturation magnetization (invited). Journal of Applied Physics, 1991, 70, 6232-6237.	1.1	432
16	Bulk amorphous alloys with high mechanical strength and good soft magnetic properties in Fe&TM&B (TM=IV&VIII group transition metal) system. Applied Physics Letters, 1997, 71, 464-466.	1.5	386
17	Preparation of Bulk Glassy Pd&lt;/SUB&gt;40&lt;/SUB&gt;Ni&lt;/SUB&gt;10&lt;/SUB&gt;Cu&lt;/SUB&gt;30&lt;/SUB&gt;P&lt;/SUB&gt;20&lt;/SUB&gt; Alloy of 40 mm in Diameter by Water Quenching. Materials Transactions, JIM, 1996, 37, 181-184.		380
18	Fe-Based Ferromagnetic Glassy Alloys with Wide Supercooled Liquid Region. Materials Transactions, JIM, 1995, 36, 1180-1183.	0.9	374

#	ARTICLE	IF	CITATIONS
19	Aluminum-Based Amorphous Alloys with Tensile Strength above 980 MPa (100 kg/mm <sup>2</sup> ). Japanese Journal of Applied Physics, 1988, 27, L479-L482.	0.8	361
20	Excess free volume in metallic glasses measured by X-ray diffraction. Acta Materialia, 2005, 53, 1611-1619.	3.8	344
21	Novel hexagonal structure and ultrahigh strength of magnesium solid solution in the Mg-Zn-Y system. Journal of Materials Research, 2001, 16, 1894-1900.	1.2	338
22	Production of Amorphous Cylinder and Sheet of La <sub>55</sub> Al <sub>25</sub> Ni <sub>20</sub> Alloy by a Metallic Mold Casting Method. Materials Transactions, JIM, 1990, 31, 425-428.	0.9	335
23	Fabrication of Bulk Glassy Zr <sub>55</sub> Al <sub>10</sub> Ni <sub>5</sub> Cu <sub>30</sub> Alloy of 30 mm in Diameter by a Suction Casting Method. Materials Transactions, JIM, 1996, 37, 185-187.		322
24	Preparation and Thermal Stability of Bulk Amorphous Pd <sub>40</sub> Cu <sub>30</sub> Ni <sub>10</sub> P <sub>20</sub> Alloy Cylinder of 72 mm in Diameter. Materials Transactions, JIM, 1997, 38, 179-183.		319
25	Ultrahigh Tensile Strengths of Al <sub>88</sub> Y <sub>2</sub> Ni <sub>9</sub> M <sub>1</sub> (M=Mn or Fe) Amorphous Alloys Containing Finely Dispersed fcc-Al Particles. Materials Transactions, JIM, 1990, 31, 747-749.	0.9	313
26	Bulk amorphous and nanocrystalline alloys with high functional properties. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2001, 304-306, 1-10.	2.6	291
27	Recent Progress in Bulk Glassy Alloys. Materials Transactions, 2002, 43, 1892-1906.	0.4	291
28	Effect of strain rate on compressive behavior of a Pd <sub>40</sub> Ni <sub>40</sub> P <sub>20</sub> bulk metallic glass. Intermetallics, 2002, 10, 1071-1077.	1.8	283
29	Extraordinary Plasticity of Ductile Bulk Metallic Glasses. Physical Review Letters, 2006, 96, 245502.	2.9	275
30	Nanoporous Metals by Dealloying Multicomponent Metallic Glasses. Chemistry of Materials, 2008, 20, 4548-4550.	3.2	272
31	Thermal and Mechanical Properties of Ti-Ni-Cu-Sn Amorphous Alloys with a Wide Supercooled Liquid Region before Crystallization. Materials Transactions, JIM, 1998, 39, 1001-1006.	0.9	267
32	New Amorphous Alloys with Good Ductility in Al-Y-M and Al-La-M (M=Fe, Co, Ni or Cu) Systems. Japanese Journal of Applied Physics, 1988, 27, L280-L282.	0.8	265
33	Rapid Degradation of Azo Dye by Fe-Based Metallic Glass Powder. Advanced Functional Materials, 2012, 22, 2567-2570.	7.8	259
34	Bulk Nd-Fe-Al Amorphous Alloys with Hard Magnetic Properties. Materials Transactions, JIM, 1996, 37, 99-108.	0.9	255
35	Nanoporous PdNi Bimetallic Catalyst with Enhanced Electrocatalytic Performances for Electro-oxidation and Oxygen Reduction Reactions. Advanced Functional Materials, 2011, 21, 4364-4370.	7.8	251
36	Recent progress in bulk glassy, nanoquasicrystalline and nanocrystalline alloys. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2004, 375-377, 16-30.	2.6	236

#	ARTICLE	IF	CITATIONS
37	Formation, Thermal Stability and Mechanical Properties of Cu-Zr-Al Bulk Glassy Alloys. <i>Materials Transactions</i> , 2002, 43, 2921-2925.	0.4	230
38	High Mechanical Strengths of Mg&ndash;Ni&ndash;Y and Mg&ndash;Cu&ndash;Y Amorphous Alloys with Significant Supercooled Liquid Region. <i>Materials Transactions, JIM</i> , 1990, 31, 929-934.	0.9	225
39	Ferromagnetic bulk amorphous alloys. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 1998, 29, 1779-1793.	1.1	223
40	New Bulk Metallic Glasses for Applications as Magnetic-Sensing, Chemical, and Structural Materials. <i>MRS Bulletin</i> , 2007, 32, 651-658.	1.7	219
41	Formation, Thermal Stability and Mechanical Properties of Cu-Zr and Cu-Hf Binary Glassy Alloy Rods. <i>Materials Transactions</i> , 2004, 45, 584-587.	0.4	217
42	Low core losses of nanocrystalline Fe&Mdash;B (M=Zr, Hf, or Nb) alloys. <i>Journal of Applied Physics</i> , 1993, 74, 3316-3322.	1.1	208
43	Superhigh strength and good soft-magnetic properties of (Fe,Co)&dash;Si&dash;Nb bulk glassy alloys with high glass-forming ability. <i>Applied Physics Letters</i> , 2004, 85, 4911-4913.	1.5	204
44	Glass-Forming Ability of Bulk Pd<sub>40</sub>/Ni<sub>10</sub>/Cu<sub>30</sub>/P<sub>20</sub> Alloy. <i>Materials Transactions, JIM</i> , 1996, 37, 1531-1539.		202
45	New Stable Icosahedral Al-Cu-Ru and Al-Cu-Os Alloys. <i>Japanese Journal of Applied Physics</i> , 1988, 27, L1587-L1590.	0.8	194
46	Effect of Additional Elements on Glass Transition Behavior and Glass Formation Tendency of Zr&dash;Al&dash;Cu&dash;Ni Alloys. <i>Materials Transactions, JIM</i> , 1995, 36, 1420-1426.	0.9	194
47	Stable Decagonal Al&dash;Co&dash;Ni and Al&dash;Co&dash;Cu Quasicrystals. <i>Materials Transactions, JIM</i> , 1989, 30, 463-473.	0.9	193
48	Dealloying by metallic melt. <i>Materials Letters</i> , 2011, 65, 1076-1078.	1.3	193
49	Increase in Mechanical Strength of Al&dash;Y&dash;Ni Amorphous Alloys by Dispersion of Nanoscale fcc-Al Particles. <i>Materials Transactions, JIM</i> , 1991, 32, 331-338.	0.9	191
50	Dynamic response of a Pd <sub>40</sub> Ni <sub>40</sub> P <sub>20</sub> bulk metallic glass in tension. <i>Scripta Materialia</i> , 2002, 46, 43-47.	2.6	189
51	Ductility of bulk nanocrystalline composites and metallic glasses at room temperature. <i>Applied Physics Letters</i> , 2000, 77, 46-48.	1.5	187
52	Preparation of Bulky Amorphous Zr&dash;Al&dash;Co&dash;Ni&dash;Cu Alloys by Copper Mold Casting and Their Thermal and Mechanical Properties. <i>Materials Transactions, JIM</i> , 1995, 36, 391-398.	0.9	186
53	Superplastic nanoforming of Pd-based amorphous alloy. <i>Scripta Materialia</i> , 2001, 44, 1541-1545.	2.6	186
54	Ti-based amorphous alloys with a wide supercooled liquid region. <i>Materials Letters</i> , 1994, 19, 131-135.	1.3	184

#	ARTICLE	IF	CITATIONS
55	New Fe&ndash;Co&ndash;Ni&ndash;Zr&ndash;B Amorphous Alloys with Wide Supercooled Liquid Regions and Good Soft Magnetic Properties. Materials Transactions, JIM, 1997, 38, 359-362.	0.9	184
56	Formation of Icosahedral Quasicrystalline Phase in Zr&ndash;Al&ndash;Ni&ndash;Cu&ndash;M (M=Ag, Pd, Au or Pt) Systems. Materials Transactions, JIM, 1999, 40, 1181-1184.	0.9	184
57	Mg&ndash;Ni&ndash;La Amorphous Alloys with a Wide Supercooled Liquid Region. Materials Transactions, JIM, 1989, 30, 378-381.	0.9	181
58	Superplastic deformation of Zr65Al10Ni10Cu15 metallic glass. Scripta Materialia, 1997, 37, 431-436.	2.6	178
59	New Amorphous Al-Y, Al-La and Al-Ce Alloys Prepared by Melt Spinning. Japanese Journal of Applied Physics, 1988, 27, L736-L739.	0.8	172
60	New Bulk Glassy Ni-Based Alloys with High Strength of 3000 MPa. Materials Transactions, 2002, 43, 708-711.	0.4	171
61	Deformation behavior of Zr65Al10Ni10Cu15 glassy alloy with wide supercooled liquid region. Applied Physics Letters, 1996, 69, 1208-1210.	1.5	170
62	Full strength compacts by extrusion of glassy metal powder at the supercooled liquid state. Applied Physics Letters, 1995, 67, 2008-2010.	1.5	169
63	Enhancement of room-temperature plasticity in a bulk metallic glass by finely dispersed porosity. Applied Physics Letters, 2005, 86, 251907.	1.5	166
64	Deformation behavior of Zr-based bulk nanocrystalline amorphous alloys. Physical Review B, 2000, 61, R3761-R3763.	1.1	162
65	Soft Magnetic Bulk Glassy Fe-B-Si-Nb Alloys with High Saturation Magnetization above 1.5 T. Materials Transactions, 2002, 43, 766-769.	0.4	161
66	Mg-based amorphous alloys. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1993, 173, 1-8.	2.6	155
67	Fabrications and mechanical properties of bulk amorphous, nanocrystalline, nanoquasicrystalline alloys in aluminum-based system. Journal of Light Metals, 2001, 1, 31-41.	0.8	154
68	The world's biggest glassy alloy ever made. Intermetallics, 2012, 30, 19-24.	1.8	154
69	High-strength aluminum alloys containing nanoquasicrystalline particles. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2000, 286, 1-10.	2.6	152
70	Ultrahigh Mechanical Strengths of Al<sub>88</sub>Y<sub>2</sub>Ni<sub>10</sub>-M (M=Mn, Fe or Co) Amorphous Alloys Containing Nanoscale fcc-Al Particles. Materials Transactions, JIM, 1991, 32, 599-608.	0.9	147
71	Amorphous (Ti,Zr,Hf)-Ni-Cu ternary alloys with a wide supercooled liquid region. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1994, 181-182, 1423-1426.	2.6	142
72	Synthesis and Mechanical Properties of Bulk Amorphous Zr&ndash;Al&ndash;Ni&ndash;Cu Alloys Containing ZrC Particles. Materials Transactions, JIM, 1997, 38, 793-800.	0.9	137

#	ARTICLE	IF	CITATIONS
73	New bulk amorphous Fe-(Co,Ni)-B (M=Zr,Hf,Nb,Ta,Mo,W) alloys with good soft magnetic properties. Journal of Applied Physics, 1998, 83, 6326-6328.	1.1	137
74	Slowly-Cooled Bulk Amorphous Alloys. Materials Science Forum, 1995, 179-181, 691-700.	0.3	135
75	Hydrogen permeation and structural features of melt-spun Ni-Nb-Zr amorphous alloys. Acta Materialia, 2005, 53, 3703-3711.	3.8	134
76	Superplasticity in Pd40Ni40P20 metallic glass. Scripta Materialia, 1998, 39, 301-306.	2.6	132
77	Investigation of Ti-Fe-Co bulk alloys with high strength and enhanced ductility. Acta Materialia, 2005, 53, 2009-2017.	3.8	130
78	Newtonian to non-Newtonian master flow curves of a bulk glass alloy Pd40Ni10Cu30P20. Applied Physics Letters, 1998, 73, 3665-3667.	1.5	129
79	Bulk Amorphous Ni <sub>75</sub> Cr <sub>10</sub> Mo <sub>15</sub> Alloys with Large Supercooling and High Strength. Materials Transactions, JIM, 1999, 40, 1130-1136.	0.9	127
80	Thermal and Mechanical Properties of Cu-Based Cu-Zr-Ti Bulk Glassy Alloys. Materials Transactions, 2001, 42, 1149-1151.	0.4	127
81	Cu-based bulk glassy alloys with high tensile strength of over 2000 MPa. Journal of Non-Crystalline Solids, 2002, 304, 200-209.	1.5	127
82	New Cu-Zr-based bulk metallic glasses with large diameters of up to 1.5cm. Scripta Materialia, 2006, 55, 711-713.	2.6	124
83	Nano-fabrication with metallic glasses—an exotic material for nano-electromechanical systems. Nanotechnology, 2007, 18, 035302.	1.3	124
84	Flux Treated Pd-Cu-Ni-P Amorphous Alloy Having Low Critical Cooling Rate. Materials Transactions, JIM, 1997, 38, 464-472.	0.9	121
85	Direct observation of icosahedral cluster in Zr70Pd30 binary glassy alloy. Applied Physics Letters, 2001, 79, 412-414.	1.5	121
86	Thermal Stability and Mechanical Strength of Bulk Glassy Ni-Nb-Ti-Zr Alloys. Materials Transactions, 2002, 43, 1952-1956.	0.4	121
87	Fabrication of Bulky Zr-Based Glassy Alloys by Suction Casting into Copper Mold. Materials Transactions, JIM, 1995, 36, 1184-1187.	0.9	119
88	Stabilization and high strain-rate superplasticity of metallic supercooled liquid. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1999, 267, 171-183.	2.6	119
89	Mechanical properties and structural features of novel Fe-based bulk metallic glasses with unprecedented plasticity. Scientific Reports, 2014, 4, 6233.	1.6	118
90	Preparation and Mechanical Properties of Zr-based Bulk Nanocrystalline Alloys Containing Compound and Amorphous Phases. Materials Transactions, JIM, 1999, 40, 42-51.	0.9	117



#	ARTICLE	IF	CITATIONS
109	Hydrogen Permeation Characteristics of Melt-Spun Ni-Nb-Zr Amorphous Alloy Membranes. <i>Materials Transactions</i> , 2003, 44, 1885-1890.	0.4	101
110	Mechanical Properties, Fracture Mode and Deformation Behavior of Al <sub>70</sub> Pd <sub>20</sub> Mn <sub>10</sub> Single-Quasicrystal. <i>Materials Transactions, JIM</i> , 1993, 34, 135-145.	0.9	99
111	Nanocrystalline composites with high strength obtained in Zr-Ti-Cu-Al bulk amorphous alloys. <i>Applied Physics Letters</i> , 1999, 75, 340-342.	1.5	99
112	Newtonian viscosity of supercooled liquid in a Pd <sub>40</sub> Ni <sub>40</sub> P <sub>20</sub> metallic glass. <i>Applied Physics Letters</i> , 2000, 77, 1114-1116.	1.5	99
113	Formation, thermal stability and electrical resistivity of quasicrystalline phase in rapidly quenched Al-Cr alloys. <i>Journal of Materials Science</i> , 1987, 22, 1758-1768.	1.7	98
114	Glass Transition Behavior and Viscous Flow Working of Pd <sub>40</sub> Cu <sub>30</sub> Ni <sub>10</sub> P <sub>20</sub> Amorphous Alloy. <i>Materials Transactions, JIM</i> , 1999, 40, 64-71.		98
115	Nearly full density Ni <sub>52.5</sub> Nb <sub>10</sub> Zr <sub>15</sub> Ti <sub>15</sub> Pt <sub>7.5</sub> bulk metallic glass obtained by spark plasma sintering of gas atomized powders. <i>Applied Physics Letters</i> , 2007, 90, 241902.	1.5	97
116	Hard Magnetic Bulk Amorphous Nd-Fe-Al Alloys of 12 mm in Diameter Made by Suction Casting. <i>Materials Transactions, JIM</i> , 1996, 37, 636-640.	0.9	96
117	Fabrication of Ni-free Ti-based bulk-metallic glassy alloy having potential for application as biomaterial, and investigation of its mechanical properties, corrosion, and crystallization behavior. <i>Journal of Materials Research</i> , 2007, 22, 1346-1353.	1.2	96
118	Long-Period Hexagonal Structures in Melt-Spun Mg <sub>97</sub> Ln <sub>2</sub> Zn <sub>1</sub> (Ln=Lanthanide Metal) Alloys. <i>Materials Transactions</i> , 2003, 44, 2151-2156.	0.4	95
119	Excellent soft-ferromagnetic bulk glassy alloys with high saturation magnetization. <i>Applied Physics Letters</i> , 2006, 88, 131907.	1.5	94
120	Fabrication and novel properties of nanostructured Al base alloys. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1994, 179-180, 57-61.	2.6	93
121	Newtonian and non-Newtonian viscosity of supercooled liquid in metallic glasses. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001, 304-306, 674-678.	2.6	93
122	The effect of Ni substitution on the glass-forming ability and mechanical properties of Mg-Cu-Gd metallic glass alloys. <i>Journal of Alloys and Compounds</i> , 2005, 387, 134-138.	2.8	93
123	Synthesis of stable quasicrystalline particle-dispersed Al base composite alloys. <i>Journal of Materials Research</i> , 1993, 8, 5-7.	1.2	93
124	Origin of Low Coercivity of Fe-(Al, Ga)-(P, C, B, Si, Ge) Bulk Glassy Alloys. <i>Materials Transactions</i> , 2003, 44, 2020-2024.	0.4	92
125	Cu-Hf-Ti-Ag-Ta bulk metallic glass composites and their properties. <i>Acta Materialia</i> , 2005, 53, 2037-2048.	3.8	92
126	Multicomponent Fe-Based Glassy Alloys with Wide Supercooled Liquid Region before Crystallization. <i>Materials Transactions, JIM</i> , 1995, 36, 1282-1285.	0.9	91



#	ARTICLE	IF	CITATIONS
127	High-Strain-Rate Superplasticity due to Newtonian Viscous Flow in La <sub>55</sub> Al <sub>25</sub> Ni <sub>20</sub> ; Metallic Glass. Materials Transactions, JIM, 1999, 40, 794-803.	0.9	89
128	Nanocrystalline aluminum bulk alloys with a high strength of 1420 MPa produced by the consolidation of amorphous powders. Scripta Materialia, 2001, 44, 1599-1604.	2.6	89
129	Fe-B-Si-Nb Bulk Metallic Glasses with High Strength above 4000 MPa and Distinct Plastic Elongation. Materials Transactions, 2004, 45, 1214-1218.	0.4	88
130	Ferromagnetic bulk glassy alloys. Journal of Magnetism and Magnetic Materials, 2000, 215-216, 246-252.	1.0	87
131	Application of Zr-Based Bulk Glassy Alloys to Golf Clubs. Materials Transactions, 2001, 42, 678-681.	0.4	87
132	A Stable Decagonal Quasicrystal in the Al-Cu-Co System. Materials Transactions, JIM, 1989, 30, 300-304.	0.9	86
133	Formation, Thermal Stability and Mechanical Properties of Ca-Based Bulk Glassy Alloys. Materials Transactions, 2002, 43, 81-84.	0.4	85
134	Cast structure and mechanical properties of Zr-Cu-Ni-Al bulk glassy alloys. Intermetallics, 2002, 10, 1113-1124.	1.8	85
135	Study of the structural relaxation-induced embrittlement of hypoeutectic Zr-Cu-Al ternary bulk glassy alloys. Acta Materialia, 2008, 56, 6097-6108.	3.8	85
136	Effect of Additional Elements (M) on the Thermal Stability of Supercooled Liquid in Fe <sub>72</sub> Al <sub>5</sub> Ga <sub>2</sub> P <sub>1</sub> Bulk Glassy Alloys. Materials Transactions, JIM, 1996, 37, 32-38.	0.8	84
137	Class Transition Behavior of Al-Y-Ni and Al-Ce-Ni Amorphous Alloys. Japanese Journal of Applied Physics, 1988, 27, L1579-L1582.	0.8	83
138	Thermal stabilities and discharge capacities of melt-spun Mg-Ni-based amorphous alloys. Journal of Alloys and Compounds, 2002, 339, 230-235.	2.8	83
139	New Ti-Based Bulk Glassy Alloys with High Glass-Forming Ability and Superior Mechanical Properties. Materials Transactions, 2004, 45, 3223-3227.	0.4	83
140	Preparation of Cu <sub>36</sub> Zr <sub>48</sub> Ag <sub>8</sub> Al <sub>8</sub> Bulk Metallic Glass with a Diameter of 25 mm by Copper Mold Casting. Materials Transactions, 2007, 48, 629-631.	0.4	83
141	High-strength binary Ti-Fe bulk alloys with enhanced ductility. Journal of Materials Research, 2004, 19, 3600-3606.	1.2	82
142	Soft magnetic Fe-Si-B-P-C bulk metallic glasses without any glass-forming metal elements. Journal of Alloys and Compounds, 2009, 483, 616-619.	2.8	82
143	Formation of metal-metal type aluminum-based amorphous alloys. Metallurgical and Materials Transactions A - Physical Metallurgy and Materials Science, 1988, 19, 1369-1371.	1.4	81
144	Low Core Loss of a bcc Fe <sub>86</sub> Zr <sub>7</sub> B <sub>6</sub> Cu <sub>1</sub> Alloy with Nanoscale Grain Size. Materials Transactions, JIM, 1991, 32, 551-556.	0.9	81

#	ARTICLE	IF	CITATIONS
145	Bulk nanocomposite permanent magnets produced by crystallization of (Fe,Co)-Nd,Dy-B bulk glassy alloy. Applied Physics Letters, 2002, 80, 1610-1612.	1.5	81
146	Corrosion Behavior of Zr-(Nb)-Al-Ni-Cu Glassy Alloys. Materials Transactions, JIM, 2000, 41, 1490-1494.	0.9	80
147	Formation and mechanical properties of Ni-based Ni-Nb-Ti-Hf bulk glassy alloys. Scripta Materialia, 2003, 48, 641-645.	2.6	80
148	Investigation of glass-forming ability, deformation and corrosion behavior of Ni-free Ti-based BMG alloys designed for application as dental implants. Materials Science and Engineering C, 2009, 29, 322-327.	3.8	80
149	Formation of Bulk Glassy Fe <sub>75</sub> -Cr <sub>x</sub> -Mo <sub>y</sub> -C <sub>15</sub> -B <sub>10</sub> Alloys and Their Corrosion Behavior. Journal of Materials Research, 2002, 17, 701-704.		
150	Novel Hexagonal Structure of Ultra-High Strength Magnesium-Based Alloys. Materials Transactions, 2002, 43, 580-584.	0.4	77
151	Ferromagnetic Co-Fe-Zr-B amorphous alloys with glass transition and good high-frequency permeability. Applied Physics Letters, 1998, 73, 744-746.	1.5	76
152	Free volume kinetics during sub-T <sub>g</sub> structural relaxation of a bulk Pd <sub>40</sub> Ni <sub>40</sub> P <sub>20</sub> metallic glass. Applied Physics Letters, 2006, 88, 131906.	1.5	76
153	Ductile Al-Ni-Zr amorphous alloys with high mechanical strength. Journal of Materials Science Letters, 1988, 7, 805-807.	0.5	75
154	An amorphous nanoporous PdCuNi-S hybrid electrocatalyst for highly efficient hydrogen production. Applied Catalysis B: Environmental, 2019, 246, 156-165.	10.8	75
155	Extremely low critical cooling rates of new Pd-Cu-P base amorphous alloys. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1997, 226-228, 401-405.	2.6	74
156	Bulk Glassy Fe-Ga-P-C-B-Si Alloys with High Glass-Forming Ability, High Saturation Magnetization and Good Soft Magnetic Properties. Materials Transactions, 2002, 43, 1235-1239.	0.4	74
157	Wear resistivity of super-precision microgear made of Ni-based metallic glass. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2007, 449-451, 149-154.	2.6	74
158	Effects of Ti on the Thermal Stability and Glass-Forming Ability of Ni-Nb Glassy Alloy. Materials Transactions, 2002, 43, 2342-2345.	0.4	73
159	Synthesis and properties of Cu-Zr-Ag-Al glassy alloys with high glass-forming ability. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2008, 148, 92-96.	1.7	73
160	Structural Study of Pd-Based Amorphous Alloys with Wide Supercooled Liquid Region by Anomalous X-ray Scattering. Materials Transactions, JIM, 1999, 40, 491-497.	0.9	72
161	Co-Fe-B-Si-Nb bulk glassy alloys with superhigh strength and extremely low magnetostriction. Applied Physics Letters, 2006, 88, 011901.	1.5	72
162	Chemical order in an Al-Pd-Mn icosahedral quasicrystal. Philosophical Magazine Letters, 1990, 62, 95-100.	0.5	71

#	ARTICLE	IF	CITATIONS
163	Preparation of Bulk Pr&ndash;Fe&ndash;Al Amorphous Alloys and Characterization of Their Hard Magnetic Properties. <i>Materials Transactions, JIM</i> , 1996, 37, 1731-1740.	0.9	71
164	Thermal Stability and Magnetic Properties of Bulk Amorphous Fe&ndash;Al&ndash;Ga&ndash;P&ndash;C&ndash;B&ndash;Si Alloys. <i>Materials Transactions, JIM</i> , 1997, 38, 189-196.	0.9	71
165	Formation of an Icosahedral Quasicrystalline Phase in Zr<sub>65</sub>Al<sub>7.5</sub>Ni<sub>10</sub>M<sub>17.5</sub> (M = Pd, Au or Pt) Alloys. <i>Materials Transactions, JIM</i> , 2000, 41, 362-365.		71
166	Fabrication, Thermal Stability and Mechanical Properties of Porous Bulk Glassy Pd-Cu-Ni-P Alloys. <i>Materials Transactions</i> , 2003, 44, 2228-2231.	0.4	71
167	Multicomponent Co-based Amorphous Alloys with Wide Supercooled Liquid Region. <i>Materials Transactions, JIM</i> , 1996, 37, 1332-1336.	0.9	70
168	Bulk Amorphous Fe&ndash;Ga&ndash;P&ndash;B&ndash;C Alloys with a Large Supercooled Liquid Region. <i>Materials Transactions, JIM</i> , 2000, 41, 873-876.	0.9	70
169	High-strength aluminum- and zirconium-based alloys containing nanoquasicrystalline particles. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000, 294-296, 727-735.	2.6	70
170	Superplastic micro/nano-formability of La <sub>60</sub> Al <sub>20</sub> Ni <sub>10</sub> Co <sub>5</sub> Cu <sub>5</sub> amorphous alloy in supercooled liquid state. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001, 304-306, 716-720.	2.6	70
171	High strength and ductile binary Ti&ndash;Fe composite alloy. <i>Journal of Alloys and Compounds</i> , 2004, 384, L1-L3.	2.8	70
172	A highly efficient electrocatalyst based on amorphous Pd&ndash;Cu&ndash;S material for hydrogen evolution reaction. <i>Journal of Materials Chemistry A</i> , 2017, 5, 18793-18800.	5.2	70
173	Soft Magnetic Properties and Wide Supercooled Liquid Region of Fe&ndash;P&ndash;B&ndash;Si Base Amorphous Alloys. <i>Materials Transactions, JIM</i> , 1996, 37, 1715-1721.	0.9	69
174	Formation and mechanical properties of Cu&ndash;Hf&ndash;Ti bulk glassy alloys [Article Retracted]. <i>Journal of Materials Research</i> , 2001, 16, 2836-2844.	1.2	69
175	High-strength Cu-based crystal-glassy composite with enhanced ductility. <i>Applied Physics Letters</i> , 2004, 84, 1088-1089.	1.5	69
176	Formation, ductile deformation behavior and soft-magnetic properties of (Fe,Co,Ni)&ndash;B&ndash;Si&ndash;Nb bulk glassy alloys. <i>Intermetallics</i> , 2007, 15, 9-16.	1.8	69
177	Formation of Porous Pd-based Bulk Glassy Alloys by a High Hydrogen Pressure Melting-Water Quenching Method and Their Mechanical Properties. <i>Materials Transactions</i> , 2004, 45, 2761-2765.	0.4	68
178	New Fe-based bulk glassy alloys with high saturated magnetic flux density of 1.4&ndash;1.5 T. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004, 375-377, 302-306.	2.6	67
179	Bendable bulk metallic glass: Effects of a thin, adhesive, strong, and ductile coating. <i>Acta Materialia</i> , 2012, 60, 3226-3238.	3.8	67
180	Nanoscale icosahedral quasicrystalline phase formation in a rapidly solidified Zr <sub>80</sub> Pt <sub>20</sub> binary alloy. <i>Applied Physics Letters</i> , 2000, 77, 73-75.	1.5	66

#	ARTICLE	IF	CITATIONS
181	New Ti-Based Bulk Metallic Glasses with Significant Plasticity. <i>Materials Transactions</i> , 2005, 46, 2218-2220.	0.4	66
182	Thermal Stability and Mechanical Properties of Glassy and Amorphous Ni-Nb-Zr Alloys Produced by Rapid Solidification. <i>Materials Transactions</i> , 2003, 44, 1167-1171.	0.4	65
183	Novel applications of bulk metallic glass for industrial products. <i>Journal of Non-Crystalline Solids</i> , 2007, 353, 3615-3621.	1.5	65
184	Preparation of Bulky Zr-Based Amorphous Alloys by a Zone Melting Method. <i>Materials Transactions, JIM</i> , 1994, 35, 923-926.	0.9	63
185	Ultrahigh strength Al-based amorphous alloys containing Sc. <i>Journal of Materials Research</i> , 2004, 19, 1539-1543.	1.2	63
186	Cutting Characteristics of Bulk Metallic Glass. <i>Materials Transactions</i> , 2005, 46, 2856-2863.	0.4	63
187	Temperature and thickness driven spin-reorientation transition in amorphous Co-Fe-Ta-B thin films. <i>Physical Review B</i> , 2006, 73, .	1.1	63
188	Changes in Microstructure and Soft Magnetic Properties of an Fe <sub>86</sub> Zr <sub>7</sub> B <sub>6</sub> Cu <sub>1</sub> O <sub>9</sub> Amorphous Alloy upon Crystallization. <i>Materials Transactions, JIM</i> , 1991, 32, 961-968.		62
189	Soft Magnetic Properties of Fe-Based Bulk Amorphous Alloys. <i>Materials Transactions, JIM</i> , 2000, 41, 1471-1477.	0.9	62
190	Electronegativity of the constituent rare-earth metals as a factor stabilizing the supercooled liquid region in Al-based metallic glasses. <i>Applied Physics Letters</i> , 2001, 79, 3410-3412.	1.5	62
191	Synthesis and magnetic properties of Fe-Pt-B nanocomposite permanent magnets with low Pt concentrations. <i>Applied Physics Letters</i> , 2004, 85, 4998-5000.	1.5	62
192	Glass formation, corrosion behavior and mechanical properties of bulk glassy Cu-Hf-Ti-Nb alloys. <i>Acta Materialia</i> , 2005, 53, 3903-3911.	3.8	62
193	Production of Zr <sub>55</sub> Cu <sub>30</sub> Ni <sub>5</sub> Al <sub>10</sub> Glassy Alloy Rod of 30 mm in Diameter by a Cap-Cast Technique. <i>Materials Transactions</i> , 2007, 48, 3190-3192.	0.4	61
194	Ni-free Ti-based bulk metallic glass with potential for biomedical applications produced by spark plasma sintering. <i>Intermetallics</i> , 2012, 29, 99-103.	1.8	61
195	Precipitation of icosahedral quasicrystalline phase in Hf <sub>65</sub> Al <sub>7.5</sub> Ni <sub>10</sub> Cu <sub>12.5</sub> Pd <sub>5</sub> metallic glass. <i>Applied Physics Letters</i> , 2000, 77, 528-530.	1.5	60
196	Effects of Si and Mo additions on glass-forming in FeGaPCB bulk glassy alloys with high saturation magnetization. <i>Physical Review B</i> , 2006, 73, .	1.1	60
197	A nanostructured skeleton catalyst: Suzuki-coupling with a reusable and sustainable nanoporous metallic glass Pd-catalyst. <i>Chemical Communications</i> , 2011, 47, 5985.	2.2	60
198	Icosahedral, Decagonal and Amorphous Phases in Al&ndash;Cu&ndash;M (M=Transition Metal) Systems. <i>Materials Transactions, JIM</i> , 1989, 30, 666-676.	0.9	59

#	ARTICLE	IF	CITATIONS
199	Fabrication, properties and applications of bulk glassy alloys in late transition metal-based systems. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006, 441, 18-25.	2.6	59
200	Effects of additional Ag on the thermal stability and glass-forming ability of Cu–Zr binary glassy alloys. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 459, 330-336.	2.6	59
201	On the new criterion to assess the glass-forming ability of metallic alloys. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009, 509, 23-30.	2.6	59
202	A novel Ti-based nanoglass composite with submicron–nanometer-sized hierarchical structures to modulate osteoblast behaviors. <i>Journal of Materials Chemistry B</i> , 2013, 1, 2568.	2.9	59
203	Magnetic properties and core losses of nanocrystalline Fe–M–B (M = 1/4 Zr, Hf or Nb) alloys. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1994, 179-180, 127-131.	2.6	58
204	Effects of Chromium on the Glass Formation and Corrosion Behavior of Bulk Glassy Fe-Cr-Mo-C-B Alloys. <i>Materials Transactions</i> , 2002, 43, 2137-2142.	0.4	58
205	Relationship Between the Liquidus Surface and Structures of Zr-Cu-Al Bulk Amorphous Alloys. <i>Materials Transactions</i> , 2002, 43, 575-579.	0.4	58
206	Bulk Glassy Alloys: Historical Development and Current Research. <i>Engineering</i> , 2015, 1, 185-191.	3.2	58
207	Thermal and Magnetic Properties of Fe <sub>56</sub> Co <sub>7</sub> Ni <sub>7</sub> Zr <sub>10</sub> Amorphous Alloys with Wide Supercooled Liquid Range. <i>Materials Transactions, JIM</i> , 1997, 38, 577-582.	0.4	57
208	Icosahedral quasicrystalline phase formation in Zr-Al-Ni-Cu glassy alloys by addition of Nb, Ta and V elements. <i>Journal of Physics Condensed Matter</i> , 2001, 13, L73-L78.	0.7	57
209	Corrosion Behavior of Cu-Zr-Ti-Nb Bulk Glassy Alloys. <i>Materials Transactions</i> , 2003, 44, 749-753.	0.4	57
210	Fillability and Imprintability of High-strength Ni-based Bulk Metallic Glass Prepared by the Precision Die-casting Technique. <i>Materials Transactions</i> , 2004, 45, 1239-1244.	0.4	57
211	New Amorphous Al-Ln (Ln=Pr, Nd, Sm or Gd) Alloys Prepared by Melt Spinning. <i>Japanese Journal of Applied Physics</i> , 1988, 27, L1583-L1586.	0.8	56
212	Bulk Amorphous Co–Ni-Based Alloys with a Large Supercooled Liquid Region. <i>Materials Transactions, JIM</i> , 2000, 41, 539-542.	0.9	56
213	Glass-Forming Ability and Mechanical Properties of the Ternary Cu-Zr-Al and Quaternary Cu-Zr-Al-Ag Bulk Metallic Glasses. <i>Materials Transactions</i> , 2007, 48, 1626-1630.	0.4	56
214	Role of Alloying Additions in Glass Formation and Properties of Bulk Metallic Glasses. <i>Materials</i> , 2010, 3, 5320-5339.	1.3	56
215	Synthesis of nanoporous CuO/TiO <sub>2</sub> /Pd-NiO composite catalysts by chemical dealloying and their performance for methanol and ethanol electro-oxidation. <i>Journal of Power Sources</i> , 2017, 362, 10-19.	4.0	56
216	Fracture Toughness of Zr <sub>55</sub> Al <sub>10</sub> Ni <sub>5</sub> Cu <sub>30</sub> Bulk Metallic Glass by 3-Point Bend Testing. <i>Materials Transactions</i> , 2005, 46, 1725-1732.	0.4	55

#	ARTICLE	IF	CITATIONS
217	Mechanical properties of a Ni60Pd20P17B3 bulk glassy alloy at cryogenic temperatures. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008, 498, 475-481.	2.6	55
218	Stress Overshoot in Stress-Strain Curves of Zr<sub>65</sub>Al<sub>10</sub>Ni<sub>10</sub>Cu<sub>15</sub>B<sub>0</sub> Metallic Glass. <i>Materials Transactions, JIM</i> , 1999, 40, 335-342.	2.6	54
219	Nanocrystal composites in Zr-Nb-Cu-Al metallic glasses. <i>Journal of Non-Crystalline Solids</i> , 2000, 270, 28-33.	1.5	54
220	Attempt to develop Ti-based amorphous alloys for biomaterials. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 449-451, 220-224.	2.6	54
221	The effect of atomic size on the stability of supercooled liquid for amorphous (Ti, Zr, Hf)65Ni25Al10 and (Ti, Zr, Hf)65Cu25Al10 alloys. <i>Materials Letters</i> , 1993, 15, 379-382.	1.3	53
222	Formation and Thermal Stability of Ca-Mg-Ag-Cu Bulk Glassy Alloys. <i>Materials Transactions</i> , 2002, 43, 2578-2581.	0.4	53
223	Nanoparticles with icosahedral symmetry in Cu-based bulk glass former induced by Pd addition. <i>Scripta Materialia</i> , 2003, 48, 1325-1329.	2.6	53
224	Formation, corrosion behavior, and mechanical properties of bulk glassy Zr-Al-Co-Nb alloys. <i>Journal of Materials Research</i> , 2003, 18, 1652-1658.	1.2	53
225	Evolution of Mechanical Properties of Cast Zr<sub>50</sub>Cu<sub>40</sub>Al<sub>10</sub> Glassy Alloys by Structural Relaxation. <i>Materials Transactions</i> , 2005, 46, 2755-2761.	0.4	53
226	High Mechanical Strength of Al-(V, Cr, Mn)-(Fe, Co, Ni) Quasicrystalline Alloys Prepared by Rapid Solidification. <i>Materials Transactions, JIM</i> , 1996, 37, 1287-1292.	0.9	52
227	Investigation of the stability of glassy state in the Zr- and Hf-based glassy alloys correlated with their transformation behavior. <i>Journal of Materials Research</i> , 2001, 16, 3389-3401.	1.2	52
228	FeNi-based bulk glassy alloys with superhigh mechanical strength and excellent soft-magnetic properties. <i>Applied Physics Letters</i> , 2006, 89, 051912.	1.5	52
229	Excellent Thermal Stability and Bulk Glass Forming Ability of Fe-B-Nb-Y Soft Magnetic Metallic Glass. <i>Materials Transactions</i> , 2008, 49, 506-512.	0.4	52
230	A Large Tensile Elongation Induced by Crystallization in an Amorphous Al<sub>88</sub>Ni<sub>10</sub>Ce<sub>2</sub> Alloy. <i>Materials Transactions, JIM</i> , 1992, 33, 487-490.	0.9	51
231	High Tensile Strength Bulk Glassy Alloy Zr<sub>65</sub>Al<sub>10</sub>Ni<sub>10</sub>Cu<sub>15</sub>B<sub>0</sub> Prepared by Extrusion of Atomized Glassy Powder. <i>Materials Transactions, JIM</i> , 1996, 37, 70-77.	2.6	51
232	Preparation of Bulk Glassy Mg<sub>65</sub>Y<sub>10</sub>Cu<sub>15</sub>Ag<sub>5</sub>Pd<sub>5</sub> Alloy of 12 mm in Diameter by Water Quenching. <i>Materials Transactions</i> , 2001, 42, 543-545.	1.5	51
233	High specific strength Mg-based bulk metallic glass matrix composite highly ductilized by Ti dispersoid. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008, 494, 299-303.	2.6	51
234	Formation of Metallic Glass Nanowires by Gas Atomization. <i>Nano Letters</i> , 2012, 12, 2404-2407.	4.5	51

#	ARTICLE	IF	CITATIONS
235	Impact Fracture Energy of Bulk Amorphous Zr <sub>55</sub> /Al <sub>10</sub> /Cu <sub>30</sub> /Ni <sub>5</sub> Alloy. Materials Transactions, JIM, 1996, 37, 1726-1729.	0.9	50
236	Density, Thermal Stability and Mechanical Properties of Zr–Ti–Al–Cu–Ni Bulk Amorphous Alloys with High Al Plus Ti Concentrations. Materials Transactions, JIM, 1998, 39, 857-862.	0.9	50
237	Bulk glassy Ni(Co)–Nb–Ti–Zr alloys with high corrosion resistance and high strength. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2004, 375-377, 368-371.	2.6	50
238	Nanocrystallization of complex Fe <sub>23</sub> B <sub>6</sub> -type structure in glassy Fe–Co–B–Si–Nb alloy. Intermetallics, 2008, 16, 491-497.	1.8	50
239	Production of Quasicrystalline Al–Pd–Mn Alloys with Large Single Domain Size. Materials Transactions, JIM, 1991, 32, 1089-1097.	0.9	49
240	Solidification Analyses of Bulky Zr <sub>60</sub> /Al <sub>10</sub> /Ni <sub>10</sub> /Cu <sub>15</sub> /Pd <sub>5</sub> Glass Produced by Casting into Wedge-Shape Copper Mold. Materials Transactions, JIM, 1995, 36, 1276-1281.	0.9	49
241	Crystallization process and glass stability of an $\text{Fe}_{48}\text{Ni}_{48}\text{Mn}_{4}$ alloy. Physical Review B, 2008, 78, .	1.1	49
242	The role of boron in nanocrystalline Fe–Zr–B soft magnetic alloys. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1994, 179-180, 501-505.	2.6	48
243	Synchrotron X-ray radiation diffraction studies of thermal expansion, free volume change and glass transition phenomenon in Cu-based glassy and nanocomposite alloys on heating. Journal of Non-Crystalline Solids, 2005, 351, 1639-1645.	1.5	48
244	Gd–Co–Al and Gd–Ni–Al bulk metallic glasses with high glass forming ability and good mechanical properties. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2007, 457, 226-230.	2.6	48
245	Formation, mechanical properties and corrosion resistance of Ti–Pd base glassy alloys. Journal of Non-Crystalline Solids, 2008, 354, 1828-1832.	1.5	48
246	Cu-Rich Cu–Al–Ln (Ln=Ce or Nd) Amorphous Alloys. Materials Transactions, JIM, 1993, 34, 82-84.	0.9	47
247	Fe-based bulk glassy alloy composite containing in situ formed $\text{Fe}_{1\pm}(\text{Fe},\text{Co})$ and $(\text{Fe},\text{Co})_{23}\text{B}_6$ microcrystalline grains. Applied Physics Letters, 2006, 89, 101915.	1.5	47
248	Soft magnetic properties and microstructure of Fe <sub>84</sub> Nb <sub>2</sub> B <sub>14</sub> Cu nanocrystalline alloys. Materials & Design, 2014, 56, 227-231.	5.1	47
249	Increase of Mechanical Strength of a Mg <sub>85</sub> /Zn <sub>12</sub> /Ce <sub>3</sub> Amorphous Alloy by Dispersion of Ultrafine hcp-Mg Particles. Materials Transactions, JIM, 1991, 32, 875-878.	0.9	46
250	Stress overshoot in stress-strain curves of Zr <sub>65</sub> Al <sub>10</sub> Ni <sub>10</sub> Cu <sub>15</sub> metallic glass. Applied Physics Letters, 1997, 71, 779-781.	1.5	46
251	Excellent soft-magnetic properties of (Fe,Co)–Mo–(P,C,B,Si) bulk glassy alloys with ductile deformation behavior. Applied Physics Letters, 2007, 91, .	1.5	46
252	Syntheses and corrosion behaviors of Fe-based amorphous soft magnetic alloys with high-saturation magnetization near 1.7 T. Journal of Materials Research, 2015, 30, 547-555.	1.2	46

#	ARTICLE	IF	CITATIONS
253	Thermal stability and glass-forming ability of amorphous Nd-Al-TM (TM = Fe, Co, Ni or Cu) alloys. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1997, 226-228, 393-396.	2.6	45
254	Mechanical Properties of Bulk Amorphous Zr-Al-Cu-Ni-Ag Alloys Containing Nanoscale Quasicrystalline Particles. <i>Materials Transactions, JIM</i> , 1999, 40, 1382-1389.	0.9	45
255	Bulk nanocomposite permanent magnets produced by crystallization of Fe <sub>66.5</sub> Co <sub>10</sub> Pr <sub>3.5</sub> B <sub>20</sub> bulk glassy alloy. <i>Journal of Applied Physics</i> , 2002, 91, 8834.	1.1	45
256	Structural and thermal investigations of a high-strength Cu-Zr-Ti-Co bulk metallic glass. <i>Philosophical Magazine Letters</i> , 2003, 83, 191-201.	0.5	44
257	Recent Development and Applications of Bulk Glassy Alloys. <i>International Journal of Applied Glass Science</i> , 2010, 1, 273-295.	1.0	44
258	Al-Y-Ni amorphous powders prepared by high-pressure gas atomization. <i>Journal of Materials Science Letters</i> , 1988, 7, 1287-1290.	0.5	43
259	Stability and nucleation behavior of glass-forming Pd-Cu-Ni-P alloy with a critical cooling rate of 0.067 K/s. <i>Intermetallics</i> , 2002, 10, 1141-1147.	1.8	43
260	Synthesis of ferromagnetic Fe-based bulk glassy alloys in the Fe-Si-B-P-C system. <i>Journal of Alloys and Compounds</i> , 2009, 473, 368-372.	2.8	43
261	Controlled Formation and Mechanical Characterization of Metallic Glassy Nanowires. <i>Advanced Materials</i> , 2010, 22, 872-875.	11.1	43
262	Elastic and viscoelastic properties of glassy, quasicrystalline and crystalline phases in Zr <sub>65</sub> Cu <sub>5</sub> Ni <sub>10</sub> Al <sub>7.5</sub> Pd <sub>12.5</sub> alloys. <i>Acta Materialia</i> , 2011, 59, 2797-2806.	3.8	43
263	Hard Magnetic Properties of Nanocrystalline Fe-Nd-B Alloys Containing $\alpha$ -Fe and Intergranular Amorphous Phase. <i>Materials Transactions, JIM</i> , 1995, 36, 676-685.	0.9	42
264	Formation, Thermal Stability and Mechanical Properties of (Cu <sub>0.6</sub> Zr <sub>0.3</sub> Ti <sub>0.1</sub> ) <sub>100-x</sub> M <sub>x</sub> (M=Fe, Co) Tj BTQ 0 0 42 BT /Over		
265	New Glassy Zr-Al-Fe and Zr-Al-Co Alloys with a Large Supercooled Liquid Region. <i>Materials Transactions</i> , 2002, 43, 267-270.	0.4	42
266	Large-size ultrahigh strength Ni-based bulk metallic glassy matrix composites with enhanced ductility fabricated by spark plasma sintering. <i>Applied Physics Letters</i> , 2008, 92, .	1.5	42
267	High-strength and ductile glassy-crystal Ni-Cu-Zr-Ti composite exhibiting stress-induced martensitic transformation. <i>Philosophical Magazine</i> , 2009, 89, 2887-2901.	0.7	42
268	Effect of Cu on nanocrystallization and plastic properties of FeSiBPCu bulk metallic glasses. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010, 527, 2598-2602.	2.6	42
269	Highly efficient nanoporous CoBP electrocatalyst for hydrogen evolution reaction. <i>Rare Metals</i> , 2021, 40, 1031-1039.	3.6	42
270	Crystallization on supercooled liquid in metallic Zr-Cu-Al glasses. <i>Applied Physics Letters</i> , 1993, 62, 137-139.	1.5	41



#	ARTICLE	IF	CITATIONS
271	Formation, Thermal Stability and Mechanical Properties in Zr-Al-Co Bulk Glassy Alloys. <i>Materials Transactions</i> , 2002, 43, 2843-2846.	0.4	41
272	Influence of hydrostatic pressure during casting on as cast structure and mechanical properties in Zr <sub>65</sub> Al <sub>7.5</sub> Ni <sub>10</sub> Cu <sub>17.5</sub> xPdx (x=0, 17.5) alloys. <i>Scripta Materialia</i> , 2004, 51, 1063-1068.	2.6	41
273	Development of Glassy Alloy Separators for a Proton Exchange Membrane Fuel Cell (PEMFC). <i>Materials Transactions</i> , 2005, 46, 1706-1710.	0.4	41
274	Superhigh strength and excellent soft-magnetic properties of [(Co <sub>1-x</sub> Fe <sub>x</sub> ) <sub>0.75</sub> B <sub>0.2</sub> Si <sub>0.05</sub> ] <sub>96</sub> Nb <sub>4</sub> bulk glassy alloys. <i>Journal of Applied Physics</i> , 2006, 100, 013515.	1.1	41
275	Elastic properties of Zr-based bulk metallic glasses studied by resonant ultrasound spectroscopy. <i>Journal of Materials Research</i> , 2007, 22, 364-367.	1.2	41
276	Bioactive titanate nanomesh layer on the Ti-based bulk metallic glass by hydrothermal electrochemical technique. <i>Acta Biomaterialia</i> , 2009, 5, 1367-1373.	4.1	41
277	Effect of Fe on the glass-forming ability, structure and devitrification behavior of Zr-Cu-Al bulk glass-forming alloys. <i>Philosophical Magazine</i> , 2010, 90, 1955-1968.	0.7	41
278	Bulk Metallic Glasses. <i>Handbook of Magnetic Materials</i> , 2013, 21, 131-171.	0.6	41
279	Thermal Expansion and Specific Volume of Pd <sub>40</sub> Cu <sub>30</sub> Ni <sub>10</sub> P <sub>20</sub> Alloy in Various States. <i>Materials Transactions, JIM</i> , 2000, 41, 1432-1434.		40
280	Nanoquasicrystallization in Metallic Glasses. <i>Materials Transactions</i> , 2003, 44, 1971-1977.	0.4	40
281	High-strength hypereutectic Ti-Fe-Co bulk alloy with good ductility. <i>Philosophical Magazine Letters</i> , 2004, 84, 359-364.	0.5	40
282	Structural relaxation, glass-forming ability and mechanical properties of Mg-Cu-Ni-Gd alloys. <i>Journal of Non-Crystalline Solids</i> , 2005, 351, 729-735.	1.5	40
283	Ni-based bulk glassy alloys with large supercooled liquid region exceeding 90K. <i>Intermetallics</i> , 2005, 13, 1166-1171.	1.8	40
284	Volume and viscosity of Zr-Cu-Al glass-forming liquid alloys. <i>Journal of Non-Crystalline Solids</i> , 2009, 355, 317-322.	1.5	40
285	Comparative analysis of glass-formation in binary, ternary, and multicomponent alloys. <i>Journal of Applied Physics</i> , 2010, 108, 103511.	1.1	40
286	Mo microalloying effect on the glass-forming ability, magnetic, mechanical and corrosion properties of (Fe <sub>0.76</sub> Si <sub>0.09</sub> B <sub>0.08</sub> P <sub>0.06</sub> ) <sub>100-x</sub> Mox bulk glassy alloys. <i>Journal of Alloys and Compounds</i> , 2011, 509, 7688-7691.	2.8	40
287	Soft Magnetic Properties of bcc Fe-M-B-Cu (M=Ti, Nb or Ta) Alloys with Nanoscale Grain Size. <i>Japanese Journal of Applied Physics</i> , 1991, 30, L1729-L1732.	0.8	39
288	Dynamic crystallization process in a supercooled liquid region of Cu <sub>40</sub> Ti <sub>30</sub> Ni <sub>15</sub> Zr <sub>10</sub> Sn <sub>5</sub> amorphous alloy. <i>Journal of Non-Crystalline Solids</i> , 2000, 261, 108-114.	1.5	39

#	ARTICLE	IF	CITATIONS
289	Fabrication of large-size Fe-based glassy cores with good soft magnetic properties by spark plasma sintering. <i>Journal of Materials Research</i> , 2003, 18, 2115-2121.	1.2	39
290	Soft Magnetic Properties of Nanocrystalline Fe-Co-B-Si-Nb-Cu Alloys in Ribbon and Bulk Forms. <i>Journal of Materials Research</i> , 2003, 18, 2799-2806.	1.2	39
291	Relaxation and Crystallization Behavior of the Zr <sub>50</sub> /Cu <sub>40</sub> /Al <sub>10</sub> Metallic Glass. <i>Materials Transactions</i> , 2005, 46, 2886-2892.	0.4	39
292	Improved mechanical properties of bulk glassy alloys containing spherical pores. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 471, 144-150.	2.6	39
293	Enhanced soft-magnetic and corrosion properties of Fe-based bulk glassy alloys with improved plasticity through the addition of Cr. <i>Journal of Alloys and Compounds</i> , 2008, 462, 52-59.	2.8	39
294	Reusable and Sustainable Nanostructured Skeleton Catalyst: Heck Reaction with Nanoporous Metallic Glass Pd (PdNPore) as a Support, Stabilizer and Ligand-free Catalyst. <i>Advanced Synthesis and Catalysis</i> , 2011, 353, 2927-2932.	2.1	39
295	Multicomponent metastable phase formed by crystallization of Ti-Ni-Cu-Sn-Zr amorphous alloy. <i>Journal of Materials Research</i> , 1999, 14, 4426-4430.	1.2	38
296	Mechanical properties of Zr-based bulk glassy alloys containing nanoscale compound particles. <i>Intermetallics</i> , 2000, 8, 455-468.	1.8	38
297	Formation of Bulk Glassy Ni-(Co-)Nb-Ti-Zr Alloys with High Corrosion Resistance. <i>Materials Transactions</i> , 2002, 43, 1771-1773.	0.4	38
298	Formation and mechanical properties of Cu-Hf-Al bulk glassy alloys with a large supercooled liquid region of over 90 K. <i>Journal of Materials Research</i> , 2003, 18, 1435-1440.	1.2	38
299	Mg-based bulk glassy alloys with high strength above 900 MPa and plastic strain. <i>Journal of Materials Research</i> , 2005, 20, 394-400.	1.2	38
300	Observation of unusual magnetic behavior: Spin reorientation transition in thick Co-Fe-Ta-B glassy films. <i>Journal of Applied Physics</i> , 2006, 100, 083902.	1.1	38
301	Highly Efficient and Self-Standing Nanoporous NiO/Al <sub>3</sub> Ni <sub>2</sub> Electrocatalyst for Hydrogen Evolution Reaction. <i>ACS Applied Energy Materials</i> , 2019, 2, 7913-7922.	2.5	38
302	Zr-Y base amorphous alloys with two glass transitions and two supercooled liquid regions. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1994, 179-180, 346-350.	2.6	37
303	Physical and Mechanical Properties of Zr-Based Metallic Glasses. <i>Materials Transactions, JIM</i> , 1995, 36, 890-895.	0.9	37
304	Superplasticity in Fe-based metallic glass with wide supercooled liquid region. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001, 304-306, 735-739.	2.6	37
305	Investigation of Structure and Properties of the Al-Y-Ni-Co-Cu Metallic Glasses. <i>Journal of Materials Research</i> , 2002, 17, 1014-1018.	1.2	37
306	Bulk Metallic Glasses for Industrial Products. <i>Materials Transactions</i> , 2004, 45, 1245-1250.	0.4	37

#	ARTICLE	IF	CITATIONS
307	Synthesis and Fundamental Properties of Cu-Based Bulk Glassy Alloys in Binary and Multi-component Systems. <i>Materials Transactions</i> , 2004, 45, 1153-1162.	0.4	37
308	Microstructure and properties of ceramic particulate reinforced metallic glassy matrix composites fabricated by spark plasma sintering. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2008, 148, 77-81.	1.7	37
309	Double-stage glass transition in a metallic glass. <i>Physical Review B</i> , 2010, 81, .	1.1	37
310	Development and Applications of Highly Functional Al-based Materials by Use of Metastable Phases. <i>Materials Research</i> , 2015, 18, 1414-1425.	0.6	37
311	Glass Transition and Viscoelastic Behaviors of La <sub>55</sub> Al <sub>25</sub> Ni <sub>20</sub> and La <sub>55</sub> Al <sub>25</sub> Cu <sub>20</sub> Amorphous Alloys. <i>Materials Transactions, JIM</i> , 1991, 32, 593-598.	0.9	36
312	Al-Fe-based bulk quasicrystalline alloys with high elevated temperature strength. <i>Journal of Materials Research</i> , 2000, 15, 2737-2744.	1.2	36
313	Strong influence of supercooled liquid on crystallization of the Al <sub>85</sub> Ni <sub>5</sub> Y <sub>4</sub> Nd <sub>4</sub> Co <sub>2</sub> metallic glass. <i>Applied Physics Letters</i> , 2001, 78, 3061-3063.	1.5	36
314	Formation of $\tilde{L}_1$ -Phase in Fe <sub>60</sub> Nb <sub>10</sub> B <sub>30</sub> Amorphous Alloy with a Large Supercooled Liquid Region. <i>Japanese Journal of Applied Physics</i> , 2002, 41, 219-221.	0.8	36
315	Formation and Mechanical Strength of New Cu-Based Bulk Glassy Alloys with Large Supercooled Liquid Region. <i>Materials Transactions</i> , 2004, 45, 1210-1213.	0.4	36
316	Magnetic properties of (Fe, Co)-Si-Nb bulk glassy alloys with high glass-forming ability. <i>Journal of Applied Physics</i> , 2005, 97, 10F913.	1.1	36
317	Chapter 14 Bulk amorphous alloys. <i>Pergamon Materials Series</i> , 1999, 2, 375-415.	0.2	35
318	Thermal Stability and Soft Magnetic Properties of Fe-Nb-B Amorphous Alloys with High Boron Concentrations. <i>Materials Transactions, JIM</i> , 1999, 40, 643-647.	0.9	35
319	Thermal and Magnetic Properties of Fe-Co-Ln-B (Ln=Nd, Sm, Tb or Dy) Amorphous Alloys with High Magnetostriction. <i>Materials Transactions, JIM</i> , 1999, 40, 78-81.	0.9	35
320	Magnetization Process and Coercivity of Fe-(Al, Ga)-(P, C, B, Si) Soft Magnetic Glassy Alloys. <i>Materials Transactions</i> , 2004, 45, 1219-1227.	0.4	35
321	Enhancement of glass-forming ability of FeCoNiBSiNb bulk glassy alloys with superhigh strength and good soft-magnetic properties. <i>Journal of Applied Physics</i> , 2007, 102, 023515.	1.1	35
322	Dealloying of Cu-Zr-Ti Bulk Metallic Glass in Hydrofluoric Acid Solution. <i>Materials Transactions</i> , 2009, 50, 1255-1258.	0.4	35
323	Ductile Al-Cu-V amorphous alloys without metalloid. <i>Metallurgical and Materials Transactions A - Physical Metallurgy and Materials Science</i> , 1988, 19, 391-393.	1.4	34
324	Stabilization of supercooled liquid and bulk glassy alloys in ferrous and non-ferrous systems. <i>Journal of Non-Crystalline Solids</i> , 1999, 250-252, 552-559.	1.5	34

#	ARTICLE	IF	CITATIONS
325	Thermal Stability and Mechanical Properties of Bulk Glassy Cu-Zr-Ti-(Nb, Ta) Alloys. <i>Materials Transactions</i> , 2002, 43, 1367-1370.	0.4	34
326	Bulk glassy and nonequilibrium crystalline alloys by stabilization of supercooled liquid: fabrication, functional properties and applications (Part 1). <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 2005, 81, 156-171.	1.6	34
327	Reduced electronegativity difference as a factor leading to the formation of Al-based glassy alloys with a large supercooled liquid region of 50K. <i>Applied Physics Letters</i> , 2006, 88, 011911.	1.5	34
328	Effect of volume fraction and geometry of pores on mechanical properties of porous bulk glassy Pd <sub>42.5</sub> Cu <sub>30</sub> Ni <sub>7.5</sub> P <sub>20</sub> alloys. <i>Journal of Materials Research</i> , 2006, 21, 1041-1047.	1.2	34
329	Fabrication of Cu-Zr-Ag-Al glassy alloy samples with a diameter of 20 mm by water quenching. <i>Journal of Materials Research</i> , 2008, 23, 1452-1456.	1.2	34
330	Mechanical properties and deformation behaviour of large Al <sub>70</sub> Pd <sub>20</sub> Mn <sub>10</sub> single quasi-crystals. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1994, 181-182, 850-855.	2.6	33
331	Enhancement of Strength and Ductility in Zr-Based Bulk Amorphous Alloys by Precipitation of Quasicrystalline Phase. <i>Materials Transactions, JIM</i> , 2000, 41, 1511-1520.	0.9	33
332	Formation, thermal and mechanical properties of bulk glassy alloys in Zr-Al-Co and Zr-Al-Co-Cu systems. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004, 375-377, 432-435.	2.6	33
333	Formation and mechanical properties of Zr-Cu-Al bulk glassy alloys. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004, 375-377, 427-431.	2.6	33
334	Enhancement of the fracture strength and glass-forming ability of CoFeTaB bulk glassy alloy. <i>Journal of Physics Condensed Matter</i> , 2005, 17, 5647-5653.	0.7	33
335	Class transition behavior of Al- and Mg-based amorphous alloys. <i>Journal of Non-Crystalline Solids</i> , 1990, 117-118, 712-715.	1.5	32
336	Formation Criteria and Growth Morphology of Quasicrystals in Al-Pd-TM (TM=Transition Metal) Alloys. <i>Materials Transactions, JIM</i> , 1991, 32, 421-428.	0.9	32
337	Hydrogen absorption and desorption behavior of Zr-based amorphous alloys with a large structurally relaxed amorphous region. <i>Journal of Alloys and Compounds</i> , 1999, 292, 275-280.	2.8	32
338	Structure and soft magnetic properties of bulk Fe-Al-Ga-P-C-B-Si glassy alloys prepared by consolidating amorphous powders. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001, 304-306, 1019-1022.	2.6	32
339	Soft Magnetic Properties of Nanocrystalline Fe-Si-B-Nb-Cu Rod Alloys Obtained by Crystallization of Cast Amorphous Phase. <i>Materials Transactions</i> , 2002, 43, 2337-2341.	0.4	32
340	Influence of a supercooled liquid on crystallization behaviour of Al-Y-Ni-Co metallic glass. <i>Materials Letters</i> , 2002, 54, 75-80.	1.3	32
341	Bulk Glassy Alloys with Low Liquidus Temperature in Pt-Cu-P System. <i>Materials Transactions</i> , 2003, 44, 1143-1146.	0.4	32
342	Effect of Cr addition on the glass-forming ability, magnetic properties, and corrosion resistance in FeMoGaPCBSi bulk glassy alloys. <i>Journal of Applied Physics</i> , 2006, 100, 043523.	1.1	32

#	ARTICLE	IF	CITATIONS
343	Class-transition behavior of Ni: Calculation, prediction, and experiment. <i>Journal of Applied Physics</i> , 2008, 104, .	1.1	32
344	Brittle metallic glass deforms plastically at room temperature in glassy multilayers. <i>Physical Review B</i> , 2009, 80, .	1.1	32
345	Effect of Minor Sn Additions on the Formation and Properties of TiCuZrPd Bulk Glassy Alloy. <i>Materials Transactions</i> , 2012, 53, 500-503.	0.4	32
346	Enhancement of glass-forming ability of FeSiBP bulk glassy alloys with good soft-magnetic properties and high corrosion resistance. <i>Journal of Alloys and Compounds</i> , 2012, 533, 67-70.	2.8	32
347	High mechanical strength of aluminum-based crystalline alloys produced by warm consolidation of amorphous powder. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1991, 134, 1212-1214.	2.6	31
348	Formation, microstructure, chemical long-range order, and stability of quasicrystals in Al <sub>40</sub> Pd <sub>40</sub> Mn alloys. <i>Journal of Materials Research</i> , 1991, 6, 2646-2652.	1.2	31
349	Microstructure of nanocrystalline b.c.c. Fe <sub>1-x</sub> Mi <sub>x</sub> B(Mi=1/4Nb,Hf) soft magnetic alloys. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1994, 179-180, 495-500.	2.6	31
350	Mechanical Properties and Thermal Stability of Ti- and Al-Based Amorphous Wires Prepared by a Melt Extraction Method. <i>Materials Transactions, JIM</i> , 1995, 36, 858-865.	0.9	31
351	Prediction of Glass-Forming Composition Ranges in Zr-Ni-Al Alloys. <i>Materials Transactions</i> , 2002, 43, 2502-2508.	0.4	31
352	Enhanced Shot Peening Effect for Steels by Using Fe-based Glassy Alloy Shots. <i>Materials Transactions</i> , 2003, 44, 2391-2395.	0.4	31
353	Consolidation of Fe-Co-Nd-Dy-B Glassy Powders by Spark-Plasma Sintering and Magnetic Properties of the Consolidated Alloys. <i>Materials Transactions</i> , 2003, 44, 138-143.	0.4	31
354	Hydrogen permeation characteristics of melt-spun Zr <sub>60</sub> Al <sub>15</sub> Co <sub>2.5</sub> Ni <sub>7.5</sub> Cu <sub>15</sub> glassy alloy membrane. <i>Journal of Alloys and Compounds</i> , 2004, 372, 197-200.	2.8	31
355	On structural relaxation and viscous work heating during non-Newtonian viscous flow in a Zr <sub>55</sub> Al <sub>10</sub> Ni <sub>5</sub> Cu <sub>30</sub> bulk metallic glass. <i>Acta Materialia</i> , 2006, 54, 891-898.	3.8	31
356	Ni-based bulk glassy alloys with superhigh strength of 3800MPa in Ni <sub>40</sub> Fe <sub>40</sub> B <sub>10</sub> Si <sub>10</sub> Nb system. <i>Applied Physics Letters</i> , 2006, 88, 201903.	1.5	31
357	Extraordinary magnetocaloric effect of Fe-based bulk glassy rods by combining fluxing treatment and J-quenching technique. <i>Journal of Alloys and Compounds</i> , 2016, 684, 29-33.	2.8	31
358	High Strength Al <sub>2</sub> V <sub>2</sub> M (M=Fe, Co or Ni) Alloys Containing High Volume Fraction of Nanoscale Amorphous Precipitates. <i>Materials Transactions, JIM</i> , 1995, 36, 1219-1228.	0.9	30
359	High Strain Rate Superplasticity of Supercooled Liquid for Amorphous Alloys. <i>Materials Science Forum</i> , 1997, 233-234, 147-154.	0.3	30
360	Influence of the liquid states on the crystallization process of nanocrystal-forming Zr <sub>40</sub> Cu <sub>40</sub> Pd <sub>20</sub> Al metallic glasses. <i>Applied Physics Letters</i> , 1999, 75, 3644-3646.	1.5	30

#	ARTICLE	IF	CITATIONS
361	Formations of amorphous and quasicrystal phases in Ti–Zr–Ni–Cu alloys. <i>Journal of Alloys and Compounds</i> , 2003, 361, 234-240.	2.8	30
362	Joining of Zr-based bulk metallic glasses using the friction welding method. <i>Journal of Alloys and Compounds</i> , 2007, 434-435, 102-105.	2.8	30
363	Deformation-induced transformations in Ti60Fe20Co20 alloy. <i>Scripta Materialia</i> , 2007, 57, 445-448.	2.6	30
364	Production of metallic glassy bipolar plates for PEM fuel cells by hot pressing in the supercooled liquid state. <i>International Journal of Hydrogen Energy</i> , 2008, 33, 5678-5685.	3.8	30
365	Enhancement of glass-forming ability of CoFeBSiNb bulk glassy alloys with excellent soft-magnetic properties and superhigh strength. <i>Intermetallics</i> , 2010, 18, 1876-1879.	1.8	30
366	New Fe-based amorphous alloys with large magnetostriction and wide supercooled liquid region before crystallization. <i>Journal of Applied Physics</i> , 1999, 85, 4491-4493.	1.1	29
367	Change in electron transport property after glass transition in several Pd-based metallic glasses. <i>Journal of Non-Crystalline Solids</i> , 1999, 250-252, 781-785.	1.5	29
368	Preparation and Magnetic Properties of Co-based Bulk Glassy Alloys. <i>Materials Transactions</i> , 2001, 42, 2572-2575.	0.4	29
369	Formation and Soft Magnetic Properties of Fe-B-Si-Zr Bulk Glassy Alloys with High Saturation Magnetization above 1.5 T. <i>Materials Transactions</i> , 2002, 43, 2350-2353.	0.4	29
370	Thermal Stability, Glass-Forming Ability and Mechanical Properties of Mg-Y-Zn-Cu Glassy Alloys. <i>Materials Transactions</i> , 2003, 44, 2271-2275.	0.4	29
371	Fe-(Cr,Mo)-(C,B)-Tm Bulk Metallic Glasses with High Strength and High Glass-Forming Ability. <i>Materials Transactions</i> , 2006, 47, 1615-1618.	0.4	29
372	Ni-Rich Ni–Pd–P Glassy Alloy with High Strength and Good Ductility. <i>Materials Transactions</i> , 2006, 47, 175-178.	0.4	29
373	Nanocrystallization of Cu <sub>50</sub> Zr <sub>45</sub> Ti <sub>5</sub> Metallic Glass Induced by Electron Irradiation. <i>Materials Transactions</i> , 2006, 47, 1930-1933.	0.4	29
374	Glass-Forming Ability and Thermal Stability of Ti–Zr–Cu–Pd–Si Bulk Glassy Alloys for Biomedical Applications. <i>Materials Transactions</i> , 2007, 48, 163-166.	0.4	29
375	An extended criterion for estimation of glass-forming ability of metals. <i>Journal of Materials Research</i> , 2007, 22, 1378-1383.	1.2	29
376	Ultrasonic bonding of Zr <sub>55</sub> Cu <sub>30</sub> Ni <sub>5</sub> Al <sub>10</sub> metallic glass. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2008, 148, 141-144.	1.7	29
377	Magnetic behavior of cosputtered Fe-Zr amorphous thin films exhibiting perpendicular magnetic anisotropy. <i>Physical Review B</i> , 2008, 78, .	1.1	29
378	Mechanical properties of Al <sub>88</sub> (Y <sub>1-x</sub> Ce <sub>x</sub> ) <sub>2</sub> Ni <sub>9</sub> Fe <sub>1</sub> (x=0,0.5,1) amorphous alloys containing nanoscale fcc-Al particles.. <i>Keikinzoku/Journal of Japan Institute of Light Metals</i> , 1992, 42, 217-223.	0.1	28

#	ARTICLE	IF	CITATIONS
379	Preparation of Fe <sub>65</sub> Co <sub>10</sub> Ga <sub>5</sub> P <sub>12</sub> C <sub>4</sub> B <sub>4</sub> Bulk Glassy Alloy with Good Soft Magnetic Properties by Spark-Plasma Sintering of Glassy Powder. <i>Materials Transactions</i> , 2002, 43, 1961-1965.	0.4	28
380	Deformation and Fracture Behaviors of Pd-Cu-Ni-P Glassy Alloys. <i>Materials Transactions</i> , 2002, 43, 3266-3272.	0.4	28
381	Formation and Soft Magnetic Properties of Co-Fe-Si-B-Nb Bulk Glassy Alloys. <i>Materials Transactions</i> , 2002, 43, 1230-1234.	0.4	28
382	Hot pressing of Fe-Co-Nd-Dy-B glassy powders in supercooled liquid state and hard magnetic properties of the consolidated alloys. <i>Scripta Materialia</i> , 2002, 47, 231-235.	2.6	28
383	Investigation of high strength metastable hypereutectic ternary Ti-Fe-Co and quaternary Ti-Fe-Co-(V, Sn) alloys. <i>Journal of Alloys and Compounds</i> , 2007, 434-435, 32-35.	2.8	28
384	Dual phase metallic glassy composites with large-size and ultra-high strength fabricated by spark plasma sintering. <i>Intermetallics</i> , 2009, 17, 512-516.	1.8	28
385	Soft Magnetic Properties of Co-Based Amorphous Alloys with Wide Supercooled Liquid Region. <i>Materials Transactions, JIM</i> , 1998, 39, 762-768.	0.9	27
386	Formation and Magnetic Properties of Bulk Glassy Fe-Nd-Dy-B Alloys with High Boron Concentrations. <i>Materials Transactions, JIM</i> , 2000, 41, 1679-1682.	0.9	27
387	Crystallization process of Zr <sub>60</sub> Ni <sub>25</sub> Al <sub>15</sub> amorphous alloy. <i>Materials Letters</i> , 2000, 44, 80-86.	1.3	27
388	Effects of Nb addition on icosahedral quasicrystalline phase formation and glass-forming ability of Zr-Ni-Cu-Al metallic glasses. <i>Applied Physics Letters</i> , 2001, 79, 1024-1026.	1.5	27
389	Electrode properties of rapidly solidified Mg <sub>67</sub> Ni <sub>23</sub> Pd <sub>10</sub> amorphous alloy. <i>Journal of Alloys and Compounds</i> , 2002, 347, 239-243.	2.8	27
390	High Strength Ni-Fe-W and Ni-Fe-W-P Alloys Produced by Electrodeposition. <i>Materials Transactions</i> , 2003, 44, 1942-1947.	0.4	27
391	Corrosion Behavior of Ti-Based Metallic Glasses. <i>Materials Transactions</i> , 2006, 47, 1934-1937.	0.4	27
392	Glassy Solidification Criterion of Zr <sub>50</sub> Cu <sub>40</sub> Al <sub>10</sub> Alloy. <i>Materials Transactions</i> , 2007, 48, 1363-1372.	0.4	27
393	Deformation behavior of high strength metastable hypereutectic Ti-Fe-Co alloys. <i>Intermetallics</i> , 2007, 15, 181-186.	1.8	27
394	Glass-forming ability and differences in the crystallization behavior of ribbons and rods of Cu <sub>36</sub> Zr <sub>48</sub> Al <sub>8</sub> Ag <sub>8</sub> bulk glass-forming alloy. <i>Journal of Materials Research</i> , 2009, 24, 1886-1895.	1.2	27
395	Electrochemical synthesis of palladium nanostructures with controllable morphology. <i>Nanotechnology</i> , 2010, 21, 085601.	1.3	27
396	Pronounced enhancement of glass-forming ability of Fe-Si-B-P bulk metallic glass in oxygen atmosphere. <i>Journal of Materials Research</i> , 2014, 29, 1217-1222.	1.2	27

#	ARTICLE	IF	CITATIONS
397	Novel bioactive Fe-based metallic glasses with excellent apatite-forming ability. <i>Materials Science and Engineering C</i> , 2016, 69, 513-521.	3.8	27
398	Nanocrystalline Zr-Based Bulk Glassy Alloys with High Flexural Strength. <i>Materials Transactions, JIM</i> , 1999, 40, 1015-1018.	0.9	26
399	Effect of Ni on stabilization of the supercooled liquid and devitrification of Cu–Zr–Ti bulk glassy alloys. <i>Journal of Non-Crystalline Solids</i> , 2003, 325, 187-192.	1.5	26
400	Effects of Additional Elements on the Glass Formation and Corrosion Behavior of Bulk Glassy Cu-Hf-Ti Alloys. <i>Materials Transactions</i> , 2003, 44, 1042-1045.	0.4	26
401	Bulk glassy soft-magnetic cores produced by spark-plasma sintering Fe <sub>65</sub> Co <sub>10</sub> Ga <sub>5</sub> P <sub>12</sub> C <sub>4</sub> B <sub>4</sub> glassy powder. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004, 375-377, 666-670.	2.6	26
402	Finite element analysis of compressive deformation of bulk metallic glasses. <i>Acta Materialia</i> , 2004, 52, 3813-3823.	3.8	26
403	New Cu-Zr-Al-Nb Bulk Glassy Alloys with High Corrosion Resistance. <i>Materials Transactions</i> , 2004, 45, 1958-1961.	0.4	26
404	New Pd-Based Bulk Glassy Alloys with High Glass-Forming Ability and Large Supercooled Liquid Region. <i>Materials Transactions</i> , 2005, 46, 1720-1724.	0.4	26
405	Formation and Mechanical Properties of Porous Pd–Pt–Cu–P Bulk Glassy Alloys. <i>Materials Transactions</i> , 2005, 46, 2777-2780.	0.4	26
406	Enhanced Tensile Strength and Plasticity of Zr-Cu-Al Bulk Glassy Alloys at Cryogenic Temperatures. <i>Materials Transactions</i> , 2009, 50, 2685-2690.	0.4	26
407	Ni-Rich Bulk Metallic Glasses with High Glass-Forming Ability and Good Metallic Properties. <i>Materials Transactions</i> , 2009, 50, 2441-2445.	0.4	26
408	Tough Hypoeutectic Zr-Based Bulk Metallic Glasses. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2011, 42, 1468-1475.	1.1	26
409	Glass formability and the Al–Au system. <i>Philosophical Magazine</i> , 2012, 92, 655-665.	0.7	26
410	New Al-based amorphous alloys with high mechanical strength in the Al–Ni–M and Al–Co–M (M = Mn, Fe,) <i>Tj ETQqO O O rgBT /Over</i> Microstructure and Processing, 1994, 179-180, 596-599.	2.6	25
411	Solidification Condition of Bulk Glassy Zr<sub>60</sub>Al<sub>10</sub>Ni<sub>10</sub>Cu<sub>15</sub>Pd<sub>5</sub> Alloy by Unidirectional Arc Melting. <i>Materials Transactions, JIM</i> , 1995, 36, 1398-1402.		
412	High-strength bulk nanocrystalline alloys containing compound and amorphous phases. <i>Scripta Materialia</i> , 1999, 12, 741-749.	0.5	25
413	Structure and properties of high strength and ductile Ti–Fe–Cu–Nb–Sn alloys. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008, 497, 126-131.	2.6	25
414	Formation of a phase separating bulk metallic glass in Cu <sub>40</sub> Zr <sub>40</sub> Al <sub>10</sub> Ag <sub>10</sub> alloy. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2008, 148, 97-100.	1.7	25



#	ARTICLE	IF	CITATIONS
415	Electrochemical and XPS studies of Ni-based metallic glasses in boiling nitric acid solutions. <i>Electrochimica Acta</i> , 2009, 54, 1612-1617.	2.6	25
416	Microstructure and mechanical properties of crystalline particulates dispersed Ni-based metallic glassy composites fabricated by spark plasma sintering. <i>Intermetallics</i> , 2010, 18, 851-858.	1.8	25
417	Glassy alloy composites for information technology applications. <i>Intermetallics</i> , 2010, 18, 1983-1987.	1.8	25
418	He ion irradiation induced nanocrystallization in Cu <sub>50</sub> Zr <sub>45</sub> Ti <sub>5</sub> glassy alloy. <i>Surface and Coatings Technology</i> , 2011, 206, 829-833.	2.2	25
419	Soft Magnetic Materials. , 2022, , 10-23.		25
420	Consolidation mechanism of aluminum-based amorphous alloy powders during warm extrusion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1994, 181-182, 1174-1178.	2.6	24
421	Continuous-Cooling-Transformation (CCT) Curves for Zr&ndash;Al&ndash;Ni&ndash;Cu Supercooled Liquids to Amorphous or Crystalline Phase (&lt;/>Rapid Publication&lt;/>). <i>Materials Transactions, JIM</i> , 1995, 36, 876-878.	0.9	24
422	High-frequency permeability of (Fe,â€ŠCo,â€ŠNi) <sub>62</sub> Nb <sub>8</sub> B <sub>30</sub> amorphous alloys with a wide supercooled liquid region. <i>Applied Physics Letters</i> , 1999, 74, 2510-2512.	1.5	24
423	Investigation of short-range order in nanocrystal-forming Zr <sub>60</sub> Cu <sub>20</sub> Pd <sub>10</sub> Al <sub>10</sub> metallic glass and the mechanism of nanocrystal formation. <i>Applied Physics Letters</i> , 2001, 79, 1792-1794.	1.5	24
424	Excellent Mechanical Properties of Cu-Hf-Ti-Ta Bulk Glassy Alloys Containing <i>In-Situ</i> Dendrite Ta-based BCC Phase. <i>Materials Transactions</i> , 2004, 45, 2936-2940.	0.4	24
425	Fabrication of ZrCuAlNi Metallic Glassy Matrix Composite Containing ZrO<SUB>2</SUB> Particles by Spark Plasma Sintering Process. <i>Materials Transactions</i> , 2007, 48, 158-162.	0.4	24
426	Synthesis of bulk glassy alloys in the (Fe,Co,Ni)â€ŠBaâ€ŠSiâ€ŠNb system. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 449-451, 239-242.	2.6	24
427	Influence of cooling rate on the structure and properties of a Cuâ€ŠZrâ€ŠTiâ€ŠAg glassy alloy. <i>Journal of Materials Research</i> , 2008, 23, 515-522.	1.2	24
428	Hydrogen sensing ability of Pd-based amorphous alloys. <i>Sensors and Actuators B: Chemical</i> , 2010, 150, 279-284.	4.0	24
429	Light-metal base amorphous alloys containing lanthanide metal. <i>Journal of Alloys and Compounds</i> , 1994, 207-208, 340-348.	2.8	23
430	Effects of extrusion conditions on mechanical properties in ZrAlNiCu glassy powder compacts. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1996, 219, 39-43.	2.6	23
431	Crystallization and hard magnetic properties of Feâ€ŠCoâ€ŠNdâ€ŠDyâ€ŠB amorphous alloys with glass transition. <i>Journal of Applied Physics</i> , 2000, 87, 6122-6124.	1.1	23
432	(Fe,Co,Ni)â€ŠBaâ€ŠSiâ€ŠNb Bulk Glassy Alloy With Super-High Strength and Some Ductility [Article Retracted]. <i>Journal of Materials Research</i> , 2005, 20, 1-5.	1.2	23

#	ARTICLE	IF	CITATIONS
433	Real-space structural studies of Cu-Zr-Ti glassy alloy. Journal of Alloys and Compounds, 2008, 466, 106-110.	2.8	23
434	In situ phase separation and flow behavior in the glass transition region. Intermetallics, 2010, 18, 1235-1239.	1.8	23
435	Tensile deformation behaviour of Zr-based glassy alloys. Philosophical Magazine Letters, 2010, 90, 139-148.	0.5	23
436	Composition Effect on Intrinsic Plasticity or Brittleness in Metallic Glasses. Scientific Reports, 2014, 4, 5733.	1.6	23
437	Formation of Ti-Zr(Hf)-Ni-Cu Amorphous Alloys and Quasicrystal Precipitation upon Annealing. Materials Transactions, 2001, 42, 528-531.	0.4	22
438	Multistage devitrification of Mg-Ni-Mm and g-Ni-Y-Mm metallic glasses (Mm = misch metal). Philosophical Magazine, 2003, 83, 203-216.	0.7	22
439	Bulk glassy Cu-based alloys with a large supercooled liquid region of 110 K. Applied Physics Letters, 2003, 83, 2351-2353.	1.5	22
440	Effect of Tantalum on Corrosion Resistance of Ni-Nb-Ta-Ti-Zr Glassy Alloys at High Temperature. Materials Transactions, 2005, 46, 858-862.	0.4	22
441	Thermal expansion of a glassy alloy studied using a real-space pair distribution function. Applied Physics Letters, 2006, 88, 121926.	1.5	22
442	Drastic Increase in the Toughness of Structural Relaxed Hypoeutectic Zr <sub>59</sub> Cu <sub>31</sub> Al <sub>10</sub> Bulk Glassy Alloy. Materials Transactions, 2007, 48, 1276-1281.	0.4	22
443	Evaluation of the local environment for nanoscale quasicrystal formation in Zr <sub>80</sub> Pt <sub>20</sub> glassy alloy using Voronoi analysis. Journal of Physics Condensed Matter, 2009, 21, 375104.	0.7	22
444	Effect of Nb addition on the glass-forming ability, mechanical and soft-magnetic properties in (Co <sub>0.942</sub> Fe <sub>0.058</sub> ) <sub>72</sub> Nb <sub>22.4</sub> Si <sub>5.6</sub> bulk glassy alloys. Journal of Alloys and Compounds, 2010, 504, S31-S33.	2.8	22
445	Zr-based bulk glassy alloy with improved resistance to stress corrosion cracking in sodium chloride solutions. Corrosion Science, 2010, 52, 2950-2957.	3.0	22
446	SiC dispersed Fe-based glassy composite cores produced by spark plasma sintering and their high frequency magnetic properties. Intermetallics, 2012, 20, 76-81.	1.8	22
447	Amorphous (Zr&ndash;Y) <sub>60</sub> Al <sub>15</sub> Ni <sub>25</sub> Alloys with Two Supercooled Liquid Regions. Materials Transactions, JIM, 1992, 33, 143-145.	0.9	21
448	High-strength Al-based nanostructure alloys. Current Opinion in Solid State and Materials Science, 1997, 2, 305-310.	5.6	21
449	Mechanical properties of rapidly solidified Al-Si-Ni-Ce P/M alloys. Scripta Materialia, 1997, 36, 475-480.	2.6	21
450	Characteristic behavior of La <sub>55</sub> Al <sub>25</sub> Ni <sub>20</sub> amorphous alloy under rapid heating. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2001, 304-306, 743-746.	2.6	21

#	ARTICLE	IF	CITATIONS
451	Structure and Magnetic Properties of Fe <sub>42.5</sub> Co <sub>42.5</sub> Nb <sub>7</sub> B <sub>8</sub> Nanocrystalline Alloy. Materials Transactions, 2002, 43, 589-592.	0.4	21
452	Amorphous forming ability and mechanical properties of rapidly solidified Al <sub>40</sub> Zr <sub>40</sub> LTM (LTM=Fe, Co, Ni) Tj ETQqQ 0 0 rgBT, Overlock	1.3	21
453	Formation, Thermal Stability, Mechanical Properties and Corrosion Resistance of Cu-Zr-Ti-Ni-Nb Bulk Glassy Alloys. Materials Transactions, 2003, 44, 1147-1152.	0.4	21
454	The influence of scandium in effecting fragile to strong glass transition in aluminium-based alloys. Applied Physics Letters, 2004, 85, 3758-3759.	1.5	21
455	Size dependence of soft to hard magnetic transition in (Nd, Pr) <sub>40</sub> Fe <sub>40</sub> Al bulk amorphous alloys. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2004, 375-377, 1140-1144.	2.6	21
456	Nano quasicrystal formation and local atomic structure in Zr <sub>40</sub> Pd and Zr <sub>40</sub> Pt binary metallic glasses. Zeitschrift für Kristallographie, 2008, 223, 726-730.	1.1	21
457	Unusual solidification behavior of a Zr <sub>40</sub> Cu <sub>40</sub> Ni <sub>40</sub> Al bulk glassy alloy made from low-purity Zr. Intermetallics, 2010, 18, 1531-1536.	1.8	21
458	A new CoFe-based bulk metallic glasses with high thermoplastic forming ability. Scripta Materialia, 2013, 69, 553-556.	2.6	21
459	Mechanisms of High Strain-Rate Superplasticity of Al-14 mass%Ni-14 mass%Mm (Misch Metal) Alloy Produced from Amorphous Powder. Materials Transactions, JIM, 1995, 36, 1467-1475.	0.9	20
460	High-Strength Al-Based Alloys Consisting Mainly of Nanoscale Quasicrystalline or Amorphous Particles. Materials Science Forum, 1997, 235-238, 873-880.	0.3	20
461	Improvement of soft magnetic properties of nanocrystalline Fe <sub>70</sub> Mi <sub>10</sub> B (Mi→Zr and Nb) alloys and their applications. Scripta Materialia, 1997, 9, 403-412.	0.5	20
462	Low core losses and soft magnetic properties of Fe <sub>40</sub> Al <sub>40</sub> Ga <sub>10</sub> Pa <sub>10</sub> Ca <sub>10</sub> Ba <sub>10</sub> Si glassy alloy ribbons with large thicknesses. Journal of Applied Physics, 1999, 85, 4418-4420.	1.1	20
463	Rotating-Beam Fatigue Strength of Pd <sub>40</sub> Cu <sub>30</sub> Ni <sub>10</sub> P <sub>20</sub> Bulk Amorphous Alloy. Materials Transactions, JIM, 1999, 40, 696-699.		20
464	Electron Beam Welding of Zr <sub>50</sub> Cu <sub>30</sub> Ni <sub>10</sub> Al <sub>10</sub> Bulk Glassy Alloys. Materials Transactions, 2002, 43, 2509-2515.	0.4	20
465	Formation and High Mechanical Strength of Bulk Glassy Alloys in Zr-Al-Co-Cu System. Materials Transactions, 2003, 44, 1839-1844.	0.4	20
466	Electron-beam welding of Zr <sub>50</sub> Cu <sub>30</sub> Ni <sub>10</sub> Al <sub>10</sub> bulk glassy alloys. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2004, 375-377, 422-426.	2.6	20
467	Influences of hydrostatic pressure during casting and Pd content on as-cast phase in Zr-Al-Ni-Cu-Pd bulk alloys. Applied Physics Letters, 2004, 85, 2205-2207.	1.5	20
468	Fabrication of New Cu <sub>34</sub> Pd <sub>2</sub> Zr <sub>48</sub> Ag <sub>8</sub> Al <sub>8</sub> Bulk Glassy Alloy with a Diameter of 30 mm. Materials Transactions, 2007, 48, 3031-3033.		20

#	ARTICLE	IF	CITATIONS
469	Fe-metalloids bulk glassy alloys with high Fe content and high glass-forming ability. Journal of Materials Research, 2008, 23, 1339-1342.	1.2	20
470	Effect of Ag addition on local structure of Cu–Zr glassy alloy. Journal of Materials Research, 2009, 24, 274-278.	1.2	20
471	Structure and crystallization kinetics of a Cu <sub>50</sub> Zr <sub>45</sub> Ti <sub>5</sub> glassy alloy. Journal of Alloys and Compounds, 2009, 483, 24-27.	2.8	20
472	Glass-Forming Ability and Properties of New Au-Based Glassy Alloys with Low Au Concentrations. Materials Transactions, 2009, 50, 1290-1293.	0.4	20
473	Cu particulate dispersed Cu <sub>50</sub> Zr <sub>45</sub> Al <sub>5</sub> bulk metallic glassy composite with enhanced electrical conductivity. Intermetallics, 2010, 18, 1973-1977.	1.8	20
474	Fabrication and nano-imprintabilities of Zr-, Pd- and Cu-based glassy alloy thin films. Nanotechnology, 2011, 22, 105302.	1.3	20
475	Ni- and Be-free Zr-based bulk metallic glasses with high glass-forming ability and unusual plasticity. Journal of the Mechanical Behavior of Biomedical Materials, 2012, 13, 166-173.	1.5	20
476	High Strength Al–Ti–Fe Alloys Consisting of Amorphous and fcc-Al Phases Prepared by Rapid Solidification. Materials Transactions, JIM, 1996, 37, 1722-1725.	0.9	19
477	The relation between the bulk and ribbon Zr <sub>55</sub> Ni <sub>25</sub> Al <sub>20</sub> metallic glasses. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1997, 226-228, 388-392.	2.6	19
478	Shear Sliding-off Fracture of Bulk Amorphous Zr-Based Alloys Containing Nanoscale Compound Particles. Materials Transactions, JIM, 1999, 40, 1376-1381.	0.9	19
479	Superplastic Deformation of Supercooled Liquid in Zr-Based Bulk Glassy Alloys Containing Nano-Quasicrystalline Particles. Materials Transactions, 2001, 42, 1517-1522.	0.4	19
480	Local structures around Zn and Y in the melt-quenched Mg <sub>97</sub> Zn <sub>1</sub> Y <sub>2</sub> ribbon. Journal of Alloys and Compounds, 2003, 353, 240-245.	2.8	19
481	Thermal Stability and Mechanical Properties of Cu-Based Bulk Glassy Alloys in Cu <sub>50</sub> (Zr <sub>1-x</sub> Hf <sub>x</sub> ) <sub>45</sub> Al <sub>5</sub> System. Materials Transactions, 2003, 44, 2220-2223.	0.4	19
482	Thermal Stability and Devitrification Behavior of Ternary Ni-Nb-Ti and Quaternary Glassy Alloys Containing Noble Metals. Materials Transactions, 2005, 46, 675-680.	0.4	19
483	Relation between time–temperature transformation and continuous heating transformation diagrams of metallic glassy alloys. Physica B: Condensed Matter, 2005, 358, 174-180.	1.3	19
484	Fabrication and characterization of Coriolis mass flowmeter made from Ti-based glassy tubes. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2005, 407, 201-206.	2.6	19
485	Influences of additional alloying elements (V, Ni, Cu, Sn, B) on structure and mechanical properties of high-strength hypereutectic Ti–Fe–Co bulk alloys. Intermetallics, 2006, 14, 255-259.	1.8	19
486	Deformation behavior of Zr- and Ni-based bulk glassy alloys. Journal of Materials Research, 2007, 22, 1087-1092.	1.2	19

#	ARTICLE	IF	CITATIONS
487	Thermal stability and magnetic properties of Gd-Fe-Al bulk amorphous alloys. <i>Journal of Alloys and Compounds</i> , 2007, 440, 199-203.	2.8	19
488	Specific volume and elastic properties of glassy, icosahedral quasicrystalline and crystalline phases in Zr-Ni-Cu-Al-Pd alloy. <i>Acta Materialia</i> , 2007, 55, 1009-1015.	3.8	19
489	Effects of additional noble elements on the thermal stability and mechanical properties of Cu-Zr-Al bulk glassy alloys. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 449-451, 631-635.	2.6	19
490	Glass formation dependence on casting-atmosphere pressure in Zr <sub>65</sub> Al <sub>7.5</sub> Ni <sub>10</sub> Cu <sub>17.5</sub> xPdx (x=0-17.5) alloy system: A resultant effect of quasicrystalline phase transformation and cooling mechanism during mold-casting process. <i>Journal of Applied Physics</i> , 2008, 103, 044907.	1.1	19
491	Clustered crystalline structures as glassy phase approximants. <i>Intermetallics</i> , 2009, 17, 477-480.	1.8	19
492	Preparation of Bulk Glassy Fe <sub>76</sub> Si <sub>9</sub> B <sub>10</sub> P <sub>5</sub> 0.4 as a Soft Magnetic Material by Spark Plasma Sintering. <i>Materials Transactions</i> , 2009, 50, 487-489.		19
493	Bulk glassy Zr-based alloys prepared by consolidation of glassy alloy powders in supercooled liquid region. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1997, 226-228, 458-462.	2.6	18
494	Magnetic properties of Co-Fe-B-Si-Nb bulk glassy alloy with zero magnetostriction. <i>Journal of Applied Physics</i> , 2007, 101, 09N112.	1.1	18
495	Formation, thermal stability and corrosion behavior of glassy Ti <sub>45</sub> Zr <sub>5</sub> Cu <sub>45</sub> Ni <sub>5</sub> alloy. <i>Intermetallics</i> , 2007, 15, 683-686.	1.8	18
496	Precipitation of the ZrCu <sub>2</sub> phase in Zr <sub>50</sub> Cu <sub>50</sub> -xAl <sub>x</sub> (x = 0, 4, 6) metallic glasses by rapidly heating and cooling. <i>Journal of Materials Research</i> , 2010, 25, 793-800.	1.2	18
497	Ultrasonic characteristics of porous Zr <sub>55</sub> Cu <sub>30</sub> Al <sub>10</sub> Ni <sub>5</sub> bulk metallic glass fabricated by spark plasma sintering. <i>Intermetallics</i> , 2010, 18, 2014-2018.	1.8	18
498	Multicomponent nanoporous metals prepared by dealloying Pd <sub>80</sub> xNi <sub>20</sub> metallic glasses. <i>Intermetallics</i> , 2015, 61, 66-71.	1.8	18
499	Recent Topics on the Structure and Crystallization of Al-based Glassy Alloys. <i>Materials Research</i> , 2019, 22, .	0.6	18
500	Effect of B Addition on the Extension of Supercooled Liquid Region in Zr-Cu-Al Base Amorphous Alloys. <i>Materials Transactions, JIM</i> , 1997, 38, 185-188.	0.9	17
501	On The Characterization of Plastic Flow in Zr-based Metallic Glass Through Micro-indentation: an Atomic Force Microscopy Analysis. <i>Materials Transactions</i> , 2002, 43, 2617-2621.	0.4	17
502	Crystallisation behaviour of Cu <sub>60</sub> Zr <sub>30</sub> Ti <sub>10</sub> bulk glassy alloy. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004, 375-377, 744-748.	2.6	17
503	Nanocrystalline Fe-Pt-B base hard magnets with high coercive force obtained from amorphous precursor. <i>Journal of Applied Physics</i> , 2005, 97, 10H308.	1.1	17
504	Relations between the Thermal and Mechanical Properties of Cast Zr-TM-Al (TM: Cu, Ni, or Co) Bulk Glassy Alloys. <i>Materials Transactions</i> , 2007, 48, 1846-1849.	0.4	17

#	ARTICLE	IF	CITATIONS
505	Continuous casting of thick Fe-base glassy plates by twin-roller melt-spinning. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 449-451, 269-272.	2.6	17
506	Ti-based amorphous alloys with a wide supercooled liquid region. <i>Materials Letters</i> , 2007, 61, 2851-2854.	1.3	17
507	Wetting characteristics of Sn–Ag–Cu solder on Pd-based metallic glass. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2008, 148, 124-127.	1.7	17
508	Synthesis of Br-doped TiO <sub>2</sub> hollow spheres with enhanced photocatalytic activity. <i>Journal of Nanoparticle Research</i> , 2017, 19, 1.	0.8	17
509	Formation, thermal stability and mechanical properties of amorphous alloys in the Mg-transition metal(Ni, Cu)-alkaline-earth metal(Ca, Sr, Ba) system. <i>Journal of Materials Science</i> , 1993, 28, 379-383.	1.7	16
510	The effect of transition metal (TM) on the supercooled liquid region for (Zr <sub>0.7</sub> Cu <sub>0.3</sub> ) <sub>90</sub> TM <sub>10</sub> amorphous alloys. <i>Journal of Materials Science Letters</i> , 1993, 12, 700-701.	0.5	16
511	Amorphous and quasi-crystalline phases in rapidly solidified Mg–Al–Zn alloys. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1994, 181-182, 1387-1391.	2.6	16
512	Microstructure and Properties of Bulky Al <sub>84</sub> Ni <sub>10</sub> Ce <sub>6</sub> Alloys with Amorphous Surface Layer Prepared by High-Pressure Die Casting. <i>Materials Transactions, JIM</i> , 1994, 35, 808-813.	0.9	16
513	Thermal Properties of Zr–TM–B and Zr–TM–Ga (TM=Co, Ni, Cu) Amorphous Alloys with Wide Range of Supercooling. <i>Materials Transactions, JIM</i> , 1995, 36, 1411-1419.	0.9	16
514	Precipitations of icosahedral quasicrystalline and crystalline approximant phases in Zr-Al-Ni-Cu-Ir metallic glasses. <i>Physical Review B</i> , 2001, 63, .	1.1	16
515	Determination of Atomic Sites of Nb Dissolved in Metastable Fe <sub>23</sub> B <sub>6</sub> Phase. <i>Materials Transactions</i> , 2002, 43, 1918-1920.	0.4	16
516	Microstructure and crystallization of melt-spun Ti–Ni–Zr–Y alloys. <i>Journal of Alloys and Compounds</i> , 2002, 339, 216-220.	2.8	16
517	Cu-Based Bulk Glass Formation in the Cu-Zr-Ga Alloy System and Their Mechanical Properties. <i>Materials Transactions</i> , 2004, 45, 532-535.	0.4	16
518	<i>In situ</i> Formed (Cu <sub>0.6</sub> Zr <sub>0.25</sub> Ti <sub>0.15</sub> ) <sub>93</sub> Nb <sub>7</sub> Bulk Metallic Glass Composites. <i>Materials Transactions</i> , 2004, 45, 2346-2350.	0.4	16
519	Formation of Bulk Pd-Cu-Si-P Glass with Good Mechanical Properties. <i>Materials Transactions</i> , 2005, 46, 376-378.	0.4	16
520	Ultra-Low Glass Transition Temperatures in Ce-Based Bulk Metallic Glasses. <i>Materials Transactions</i> , 2005, 46, 1857-1860.	0.4	16
521	Bulk glassy and nonequilibrium crystalline alloys by stabilization of supercooled liquid: fabrication, functional properties and applications (Part 2). <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 2005, 81, 172-188.	1.6	16
522	Corrosion Behaviour of [(Fe <sub>0.6</sub> Co <sub>0.4</sub> ) <sub>0.75</sub> B <sub>0.2</sub> Si <sub>0.05</sub> ] <sub>96</sub> Nb <sub>4</sub> Bulk Glassy Alloy in Sulphuric Acid Solutions. <i>Materials Transactions</i> , 2006, 47, 2566-2570.		

#	ARTICLE	IF	CITATIONS
523	Influence of Al and Ag on the Devitrification Behavior of a Cu-Zr Glassy Alloy. <i>Materials Transactions</i> , 2007, 48, 2128-2132.	0.4	16
524	Heat capacity measurements on a thin ribbon sample of Zr <sub>0.55</sub> Al <sub>0.10</sub> Ni <sub>0.05</sub> Cu <sub>0.30</sub> glassy alloy and Apiezon N high vacuum grease using a Quantum Design Physical Property Measurement System. <i>Cryogenics</i> , 2009, 49, 185-191.	0.9	16
525	Solderability of Bulk Metallic Glasses Using Lead-Free Solders. <i>Materials Transactions</i> , 2009, 50, 1326-1329.	0.4	16
526	Characterization of Surface Properties, Osteoblast Cell Culture in Vitro and Processing with Flow-Viscosity of Ni-Free Ti-Based Bulk Metallic Glass for Biomaterials. <i>Journal of Biomechanical Science and Engineering</i> , 2009, 4, 384-391.	0.1	16
527	High Glass-Forming Ability and Unusual Deformation Behavior of New Zr-Cu-Fe-Al Bulk Metallic Glasses. <i>Materials Science Forum</i> , 0, 654-656, 1042-1045.	0.3	16
528	Formation and properties of two-phase bulk metallic glasses by spark plasma sintering. <i>Journal of Alloys and Compounds</i> , 2011, 509, S214-S218.	2.8	16
529	Improved plasticity of iron-based high-strength bulk metallic glasses by copper-induced nanocrystallization. <i>Journal of Non-Crystalline Solids</i> , 2011, 357, 3002-3005.	1.5	16
530	Study on continuous casting of bulk metallic glass. <i>Materials Letters</i> , 2011, 65, 2257-2260.	1.3	16
531	Dual-phase nanostructuring as a route to flexible nanoporous metals with outstanding comprehensive mechanical properties. <i>Science China Materials</i> , 2021, 64, 2289-2304.	3.5	16
532	Quasicrystalline and Related Crystalline Phases in Al-Pd-Fe System. <i>Materials Transactions, JIM</i> , 1993, 34, 155-161.	0.9	15
533	Production of Zr-Based Bulk Glassy Alloys with High Strength and High Toughness and Their Applications to Golf Clubs.. <i>Materia Japan</i> , 1999, 38, 251-253.	0.1	15
534	Behavior of electrical resistivity through glass transition in Pd <sub>40</sub> Cu <sub>30</sub> Ni <sub>10</sub> P <sub>20</sub> metallic glass. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001, 304-306, 740-742.	2.6	15
535	Developments of Aluminum- and Magnesium-Based Nanophase High-Strength Alloys by Use of Melt Quenching-Induced Metastable Phase. <i>Materials Transactions</i> , 2002, 43, 2006-2016.	0.4	15
536	Fabrication of Bulk Glassy Hf <sub>50</sub> Cu <sub>30</sub> Ni <sub>10</sub> Al <sub>10</sub> Alloy by Copper Mold Casting. <i>Materials Transactions</i> , 2002, 43, 2357-2359.	0.4	15
537	Influence of thermal conductivity on the glass-forming ability of Ni-based and Cu-based alloys. <i>Applied Physics Letters</i> , 2006, 88, 251902.	1.5	15
538	Ultrasonic properties of Cu <sub>45</sub> Zr <sub>(45-x)</sub> Hf <sub>x</sub> Ag <sub>10</sub> glassy alloys. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2006, 203, 3685-3691.	0.8	15
539	Unusual Plasticity of the Particulate-Reinforced Cu-Zr-Based Bulk Metallic Glass Composites. <i>Materials Transactions</i> , 2007, 48, 2542-2544.	0.4	15
540	Transition from Plasticity to Brittleness in Cu-Zr-Based Bulk Metallic Glasses. <i>Materials Transactions</i> , 2007, 48, 1272-1275.	0.4	15

#	ARTICLE	IF	CITATIONS
541	Thermal stability and magnetic properties of (Fe, Co) $\text{Ga}$ (P, C, B, Si) bulk glassy alloys. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 449-451, 356-359.	2.6	15
542	Surface characteristics of high corrosion resistant Ni $\text{Nb}$ Zr $\text{Ti}$ Ta glassy alloys for nuclear fuel reprocessing applications. <i>Electrochemistry Communications</i> , 2008, 10, 1408-1410.	2.3	15
543	Synthesis of Ti-Based Glassy Alloy/Hydroxyapatite Composite by Spark Plasma Sintering. <i>Materials Transactions</i> , 2008, 49, 502-505.	0.4	15
544	Densification of Gas Atomized Ni-Based Metallic Glassy Powders by Spark Plasma Sintering. <i>Materials Transactions</i> , 2009, 50, 1273-1278.	0.4	15
545	Effects of B and Si contents on glass-forming ability and soft-magnetic properties in (Co $_{0.89}$ Fe $_{0.057}$ Nb $_{0.053}$ ) $_{100-x}$ (B $_{0.8}$ Si $_{0.2}$ ) $_x$ glassy alloys. <i>Journal of Applied Physics</i> , 2010, 107, .	1.1	15
546	New nickel-based bulk metallic glasses with extremely high nickel content. <i>Journal of Alloys and Compounds</i> , 2010, 489, 80-83.	2.8	15
547	Enhancement of glass-forming ability and corrosion resistance of Zr-based Zr-Ni-Al bulk metallic glasses with minor addition of Nb. <i>Journal of Applied Physics</i> , 2011, 110, 023513.	1.1	15
548	Glass Formation, Chemical Properties and Surface Analysis of Cu-Based Bulk Metallic Glasses. <i>International Journal of Molecular Sciences</i> , 2011, 12, 2275-2293.	1.8	15
549	Atomic structure changes and phase transformation behavior in Pd $\text{Si}$ bulk glass-forming alloy. <i>Intermetallics</i> , 2012, 20, 135-140.	1.8	15
550	Zr-based bulk metallic glass composite with in situ precipitated nanocrystals. <i>Journal of Alloys and Compounds</i> , 2014, 586, 155-158.	2.8	15
551	Structure and mechanical properties of Al-6.3mass%Fe-3.8mass%Cr-3.3mass%Ti P/M alloys containing quasicrystals.. <i>Keikinzoku/Journal of Japan Institute of Light Metals</i> , 1998, 48, 263-268.	0.1	14
552	Formation, Thermal Stability and Mechanical Properties of New Amorphous Al $\text{Fe}$ Zr Alloy. <i>Materials Transactions, JIM</i> , 1998, 39, 866-869.	0.9	14
553	Viscosity Measurements for La-Al-Ni liquid Alloys by an Oscillating Crucible Method. <i>Materials Research Society Symposia Proceedings</i> , 1998, 554, 63.	0.1	14
554	Nano-icosahedral quasicrystalline phase formation from a supercooled liquid state in Zr $\text{Fe}$ Ni ternary metallic glass. <i>Applied Physics Letters</i> , 2000, 76, 3037-3039.	1.5	14
555	Effect of Zn addition on the crystallization process in Zr $_{65}$ Al $_{7.5}$ Ni $_{10}$ Cu $_{17.5}$ metallic glass. <i>Journal of Alloys and Compounds</i> , 2001, 325, 230-235.	2.8	14
556	Thermal Stability and Mechanical Properties of Cu-Hf-Al Base Bulk Glassy Alloys with a Large Supercooled Liquid Region of Over 100 K. <i>Materials Transactions</i> , 2003, 44, 2346-2349.	0.4	14
557	Glass Transition Behavior and Mechanical Properties of Ni-Si-B-Based Glassy Alloys. <i>Materials Transactions</i> , 2003, 44, 1425-1428.	0.4	14
558	Soft magnetic properties of bulk nanocrystalline Fe $\text{Co}$ B $\text{Si}$ NbCu alloy with high saturated magnetization of 1.35 T. <i>Journal of Materials Research</i> , 2004, 19, 2549-2552.	1.2	14



#	ARTICLE	IF	CITATIONS
559	Comparative Study on Glassy Phase Stabilities of Zr–Co–Al and Zr–Ni–Al Metallic Glasses. <i>Materials Transactions</i> , 2005, 46, 2785-2790.	0.4	14
560	Microstructural Changes during Microwave Heating of Ni <sub>52.5</sub> Zr <sub>15</sub> Nb <sub>10</sub> Ti <sub>15</sub> Pt <sub>7.5</sub> Metal Glasses. <i>Materials Transactions</i> , 2007, 48, 632-634.	0.4	14
561	Deformation-Induced Nanoscale Dynamic Transformation Studies in Zr-Al-Ni-Pd and Zr-Al-Ni-Cu Bulk Metallic Glasses. <i>Materials Transactions</i> , 2007, 48, 1327-1335.	0.4	14
562	Effect of ball-milling and shot-peening on Zr <sub>55</sub> Al <sub>10</sub> Ni <sub>5</sub> Cu <sub>30</sub> alloys. <i>Journal of Alloys and Compounds</i> , 2007, 430, 97-101.	2.8	14
563	Glass-forming ability and crystallization behavior of some binary and ternary Ni-based glassy alloys. <i>Journal of Alloys and Compounds</i> , 2008, 460, 409-413.	2.8	14
564	Cap casting and enveloped casting techniques for Zr <sub>55</sub> Cu <sub>30</sub> Ni <sub>5</sub> Al <sub>10</sub> glassy alloy rod with 32 mm in diameter. <i>Journal of Physics: Conference Series</i> , 2009, 144, 012043.	0.3	14
565	Effects of growing integrated layer [GIL] formation on bonding behavior between hydroxyapatite ceramics and Ti-based bulk metallic glasses via hydrothermal hot-pressing. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2009, 161, 27-30.	1.7	14
566	Friction Stir Welding of Zr <sub>55</sub> Cu <sub>30</sub> Ni <sub>5</sub> Al <sub>10</sub> Bulk Metallic Glass. <i>Materials Transactions</i> , 2009, 50, 1300-1303.	0.4	14
567	Composition Control of Pd-Cu-Si Metallic Glassy Alloys for Thin Film Hydrogen Sensor. <i>Materials Transactions</i> , 2010, 51, 2133-2138.	0.4	14
568	Thermal stability, mechanical properties and nano-imprint ability of Pd-Cu-Ni-P glassy alloy thin film. <i>Intermetallics</i> , 2010, 18, 1969-1972.	1.8	14
569	Glass-forming ability and soft magnetic properties of (Co <sub>0.6</sub> Fe <sub>0.3</sub> Ni <sub>0.1</sub> ) <sub>67</sub> B <sub>22+x</sub> Si <sub>6</sub> Nb <sub>5</sub> bulk glassy alloys. <i>Journal of Alloys and Compounds</i> , 2011, 509, S206-S209.	2.8	14
570	Nanoimprinting of Metallic Glass for Periodic Nano-Hole Structures with Dies Fabricated by FIB-CVD and RIE. <i>Materials Transactions</i> , 2011, 52, 239-242.	0.4	14
571	Origin of abnormal glass transition behavior in metallic glasses. <i>Intermetallics</i> , 2014, 49, 52-56.	1.8	14
572	Phase Transformation of Zr <sub>65</sub> Cu <sub>27.5</sub> Al <sub>7.5</sub> Metallic Glass. <i>Materials Transactions, JIM</i> , 1999, 40, 1117-1122.	0.9	13
573	A New Method for Producing Amorphous Alloy Wires. <i>Materials Transactions, JIM</i> , 2000, 41, 1463-1466.	0.9	13
574	Recent Development of Highly Corrosion Resistant Bulk Glassy Alloys. <i>Materials Science Forum</i> , 2005, 502, 225-230.	0.3	13
575	Preparation and mechanical properties of dispersed-ZrN glassy composite alloys containing pores. <i>Acta Materialia</i> , 2006, 54, 3221-3226.	3.8	13
576	Local structure characterization in quasicrystal-forming Zr <sub>80</sub> Pt <sub>20</sub> binary amorphous alloy. <i>Applied Physics Letters</i> , 2007, 91, 111901.	1.5	13

#	ARTICLE	IF	CITATIONS
577	Microstructure and Mechanical Properties of Porous Zr <sub>55</sub> Cu <sub>30</sub> Al <sub>10</sub> Ni <sub>5</sub> Bulk Metallic Glass Fabricated by Spark Plasma Sintering Process. <i>Materials Transactions</i> , 2007, 48, 1589-1594.	0.4	13
578	Mechanical properties of porous bulk glassy alloy prepared in high-pressure hydrogen atmosphere. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 449-451, 958-961.	2.6	13
579	Correlation between local structure and stability of supercooled liquid state in Zr-based metallic glasses. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 449-451, 90-94.	2.6	13
580	The Development of Structure Model in Metallic Glasses. <i>Materials Research</i> , 2017, 20, 326-338.	0.6	13
581	Development and Applications of Late Transition Metal Bulk Metallic Glasses. , 2008, , 1-25.		13
582	Consolidation and Their Mechanical Properties of Amorphous Mg <sub>87.5</sub> Cu <sub>5</sub> Y <sub>7.5</sub> and Mg <sub>70</sub> Ca <sub>10</sub> Al <sub>20</sub> Powders Produced by High Pressure Gas Atomization. <i>Materials Transactions, JIM</i> , 1995, 36, 977-981.	0.9	12
583	Micro structure of nanocrystalline Fe-Nb-Pr-B alloys produced by crystallization of amorphous phase. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1997, 226-228, 520-525.	2.6	12
584	High-strength bulk nanocrystalline alloys in a Zr-based system containing compound and glassy phases. <i>Journal of Non-Crystalline Solids</i> , 1999, 250-252, 724-728.	1.5	12
585	Precipitation of icosahedral quasicrystalline phase in metallic Zr <sub>65</sub> Al <sub>7.5</sub> Ni <sub>5</sub> Cu <sub>17.5</sub> Re <sub>5</sub> glass. <i>Materials Letters</i> , 2001, 50, 318-321.	1.3	12
586	Factors influencing glass formation in rapidly solidified Si <sub>35</sub> Ge <sub>45</sub> Ni <sub>10</sub> and Si <sub>35</sub> Ge <sub>45</sub> Ni <sub>10</sub> Nd <sub>10</sub> alloys. <i>Applied Physics Letters</i> , 2002, 80, 1556-1558.	1.5	12
587	Electrochemical and Thermal Properties of Hydrogen-absorbed Mg <sub>67</sub> Ni <sub>28</sub> Pd <sub>5</sub> Amorphous Alloy. <i>Journal of Materials Research</i> , 2002, 17, 60-64.	1.2	12
588	Discharge capacities of melt-spun Mg <sub>65</sub> Ni <sub>15</sub> Pd <sub>20</sub> amorphous alloys. <i>Journal of Alloys and Compounds</i> , 2003, 358, 173-176.	2.8	12
589	Effect of Hydrogen Absorption on the Electrical Resistance of Melt-Spun Mg-Pd and Mg-Ni-Pd Amorphous Alloys. <i>Materials Transactions</i> , 2004, 45, 1367-1370.	0.4	12
590	Observation of linear defects in Al particles below 7 nm in size. <i>Journal of Materials Research</i> , 2006, 21, 1347-1350.	1.2	12
591	Bulk Metallic Glass Formation near a Quaternary Cu-Zr-Ti-Al Eutectic Point. <i>Materials Transactions</i> , 2006, 47, 2804-2807.	0.4	12
592	Effect of B to Si concentration ratio on glass-forming ability and soft-magnetic properties in (Co <sub>0.705</sub> Fe <sub>0.045</sub> B <sub>0.25</sub> ) <sub>96</sub> Nb <sub>4</sub> glassy alloys. <i>Journal of Applied Physics</i> , 2007, 101, 09N101.	1.1	12
593	Crystallization and Embrittlement Behavior of a Zr <sub>55</sub> Al <sub>10</sub> Ni <sub>5</sub> Cu <sub>30</sub> Metallic Glass Having Different Si and O Contents. <i>Materials Transactions</i> , 2007, 48, 821-825.	0.4	12
594	Mechanical Property and Corrosion Resistance Evaluations of Ti-6Al-7Nb Alloy Brazed with Bulk Metallic Glasses. <i>Materials Transactions</i> , 2007, 48, 2235-2243.	0.4	12

#	ARTICLE	IF	CITATIONS
595	Synthetic relationship between titanium and alloying elements in designing Ni-free Ti-based bulk metallic glass alloys. Applied Physics Letters, 2007, 91, 053106.	1.5	12
596	Process development of metallic glass wires by a groove quenching technique for production of coil springs. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2007, 449-451, 248-252.	2.6	12
597	Corrosion behavior of a glassy Ti—Zr—Hf—Cu—Ni—Si alloy. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2007, 449-451, 557-560.	2.6	12
598	Gd—Ni—Al bulk glasses with great glass-forming ability and better mechanical properties. Journal of Materials Science, 2007, 42, 8662-8666.	1.7	12
599	Influences of Temperature and Strain Rate on Mechanical Behavior of a Cu <sub>45</sub> Zr <sub>45</sub> Al <sub>5</sub> Ag <sub>5</sub> Bulk Glassy Alloy. Materials Transactions, 2008, 49, 513-517.		12
600	Two-stage-like glass transition and the glass-forming ability of a soft magnetic Fe-based glassy alloy. Journal of Applied Physics, 2009, 105, 053518.	1.1	12
601	Effect of Sn on microwave-induced heating and sintering of Ni-based metallic glassy alloy powders. Intermetallics, 2009, 17, 274-277.	1.8	12
602	Formation and thermal stability of new Zr—Cu-based bulk glassy alloys with unusual glass-forming ability. Journal of Alloys and Compounds, 2009, 483, 112-115.	2.8	12
603	Plastic Working of Metallic Glass Bolts by Cold Thread Rolling. Materials Transactions, 2011, 52, 243-249.	0.4	12
604	Fabrication of nanodot array mold with 2 Tdot/in.2 for nanoimprint using metallic glass. Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics, 2012, 30, .	0.6	12
605	Formation and stability of quasicrystals.. Bulletin of the Japan Institute of Metals, 1990, 29, 782-788.	0.1	11
606	Structural relaxation of aluminum-lanthanide metal-transition metal amorphous alloys upon low temperature annealing. Journal of Non-Crystalline Solids, 1991, 127, 233-241.	1.5	11
607	Structural analysis of amorphous Zr—Y—Al—Ni alloy by anomalous X-ray scattering. Journal of Non-Crystalline Solids, 1995, 192-193, 376-379.	1.5	11
608	Synthesis of ZrC/Zr <sub>55</sub> Al <sub>10</sub> Ni <sub>5</sub> Cu <sub>30</sub> metallic-glass matrix composite powders by high pressure gas atomization. Scripta Materialia, 2000, 43, 1119-1124.	2.6	11
609	Precipitation of nanoscale icosahedral quasicrystalline phase in Hf—Cu amorphous alloy promoted by the addition of Ni. Materials Letters, 2001, 51, 203-207.	1.3	11
610	Precipitation of Nano-Scale Icosahedral Quasicrystalline Phase in Amorphous Hf <sub>73</sub> Pd <sub>27</sub> Alloy. Materials Transactions, 2001, 42, 176-178.	0.4	11
611	In-situ observaton of the early stage of crystallization in undercooled Pd-Cu-Ni-P melt. Scripta Materialia, 2001, 44, 1261-1267.	2.6	11
612	Precipitation of icosahedral quasicrystalline and crystalline approximant phases in Zr—Cu—(Co, Rh or Tj) ETQq0 0,0 rgBT /Qverlock 10	1.5	11

#	ARTICLE	IF	CITATIONS
613	Systematic measurement of thermal diffusivity of Pd <sub>40</sub> Cu <sub>40</sub> xNi <sub>x</sub> P <sub>20</sub> (x=0,10,40) alloys in liquid, glassy, crystallized, and supercooled liquid states by the laser flash method. <i>Physical Review B</i> , 2004, 70, .	1.1	11
614	High strength and ductile bulk Ti-Ni-Cu-Nb alloy with submicron-size structure units obtained by arc-melting. <i>Journal of Alloys and Compounds</i> , 2004, 375, 171-174.	2.8	11
615	Preparation and properties study of bulk Fe <sub>75.5</sub> Ga <sub>3</sub> P <sub>10.5</sub> C <sub>4</sub> B <sub>4</sub> Si <sub>3</sub> metallic glass ring by copper mold casting. <i>Intermetallics</i> , 2004, 12, 1261-1264.	1.8	11
616	Undercooling Behavior and Critical Cooling Rate of Pd-Pt-Cu-P Alloy. <i>Materials Transactions</i> , 2005, 46, 2807-2810.	0.4	11
617	Microstructure and Mechanical Properties of (Zr <sub>0.5</sub> Cu <sub>0.4</sub> Al <sub>0.1</sub> ) <sub>100-x</sub> Ta <sub>x</sub> Bulk Metallic Glass Composites. <i>Materials Transactions</i> , 2006, 47, 2571-2575.	0.4	11
618	Shear-Band Deformation in Amorphous Alloys and Composites. <i>Materials Transactions</i> , 2006, 47, 817-821.	0.4	11
619	Fe-Metalloid Metallic Glasses with High Magnetic Flux Density and High Glass-Forming Ability. <i>Materials Science Forum</i> , 2007, 561-565, 1361-1366.	0.3	11
620	Viscous Flow Workability of Ni-Cr-P-B Metallic Glasses Produced by Melt-Spinning in Air. <i>Materials Transactions</i> , 2007, 48, 3176-3180.	0.4	11
621	Microstructure and Corrosion Resistance of Ti-Zr-Cu-Pd-Sn Glassy and Nanocrystalline Alloys. <i>Materials Transactions</i> , 2007, 48, 167-170.	0.4	11
622	Analysis of Bulk Metallic Glass Formation Using a Tetrahedron Composition Diagram that Consists of Constituent Classes Based on Blocks of Elements in the Periodic Table. <i>Materials Transactions</i> , 2007, 48, 1304-1312.	0.4	11
623	Local structure in quasicrystal-forming Zr-based metallic glasses correlated with a stability of the supercooled liquid state. <i>Journal of Non-Crystalline Solids</i> , 2007, 353, 3704-3708.	1.5	11
624	Enhancement of glass-forming ability of FeGaPCB bulk glassy alloy with high saturation magnetization. <i>Intermetallics</i> , 2007, 15, 655-658.	1.8	11
625	Influence of crystallization on the deformation behavior of Zr <sub>55</sub> Al <sub>10</sub> Ni <sub>5</sub> Cu <sub>30</sub> bulk metallic glass in the supercooled liquid region. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 449-451, 243-247.	2.6	11
626	Formation and properties of new Ni-Ta-based bulk glassy alloys with large supercooled liquid region. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008, 485, 690-694.	2.6	11
627	Another clue to understand the yield phenomenon at the glassy state in a Zr <sub>55</sub> Al <sub>10</sub> Ni <sub>5</sub> Cu <sub>30</sub> metallic glass. <i>Materials Letters</i> , 2008, 62, 1592-1594.	1.3	11
628	Thermal conductivity of metallic glassy alloys and its relationship to the glass forming ability and the observed cooling rates. <i>Journal of Materials Research</i> , 2008, 23, 2283-2287.	1.2	11
629	Unusual Glass-Forming Ability of New Zr-Cu-Based Bulk Glassy Alloys Containing an Immiscible Element Pair. <i>Materials Transactions</i> , 2008, 49, 2743-2746.	0.4	11
630	Bioactivity of titanium-based bulk metallic glass surfaces via hydrothermal hot-pressing treatment. <i>Journal of the Ceramic Society of Japan</i> , 2008, 116, 115-117.	0.5	11

#	ARTICLE	IF	CITATIONS
631	Formation and properties of new Cu-based bulk glassy alloys with critical diameters up to 1.5 cm. Journal of Materials Research, 2009, 24, 2935-2940.	1.2	11
632	Structure, mechanical properties and imprint-ability of Pd-Cu-Ni-P glassy alloy thin film prepared by a pulsed-laser deposition method. Journal of Non-Crystalline Solids, 2010, 356, 1542-1545.	1.5	11
633	Structural Relaxation, Glass Transition, Viscous Formability, and Crystallization of Zr-Cu-Based Bulk Metallic Glasses on Heating. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2012, 43, 2642-2648.	1.1	11
634	Class Transition Behavior of Fe-Al-B-Si Amorphous Alloys. Materials Transactions, JIM, 1990, 31, 1021-1027.	0.9	10
635	Microstructure of Rapidly Solidified Al-V-Ce-M (M=Fe, Co or Ni) High Strength Alloys Containing High Volume Fraction of Fine Icosahedral Precipitation. Materials Transactions, JIM, 1995, 36, 1004-1011.	0.9	10
636	Soft-Magnetic Properties of Nanocrystalline bcc Fe-(Nb, Zr)-B Bulk Alloys Consolidated by Warm Extrusion. Materials Transactions, JIM, 1995, 36, 945-951.	0.9	10
637	Effect of Dy Addition on the Thermal Stability and Magnetic Properties of the Fe-Co-Nd-B Amorphous Alloys with Supercooled Liquid Region. Materials Transactions, JIM, 2000, 41, 696-700.	0.9	10
638	Effect of Sn addition on the glass-forming ability in (Cu <sub>40</sub> Ti <sub>30</sub> Ni <sub>15</sub> Zr <sub>10</sub> )(100-x)/95Sn <sub>x</sub> (x = 0, 2, 4, 6 and 8) alloys. Scripta Materialia, 2000, 42, 923-927.	2.6	10
639	Crystallization processes from supercooled liquid of Cu <sub>40</sub> Ti <sub>30</sub> Ni <sub>15</sub> Zr <sub>10</sub> Sn <sub>5</sub> and Zr <sub>60</sub> Ni <sub>25</sub> Al <sub>15</sub> amorphous alloys. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2001, 304-306, 380-384.	2.6	10
640	Modeling of stress-strain curves for Pd <sub>40</sub> Ni <sub>10</sub> Cu <sub>30</sub> P <sub>20</sub> glass alloy under constant strain-rate deformation. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2001, 304-306, 758-762.	2.6	10
641	Nano icosahedral phase formation by crystallization of Zr-based ternary glassy alloys. Scripta Materialia, 2001, 44, 1245-1249.	2.6	10
642	Thermal Stability and Soft Magnetic Properties of (Fe, Co)-(Nd, Dy)-B Glassy Alloys with High Boron Concentrations. Materials Transactions, 2002, 43, 1974-1978.	0.4	10
643	Formation, Thermal Stability and Mechanical Properties of Aluminum-Based Glassy Alloys Containing Boron. Materials Transactions, 2004, 45, 1204-1209.	0.4	10
644	Microforming of Bulk Metallic Glasses: Constitutive Modelling and Applications. Materials Transactions, 2004, 45, 1228-1232.	0.4	10
645	Characteristics of Shear Bands and Fracture Surfaces of Zr <sub>65</sub> Al <sub>7.5</sub> Ni <sub>10</sub> Pd <sub>17.5</sub> Bulk Metallic Glass. Materials Transactions, 2005, 46, 2870-2874.	0.4	10
646	Fabrication of Fe-Based Glassy Cores with High Saturation Magnetization and Good Soft Magnetic Properties by Spark Plasma Sintering. Materials Science Forum, 2005, 475-479, 3397-3400.	0.3	10
647	Ultrasonic attenuation properties of glassy alloys in views of complex viscoelasticity. Applied Physics Letters, 2007, 90, 131902.	1.5	10
648	Elastic Properties of Pd-Based Bulk Metallic Glasses Studied by Ultrasound Spectroscopy. Japanese Journal of Applied Physics, 2008, 47, 3807-3810.	0.8	10

#	ARTICLE	IF	CITATIONS
649	Effect of B addition to hypereutectic Ti-based alloys. Journal of Alloys and Compounds, 2009, 474, 131-133.	2.8	10
650	Interfacial Microstructure and Thermal Stability of Zr <sub>55</sub> Cu <sub>30</sub> Ni <sub>5</sub> Al <sub>10</sub> Metallic Glass Joints Formed by Ultrasonic Bonding. Materials Transactions, 2009, 50, 1263-1268.		10
651	Enhanced glass-forming ability of FeCoBSiNb bulk glassy alloys prepared using commercial raw materials through the optimization of Nb content. Journal of Applied Physics, 2010, 107, 09A315.	1.1	10
652	Enhancement of soft magnetic properties of FeCoNbB nanocrystalline alloys with Cu and Ni additions. Thin Solid Films, 2011, 519, 8280-8282.	0.8	10
653	Structural relaxation and crystallization processes in Cu <sub>55</sub> Hf <sub>25</sub> Ti <sub>15</sub> Pd <sub>5</sub> metallic glassy alloy. Intermetallics, 2012, 23, 177-181.	1.8	10
654	Ductile Fe-based bulk metallic glasses at room temperature. Materials Science and Technology, 2018, 34, 751-756.	0.8	10
655	Preparation of a new Al-Cu-Ru quasicrystal with large grain sizes by rapid solidification. Journal of Materials Science Letters, 1989, 8, 253-256.	0.5	9
656	Properties of Bulk Materials Produced by Extrusion of Amorphous Alloy Powders in Al-Ni-R(R=Y, Mn). Powder Metallurgy, 1991, 38, 953-956.	0.1	9
657	The influence of cooling rate on the formation of an amorphous phase in Si-based multicomponent alloys and its thermal stability. Materials Research Bulletin, 1999, 34, 1165-1172.	2.7	9
658	Increase in Thermal Stability of Mg <sub>62</sub> Ni <sub>33</sub> Ca <sub>5</sub> Amorphous Alloy by Absorption of Hydrogen. Materials Transactions, JIM, 2000, 41, 1486-1489.	0.9	9
659	Nanocrystal reinforced Hf <sub>60</sub> Ti <sub>15</sub> Ni <sub>15</sub> Cu <sub>10</sub> metallic glass by melt-spinning. Journal of Alloys and Compounds, 2003, 352, 265-269.	2.8	9
660	Nanocrystalline structure and Mechanical Properties of Vapor Quenched Al-Zr-Fe Alloy Sheets Prepared by Electron-Beam Deposition. Materials Transactions, 2003, 44, 1948-1954.	0.4	9
661	Microstructure of tensile fracture in nanicosahedral quasicrystal dispersed Zr <sub>80</sub> Pt <sub>20</sub> amorphous alloy. Scripta Materialia, 2004, 50, 1297-1301.	2.6	9
662	Formation, Crystallized Structure and Magnetic Properties of Fe-Pt-B Amorphous Alloys. Materials Transactions, 2005, 46, 891-894.	0.4	9
663	Thermal Elasticity in Glassy Alloys based on Topology of Metallic Clusters. Applied Physics Letters, 2007, 91, 171908.	1.5	9
664	High Specific Strength and Improved Ductility of Bulk (Mg <sub>0.65</sub> Cu <sub>0.25</sub> Gd <sub>0.1</sub> ) <sub>100</sub> Metallic Glass Composites. Materials Transactions, 2007, 48, 3193-3196.		9
665	Formation and Properties of New La-Based Bulk Glassy Alloys with Diameters up to Centimeter Order. Materials Transactions, 2007, 48, 68-73.	0.4	9
666	Softening and heating behaviors during the nonlinear viscous flow in a Zr-based bulk metallic glass. Journal of Non-Crystalline Solids, 2007, 353, 3764-3768.	1.5	9

#	ARTICLE	IF	CITATIONS
667	Effect of Cr Addition on the Glass-Forming Ability, Magnetic, Mechanical and Corrosion Properties of (Fe <sub>0.76</sub> Si <sub>0.096</sub> B <sub>0.096</sub> P <sub>0.048</sub> ) <sub>100-x</sub> Cr <sub>x</sub> Bulk Glassy Alloys. Materials Transactions, 2008, 49, 2887-2890.		
668	Improvement of Plasticity in Pd Containing Zr-Al-Ni-Cu Bulk Metallic Glass by Deformation-Induced Nano Structure Change. Materials Transactions, 2008, 49, 2732-2736.	0.4	9
669	Tailoring Thermally Induced Nano-Quasicrystallization and Deformation-Assisted Nanocrystallization for Mechanical Property Improvement in Zr-Al-Ni-Cu-Pd Bulk Metallic Glasses. Materials Transactions, 2009, 50, 2079-2086.	0.4	9
670	Mechanical Properties of Soft Magnetic (Fe <sub>0.76</sub> Si <sub>0.096</sub> B <sub>0.084</sub> P <sub>0.064</sub> ) <sub>100-x</sub> Cr <sub>x</sub> Bulk Glassy Alloys. Materials Transactions, 2009, 50, 1286-1289.		
671	Development of novel metallic glass/polymer composite materials by microwave heating in a separated H-field. Materials Letters, 2010, 64, 235-238.	1.3	9
672	Glassy alloy composites for bit-patterned-media. Journal of Alloys and Compounds, 2011, 509, S145-S147.	2.8	9
673	The formation of decagonal and icosahedral phases in Al <sub>75</sub> Pd <sub>25</sub> Crx (x = 3 at.%) quasicrystals. Journal of Applied Physics, 1991, 69, 2728-2730.	1.1	8
674	Crystallization mechanism and stabilization of supercooled liquid during heating in Zr-Cu based metallic glasses. Scripta Metallurgica Et Materialia, 1993, 29, 657-661.	1.0	8
675	Soft magnetic properties of bulk nanocrystalline Fe-(Nb, Zr, Hf)-B alloys produced by extruding amorphous powders. Journal of Magnetism and Magnetic Materials, 1996, 162, 95-102.	1.0	8
676	Chapter 161 Amorphous, quasicrystalline and nanocrystalline alloys in Al- and Mg-based systems. Fundamental Theories of Physics, 1997, , 83-219.	0.1	8
677	New Amorphous Alloys in Al-Ti Binary System. Materials Transactions, JIM, 1998, 39, 773-777.	0.9	8
678	The structure and phase transformation behavior of rapidly solidified alloys in the Ge-Al-La system. Materials Research Bulletin, 1999, 34, 1991-2001.	2.7	8
679	Ge-Al-Cr-La amorphous alloys containing crystalline-like zones. Scripta Materialia, 1999, 11, 115-123.	0.5	8
680	Bulk Amorphous FC20 (Fe-C-Si) Cast Iron with Small Addition of B. Materials Transactions, JIM, 1999, 40, 634-642.	0.9	8
681	Synthesis of Fe-Co-Nd-B Amorphous Alloys with Glass Transition and their Crystallization-Induced Hard Magnetic Properties. Materials Transactions, JIM, 1999, 40, 1123-1129.	0.9	8
682	Growth of a Single Al <sub>64</sub> Cu <sub>23</sub> Fe <sub>13</sub> Icosahedral Quasicrystal Using the Czochralski Method and Annealing Removal of Strains. Materials Transactions, JIM, 2000, 41, 1583-1588.	0.9	8
683	Hard Magnetic Properties and Nanocrystallized Structure of Fe <sub>66.5</sub> Co <sub>10</sub> Pr <sub>3.5</sub> B <sub>20</sub> Glassy Alloy. Materials Transactions, 2001, 42, 1543-1546.	0.4	8
684	Initial crystallization processes of Zr-Cu-Rh metallic glasses. Journal of Physics Condensed Matter, 2001, 13, L803-L809.	0.7	8

#	ARTICLE	IF	CITATIONS
685	Calculations of Crystallization Temperature of Multicomponent Metallic Glasses. <i>Materials Transactions</i> , 2002, 43, 2275-2284.	0.4	8
686	Microstructure and Mechanical Properties of Cr, Mo, Fe, Ta Modified Pd-Ni-Cu-P Glassy Alloys Prepared by Copper-Mold Casting. <i>Materials Transactions</i> , 2003, 44, 188-196.	0.4	8
687	Synthesis and Thermal Stability of New Ni-Based Bulk Glassy Alloy with Excellent Mechanical Properties. <i>Materials Transactions</i> , 2006, 47, 2358-2362.	0.4	8
688	Hydrogen Permeation of Ni-Nb-Zr Metallic Glasses in a Supercooled Liquid State. <i>Materials Transactions</i> , 2006, 47, 2991-2996.	0.4	8
689	Tailoring the magnetic properties of mechanically hardest Co-Fe-Ta-B glassy thin films. <i>Journal of Applied Physics</i> , 2007, 101, 09N502.	1.1	8
690	Formation of a Ni-Based Glassy Alloy in Centimeter Scale. <i>Materials Transactions</i> , 2007, 48, 1355-1358.	0.4	8
691	Mechanical properties and corrosion behavior of (Cu <sub>0.6</sub> Hf <sub>0.25</sub> Ti <sub>0.15</sub> ) <sub>90</sub> Nb <sub>10</sub> bulk metallic glass composites. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 449-451, 230-234.	2.6	8
692	Magneto-thermo-gravimetric technique to investigate the structural and magnetic properties of Fe-B-Nb-Y Bulk Metallic Glass. <i>Journal of Physics: Conference Series</i> , 2009, 144, 012074.	0.3	8
693	Ti-Based Bulk Metallic Glasses for Biomedical Applications. , 0, , .		8
694	Preparation of nanoporous Sn-doped TiO <sub>2</sub> anode material for lithium-ion batteries by a simple dealloying method. <i>Ionics</i> , 2020, 26, 4363-4372.	1.2	8
695	Microstructure and mechanical properties of TC4 joints brazed with Ti-Zr-Cu-Sn amorphous filler alloy. <i>Rare Metals</i> , 2021, 40, 1881-1889.	3.6	8
696	Structural homology of the strength for metallic glasses. <i>Journal of Materials Science and Technology</i> , 2021, 81, 123-130.	5.6	8
697	Stable decagonal and icosahedral quasicrystals. <i>Journal of Non-Crystalline Solids</i> , 1990, 117-118, 824-827.	1.5	7
698	Elastic and viscous behavior of an amorphous Zr <sub>33</sub> Y <sub>27</sub> Al <sub>15</sub> Ni <sub>25</sub> alloy with a two-stage glass transition. <i>Materials Letters</i> , 1993, 16, 108-112.	1.3	7
699	The observation of mechanical relaxation in a quasicrystalline Al <sub>75</sub> Cu <sub>15</sub> V <sub>10</sub> alloy. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1994, 181-182, 781-784.	2.6	7
700	Microstructure and elevated-temperature strength of P/M Al-(Cr or Mn)-Fe-(Ti or V) quaternary alloys containing quasicrystalline phase.. <i>Keikinzoku/Journal of Japan Institute of Light Metals</i> , 1998, 48, 494-500.	0.1	7
701	Preparation and Soft Magnetic Properties of Fe-P-B-Ge Amorphous Alloys. <i>Materials Transactions, JIM</i> , 1999, 40, 1444-1449.	0.9	7
702	Ti-Containing Zr Based Bulk Amorphous/Nanocrystalline Composite Alloys. <i>Materials Transactions, JIM</i> , 2000, 41, 1467-1470.	0.9	7



#	ARTICLE	IF	CITATIONS
703	Nano Icosahedral Quasicrystalline Phase in Zr <sub>65</sub> Al <sub>7.5</sub> Ni <sub>10</sub> Ag <sub>17.5</sub> Quaternary Glassy Alloy. Materials Transactions, 2001, 42, 1493-1496.	0.4	7
704	Change in local atomic structure during formation of the icosahedral quasicrystalline phase in Zr <sub>70</sub> Pd <sub>30</sub> glassy alloy. Journal of Materials Research, 2001, 16, 3046-3049.	1.2	7
705	Formation of Zr <sub>70</sub> Ni <sub>23</sub> Ti <sub>7</sub> Glassy Alloy and Phase Transformation upon Annealing. Journal of Materials Research, 2002, 17, 693-696.	1.2	7
706	New V <sub>45</sub> Zr <sub>20</sub> Ni <sub>20</sub> Cu <sub>10</sub> Al <sub>2.5</sub> Pd <sub>2.5</sub> Glassy Alloy Powder with Wide Supercooled Liquid Region. Materials Transactions, 2002, 43, 770-772.	0.4	7
707	Crystallization and Magnetic Properties of Fe <sub>40</sub> Co <sub>40</sub> Cu <sub>0.5</sub> Al <sub>2</sub> Zr <sub>9</sub> Si <sub>4</sub> B <sub>4.5</sub> and Fe <sub>62</sub> Co <sub>9.5</sub> Gd <sub>3.5</sub> Si <sub>10</sub> B <sub>15</sub> Amorphous Alloys. Materials Transactions, 2003, 44, 1562-1565.	0.4	7
708	Production of Glassy Coil Springs by Warm Coiling of Zr-based Glassy Alloy Wires. Materials Transactions, 2004, 45, 2788-2790.	0.4	7
709	Ce-Cu-Fe-Al-Si Bulk Metallic Glass Alloys With High Glass Forming Ability. Materials Transactions, 2005, 46, 2541-2544.	0.4	7
710	Change in environmental structure around Al in Zr <sub>60</sub> Ni <sub>25</sub> Al <sub>15</sub> metallic glass upon crystallization studied by nuclear magnetic resonance. Journal of Non-Crystalline Solids, 2005, 351, 3587-3592.	1.5	7
711	Effects of Additional Hf on the Thermal Stability and Mechanical Properties of Cu-Zr-Ag Bulk Glassy Alloys. Materials Transactions, 2006, 47, 1922-1925.	0.4	7
712	Formation and Applications of Bulk Glassy Alloys in Late Transition Metal Base System. AIP Conference Proceedings, 2006, , .	0.3	7
713	Soft Magnetic Bulk Glassy Alloy Synthesized by Flux Melting and Water Quenching. Materials Science Forum, 2007, 539-543, 1921-1925.	0.3	7
714	Role of nanocrystals in ductile Ni-Pd-P metallic glass. Journal of Alloys and Compounds, 2007, 441, 131-134.	2.8	7
715	Investigation of a rapidly solidified Al-based nanocomposite with extremely high number density of precipitates. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2007, 449-451, 1026-1028.	2.6	7
716	Melt-spun L10 Fe-Pt-(Zr, Nb and Ti)-B nanocrystalline alloys with high coercivity. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2007, 449-451, 66-70.	2.6	7
717	Brazing of Cu with Pd-based metallic glass filler. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2008, 148, 128-131.	1.7	7
718	Synthesis, structure and mechanical properties of Zr-Cu-based bulk metallic glass composites. International Journal of Minerals, Metallurgy and Materials, 2010, 17, 208-213.	2.4	7
719	Comparison of Fatigue Strengths of Bulk Metallic Glasses Produced by Tilt Casting and High-Pressure Casting. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2010, 41, 1780-1786.	1.1	7
720	Local atomic structure of Ni <sub>60</sub> Pd <sub>20</sub> P <sub>20</sub> and Ni <sub>60</sub> Pd <sub>20</sub> P <sub>17</sub> B <sub>3</sub> bulk metallic glasses and the origin of glass forming ability. Journal of Alloys and Compounds, 2010, 496, 135-139.	2.8	7

#	ARTICLE	IF	CITATIONS
721	Microwave-Induced Sintering of Cu-Based Metallic Glass Matrix Composites in a Single-Mode 915-MHz Applicator. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2011, 42, 1463-1467.	1.1	7
722	Aluminum-base Amorphous Powders with Flaky Morphology Prepared by a Two-Stage Quenching Technique. <i>Materials Transactions, JIM</i> , 1989, 30, 1033-1043.	0.9	6
723	Experimental Measurements of Nucleation Frequency and Crystal Growth Rate in Pd-Cu-Ni-P Metallic Glass. <i>Materials Research Society Symposia Proceedings</i> , 1998, 554, 125.	0.1	6
724	Effects of Thermal Treatment on Structure of Fe&ndash;Co&ndash;Ni&ndash;Zr&ndash;B Glassy Alloy with a Large Supercooled-Liquid Region Studied by M&ouml;ssbauer Spectroscopy. <i>Materials Transactions, JIM</i> , 2000, 41, 1392-1396.	0.9	6
725	Precipitation of icosahedral quasicrystalline phase in Hf <sub>69.5</sub> Al <sub>7.5</sub> Ni <sub>11</sub> Cu <sub>12</sub> metallic glass. <i>Journal of Materials Research</i> , 2001, 16, 1190-1194.	1.2	6
726	Mechanically Induced Solid-State Reaction for Synthesizing New Multicomponent Ta <sub>55</sub> Zr <sub>10</sub> Ni <sub>10</sub> Al <sub>10</sub> Cu <sub>15</sub> Glassy Alloy Powders with Extremely Wide Supercooled Liquid Region. <i>Materials Transactions</i> , 2002, 43, 1422-1425.	0.4	6
727	Bulk Glassy Fe&ndash;Mo&ndash;Ga&ndash;P&ndash;C&ndash;B&ndash;Si Alloys with High Glass-Forming Ability and Good Soft Magnetic Properties. <i>Materials Transactions</i> , 2005, 46, 2773-2776.	0.4	6
728	Preparation of a Wide Zr <sub>55</sub> Al <sub>10</sub> Ni <sub>5</sub> Cu <sub>30</sub> Metallic Glass Sheet by a Twin-Roller Type Casting Method and Its Mechanical Properties. <i>Materials Transactions</i> , 2006, 47, 1926-1929.	0.4	6
729	Temperature-Time-Transformation Curve and Viscous Flow Deformation of Zr <sub>55</sub> Cu <sub>30</sub> Al <sub>10</sub> Ni <sub>5</sub> Bulk Glassy Alloy. <i>Materials Transactions</i> , 2006, 47, 2308-2311.	0.4	6
730	Ultrasonic characteristics of porous Pd <sub>42.5</sub> Cu <sub>30</sub> Ni <sub>7.5</sub> P <sub>20</sub> glassy alloys. <i>Journal of Applied Physics</i> , 2007, 102, 083502.	1.1	6
731	Effects of additional Ag on the thermal stability and glass-forming ability of La&ldquo;Al&rdquo;Cu bulk glassy alloys. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2008, 148, 119-123.	1.7	6
732	Corrosion properties of Co <sub>43</sub> Fe <sub>20</sub> Ta <sub>5.5</sub> B <sub>31.5</sub> bulk glassy alloy. <i>Journal of Alloys and Compounds</i> , 2008, 460, L11-L13.	2.8	6
733	Microwave Sintering of Ni-Based Bulk Metallic Glass Matrix Composite in a Single-Mode Applicator. <i>Materials Transactions</i> , 2008, 49, 2850-2853.	0.4	6
734	Thermal Stability and Mechanical Properties of Ti <sub>47</sub> Cu <sub>42</sub> Zr <sub>5.3</sub> TM <sub>5.3</sub> (TM) Tj ETQc 49, 498-501.	0.4	6
735	Consolidation Behavior of Cu-Zr-Al Metallic Glass Powder by Spark Plasma Sintering. <i>Materials Science Forum</i> , 2010, 654-656, 1086-1089.	0.3	6
736	Effect of Co concentration on thermal stability and magnetic properties of (Fe,Co)&ldquo;Nb&ldquo;Gd&ldquo;B glassy alloys. <i>Journal of Alloys and Compounds</i> , 2010, 504, S129-S131.	2.8	6
737	Class-forming ability and magnetic properties of CoFeMoYB bulk glassy alloys with large supercooled liquid region. <i>Journal of Alloys and Compounds</i> , 2010, 504, S132-S134.	2.8	6
738	Deformation-induced structural transformation leading to compressive plasticity in Zr <sub>65</sub> Al <sub>7.5</sub> Ni <sub>10</sub> Cu <sub>12.5</sub> M <sub>5</sub> (M = Nb, Pd) glassy alloys. <i>Journal of Materials Research</i> , 2010, 25, 1149-1158.	1.2	6

#	ARTICLE	IF	CITATIONS
739	Influence of laser surface melting treatment on the surface composition and mechanical properties of a Zr <sub>65</sub> Al <sub>7.5</sub> Ni <sub>10</sub> Cu <sub>12.5</sub> Ag <sub>5</sub> bulk metallic glass. <i>Journal of Non-Crystalline Solids</i> , 2018, 488, 63-68.	1.5	6
740	Zr <sub>55</sub> Al <sub>10</sub> Ni <sub>5</sub> Cu <sub>30</sub> amorphous alloy film prepared by magnetron sputtering method. <i>Rare Metals</i> , 2021, 40, 2237-2243.	3.6	6
741	Thermal Stability and Magnetic Properties of Fe&ndash;Co&ndash;Pr&ndash;B Amorphous Alloys with a Supercooled Liquid Region. <i>Materials Transactions, JIM</i> , 2000, 41, 1482-1485.	0.9	5
742	Bulk metallic glasses for industrial products; New structural and functional applications. <i>Materials Research Society Symposia Proceedings</i> , 2003, 806, 41.	0.1	5
743	Amorphous Co-Ni-P Alloys with High Saturation Magnetization Produced by Electrodeposition. <i>Materials Transactions</i> , 2003, 44, 911-916.	0.4	5
744	New Ce-Cu-Al-Zn Bulk Metallic Glasses with High Oxidation Resistance. <i>Materials Transactions</i> , 2006, 47, 2599-2602.	0.4	5
745	Change of Nanostructure in (Fe <sub>0.5</sub> Co <sub>0.5</sub> ) <sub>72</sub> B <sub>20</sub> Si <sub>4</sub> Bulk Metallic Glass on Annealing. <i>Materials Science Forum</i> , 2007, 539-543, 2077-2081.		
746	Alternative Strain Aging Effect for Fatigue of Ductile Bulk Glassy Alloys. <i>Materials Transactions</i> , 2007, 48, 1261-1265.	0.4	5
747	Direct observation of the changes in atomic arrangement of Cu <sub>50</sub> Zr <sub>50</sub> metallic glass during tensile deformation by EXAFS. <i>Journal of Alloys and Compounds</i> , 2007, 434-435, 44-47.	2.8	5
748	Production of bulk glassy alloy foams by high pressure hydrogen. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 447, 254-260.	2.6	5
749	A study of glass-formation, formation of the supercooled liquid and devitrification behavior of Ni-based bulk glass-forming alloys. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 449-451, 198-202.	2.6	5
750	Thermal expansion of an amorphous alloy. Reciprocal-space versus real-space distribution functions. <i>Physica B: Condensed Matter</i> , 2007, 388, 290-293.	1.3	5
751	Synthesis of soft/hard magnetic FePt-based glassy alloys with supercooled liquid region. <i>Journal of Applied Physics</i> , 2008, 104, 103540.	1.1	5
752	Effect of Particle Size Distribution of the Feedstock Powder on the Microstructure of Bulk Metallic Glass Sprayed Coating by HVOF on Aluminum Alloy Substrate. <i>Materials Science Forum</i> , 0, 580-582, 467-470.	0.3	5
753	Strain Rate Dependence of Tensile Behavior in Hypoeutectic Zr-Cu-Al Bulk Metallic Glass. <i>Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals</i> , 2008, 72, 722-727.	0.2	5
754	Bulk metallic glass coating of polymer substrates. <i>Journal of Physics: Conference Series</i> , 2009, 144, 012051.	0.3	5
755	Development of W-Reinforced Zr-Based Metallic Glass. <i>Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals</i> , 2010, 74, 85-88.	0.2	5
756	Microstructure in a Ni <sub>60</sub> Pd <sub>20</sub> P <sub>17</sub> B <sub>3</sub> bulk metallic glass compressively fractured at cryogenic temperature. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010, 528, 391-396.	2.6	5

#	ARTICLE	IF	CITATIONS
757	Effect of Strain Rate on Tensile and Compressive Plastic Deformation of Zr <sub>70</sub> Ni <sub>16</sub> Cu <sub>6</sub> Al <sub>8</sub> Bulk Metallic Glass. <i>Zairyo/Journal of the Society of Materials Science, Japan</i> , 2010, 59, 118-123.	0.1	5
758	Compositional Dependence of the Viscosity of Zr-Cu-Al Alloys in the Supercooled Liquid State. <i>Zairyo/Journal of the Society of Materials Science, Japan</i> , 2010, 59, 124-129.	0.1	5
759	The Effect of Co Addition on Glassy Forming Ability and Soft Magnetic Properties of Fe-Si-B-P Bulk Metallic Glass. <i>Key Engineering Materials</i> , 0, 508, 112-116.	0.4	5
760	Surface modified Ti based metallic glasses for bioactivation by electrochemical treatment technique. <i>Journal of Alloys and Compounds</i> , 2014, 615, S136-S141.	2.8	5
761	Formation Range and Thermal Stability of Cu-rich Cu&ndash;Mg&ndash;Ln (Ln=La, Sm, Eu, Tb,) Tj ETQq1 1 0.784314 rgBT /Ov	0.9	4
762	Faceted Etch Pits Formed on Surfaces of an Icosahedral Al <sub>70</sub> Pd <sub>20</sub> Mn <sub>10</sub> Quasicrystal. <i>Materials Transactions, JIM</i> , 1996, 37, 115-120.	0.9	4
763	Formation of nanocrystalline nuclei in the amorphous phase of Ge <sub>55</sub> Al <sub>30</sub> Cr <sub>10</sub> Y <sub>5</sub> alloy. <i>Materials Letters</i> , 1999, 39, 211-214.	1.3	4
764	A jelly-like ceramic fiber at 1193 K. <i>Materials Research Innovations</i> , 2000, 3, 185-189.	1.0	4
765	The influence of rare earth metals on the structure of some rapidly solidified Ge- and Si-based alloys. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001, 304-306, 505-509.	2.6	4
766	Formation and Mechanical Strength of Bulk Glassy Alloys in Zr-Al-Co-Cu System. <i>Materials Transactions</i> , 2002, 43, 1250-1253.	0.4	4
767	Bulk Glassy Pd-Cu-Ni-Cr-P Alloys Containing Dispersed Nanoparticles Prepared by Copper-Mold Casting. <i>Materials Transactions</i> , 2002, 43, 1737-1740.	0.4	4
768	Structure and transformation behaviour of rapidly solidified Ni&ndash;Al&ndash;Hf alloys. <i>Journal of Alloys and Compounds</i> , 2002, 340, 151-156.	2.8	4
769	Mechanical Properties and Fracture Characteristics of Zr-Based Bulk Metallic Glass Composites Containing Carbon Nanotube Addition. <i>Journal of Materials Research</i> , 2004, 19, 1068-1076.	1.2	4
770	Specific Heat Measurements of Pd-based Alloy in the Liquid State by the Heat-Flux Type DSC with Triple Cells. <i>Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals</i> , 2004, 68, 499-502.	0.2	4
771	Electrical Resistivity Measurements of Pd <sub>40</sub> Cu <sub>30</sub> Ni <sub>10</sub> P <sub>20</sub> Alloy in Supercooled Liquid and Liquid State. <i>Materials Transactions</i> , 2004, 45, 2584-2586.	0.4	4
772	Thermal Stability and Magnetic Properties of Fe&ndash;Nd&ndash;Al Amorphous Alloys. <i>Materials Transactions</i> , 2005, 46, 2844-2847.	0.4	4
773	Primary precipitation of icosahedral quasicrystal with rearrangement of constitutional elements in Zr <sub>65</sub> Al <sub>7.5</sub> Cu <sub>27.5</sub> glassy alloy with low oxygen impurity. <i>Journal of Materials Research</i> , 2005, 20, 303-306.	1.2	4
774	A glance on the glass-transition phenomenon from the viewpoint of devitrification. <i>Journal of Alloys and Compounds</i> , 2007, 434-435, 121-125.	2.8	4

#	ARTICLE	IF	CITATIONS
775	Effect of Al on the local structure and stability of Zr-based metallic glasses. <i>Journal of Alloys and Compounds</i> , 2007, 434-435, 135-137.	2.8	4
776	High glass-forming CeCuFeAlSi bulk metallic glass alloys. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 449-451, 114-117.	2.6	4
777	In situ analysis of the thermal behavior in the Zr-based multi-component metallic thin film by pulsed laser deposition combined with UHV-laser microscope system. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2008, 148, 179-182.	1.7	4
778	Microstructure of Bonding Interface for Resistance Welding of Zr-Based Metallic Glass Sheets. <i>Materials Transactions</i> , 2009, 50, 1259-1262.	0.4	4
779	Effect of Nb on Transformation Kinetics and Mechanical Properties in Zr-Al-Ni-Cu Metallic Glasses. <i>Materials Transactions</i> , 2010, 51, 1188-1193.	0.4	4
780	Bulk Metallic Glassy Composites with Excellent Electrical Conductivity and Enhanced Plasticity Fabricated by Spark Plasma Sintering. <i>Materials Science Forum</i> , 2011, 675-677, 197-200.	0.3	4
781	Interpreting temperature evolution of a bulk-metallic glass during cyclic loading through spatial-temporal modeling. <i>Intermetallics</i> , 2012, 29, 1-13.	1.8	4
782	Pd-Based Multicomponent Nanoporous Metals with Enhanced Electrocatalytic Performance Prepared by Dealloying Metallic Glass. <i>Rare Metal Materials and Engineering</i> , 2015, 44, 54-57.	0.8	4
783	Microstructure of a rapidly solidified 65Al-20Cu-15Fe (at. %) alloy. <i>Journal of Materials Science</i> , 1991, 26, 963-969.	1.7	3
784	Production and Properties of Functionally Gradient Films Varying from Amorphous Al(Ti, N) to Hexagonal Al(Ti)N Phase. <i>Materials Transactions, JIM</i> , 1993, 34, 548-555.	0.9	3
785	Preparation of Ultrafine Al-based Quasicrystalline Particles by Reaction between Nitrogen Plasma and Molten Alloys. <i>Materials Transactions, JIM</i> , 1994, 35, 543-550.	0.9	3
786	Structural Study of Amorphous Fe <sub>89</sub> Nd <sub>7</sub> B <sub>4</sub> and Fe <sub>89</sub> Zr <sub>7</sub> B <sub>4</sub> Alloys by X-ray Diffraction. <i>High Temperature Materials and Processes</i> , 1997, 16, 57-64.	0.6	3
787	High Dynamic Mechanical Strength of Zirconium-Based Bulk Amorphous Alloys. <i>Materials Research Society Symposia Proceedings</i> , 1998, 554, 361.	0.1	3
788	Production and high-strength properties of nonequilibrium bulk aluminum-based alloys.. <i>Keikinzoku/Journal of Japan Institute of Light Metals</i> , 1999, 49, 214-221.	0.1	3
789	Stability and thermodynamics of primary precipitation in supercooled Pd-Cu-Ni-P melt. <i>Journal of Non-Crystalline Solids</i> , 2002, 312-314, 575-580.	1.5	3
790	Etude d'alliages formant des verres métalliques massifs, par rayonnement synchrotron de haute énergie.. <i>Annales De Chimie: Science Des Matériaux</i> , 2002, 27, 107-112.	0.2	3
791	Development of in-house fast X-ray diffraction apparatus and its application to the supercooled liquid Pd <sub>40</sub> Ni <sub>10</sub> Cu <sub>30</sub> P <sub>20</sub> alloy. <i>Science and Technology of Advanced Materials</i> , 2002, 3, 69-73.	2.8	3
792	Measurements of the electrical resistance and the hydrogen depth distribution for Ni <sub>60</sub> Nb <sub>20</sub> Zr <sub>20</sub> amorphous alloy before and after hydrogen charging. <i>Solid State Communications</i> , 2005, 133, 511-513.	0.9	3

#	ARTICLE	IF	CITATIONS
793	Production of Bulk Glassy Alloy Parts by a Levitation Melting-Forging Method. <i>Materials Transactions</i> , 2006, 47, 2072-2075.	0.4	3
794	Devitrification of Hf-Pd-Ni glassy alloy on heating. <i>Thin Solid Films</i> , 2006, 509, 75-80.	0.8	3
795	Internal Friction and Mechanical Strength of Hydrogenated Ti-Rich Multicomponent Glassy Alloys. <i>Key Engineering Materials</i> , 2006, 319, 139-144.	0.4	3
796	Structural Characterization of Cu <sub>50</sub> Zr <sub>45</sub> Ti <sub>5</sub> Glassy Alloy under Thermal Annealing and Electron Irradiation. <i>Materials Science Forum</i> , 2007, 561-565, 2045-2048.	0.3	3
797	Effects of Additional Elements on Structure, Mechanical Strength and Chemical Properties of Ni-Free Ti-Based Bulk Metallic Glasses for Biomaterials. <i>Advanced Materials Research</i> , 2007, 26-28, 785-788.	0.3	3
798	Hot-Press Workability of Ni-based Glassy Alloys in Supercooled Liquid State and Production of the Glassy Alloy Separators for Proton Exchange Membrane Fuel Cell. <i>Funtai Oyobi Fummatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy</i> , 2007, 54, 773-777.	0.1	3
799	Bulk Metallic Glass Formation by Melting Liquid Joining Method. <i>Materials Transactions</i> , 2008, 49, 1419-1422.	0.4	3
800	Class Forming Ability and Mechanical Properties of New Ni-Based Bulk Metallic Glasses. <i>Materials Transactions</i> , 2008, 49, 494-497.	0.4	3
801	Fabrication of Ni-Nb-Sn Metallic Glassy Alloy Powder and its Microwave-Induced Sintering Behavior. <i>Journal of Microwave Power and Electromagnetic Energy</i> , 2008, 43, 17-22.	0.4	3
802	Cast of Bulk Glassy Alloys. <i>Zairyo/Journal of the Society of Materials Science, Japan</i> , 2009, 58, 193-198.	0.1	3
803	Interface Structure between Ti-Based Bulk Metallic Glasses and Hydroxyapatite Ceramics Jointed by Hydrothermal Techniques. <i>Materials Transactions</i> , 2009, 50, 1308-1312.	0.4	3
804	Displacement Behavior Study of the Shear Stress Effect on the Early Viscous Flow Nature of Fe-B-Nb-Y Metallic Glassy Powder in Spark Plasma Sintering. <i>Materials Transactions</i> , 2009, 50, 490-493.	0.4	3
805	Ni-Nb-Sn Bulk Metallic Glass Matrix Composites Fabricated by Microwave-Induced Sintering Process. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2010, 41, 1714-1719.	1.1	3
806	Effect of Nb Concentration on Thermal Stability and Glass-Forming Ability of Soft Magnetic (Fe,Co)-Gd-Nb-B Glassy Alloys. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2010, 41, 1685-1690.	1.1	3
807	Suppression of Crystallization in Ti-Based Alloys by Fluxing. <i>Materials Transactions</i> , 2011, 52, 458-463.	0.4	3
808	Interface stability, growth and morphology of quasicrystals. <i>Journal of Non-Crystalline Solids</i> , 1993, 153-154, 513-518.	1.5	2
809	Cu-Rich Colored Amorphous Alloys in Cu-Mg-Ce System. <i>Materials Transactions, JIM</i> , 1995, 36, 1176-1179.	0.9	2
810	Local Atomic Structures in Amorphous and Quasicrystalline Zr <sub>70</sub> Ni <sub>10</sub> Pt <sub>20</sub> and Zr <sub>80</sub> Pt <sub>20</sub> Alloys by the Anomalous X-ray Scattering Method. <i>Materials Research Society Symposia Proceedings</i> , 2000, 644, 111.	0.1	2

#	ARTICLE	IF	CITATIONS
811	Precipitation of nano-scale icosahedral quasicrystalline phase in amorphous Hf70Ni10Pd20 alloy. Journal of Non-Crystalline Solids, 2001, 289, 163-167.	1.5	2
812	In-house Anomalous X-ray Scattering Analysis for the Amorphous Zr <sub>60</sub> Al <sub>15</sub> Ni <sub>25</sub> Alloy. Materials Transactions, 2001, 42, 1977-1980.	0.4	2
813	Precipitation of nano-scale icosahedral quasicrystalline phase in Hf-Al-Ni-Cu metallic glass promoted by addition of Ti. Scripta Materialia, 2001, 44, 1257-1260.	2.6	2
814	αfŠāfŽçµē™ŕā¼·āŠāfžā,°āfā,ā, āfā•é†ā®é—ç™°. Materia Japan, 2002, 41, 644-649.	0.1	2
815	é†ā±žā,-āf©ā,1āŠā,āāā,āfāfāfāfā,ā,1āé†ā®ā½çæ`èf½ā®ç†±āŠā†çš,,è©•ā¾¼†. Materia Japan, 2003, 42, 418-421.		2
816	A New Soft Magnetic Bulk Metallic Glass with Dual Glass Phases. Materials Transactions, 2003, 44, 2410-2413.	0.4	2
817	Glass Transition T <sub>g</sub> , and Quenched-In Free Volume in Bulk Metallic Glasses Measured by X-Ray Diffraction. Journal of Metastable and Nanocrystalline Materials, 2004, 20-21, 23-28.	0.1	2
818	Application of a Hydrogen Storage Alloy with an Amorphous Phase for Sensing Hydrogen in Water. Chemistry Letters, 2004, 33, 1520-1521.	0.7	2
819	Formation of Large Bulk [(Fe <sub>0.5</sub> Co <sub>0.5</sub> ) <sub>0.75</sub> B <sub>0.20</sub> Si <sub>0.05</sub> ] <sub>96</sub> Nb <sub>4</sub> Glassy Alloy by Flux Melting and Water Quenching. Materials Research Society Symposia Proceedings, 2005, 903, 1.	0.1	2
820	Improved Wear Resistance through Surface Modification of Zr <sub>50</sub> Cu <sub>30</sub> Ni <sub>10</sub> Al <sub>10</sub> Bulk Glassy Alloys. Materials Transactions, 2006, 47, 1999-2005.	0.4	2
821	Thermal Diffusivity of Zr-Based Bulk Glass Alloys in the Liquid State. Materials Transactions, 2007, 48, 886-888.	0.4	2
822	New Pd-based bulk glassy alloys with high glass-forming ability. Journal of Alloys and Compounds, 2007, 434-435, 138-140.	2.8	2
823	Effects of Addition of Al, Ti and Ag on Glass-Forming Ability of Cu<sub>50</sub>Zr<sub>50</sub> Alloy. Materials Science Forum, 0, 561-565, 1333-1336.	0.3	2
824	Magnetic Properties of Nanocrystalline Materials. , 2007, , 487-536.		2
825	Development of Powder Metallurgy Aluminum Alloys with High Strength and High Elevated Temperature Strength. Funtai Oyobi Fumatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy, 2009, 56, 697-708.	0.1	2
826	Low Temperature Heat Capacity and Thermodynamic Functions of Zr <sub>0.55</sub> Al <sub>0.10</sub> Ni <sub>0.05</sub> Cu <sub>0.30</sub> . Journal of Chemical & Engineering Data, 2009, 54, 2033-2037.	1.0	2
827	Formation and Mechanical Properties of New Cu-Rich Cu-Zr-Al-Ag Glassy Alloys with High Glass-Forming Ability. Materials Transactions, 2009, 50, 679-682.	0.4	2
828	Microwave-induced sintering of NiNbTiPt metallic glass blended with Sn powders using a single-mode applicator. Journal of Physics: Conference Series, 2009, 144, 012049.	0.3	2

#	ARTICLE	IF	CITATIONS
829	Influence of Precipitation Behavior of Different Crystalline Phases for Embrittlement Behavior of Several Zr-Based Metallic Glasses. <i>Materials Transactions</i> , 2010, 51, 2033-2038.	0.4	2
830	<i>Metallic Glass.</i> , 2010, , 447-472.		2
831	Binary Ni-Ta Bulk Metallic Glasses Designed by Using a Cluster-Plus-Glue-Atom Model. <i>Materials Science Forum</i> , 2011, 688, 395-399.	0.3	2
832	Effect of Minor Addition of Noble Elements on Microstructure and Mechanical Properties of Ti-Based Bulk Metallic Glasses. <i>Applied Mechanics and Materials</i> , 0, 148-149, 241-244.	0.2	2
833	Interface Microstructure and Mechanical Properties of Dissimilar Friction Stir Welded Joints between Zr <sub>55</sub> Cu <sub>30</sub> Ni <sub>5</sub> Al <sub>10</sub> Bulk Metallic Glass and Pure Al. <i>Materials Transactions</i> . 2012. 53. 1106-1112.	0.4	2
834	Preparation and electrocatalytic performance of the Pt supported on the alkali-treated nanoporous TiO <sub>2</sub> material. <i>Ionics</i> , 2015, 21, 2863-2869.	1.2	2
835	Nanocrystalline alloys produced by crystallization of amorphous alloys. , 1993, , 177-184.		2
836	Enhancement of solderability of Cu <sub>60</sub> Zr <sub>30</sub> Ti <sub>10</sub> bulk metallic glass by dealloying in hydrofluoric acid solution. <i>Yosetsu Gakkai Ronbunshu/Quarterly Journal of the Japan Welding Society</i> , 2011, 29, 147s-150s.	0.1	2
837	Fabrication of Molds with 25-nm Dot-Pitch Pattern by Focused Ion Beam and Reactive Ion Etching for Nanoimprint Using Metallic Glass. <i>Japanese Journal of Applied Physics</i> , 2012, 51, 086702.	0.8	2
838	Light-metal based amorphous alloys. , 1993, , 159-166.		2
839	Graphene and Carbon Nanotubes Fibrous Composite Decorated with PdMg Alloy Nanoparticles with Enhanced Absorption/Desorption Kinetics for Hydrogen Storage Application. <i>Nanomaterials</i> , 2021, 11, 2957.	1.9	2
840	Quasicrystalline Ga&ndash;Pd&ndash;M (M=Cr, Mn or Fe) Alloys Prepared by Rapid Solidification. <i>Materials Transactions, JIM</i> , 1992, 33, 953-955.	0.9	1
841	High-Strength Bulk Nanostructure Alloys Consisting of Compound and Amorphous Phases. <i>Materials Research Society Symposia Proceedings</i> , 1998, 554, 143.	0.1	1
842	Structure and Soft Magnetic Properties of Bulk Fe-Al-Ga-P-C-B-Si Glassy Alloys Prepared by Consolidating Glassy Powders. <i>Materials Research Society Symposia Proceedings</i> , 2000, 644, 12131.	0.1	1
843	Glass-Forming Ability and Crystallization of High Purity Pd-Cu-Ni-P Alloy. <i>Materials Research Society Symposia Proceedings</i> , 2000, 644, 311.	0.1	1
844	Core Losses and Soft Magnetic Properties of Nanocrystalline Fe-Zr-Nb-B Alloys with Zero-Magnetostriction. <i>Materials Research Society Symposia Proceedings</i> , 2000, 644, 711.	0.1	1
845	Magnetostriction and Coercivity of Soft Magnetic Fe-(Al, Ga)-(P, C, B, Si) Bulk Glassy Alloys. <i>Materials Research Society Symposia Proceedings</i> , 2002, 754, 1.	0.1	1
846	Synthesis and mechanical characterisation of Fe-based bulk metallic glasses and mixed amorphous/crystalline phases. <i>Materials Research Society Symposia Proceedings</i> , 2003, 791, 1.	0.1	1



#	ARTICLE	IF	CITATIONS
847	Formation, Nanostructure and Mechanical Properties of Cu-Based Nanocrystal-Dispersed Glassy Matrix Alloys. <i>Journal of Metastable and Nanocrystalline Materials</i> , 2004, 22, 11-20.	0.1	1
848	Non-equilibrium Ti-Fe bulk alloys with ultra-high strength and enhanced ductility. <i>Materials Research Society Symposia Proceedings</i> , 2004, 851, 304.	0.1	1
849	Nanoclusters'critical thickness' magnetic properties relationship in Nd <sub>90</sub> Fe <sub>10</sub> amorphous ribbons. <i>Journal of Magnetism and Magnetic Materials</i> , 2004, 272-276, E1137-E1139.	1.0	1
850	Ultrasonic Properties of a Ti <sub>47.4</sub> Zr <sub>5.3</sub> Ni <sub>5.3</sub> Cu <sub>42.3</sub> Glassy Alloy during Progressive Devitrification. <i>Materials Science Forum</i> , 2007, 561-565, 1371-1374.		1
851	Synthesis of New Ni-Ta-Based Bulk Glassy Alloy with High Fracture Strength of over 3000 MPa. <i>Materials Science Forum</i> , 2007, 561-565, 1421-1424.	0.3	1
852	Syntheses and Applications of Fe-, Co-, Ni- and Cu-Based Bulk Glassy Alloys. <i>Materials Science Forum</i> , 2007, 539-543, 92-99.	0.3	1
853	Fabrication of Ni <sub>52.5</sub> Nb <sub>10</sub> Zr <sub>15</sub> Ti <sub>15</sub> Pt <sub>7.5</sub> Bulk Metallic Glassy Matrix Composite Containing Dispersed ZrO <sub>2</sub> Particulates by Spark Plasma Sintering. <i>Materials Science Forum</i> , 2007, 561-565, 1291-1294.	0.3	1
854	Analyses of glass-transition behavior of Pd-based metallic glass with linear solution to non-linear differential equation. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 449-451, 594-598.	2.6	1
855	Effect of excess electrons on hexagonal close-packed Mg and the model clusters for bulk metallic glasses. <i>Journal Physics D: Applied Physics</i> , 2008, 41, 155424.	1.3	1
856	Temperature dependence of the yield strain of a Zr-based metallic glass at the glassy state. <i>Journal of Alloys and Compounds</i> , 2009, 483, 150-153.	2.8	1
857	Heat Capacity and Thermodynamic Functions of Ni <sub>36</sub> Nb <sub>24</sub> Zr <sub>40</sub> Glassy Alloy. <i>Materials Transactions</i> , 2009, 50, 1247-1249.	0.4	1
858	Non-equilibrium copper-based crystalline alloy sheet having ultrahigh strength and good electrical conductivity. <i>Journal of Alloys and Compounds</i> , 2011, 509, S361-S363.	2.8	1
859	Control of wetting on Ti-based bulk metallic glass surfaces by a hydrothermal method. <i>Journal of Materials Science</i> , 2011, 46, 3430-3435.	1.7	1
860	Compositional features of bulk metallic glasses analyzed with a tetrahedral composition diagram from s-, p-, d- and f-blocks. <i>International Journal of Materials Research</i> , 2012, 103, 1102-1107.	0.1	1
861	Effects of pulse voltage on the formation of nanoporous Ti oxides by dealloying amorphous TiCu alloy. <i>Journal of Physics: Conference Series</i> , 2013, 417, 012022.	0.3	1
862	Effects of Minor Additions on Ni- and Be-Free Ti-Based Bulk Glassy Alloys. <i>Materials Science Forum</i> , 2015, 833, 79-84.	0.3	1
863	Synthesis and Properties of Mg-based Amorphous Alloys. , 1994, , 87-92.		0
864	Solidification Analyses for the Fabrication of Bulky Multicomponent Metallic Glasses and their Properties. <i>Materials Research Society Symposia Proceedings</i> , 1995, 400, 235.	0.1	0

#	ARTICLE	IF	CITATIONS
865	Local Atomic Structures and Plastic Deformation Modes in the Supercooled Liquid State of La <sub>55</sub> Al <sub>25</sub> Ni <sub>20</sub> . Materials Research Society Symposia Proceedings, 2000, 644, 1111.	0.1	0
866	Production of Zr-based Amorphous Wires by Rotating Disk Casting Method. Materials Research Society Symposia Proceedings, 2000, 644, 12241.	0.1	0
867	Formation of Nano Icosahedral Quasicrystalline Phase in Zr-based Binary and Ternary Glassy Alloys. Materials Research Society Symposia Proceedings, 2000, 644, 611.	0.1	0
868	Formation of nano icosahedral quasicrystalline phase in Zr-Ni-M (M=Pd, Au, Pt) ternary glassy alloys. Ferroelectrics, 2001, 250, 285-288.	0.3	0
869	Glass to Icosahedral Phase Transformation in Zr-based Glassy Metals. Materials Research Society Symposia Proceedings, 2001, 676, 3391.	0.1	0
870	Hydrogen Permeation Characteristics of Melt-Spun Ni-Nb-Zr Amorphous Alloy Membranes. Materials Transactions, 2001, 42, 1885-1890.	0.4	0
871	Computer-Aided Development of Multicomponent Metallic Glasses. Materials Research Society Symposia Proceedings, 2002, 754, 1.	0.1	0
872	Observations Ofstress-Induced Structuraldisorder and Fictive Stress in Bulk Metallic Glasses. Materials Research Society Symposia Proceedings, 2002, 754, 1.	0.1	0
873	Stability and Icosahedral Transformation of Supercooled Liquid in Metal-Metal type Bulk Glassy Alloys. Materials Research Society Symposia Proceedings, 2003, 805, 188.	0.1	0
874	Heating and Structural Disordering Effects of the Nonlinear Viscous Flow in a Zr <sub>55</sub> Al <sub>10</sub> Ni <sub>5</sub> Cu <sub>30</sub> Bulk Metallic Glass. Materials Research Society Symposia Proceedings, 2003, 806, 344.	0.1	0
875	Stability and Icosahedral Transformation of Supercooled Liquid in Metal-Metal type Bulk Glassy Alloys. Materials Research Society Symposia Proceedings, 2003, 806, 161.	0.1	0
876	Synthesis of Hard Magnet Materials by Uniaxial Hot-Pressing of Fe-Co-Nd-Dy-B Glassy Powders.. Funtai Oyobi Fummtsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy, 2003, 50, 50-57.	0.1	0
877	Investigation of the structure and properties of hypereutectic Ti-based bulk alloys. Materials Research Society Symposia Proceedings, 2004, 842, 197.	0.1	0
878	Short-Range Order in Pd <sub>42.5</sub> Cu <sub>30</sub> Ni <sub>7.5</sub> P <sub>20</sub> Bulk and Ribbon Metallic Glasses. Journal of Metastable and Nanocrystalline Materials, 2004, 22, 65-70.	0.1	0
879	Influence of <i>In-Situ</i> Nanoprecipitation on Constant Load Deformation in the Glass Transition Region of a Cu <sub>60</sub> Zr <sub>30</sub> Ti <sub>10</sub> Bulk Metallic Glass. Materials Transactions, 2004, 45, 2383-2388.	0.4	0
880	Alloying Effect on the Hydrogen Sensing Property of Melt-Spun Mg <sub>90</sub> Pd <sub>10</sub> Amorphous Alloy. Materials Transactions, 2005, 46, 738-741.	0.4	0
881	Apatite Forming Ability of Bulk Metallic Glass Surface via Hydrothermal Treatment. Key Engineering Materials, 2007, 361-363, 249-252.	0.4	0
882	Formation, Mechanical and Magnetic Properties of (Fe,Co)-B-Si-Nb Bulk Glassy Alloys. Materials Science Forum, 2007, 539-543, 2082-2087.	0.3	0

#	ARTICLE	IF	CITATIONS
883	Friction and Wear of Laser Irradiated Amorphous Metals. Materials Science Forum, 2007, 539-543, 3844-3849.	0.3	0
884	Fine Crystalline Phase Dispersion in Zr-Based Bulk Metallic Glass by Laser Irradiation. Advanced Materials Research, 2007, 26-28, 747-750.	0.3	0
885	Analysis of Optimal Compositions of Ternary Bulk Metallic Glasses with Thermodynamic Quantities. Materials Science Forum, 2007, 539-543, 1988-1993.	0.3	0
886	Microstructures of Microwave Heated Soda-Lime Glass - Fe Composite and Ni-Zr-Nb-Ti-Pt Metallic Glass. Materials Science Forum, 2007, 558-559, 1459-1464.	0.3	0
887	Quasicrystallization of (Zr <sub>65</sub> Al <sub>7.5</sub> Cu <sub>27.5</sub> ) <sub>100-x</sub> Ti <sub>x</sub> Glassy Alloy. Materials Science Forum, 2007, 561-565, 1329-1332.	0.3	0
888	Effects of Additional Elements on Microstructures of Zr-Based Metallic Glass Ribbons. Materials Science Forum, 2007, 539-543, 2000-2005.	0.3	0
889	Formation and Soft-Magnetic Properties of FeMoGaPCBSi Bulk Glassy Alloys. Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals, 2007, 71, 326-329.	0.2	0
890	Melt-Liquid Joining of Heterogeneity Metallic Glassy Alloy and Mechanical Properties. Funtai Oyobi Fumatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy, 2009, 56, 693-696.	0.1	0
891	Glassy solidification criterion of Zr <sub>50</sub> Cu <sub>40</sub> Al <sub>10</sub> alloy. Journal of Physics: Conference Series, 2009, 144, 012044.	0.3	0
892	Glass formation in mechanical milled Ni-Ti-Zr-Sn pre-alloy powders. Journal of Physics: Conference Series, 2009, 144, 012017.	0.3	0
893	Microwave Processing of Metallic Glass/Polymer Composite in a Separated H-Field. , 2011, , .		0
894	Glassy Alloy Composite and Non-equilibrium Crystalline Alloy for Information Technology Applications. Materials Research Society Symposia Proceedings, 2011, 1300, 1.	0.1	0
895	Fundamental Properties and Nano-imprintabilities of Zr-, Pd- and Cu-based Glassy Alloy Thin Films. Materials Research Society Symposia Proceedings, 2011, 1300, 1.	0.1	0
896	Mechanical and Electrical Properties of Rapidly Solidified Cu-Zr-Ag Alloy Fabricated by Powder Rolling Process. Materials Research Society Symposia Proceedings, 2011, 1300, 1.	0.1	0
897	Precipitation in Zr-Based Ternary Alloys during Quenching. Materials Science Forum, 0, 706-709, 1348-1352.	0.3	0
898	Radial and longitudinal variations in the Young's modulus of a Zr <sub>55</sub> Al <sub>10</sub> Ni <sub>5</sub> Cu <sub>30</sub> bulk metallic glass rod. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2012, 534, 459-464.	2.6	0
899	Enzyme-Free Electrochemical Glucose Sensors Prepared by Dealloying Pd-Ni-P Metallic Glasses. Advances in Materials Science and Engineering, 2014, 2014, 1-6.	1.0	0
900	Effects of Metallic Glass Precursors on the Catalytic Performance of Nanoporous Metals. Materials Research, 2015, 18, 110-114.	0.6	0

#	ARTICLE	IF	CITATIONS
901	Features and Prospects of Multicomponent Metallic Glasses. Funtai Oyobi Fummatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy, 2018, 65, 37-44.	0.1	0
902	Introduction to Amorphous Alloys and Metallic Glasses. , 2019, , 3-22.		0
903	Static and Dynamic Thermal Properties of a Pd40Ni40Si20 Glassy Alloy. Metals, 2019, 9, 1157.	1.0	0
904	Synthesis and Viscoelasticity of Zr-based Bulk Glassy Alloy Containing ZrC Particles. Materials Research Society Symposia Proceedings, 2000, 644, 1191.	0.1	0
905	High strength nanostructured Al-Fe alloys. Series in Materials Science and Engineering, 2004, , .	0.1	0
906	Nanocrystalline, nanoquasicrystalline and amorphous Al and Mg alloys. Series in Materials Science and Engineering, 2004, , .	0.1	0
907	Nanocrystallization in Al alloys. Series in Materials Science and Engineering, 2004, , .	0.1	0
908	Fabrication of Bulk Glassy Alloy Foams by High Pressure Hydrogen. Journal of High Temperature Society, 2008, 34, 74-78.	0.1	0
909	Development of Cu Clad Cu-Zr Based Metallic Glass and Its Solderability. Journal of High Temperature Society, 2011, 37, 153-158.	0.1	0
910	Large-sized Amorphous Alloys. Materia Japan, 1997, 36, 989-989.	0.1	0
911	High-Strength Alloys: Nanogranular Phases. , 0, , 1816-1825.		0
912	Possibility of bulk glassy and nanogranular alloys as biomedical materials. , 2007, , 3-19.		0