

B Chieng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10826859/publications.pdf>

Version: 2024-02-01

13
papers

809
citations

949033

11
h-index

1255698

13
g-index

13
all docs

13
docs citations

13
times ranked

632
citing authors

#	ARTICLE	IF	CITATIONS
1	Inhibition of calcium channels by opioid- and adenosine-receptor agonists in neurons of the nucleus accumbens. <i>British Journal of Pharmacology</i> , 2001, 133, 337-344.	2.7	11
2	GABAB, opioid and $\hat{1}\pm 2$ receptor inhibition of calcium channels in acutely-dissociated locus coeruleus neurones. <i>British Journal of Pharmacology</i> , 1999, 127, 1533-1538.	2.7	24
3	Swim-stress but not opioid withdrawal increases expression of c-Fos immunoreactivity in rat periaqueductal gray neurons which project to the rostral ventromedial medulla. <i>Neuroscience</i> , 1998, 83, 517-524.	1.1	50
4	Increased Opioid Inhibition of GABA Release in Nucleus Accumbens during Morphine Withdrawal. <i>Journal of Neuroscience</i> , 1998, 18, 7033-7039.	1.7	98
5	Nociceptin receptor coupling to a potassium conductance in rat locus coeruleus neurones <i>in vitro</i> . <i>British Journal of Pharmacology</i> , 1996, 119, 1614-1618.	2.7	206
6	Local Opioid Withdrawal in Rat Single Periaqueductal Gray Neurons <i>In Vitro</i> . <i>Journal of Neuroscience</i> , 1996, 16, 7128-7136.	1.7	66
7	The mu-opioid receptor antagonist D-Phe-Cys-Tyr-D-Trp-Orn-Thr-Pen-Thr-NH ₂ (CTOP) [but not D-Phe-Cys-Tyr-D-Trp-Arg-Thr-Pen-Thr-NH ₂ (CTAP)] produces a nonopioid receptor-mediated increase in K ⁺ conductance of rat locus coeruleus neurons. <i>Molecular Pharmacology</i> , 1996, 50, 650-5.	1.0	14
8	Hyperpolarization by GABA _B receptor agonists in midbrain periaqueductal gray neurones <i>in vitro</i> . <i>British Journal of Pharmacology</i> , 1995, 116, 1583-1588.	2.7	25
9	Lesions to terminals of noradrenergic locus coeruleus neurones do not inhibit opiate withdrawal behaviour in rats. <i>Neuroscience Letters</i> , 1995, 186, 37-40.	1.0	37
10	Increased fos-like immunoreactivity in the periaqueductal gray of anaesthetised rats during opiate withdrawal. <i>Neuroscience Letters</i> , 1995, 183, 79-82.	1.0	65
11	Hyperpolarization by opioids acting on $\hat{1}\frac{1}{4}$ receptors of a subpopulation of rat periaqueductal gray neurones <i>in vitro</i> . <i>British Journal of Pharmacology</i> , 1994, 113, 121-128.	2.7	112
12	Inhibition by opioids acting on $\hat{1}\frac{1}{4}$ receptors of GABAergic and glutamatergic postsynaptic potentials in single rat periaqueductal gray neurones <i>in vitro</i> . <i>British Journal of Pharmacology</i> , 1994, 113, 303-309.	2.7	99
13	Australian funnel-web spider toxin, versutoxin, enhances spontaneous synaptic activity in single brain neurons <i>in vitro</i> . <i>Brain Research</i> , 1993, 626, 136-142.	1.1	2