

# Gregory W Evans

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10830071/publications.pdf>

Version: 2024-02-01

63  
papers

11,140  
citations

87723

38  
h-index

118652

62  
g-index

63  
all docs

63  
docs citations

63  
times ranked

11583  
citing authors

#	ARTICLE	IF	CITATIONS
1	Final Report of a Trial of Intensive versus Standard Blood-Pressure Control. <i>New England Journal of Medicine</i> , 2021, 384, 1921-1930.	13.9	214
2	Impact of Intensive Blood Pressure Therapy on Concern about Falling: Longitudinal Results from the Systolic Blood Pressure Intervention Trial (SPRINT). <i>Journal of the American Geriatrics Society</i> , 2020, 68, 614-618.	1.3	3
3	Orthostatic Hypotension, Cardiovascular Outcomes, and Adverse Events. <i>Hypertension</i> , 2020, 75, 660-667.	1.3	57
4	Syncope, Hypotension, and Falls in the Treatment of Hypertension: Results from the Randomized Clinical Systolic Blood Pressure Intervention Trial. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 679-686.	1.3	62
5	Blood Pressure Measurement in SPRINT (Systolic Blood Pressure Intervention Trial). <i>Hypertension</i> , 2018, 71, 848-857.	1.3	190
6	Diabetes status modifies the association between carotid intima-media thickness and incident heart failure: The Atherosclerosis Risk in Communities study. <i>Diabetes Research and Clinical Practice</i> , 2017, 128, 58-66.	1.1	11
7	Carotid Intima-media Thickness Measurements. <i>Chinese Medical Journal</i> , 2016, 129, 215-226.	0.9	59
8	Orthostatic Hypotension in the ACCORD (Action to Control Cardiovascular Risk in Diabetes) Blood Pressure Trial. <i>Hypertension</i> , 2016, 68, 888-895.	1.3	103
9	Orthostatic changes in systolic blood pressure among SPRINT participants at baseline. <i>Journal of the American Society of Hypertension</i> , 2016, 10, 847-856.	2.3	56
10	Intensive BP Control, Falls, and Fractures: Response to Jolobe (MS #17620). <i>Journal of General Internal Medicine</i> , 2015, 30, 547-547.	1.3	0
11	Systolic Blood Pressure Control Among Individuals With Type 2 Diabetes: A Comparative Effectiveness Analysis of Three Interventions. <i>American Journal of Hypertension</i> , 2015, 28, 995-1009.	1.0	18
12	Intensive Blood Pressure Control, Falls, and Fractures in Patients with Type 2 Diabetes: The ACCORD Trial. <i>Journal of General Internal Medicine</i> , 2014, 29, 1599-1606.	1.3	69
13	Carotid Intima-media Thickness is Associated With Incident Heart Failure Among Middle-Aged Whites and Blacks: The Atherosclerosis Risk in Communities Study. <i>Journal of the American Heart Association</i> , 2014, 3, e000797.	1.6	14
14	Outcomes of Combined Cardiovascular Risk Factor Management Strategies in Type 2 Diabetes: The ACCORD Randomized Trial. <i>Diabetes Care</i> , 2014, 37, 1721-1728.	4.3	217
15	Bilateral common carotid artery ultrasound for prediction of incident strokes using intima-media thickness and external diameter: an observational study. <i>Cardiovascular Ultrasound</i> , 2013, 11, 22.	0.5	14
16	Intensive Blood Pressure Treatment Does Not Improve Cardiovascular Outcomes in Centrally Obese Hypertensive Individuals With Diabetes. <i>Diabetes Care</i> , 2012, 35, 1401-1405.	4.3	31
17	Sample size requirements in trials using repeated measurements and the impact of trial design. <i>Current Medical Research and Opinion</i> , 2012, 28, 681-688.	0.9	9
18	Biologically implausible carotid intima-media thickness measurement values: effects on rate of change over time. <i>Current Medical Research and Opinion</i> , 2012, 28, 891-899.	0.9	3

#	ARTICLE	IF	CITATIONS
19	Common Carotid Intima-Media Thickness Measurements in Cardiovascular Risk Prediction. JAMA - Journal of the American Medical Association, 2012, 308, 796.	3.8	622
20	Effect of Rosuvastatin on the Echolucency of the Common Carotid Intima-Media in Low-Risk Individuals: The METEOR Trial. Journal of the American Society of Echocardiography, 2012, 25, 1120-1127.e1.	1.2	20
21	Multiple imputation of missing repeated outcome measurements did not add to linear mixed-effects models. Journal of Clinical Epidemiology, 2012, 65, 686-695.	2.4	121
22	Extensive or Restricted Ultrasound Protocols to Measure Carotid Intima-Media Thickness: Analysis of Completeness Rates and Impact on Observed Rates of Change Over Time. Journal of the American Society of Echocardiography, 2012, 25, 91-100.	1.2	24
23	The Use of Plaque Score Measurements to Assess Changes in Atherosclerotic Plaque Burden Induced by Lipid-Lowering Therapy Over Time: The METEOR Study. Journal of Atherosclerosis and Thrombosis, 2011, 18, 784-795.	0.9	19
24	Effect of number of ultrasound examinations on the assessment of carotid intima-media thickness changes over time: the example of the METEOR study. Journal of Hypertension, 2011, 29, 1145-1154.	0.3	8
25	Algorithms to measure carotid intima-media thickness in trials. Journal of Hypertension, 2011, 29, 2181-2193.	0.3	23
26	Completeness of Carotid Intima Media Thickness Measurements Depends on Body Composition: The RADIANCE 1 and 2 trials. Journal of Atherosclerosis and Thrombosis, 2010, 17, 526-535.	0.9	20
27	Striking Increases in Carotid Artery Wall Thickness in Healthy Subjects. Cerebrovascular Diseases, 2010, 30, 448-455.	0.8	5
28	Effects of Intensive Blood-Pressure Control in Type 2 Diabetes Mellitus. New England Journal of Medicine, 2010, 362, 1575-1585.	13.9	3,117
29	Does baseline carotid intima-media thickness modify the effect of rosuvastatin when compared with placebo on carotid intima-media thickness progression? The METEOR study. European Journal of Cardiovascular Prevention and Rehabilitation, 2010, 17, 223-229.	3.1	10
30	Premature atherosclerosis in pediatric systemic lupus erythematosus: Risk factors for increased carotid intima-media thickness in the atherosclerosis prevention in pediatric lupus erythematosus cohort. Arthritis and Rheumatism, 2009, 60, 1496-1507.	6.7	125
31	Cholesteryl Ester Transfer Protein Inhibitor Torcetrapib and Off-Target Toxicity. Circulation, 2008, 118, 2515-2522.	1.6	141
32	Carotid intima-media thickness in low-risk individuals with asymptomatic atherosclerosis: baseline data from the METEOR study. Current Medical Research and Opinion, 2007, 23, 641-648.	0.9	20
33	Effect of Rosuvastatin on Progression of Carotid Intima-Media Thickness in Low-Risk Individuals With Subclinical Atherosclerosis. JAMA - Journal of the American Medical Association, 2007, 297, 1344.	3.8	636
34	Torcetrapib and carotid intima-media thickness in mixed dyslipidaemia (RADIANCE 2 study): a randomised, double-blind trial. Lancet, The, 2007, 370, 153-160.	6.3	432
35	Designs of RADIANCE 1 and 2: carotid ultrasound studies comparing the effects of torcetrapib/atorvastatin with atorvastatin alone on atherosclerosis. Current Medical Research and Opinion, 2007, 23, 885-894.	0.9	35
36	Common carotid artery wall thickness and external diameter as predictors of prevalent and incident cardiac events in a large population study. Cardiovascular Ultrasound, 2007, 5, 11.	0.5	60

#	ARTICLE	IF	CITATIONS
37	Rationale and Design for the Blood Pressure Intervention of the Action to Control Cardiovascular Risk in Diabetes (ACCORD) Trial. <i>American Journal of Cardiology</i> , 2007, 99, S44-S55.	0.7	125
38	Common carotid arterial interadventitial distance (diameter) as an indicator of the damaging effects of age and atherosclerosis, a cross-sectional study of the Atherosclerosis Risk in Community Cohort Limited Access Data (ARICLAD), 1987-1989. <i>Cardiovascular Ultrasound</i> , 2006, 4, 1.	0.5	44
39	The effect of tibolone and continuous combined conjugated equine oestrogens plus medroxyprogesterone acetate on progression of carotid intima-media thickness: the Osteoporosis Prevention and Arterial effects of tibolone (OPAL) study. <i>European Heart Journal</i> , 2006, 27, 746-755.	1.0	67
40	Serum Uric Acid Predicts Incident Hypertension in a Biethnic Cohort. <i>Hypertension</i> , 2006, 48, 1037-1042.	1.3	224
41	Diabetes, Glucose, Insulin, and Heart Rate Variability: The Atherosclerosis Risk in Communities (ARIC) study. <i>Diabetes Care</i> , 2005, 28, 668-674.	4.3	269
42	Familial Aggregation and Genome-Wide Linkage Analysis of Carotid Artery Plaque: The NHLBI Family Heart Study. <i>Human Heredity</i> , 2004, 57, 80-89.	0.4	21
43	Repeatability of heart rate variability measures. <i>Journal of Electrocardiology</i> , 2004, 37, 163-172.	0.4	138
44	Measuring Effects on Intima Media Thickness: An Evaluation of Rosuvastatin in Subclinical Atherosclerosis - The Rationale and Methodology of the METEOR Study. <i>Cardiovascular Drugs and Therapy</i> , 2004, 18, 231-238.	1.3	66
45	The Osteoporosis Prevention and Arterial effects of tibolone (OPAL) study: design and baseline characteristics. <i>Contemporary Clinical Trials</i> , 2003, 24, 752-775.	2.0	34
46	Hypertension, Blood Pressure, and Heart Rate Variability. <i>Hypertension</i> , 2003, 42, 1106-1111.	1.3	363
47	Carotid Intima-Media Thickness Measurements in Intervention Studies. <i>Stroke</i> , 2003, 34, 2985-2994.	1.0	318
48	Lower Heart Rate Variability Is Associated With the Development of Coronary Heart Disease in Individuals With Diabetes: The Atherosclerosis Risk in Communities (ARIC) Study. <i>Diabetes</i> , 2002, 51, 3524-3531.	0.3	263
49	Does the Cardiac Autonomic Response to Postural Change Predict Incident Coronary Heart Disease and Mortality? : The Atherosclerosis Risk in Communities Study. <i>American Journal of Epidemiology</i> , 2002, 155, 48-56.	1.6	45
50	Risk Factors for Progression of Common Carotid Atherosclerosis: The Atherosclerosis Risk in Communities Study, 1987-1998. <i>American Journal of Epidemiology</i> , 2002, 155, 38-47.	1.6	281
51	Correlates of the shift in heart rate variability with an active postural change in a healthy population sample: The Atherosclerosis Risk In Communities study. <i>American Heart Journal</i> , 2002, 143, 808-813.	1.2	54
52	Impact of Body Mass Index on Changes in Common Carotid Artery Wall Thickness. <i>Obesity</i> , 2002, 10, 1000-1007.	4.0	10
53	Arterial distensibility and physical activity in the ARIC study. <i>Medicine and Science in Sports and Exercise</i> , 2001, 33, 2065-2071.	0.2	35
54	Acoustic shadowing on B-mode ultrasound of the carotid artery predicts CHD. <i>Ultrasound in Medicine and Biology</i> , 2001, 27, 357-365.	0.7	57

#	ARTICLE	IF	CITATIONS
55	Hypertension and arterial stiffness: the atherosclerosis risk in communities study*1. American Journal of Hypertension, 2000, 13, 317-323.	1.0	86
56	Mechanical Ventilation in a Cohort of Elderly Patients Admitted to an Intensive Care Unit. Annals of Internal Medicine, 1999, 131, 96.	2.0	158
57	Effects of Lovastatin and Warfarin on Early Carotid Atherosclerosis. Circulation, 1999, 100, e14-7.	1.6	29
58	Variation of common carotid artery elasticity with intimal-medial thickness: The aric study. Ultrasound in Medicine and Biology, 1997, 23, 157-164.	0.7	105
59	Population-based study of heart rate variability and prevalent myocardial infarction. Journal of Electrocardiology, 1996, 29, 189-198.	0.4	32
60	Arterial Wall Thickness Is Associated With Prevalent Cardiovascular Disease in Middle-Aged Adults. Stroke, 1995, 26, 386-391.	1.0	690
61	Arterial Stiffness: A New Cardiovascular Risk Factor?. American Journal of Epidemiology, 1994, 140, 669-682.	1.6	436
62	Effects of fire season on flowering of forbs and shrubs in longleaf pine forests. Oecologia, 1988, 76, 353-363.	0.9	193
63	The Population Dynamics of a Long-Lived Conifer (Pinus palustris). American Naturalist, 1988, 131, 491-525.	1.0	429