

# Vishal Uppal

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1083075/publications.pdf>

Version: 2024-02-01

52  
papers

1,537  
citations

394421

19  
h-index

330143

37  
g-index

54  
all docs

54  
docs citations

54  
times ranked

1412  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | The practice of regional anesthesia during the COVID-19 pandemic: an international survey of members of three regional anesthesia societies. <i>Canadian Journal of Anaesthesia</i> , 2022, 69, 243-255.   | 1.6  | 12        |
| 2  | Efficacy of regional anesthesia techniques for postoperative analgesia in patients undergoing major oncologic breast surgeries: a systematic review and network meta-analysis of randomized controlled trials. <i>Canadian Journal of Anaesthesia</i> , 2022, 69, 527-549.             | 1.6  | 19        |
| 3  | In reply: Comment on the editorial relating to: Transversus abdominis plane block compared with wound infiltration for postoperative analgesia following Cesarean delivery: a systematic review and network meta-analysis. <i>Canadian Journal of Anaesthesia</i> , 2021, 68, 583-584. | 1.6  | 0         |
| 4  | Critical structures in the needle path of the costoclavicular brachial plexus block: a cadaver study. <i>Canadian Journal of Anaesthesia</i> , 2021, 68, 1156-1164.  | 1.6  | 2         |
| 5  | A survey assessing the need for spinal chloroprocaine to provide subarachnoid neuraxial anesthesia for short-duration surgeries in Canada. <i>Canadian Journal of Anaesthesia</i> , 2021, 68, 1096-1099.   | 1.6  | 2         |
| 6  | Factors associated with rebound pain after peripheral nerve block for ambulatory surgery. <i>British Journal of Anaesthesia</i> , 2021, 126, 862-871.  | 3.4  | 70        |
| 7  | Ultrasound Imaging of the Spine for Central Neuraxial Blockade: a Technical Description and Evidence Update. <i>Current Anesthesiology Reports</i> , 2021, 11, 326-339.  | 2.0  | 11        |
| 8  | Not aligning the research question to the statistical analysis led to potentially flawed results and conclusions. <i>Canadian Journal of Anaesthesia</i> , 2021, 68, 928-929.  | 1.6  | 0         |
| 9  | Standardizing nomenclature in regional anesthesia: an ASRA-ESRA Delphi consensus study of abdominal wall, paraspinal, and chest wall blocks. <i>Regional Anesthesia and Pain Medicine</i> , 2021, 46, 571-580.   | 2.3  | 131       |
| 10 | Continuous peripheral nerve blocks compared to thoracic epidurals or multimodal analgesia for midline laparotomy: a systematic review and meta-analysis. <i>Korean Journal of Anesthesiology</i> , 2021, 74, 394-408.  | 2.5  | 9         |
| 11 | Efficacy of Intrathecal Fentanyl for Cesarean Delivery: A Systematic Review and Meta-analysis of Randomized Controlled Trials With Trial Sequential Analysis. <i>Anesthesia and Analgesia</i> , 2020, 130, 111-125.  | 2.2  | 45        |
| 12 | The addition of lateral quadratus lumborum block to a multimodal analgesic regimen that includes intrathecal morphine is associated with a longer time to first analgesic request for elective cesarean section. <i>Journal of Clinical Anesthesia</i> , 2020, 61, 109667.             | 1.6  | 3         |
| 13 | Factors Associated With Failure of Spinal Anesthetic: An 8-Year Retrospective Analysis of Patients Undergoing Elective Hip and Knee Joint Arthroplasty. <i>Anesthesia and Analgesia</i> , 2020, 130, e19-e22.  | 2.2  | 9         |
| 14 | Management of pain after Cesarean delivery without intrathecal morphine: Networking for the best answer. <i>Canadian Journal of Anaesthesia</i> , 2020, 67, 1704-1709.   | 1.6  | 4         |
| 15 | Postoperative analgesia with pericapsular nerve group (PENG) block for primary total hip arthroplasty: a retrospective study. <i>Canadian Journal of Anaesthesia</i> , 2020, 67, 1673-1674.  | 1.6  | 28        |
| 16 | Wrong-site nerve blocks: evidence-review and prevention strategies. <i>Current Opinion in Anaesthesiology</i> , 2020, 33, 698-703.   | 2.0  | 5         |
| 17 | Quadratus lumborum block for postoperative analgesia: a systematic review and meta-analysis. <i>Canadian Journal of Anaesthesia</i> , 2020, 67, 1557-1575.   | 1.6  | 34        |
| 18 | Surgery during the COVID-19 pandemic. <i>Lancet, The</i> , 2020, 396, e74.   | 13.7 | 12        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Effect of combining peri-hamstring injection or anterior obturator nerve block on the analgesic efficacy of adductor canal block for anterior cruciate ligament reconstruction: a randomised controlled trial. <i>British Journal of Anaesthesia</i> , 2020, 124, 299-307. | 3.4 | 10        |
| 20 | Neuraxial anaesthesia and peripheral nerve blocks during the COVID-19 pandemic: a literature review and practice recommendations. <i>Anaesthesia</i> , 2020, 75, 1350-1363.  | 3.8 | 116       |
| 21 | Perioperative Use of Gabapentinoids for the Management of Postoperative Acute Pain. <i>Anesthesiology</i> , 2020, 133, 265-279.  | 2.5 | 274       |
| 22 | In Response. <i>Anesthesia and Analgesia</i> , 2020, 130, e181-e182.   | 2.2 | 0         |
| 23 | Transversus Abdominis Plane (TAP) and Rectus Sheath Blocks: a Technical Description and Evidence Review. <i>Current Anesthesiology Reports</i> , 2019, 9, 479-487.   | 2.0 | 23        |
| 24 | Novel approaches to the brachial plexus in the infraclavicular space: filling up the tool box. <i>Regional Anesthesia and Pain Medicine</i> , 2019, 44, 273.2-274.   | 2.3 | 2         |
| 25 | India ink: a time-tested histological marker. <i>Regional Anesthesia and Pain Medicine</i> , 2019, 44, 755-757.  | 2.3 | 2         |
| 26 | Incidence of sub-perineural injection using a targeted intracluster supraclavicular ultrasound-guided approach in cadavers. <i>British Journal of Anaesthesia</i> , 2019, 122, 776-781.  | 3.4 | 23        |
| 27 | Bilateral Thoracic Paravertebral Blocks Compared to Thoracic Epidural Analgesia After Midline Laparotomy: A Pragmatic Noninferiority Clinical Trial. <i>Anesthesia and Analgesia</i> , 2019, 129, 855-863.   | 2.2 | 12        |
| 28 | Hybrid Blocks for Total Knee Arthroplasty: A Technical Description. <i>Clinical Journal of Pain</i> , 2018, 34, 222-230.   | 1.9 | 7         |
| 29 | Tips and tricks to improve the safety of the retroclavicular brachial plexus block. <i>American Journal of Emergency Medicine</i> , 2018, 36, 1107-1108.   | 1.6 | 8         |
| 30 | Ultrasound-guided lateral-medial transmuscular quadratus lumborum block for analgesia following anterior iliac crest bone graft harvesting: a clinical and anatomical study. <i>Canadian Journal of Anaesthesia</i> , 2018, 65, 178-187.                                   | 1.6 | 46        |
| 31 | Effect of Beam Steering on Echogenic and Nonechogenic Needle Visibility at 40°, 50°, and 60° Needle Insertion Angles. <i>Anesthesia and Analgesia</i> , 2018, 126, 1926-1929.  | 2.2 | 8         |
| 32 | A Cadaver Study Investigating Structures Encountered by the Needle During a Retroclavicular Approach to Infraclavicular Brachial Plexus Block. <i>Regional Anesthesia and Pain Medicine</i> , 2018, 43, 1.   | 2.3 | 18        |
| 33 | Hyperbaric Versus Isobaric Bupivacaine for Spinal Anesthesia: Systematic Review and Meta-analysis for Adult Patients Undergoing Noncesarean Delivery Surgery. <i>Anesthesia and Analgesia</i> , 2017, 125, 1627-1637.  | 2.2 | 26        |
| 34 | Single-Injection Versus Multiple-Injection Technique of Ultrasound-Guided Paravertebral Blocks. <i>Regional Anesthesia and Pain Medicine</i> , 2017, 42, 575-581.  | 2.3 | 39        |
| 35 | Strategies for prevention of spinal-associated hypotension during Cesarean delivery: Are we paying attention?. <i>Canadian Journal of Anaesthesia</i> , 2017, 64, 991-996.   | 1.6 | 13        |
| 36 | Cerebral Oximetry Monitoring to Maintain Normal Cerebral Oxygen Saturation during High-risk Cardiac Surgery. <i>Anesthesiology</i> , 2016, 124, 826-836.   | 2.5 | 187       |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Intrathecal hyperbaric versus isobaric bupivacaine for adult non-caesarean-section surgery: systematic review protocol. <i>BMJ Open</i> , 2016, 6, e010885.  | 1.9 | 4         |
| 38 | Comparative evaluation of the visibility and block characteristics of a stimulating needle and catheter vs an echogenic needle and catheter for sciatic nerve block with a low-frequency ultrasound probe. <i>British Journal of Anaesthesia</i> , 2015, 115, 912-919. | 3.4 | 17        |
| 39 | Effect of body mass index on angle of needle insertion during ultrasound-guided lateral sagittal infraclavicular brachial plexus block. <i>Journal of Clinical Anesthesia</i> , 2015, 27, 375-379.   | 1.6 | 10        |
| 40 | Effect of beam steering on the visibility of echogenic and non-echogenic needles: a laboratory study. <i>Canadian Journal of Anaesthesia</i> , 2014, 61, 909-915.  | 1.6 | 20        |
| 41 | Intravenous or perineural dexamethasone for interscalene brachial plexus block: the equivalence not yet proven. <i>British Journal of Anaesthesia</i> , 2014, 112, 175-176.  | 3.4 | 5         |
| 42 | Permanent Diaphragm Paralysis after Shoulder Rotator Cuff Repair: Interscalene Block Is Not the Only Factor. <i>Anesthesiology</i> , 2014, 120, 1054-1056.   | 2.5 | 3         |
| 43 | Intracatheter air in continuous thoracic paravertebral block: distraction or assistance?. <i>Canadian Journal of Anaesthesia</i> , 2013, 60, 824-825.  | 1.6 | 4         |
| 44 | Evaluation of M43B Lumbar puncture simulator as a training tool for identification of the epidural space and lumbar puncture*. <i>Anaesthesia</i> , 2011, 66, 493-496.   | 3.8 | 25        |
| 45 | The introduction of a surgical safety checklist in a tertiary referral obstetric centre. <i>BMJ Quality and Safety</i> , 2011, 20, 818-822.  | 3.7 | 70        |
| 46 | What if the epidural catheter needs to be fixed more than fifteen centimetres at skin?. <i>Middle East Journal of Anesthesiology</i> , 2011, 21, 423-4.  | 0.2 | 0         |
| 47 | Smoking and ethnic group, not epidural use, determine breast feeding outcome. <i>Anaesthesia</i> , 2010, 65, 652-652.  | 3.8 | 3         |
| 48 | Anaesthesia for electroconvulsive therapy. <i>Continuing Education in Anaesthesia, Critical Care &amp; Pain</i> , 2010, 10, 192-196.   | 0.6 | 30        |
| 49 | Comparison of the i-gel with the cuffed tracheal tube during pressure-controlled ventilation. <i>British Journal of Anaesthesia</i> , 2009, 102, 264-268.  | 3.4 | 79        |
| 50 | Randomized crossover comparison between the i-gel and the LMA-Unique in anaesthetized, paralysed adults. <i>British Journal of Anaesthesia</i> , 2009, 103, 882-885.   | 3.4 | 50        |
| 51 | Better antenatal education is a good idea, but does not reduce maternal anxiety regarding anaesthesia for emergency caesarean delivery. <i>International Journal of Obstetric Anesthesia</i> , 2009, 18, 97-98.  | 0.4 | 3         |
| 52 | Anaesthesia service provision for maternity services. , 0, , 159-170.  |     | 0         |