Steven J Jacobsen

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/10832367/steven-j-jacobsen-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

44 15,787 36 44 g-index

44 17,529 10.5 5.98 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
44	End-Stage Renal Disease Outcomes among the Kaiser Permanente Southern California Creatinine Safety Program (Creatinine SureNet): Opportunities to Reflect and Improve 2017 , 21, 16-143		5
43	Longitudinal changes in left ventricular stiffness: a community-based study. <i>Circulation: Heart Failure</i> , 2013 , 6, 944-52	7.6	103
42	Progression of left ventricular diastolic dysfunction and risk of heart failure. <i>JAMA - Journal of the American Medical Association</i> , 2011 , 306, 856-63	27.4	429
41	Incidence of end-stage renal disease and death among insured African Americans with chronic kidney disease. <i>Kidney International</i> , 2009 , 76, 629-37	9.9	19
40	Risk factors for heart failure: a population-based case-control study. <i>American Journal of Medicine</i> , 2009 , 122, 1023-8	2.4	165
39	Central obesity: association with left ventricular dysfunction and mortality in the community. <i>American Heart Journal</i> , 2008 , 156, 975-81	4.9	68
38	Abnormal Cardiac Structure and Function in the Metabolic Syndrome: A Population-Based Study. <i>Mayo Clinic Proceedings</i> , 2008 , 83, 1350-1357	6.4	47
37	Abnormal cardiac structure and function in the metabolic syndrome: a population-based study. <i>Mayo Clinic Proceedings</i> , 2008 , 83, 1350-7	6.4	18
36	Participation bias assessment in a community-based study of myocardial infarction, 2002-2005. <i>Mayo Clinic Proceedings</i> , 2007 , 82, 933-8	6.4	20
35	Impaired functional status and echocardiographic abnormalities signifying global dysfunction enhance the prognostic significance of previously unrecognized myocardial infarction detected by electrocardiography. <i>Annals of Noninvasive Electrocardiology</i> , 2007 , 12, 27-37	1.5	7
34	Prevalence and prognostic significance of heart failure stages: application of the American College of Cardiology/American Heart Association heart failure staging criteria in the community. <i>Circulation</i> , 2007 , 115, 1563-70	16.7	301
33	Dropout in a longitudinal, cohort study of urologic disease in community men. <i>BMC Medical Research Methodology</i> , 2006 , 6, 58	4.7	22
32	Contribution of congestive heart failure and ischemic heart disease to excess mortality in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2006 , 54, 60-7		139
31	Systolic and diastolic heart failure in the community. <i>JAMA - Journal of the American Medical Association</i> , 2006 , 296, 2209-16	27.4	636
30	Amino-terminal pro-B-type natriuretic peptide and B-type natriuretic peptide: biomarkers for mortality in a large community-based cohort free of heart failure. <i>Hypertension</i> , 2006 , 47, 874-80	8.5	132
29	Heart disease and dementia: a population-based study. <i>American Journal of Epidemiology</i> , 2006 , 163, 135-41	3.8	42
28	Trends in prevalence and outcome of heart failure with preserved ejection fraction. <i>New England Journal of Medicine</i> , 2006 , 355, 251-9	59.2	2935

(2004-2006)

27	Limitations of estimating glomerular filtration rate from serum creatinine in the general population. <i>Mayo Clinic Proceedings</i> , 2006 , 81, 1427-34	6.4	66
26	Use of ejection fraction tests and coronary angiography in patients with heart failure. <i>Mayo Clinic Proceedings</i> , 2006 , 81, 906-13	6.4	15
25	Amino-terminal pro-B-type natriuretic peptide and B-type natriuretic peptide in the general community: determinants and detection of left ventricular dysfunction. <i>Journal of the American College of Cardiology</i> , 2006 , 47, 345-53	15.1	305
24	Secular trends in renal dysfunction and outcomes in hospitalized heart failure patients. <i>Journal of Cardiac Failure</i> , 2006 , 12, 257-62	3.3	91
23	Diabetes in heart failure: prevalence and impact on outcome in the population. <i>American Journal of Medicine</i> , 2006 , 119, 591-9	2.4	217
22	Ischemic stroke after heart failure: a community-based study. <i>American Heart Journal</i> , 2006 , 152, 102-9	4.9	103
21	Diastolic dysfunction and left atrial volume: a population-based study. <i>Journal of the American College of Cardiology</i> , 2005 , 45, 87-92	15.1	456
20	The association between benign prostatic hyperplasia and chronic kidney disease in community-dwelling men. <i>Kidney International</i> , 2005 , 67, 2376-82	9.9	47
19	The risk of congestive heart failure in rheumatoid arthritis: a population-based study over 46 years. <i>Arthritis and Rheumatism</i> , 2005 , 52, 412-20		316
18	How much of the increased incidence of heart failure in rheumatoid arthritis is attributable to traditional cardiovascular risk factors and ischemic heart disease?. <i>Arthritis and Rheumatism</i> , 2005 , 52, 3039-44		110
17	Heart failure after myocardial infarction: clinical presentation and survival. <i>European Journal of Heart Failure</i> , 2005 , 7, 119-25	12.3	69
16	Age- and gender-related ventricular-vascular stiffening: a community-based study. <i>Circulation</i> , 2005 , 112, 2254-62	16.7	597
15	Heart failure and death after myocardial infarction in the community: the emerging role of mitral regurgitation. <i>Circulation</i> , 2005 , 111, 295-301	16.7	387
14	Plasma brain natriuretic peptide to detect preclinical ventricular systolic or diastolic dysfunction: a community-based study. <i>Circulation</i> , 2004 , 109, 3176-81	16.7	223
13	Trends in heart failure incidence and survival in a community-based population. <i>JAMA - Journal of the American Medical Association</i> , 2004 , 292, 344-50	27.4	1150
12	Agreement between self-report questionnaires and medical record data was substantial for diabetes, hypertension, myocardial infarction and stroke but not for heart failure. <i>Journal of Clinical Epidemiology</i> , 2004 , 57, 1096-103	5.7	859
11	Participation bias in a population-based echocardiography study. <i>Annals of Epidemiology</i> , 2004 , 14, 579-	84 4	53
10	Using serum creatinine to estimate glomerular filtration rate: accuracy in good health and in chronic kidney disease. <i>Annals of Internal Medicine</i> , 2004 , 141, 929-37	8	744

9	Association of newer diastolic function parameters with age in healthy subjects: a population-based study. <i>Journal of the American Society of Echocardiography</i> , 2003 , 16, 1049-56	5.8	143
8	Left atrial volume as an index of left atrial size: a population-based study. <i>Journal of the American College of Cardiology</i> , 2003 , 41, 1036-43	15.1	464
7	Burden of systolic and diastolic ventricular dysfunction in the community: appreciating the scope of the heart failure epidemic. <i>JAMA - Journal of the American Medical Association</i> , 2003 , 289, 194-202	27.4	2198
6	Trends in the incidence and survival of patients with hospitalized myocardial infarction, Olmsted County, Minnesota, 1979 to 1994. <i>Annals of Internal Medicine</i> , 2002 , 136, 341-8	8	191
5	Plasma brain natriuretic peptide concentration: impact of age and gender. <i>Journal of the American College of Cardiology</i> , 2002 , 40, 976-82	15.1	856
4	Use of echocardiography in the management of congestive heart failure in the community. <i>Journal of the American College of Cardiology</i> , 1999 , 33, 164-70	15.1	121
3	Congestive heart failure in the community: a study of all incident cases in Olmsted County, Minnesota, in 1991. <i>Circulation</i> , 1998 , 98, 2282-9	16.7	757
2	Predictive Properties of Serum Prostate-Specific Antigen Testing in a Community-Based Setting. <i>Archives of Internal Medicine</i> , 1996 , 156, 2462		34
1	The incidence and prevalence of congestive heart failure in Rochester, Minnesota. <i>Mayo Clinic Proceedings</i> , 1993 , 68, 1143-50	6.4	127