Joseph J Gallo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10834143/publications.pdf

Version: 2024-02-01

139	7,435	43	83
papers	citations	h-index	g-index
139	139	139	7743
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	The Acceptability of Treatment for Depression Among African-American, Hispanic, and White Primary Care Patients. Medical Care, 2003, 41, 479-489.	1.1	594
2	Depression, Psychotropic Medication, and Risk of Myocardial Infarction. Circulation, 1996, 94, 3123-3129.	1.6	545
3	Consensus Statement on the Upcoming Crisis in Geriatric Mental Health. Archives of General Psychiatry, 1999, 56, 848.	13.8	480
4	Age Differences in the Symptoms of Depression: A Latent Trait Analysis. Journal of Gerontology, 1994, 49, P251-P264.	2.0	323
5	Depression Without Sadness: Functional Outcomes of Nondysphoric Depression in Later Life. Journal of the American Geriatrics Society, 1997, 45, 570-578.	1.3	261
6	A systematic review of physical illness, functional disability, and suicidal behaviour among older adults. Aging and Mental Health, 2016, 20, 166-194.	1.5	260
7	The Epidemiology of Common Late-Life Mental Disorders in the Community: Themes for the New Century. Psychiatric Services, 1999, 50, 1158-1166.	1.1	219
8	Mental Health Service Utilization by African Americans and Whites. Medical Care, 1999, 37, 1034-1045.	1.1	195
9	A Mixed-Methods Approach to Understanding Loneliness and Depression in Older Adults. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2006, 61, S329-S339.	2.4	184
10	Accuracy of Reports of Lifetime Mental and Physical Disorders. JAMA Psychiatry, 2014, 71, 273.	6.0	178
11	Hopelessness, depression, substance disorder, and suicidality. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 497-501.	1.6	161
12	Suicidal and Death Ideation in Older Primary Care Patients With Depression, Anxiety, and At-Risk Alcohol Use. American Journal of Geriatric Psychiatry, 2002, 10, 417-427.	0.6	152
13	The Effect of a Primary Care Practice–Based Depression Intervention on Mortality in Older Adults. Annals of Internal Medicine, 2007, 146, 689.	2.0	142
14	Understanding the heterogeneity of depression through the triad of symptoms, course and risk factors: a longitudinal, population-based study. Journal of Affective Disorders, 2000, 59, 1-11.	2.0	138
15	The Driving Habits of Adults Aged 60 Years and Older. Journal of the American Geriatrics Society, 1999, 47, 335-341.	1.3	127
16	Long term effect of depression care management on mortality in older adults: follow-up of cluster randomized clinical trial in primary care. BMJ, The, 2013, 346, f2570-f2570.	3.0	126
17	The burden of depression in prostate cancer. Psycho-Oncology, 2012, 21, 1338-1345.	1.0	118
18	Depression and cancer risk: 24Âyears of follow-up of the Baltimore Epidemiologic Catchment Area sample. Cancer Causes and Control, 2010, 21, 191-199.	0.8	115

#	Article	IF	Citations
19	Primary Care Clinicians Evaluate Integrated and Referral Models of Behavioral Health Care For Older Adults: Results From a Multisite Effectiveness Trial (PRISM-E). Annals of Family Medicine, 2004, 2, 305-309.	0.9	109
20	Education and Sex Differences in the Mini-Mental State Examination: Effects of Differential Item Functioning. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2002, 57, P548-P558.	2.4	108
21	Urinary Incontinence and Psychological Distress in Community-Dwelling Older Adults. Journal of the American Geriatrics Society, 2002, 50, 489-495.	1.3	106
22	Multimorbidity, Depression, and Mortality in Primary Care: Randomized Clinical Trial of an Evidence-Based Depression Care Management Program on Mortality Risk. Journal of General Internal Medicine, 2016, 31, 380-386.	1.3	84
23	Unwritten Rules of Talking to Doctors About Depression: Integrating Qualitative and Quantitative Methods. Annals of Family Medicine, 2006, 4, 302-309.	0.9	83
24	Depression, cardiovascular disease, diabetes, and two-year mortality among older, primary-care patients. American Journal of Geriatric Psychiatry, 2005, 13, 748-55.	0.6	83
25	Dimensions of the Mini-Mental State Examination among community dwelling older adults. Psychological Medicine, 2000, 30, 605-618.	2.7	81
26	Depression, Cardiovascular Disease, Diabetes, and Two-Year Mortality Among Older, Primary-Care Patients. American Journal of Geriatric Psychiatry, 2005, 13, 748-755.	0.6	78
27	Social role functioning in Parkinson's disease: A mixedâ€methods systematic review. International Journal of Geriatric Psychiatry, 2019, 34, 1128-1138.	1.3	78
28	Major depression and cancer: the 13-year follow-up of the Baltimore epidemiologic catchment area sample (United States). Cancer Causes and Control, 2000, 11, 751-758.	0.8	70
29	Are higher rates of depression in women accounted for by differential symptom reporting?. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 126-132.	1.6	69
30	Patient Ethnicity and the Identification and Active Management of Depression in Late Life. Archives of Internal Medicine, 2005, 165, 1962.	4.3	68
31	Education Bias in the Mini-Mental State Examination. International Psychogeriatrics, 2001, 13, 299-310.	0.6	67
32	Using a Bayesian latent growth curve model to identify trajectories of positive affect and negative events following myocardial infarction. Biostatistics, 2005, 6, 119-143.	0.9	65
33	Physical Functioning, Depression, and Preferences for Treatment at the End of Life: The Johns Hopkins Precursors Study. Journal of the American Geriatrics Society, 2004, 52, 577-582.	1.3	64
34	Depressive Symptoms Impair Everyday Problem-Solving Ability Through Cognitive Abilities in Late Life. American Journal of Geriatric Psychiatry, 2011, 19, 142-150.	0.6	64
35	Stability of Preferences for End-of-Life Treatment After 3 Years of Follow-up. Archives of Internal Medicine, 2008, 168, 2125.	4.3	61
36	Depressive Symptoms Among Older Adults in Mexico City. Journal of General Internal Medicine, 2008, 23, 1973-1980.	1.3	60

#	Article	IF	CITATIONS
37	Suicidal and death ideation in older primary care patients with depression, anxiety, and at-risk alcohol use. American Journal of Geriatric Psychiatry, 2002, 10, 417-27.	0.6	59
38	Life-Sustaining Treatments: What Do Physicians Want and Do They Express Their Wishes to Others?. Journal of the American Geriatrics Society, 2003, 51, 961-969.	1.3	58
39	A Framework of Minority Stress: From Physiological Manifestations to Cognitive Outcomes. Gerontologist, The, 2019, 59, 1017-1023.	2.3	57
40	ApoE4 Allele Is Associated With Late-Life Depression: A Population-Based Study. American Journal of Geriatric Psychiatry, 2007, 15, 858-868.	0.6	55
41	Symptom profiles of depression among general medical service users compared with speciality mental health service users. Psychological Medicine, 1997, 27, 1051-1063.	2.7	49
42	The Challenge of Depression in Late Life. JAMA - Journal of the American Medical Association, 2000, 284, 1570.	3.8	49
43	Chronic Medical Conditions and Wishes to Die among Older Primary Care Patients. International Journal of Psychiatry in Medicine, 2006, 36, 183-198.	0.8	46
44	Anxiety Disorders and Disability Secondary to Urinary Incontinence among Adults over Age 50. International Journal of Psychiatry in Medicine, 2002, 32, 141-154.	0.8	41
45	Personal Characteristics of Older Primary Care Patients Who Provide a Buccal Swab for Apolipoprotein E Testing and Banking of Genetic Material: The Spectrum Study. Public Health Genomics, 2004, 7, 202-210.	1.0	40
46	The systematic assessment of depressed elderly primary care patients. International Journal of Geriatric Psychiatry, 2001, 16, 560-569.	1.3	39
47	Non-pharmacological prevention of major depression among community-dwelling older adults: A systematic review of the efficacy of psychotherapy interventions. Archives of Gerontology and Geriatrics, 2012, 55, 522-529.	1.4	37
48	Late-life depressive symptoms: Prediction models of change. Journal of Affective Disorders, 2013, 150, 886-894.	2.0	37
49	Substance use, mental illness, and familial conflict non-negotiation among HIV-positive African-Americans: latent class regression and a new syndemic framework. Journal of Behavioral Medicine, 2016, 39, 1-12.	1.1	37
50	The Role of Cardiovascular Disease in the Identification and Management of Depression by Primary Care Physicians. American Journal of Geriatric Psychiatry, 2006, 14, 71-78.	0.6	36
51	Towards Patient-Centered Care for Depression. Patient, 2010, 3, 145-157.	1.1	35
52	Patient-Centered Preference Assessment to Improve Satisfaction With Care Among Patients With Localized Prostate Cancer: A Randomized Controlled Trial. Journal of Clinical Oncology, 2019, 37, 964-973.	0.8	35
53	The Role of Physicians in Assessing Older Drivers: Barriers, Opportunities, and Strategies. Journal of the American Board of Family Medicine, 2004, 17, 38-43.	0.8	34
54	An Innovative Model of Depression Care Delivery: Peer Mentors in Collaboration with a Mental Health Professional to Relieve Depression in Older Adults. American Journal of Geriatric Psychiatry, 2016, 24, 407-416.	0.6	34

#	Article	IF	CITATIONS
55	Heart Failure Rehospitalization and Delayed Decision Making. Journal of Cardiovascular Nursing, 2018, 33, 30-39.	0.6	33
56	The â€~Research Magnificent' in Late Life: Psychiatric Epidemiology and the Primary Health Care of Older Adults. International Journal of Psychiatry in Medicine, 1997, 27, 185-204.	0.8	31
57	Alcohol Consumption and Domain-Specific Cognitive Function in Older Adults: Longitudinal Data From the Johns Hopkins Precursors Study. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2011, 66B, 39-47.	2.4	30
58	TOWARDS PATIENT-CENTERED CARE FOR DEPRESSION: CONJOINT METHODS TO TAILOR TREATMENT BASED ON PREFERENCES. Patient, 2010, 3, 145-157.	1.1	29
59	Do Family Physicians and Internists Differ in Knowledge, Attitudes, and Self-Reported Approaches for Depression?. International Journal of Psychiatry in Medicine, 2002, 32, 1-20.	0.8	27
60	Patient Characteristics Associated with Participation in a Practice-Based Study of Depression in Late Life: The Spectrum Study. International Journal of Psychiatry in Medicine, 2005, 35, 41-57.	0.8	26
61	Cardiovascular risk factors and risk of incident depression throughout adulthood among men: The Johns Hopkins Precursors Study. Journal of Affective Disorders, 2017, 214, 60-66.	2.0	25
62	Disparity in Use of Psychotherapy Offered in Primary Care Between Older Africanâ€American and White Adults: Results from a Practiceâ€Based Depression Intervention Trial. Journal of the American Geriatrics Society, 2010, 58, 154-160.	1.3	23
63	Computer-assisted assessment of depression and function in older primary care patients. Computer Methods and Programs in Biomedicine, 2004, 73, 165-171.	2.6	22
64	Prospective study of brief neuropsychological measures to assess crash risk in older primary care patients. The Journal of the American Board of Family Practice, 2002, 15, 11-9.	0.3	22
65	Concordance Between Clinical Diagnosis and Medicare Claims of Depression Among Older Primary Care Patients. American Journal of Geriatric Psychiatry, 2015, 23, 726-734.	0.6	20
66	Physical Activity in Midlife is not Associated with Cognitive Health in Later Life Among Cognitively Normal Older Adults. Journal of Alzheimer's Disease, 2017, 59, 1349-1358.	1.2	20
67	Death Ideation and Suicidal Ideation in a Community Sample Who Do Not Meet Criteria for Major Depression. Crisis, 2016, 37, 161-165.	0.9	20
68	Personal characteristics and depression-related attitudes of older adults and participation in stages of implementation of a multi-site effectiveness trial (PRISM-E). International Journal of Geriatric Psychiatry, 2005, 20, 927-937.	1.3	19
69	Hearing Norton Sound: mixed methods protocol of a community randomised trial to address childhood hearing loss in rural Alaska. BMJ Open, 2019, 9, e023081.	0.8	19
70	Hearing Norton Sound: a community randomised trial protocol to address childhood hearing loss in rural Alaska. BMJ Open, 2019, 9, e023078.	0.8	19
71	Depression Subtypes in Individuals With or at Risk for Symptomatic Knee Osteoarthritis. Arthritis Care and Research, 2020, 72, 669-678.	1.5	19
72	Mobile health school screening and telemedicine referral to improve access to specialty care in rural Alaska: a cluster- randomised controlled trial. The Lancet Global Health, 2022, 10, e1023-e1033.	2.9	19

#	Article	IF	CITATIONS
73	Comparative effectiveness of prostate cancer treatments for patient-centered outcomes. Medicine (United States), 2017, 96, e6790.	0.4	18
74	Towards Personalizing Treatment for Depression. Patient, 2013, 6, 35-43.	1.1	17
75	Association between disease progression and depression onset in persons with radiographic knee osteoarthritis. Rheumatology, 2020, 59, 3390-3399.	0.9	17
76	Exploring Health Literacy and the Correlates of Pap Testing Among African Immigrant Women: Findings from the AfroPap Study. Journal of Cancer Education, 2021, 36, 441-451.	0.6	17
77	Usefulness of two instruments in assessing depression among elderly Mexicans in population studies and for primary care. Salud Publica De Mexico, 2008, 50, 447-456.	0.1	17
78	Treatment preference and patient centered prostate cancer care: Design and rationale. Contemporary Clinical Trials, 2015, 45, 296-301.	0.8	16
79	Decision making about Pap test use among Korean immigrant women: A qualitative study. Health Expectations, 2017, 20, 685-695.	1.1	16
80	Barriers and facilitators for access to mental health services by traumatized youth. Children and Youth Services Review, 2018, 85, 273-278.	1.0	15
81	Urbanicity of residence and depression among adults 50Âyears and older in Ghana and South Africa: an analysis of the WHO Study on Global AGEing and Adult Health (SAGE). Aging and Mental Health, 2019, 23, 660-669.	1.5	15
82	Clinical Diagnosis: A Marker for Disease?. Journal of Nervous and Mental Disease, 1997, 185, 739-747.	0.5	15
83	Depression in late life: a hidden public health problem for Mexico?. Salud Publica De Mexico, 1999, 41, 189-202.	0.1	15
84	Epidemiology of Mental Disorders in Middle Age and Late Life: Conceptual Issues. Epidemiologic Reviews, 1995, 17, 83-94.	1.3	14
85	Assessing urban-rural differences in the relationship between social capital and depression among Ghanaian and South African older adults. PLoS ONE, 2019, 14, e0218620.	1.1	14
86	Hearing Norton Sound: community involvement in the design of a mixed methods community randomized trial in 15 Alaska Native communities. Research Involvement and Engagement, 2020, 6, 67.	1.1	14
87	Funding and Publishing Integrated Studies: Writing Effective Mixed Methods Manuscripts and Grant Proposals., 2010,, 775-802.		14
88	What Does Depression Mean for Korean American Elderly?: A Qualitative Follow-Up Study. Psychiatry Investigation, 2016, 13, 558.	0.7	14
89	Process Evaluation of a Retreat for Scholars in the First Cohort: The NIH Mixed Methods Research Training Program for the Health Sciences. Journal of Mixed Methods Research, 2019, 13, 52-68.	1.8	13
90	Sources of Information for Learning and Decision-Making in Men With Localized Prostate Cancer. American Journal of Men's Health, 2020, 14, 155798832094546.	0.7	12

#	Article	IF	CITATIONS
91	Development of a Self-Rated Mixed Methods Skills Assessment: The National Institutes of Health Mixed Methods Research Training Program for the Health Sciences. Journal of Continuing Education in the Health Professions, 2017, 37, 76-82.	0.4	11
92	Mixed methods grant applications in the health sciences: An analysis of reviewer comments. PLoS ONE, 2019, 14, e0225308.	1.1	11
93	The impact of peer mentor communication with older adults on depressive symptoms and working alliance: A pilot study. Patient Education and Counseling, 2018, 101, 665-671.	1.0	10
94	Factors associated with helpâ€seeking behaviors in Mexican older individuals with depressive symptoms: a crossâ€sectional study. International Journal of Geriatric Psychiatry, 2013, 28, 1260-1269.	1.3	9
95	Does a Depression Management Program Decrease Mortality in Older Adults with Specific Medical Conditions in Primary Care? An Exploratory Analysis. Journal of the American Geriatrics Society, 2016, 64, 126-131.	1.3	9
96	Longâ€term depression incidence and associated mortality among African American and White prostate cancer survivors. Cancer, 2021, 127, 3476-3485.	2.0	9
97	A mixed methods exploratory assessment of the usefulness of Baltimore City Health Department's trauma-informed care training intervention American Journal of Orthopsychiatry, 2019, 89, 228-236.	1.0	9
98	Advance Directives, Medical Conditions, and Preferences for End-of-Life Care Among Physicians: 12-year Follow-Up of the Johns Hopkins Precursors Study. Journal of Pain and Symptom Management, 2019, 57, 556-565.	0.6	8
99	Role of persistent and worsening sleep disturbance in depression remission and suicidal ideation among older primary care patients: the PROSPECT study. Sleep, 2020, 43, .	0.6	8
100	An Idea Whose Time Has Come: Promoting Health Equity by Preventing the Syndemic of Depression and Medical Comorbidity. American Journal of Geriatric Psychiatry, 2021, 29, 12-14.	0.6	8
101	Cognitive impairment and syndromal depression in estimates of active life expectancy: the 13-year follow-up of the Baltimore Epidemiologic Catchment Area sample. Acta Psychiatrica Scandinavica, 2000, 101, 265-273.	2.2	7
102	The role of patient personality in the identification of depression in older primary care patients. International Journal of Geriatric Psychiatry, 2007, 22, 1095-1100.	1.3	7
103	Depressive symptoms among adolescents and older adults in Mexico City. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 953-960.	1.6	7
104	Multimorbidity and Mental Health. American Journal of Geriatric Psychiatry, 2017, 25, 520-521.	0.6	7
105	Physician Preferences for Aggressive Treatment at the End of Life and Area-Level Health Care Spending: The Johns Hopkins Precursors Study. Gerontology and Geriatric Medicine, 2017, 3, 233372141772232.	0.8	7
106	Models of care for populations with chronic conditions and mental/behavioral health comorbidity. International Review of Psychiatry, 2018, 30, 157-169.	1.4	7
107	Mood disorders, childhood maltreatment, and medical morbidity in US adults: An observational study. Journal of Psychosomatic Research, 2020, 137, 110207.	1.2	7
108	Cognitive impairment and syndromal depression in estimates of active life expectancy: the 13-year follow-up of the Baltimore Epidemiologic Catchment Area sample. Acta Psychiatrica Scandinavica, 2000, 101, 265-273.	2.2	7

#	Article	IF	Citations
109	Residents' Confidence Providing Primary Care With Behavioral Health Integration. Family Medicine, 2017, 49, 361-368.	0.3	7
110	Depressive symptoms and APOE polymorphisms in an elderly population-based sample. Psychiatric Genetics, 2010, 20, 215-220.	0.6	6
111	Using vignettes to understand heart failure selfâ€care. Journal of Clinical Nursing, 2018, 27, 3554-3560.	1.4	6
112	Urinary Incontinence, Conditionâ€Specific Functional Loss, and Psychological Distress. Journal of the American Geriatrics Society, 2002, 50, 1311-1311.	1.3	5
113	The Association of Alcohol Use and Depression Among Puerto Ricans in the United States and in Puerto Rico. Journal of Ethnicity in Substance Abuse, 2003, 2, 1-13.	0.6	5
114	Brief report: Patient cognitive status and the identification and management of depression by primary care physicians. Journal of General Internal Medicine, 2006, 21, 1042-1044.	1.3	5
115	Bridging Psychiatric and Anthropological Approaches: The Case of "Nerves―in the United States. Ethos, 2009, 37, 282-313.	0.1	5
116	Patient-centred outcomes research: perspectives of patient stakeholders. JRSM Open, 2017, 8, 205427041773851.	0.2	5
117	"We can't carry the weight of the whole world― illness experiences among Peruvian older adults with symptoms of depression and anxiety. International Journal of Mental Health Systems, 2020, 14, 49.	1.1	5
118	Residence in urban and rural areas over the life course and depression among Ghanaian and South African older adults. Health and Place, 2020, 63, 102349.	1.5	5
119	Diagnoses and Treatment After Depression Screening in Primary Care Among Youth. American Journal of Preventive Medicine, 2022, 62, 511-518.	1.6	5
120	COSTS OF DEPRESSION FROM CLAIMS DATA FOR MEDICARE RECIPIENTS IN A POPULATION-BASED SAMPLE. Journal of Health and Human Services Administration, 2016, 39, 72-94.	0.6	5
121	Patient-Centered Approach to Develop the Patient's Preferences for Prostate Cancer Care (PreProCare) Tool. MDM Policy and Practice, 2019, 4, 238146831985537.	0.5	4
122	Does it Matter Who Decides? Outcomes of Surrogate Decision-Making for Community-Dwelling, Cognitively Impaired Older Adults Near the End of Life. Journal of Pain and Symptom Management, 2021, 62, 1126-1134.	0.6	4
123	Evaluating the association of adverse childhood experiences, mood and anxiety disorders, and suicidal ideation among behavioral health patients at a large federally qualified health center. PLoS ONE, 2021, 16, e0254385.	1.1	4
124	Skills Development and Academic Productivity of Scholars in the NIH Mixed Methods Research Training Program for the Health Sciences. International Journal of Multiple Research Approaches, 2018, 10, 373-389.	0.3	4
125	Costs of substance use disorders from claims data for Medicare recipients from a population-based sample. Journal of Substance Abuse Treatment, 2017, 77, 174-177.	1.5	3
126	What matters when doctors die: A qualitative study of family perspectives. PLoS ONE, 2020, 15, e0235138.	1.1	3

#	Article	IF	CITATIONS
127	The Role of Sources and Types of Health Information in Shaping Health Literacy in Cervical Cancer Screening Among African Immigrant Women: A Mixed-Methods Study. Health Literacy Research and Practice, 2021, 5, e96-e108.	0.5	3
128	Advancing discussion of ethics in mixed methods health services research. BMC Health Services Research, 2021, 21, 577.	0.9	3
129	"Conversational Advice†A mixed-methods analysis of medical residents' experiences co-managing primary care patients with behavioral health providers. Patient Education and Counseling, 2018, 101, 85-91.	1.0	1
130	Mixed Methods in Geriatrics and Gerontology Research. , 2018, , 129-142.		1
131	Racial disparities in depression incidence, management, and mortality after prostate cancer diagnosis Journal of Clinical Oncology, 2021, 39, 201-201.	0.8	1
132	Mitigating End-of-Life Burden: Parallel Perspectives of Physician-Patients & Dournal of Pain and Symptom Management, 2022, 63, 590-598.	0.6	1
133	One size does not fit all. American Journal of Geriatric Psychiatry, 2022, , .	0.6	1
134	Reply to A. Vickers et al. Journal of Clinical Oncology, 2019, 37, 3463-3464.	0.8	0
135	Prevention of Depression in Medical Conditions. , 2015, , 33-56.		0
136	What matters when doctors die: A qualitative study of family perspectives., 2020, 15, e0235138.		0
137	What matters when doctors die: A qualitative study of family perspectives. , 2020, 15, e0235138.		O
138	What matters when doctors die: A qualitative study of family perspectives., 2020, 15, e0235138.		0
139	What matters when doctors die: A qualitative study of family perspectives. , 2020, 15, e0235138.		O