

Joseph J Gallo

List of Publications by Citations

Source: <https://exaly.com/author-pdf/10834143/joseph-j-gallo-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

132
papers

5,830
citations

41
h-index

74
g-index

139
ext. papers

6,552
ext. citations

3.8
avg. IF

5.43
L-index

#	Paper	IF	Citations
132	The acceptability of treatment for depression among African-American, Hispanic, and white primary care patients. <i>Medical Care</i> , 2003 , 41, 479-89	3.1	531
131	Depression, psychotropic medication, and risk of myocardial infarction. Prospective data from the Baltimore ECA follow-up. <i>Circulation</i> , 1996 , 94, 3123-9	16.7	413
130	Consensus statement on the upcoming crisis in geriatric mental health: research agenda for the next 2 decades. <i>Archives of General Psychiatry</i> , 1999 , 56, 848-53		412
129	Age differences in the symptoms of depression: a latent trait analysis. <i>Journal of Gerontology</i> , 1994 , 49, P251-64		256
128	Depression without sadness: functional outcomes of nondysphoric depression in later life. <i>Journal of the American Geriatrics Society</i> , 1997 , 45, 570-8	5.6	199
127	The epidemiology of common late-life mental disorders in the community: themes for the new century. <i>Psychiatric Services</i> , 1999 , 50, 1158-66	3.3	190
126	Mental health service utilization by African Americans and Whites: the Baltimore Epidemiologic Catchment Area Follow-Up. <i>Medical Care</i> , 1999 , 37, 1034-45	3.1	177
125	A systematic review of physical illness, functional disability, and suicidal behaviour among older adults. <i>Aging and Mental Health</i> , 2016 , 20, 166-94	3.5	175
124	A mixed-methods approach to understanding loneliness and depression in older adults. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2006 , 61, S329-39	4.6	150
123	Hopelessness, depression, substance disorder, and suicidality--a 13-year community-based study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 497-501	4.5	127
122	Accuracy of reports of lifetime mental and physical disorders: results from the Baltimore Epidemiological Catchment Area study. <i>JAMA Psychiatry</i> , 2014 , 71, 273-80	14.5	123
121	The effect of a primary care practice-based depression intervention on mortality in older adults: a randomized trial. <i>Annals of Internal Medicine</i> , 2007 , 146, 689-98	8	114
120	Understanding the heterogeneity of depression through the triad of symptoms, course and risk factors: a longitudinal, population-based study. <i>Journal of Affective Disorders</i> , 2000 , 59, 1-11	6.6	113
119	Suicidal and Death Ideation in Older Primary Care Patients With Depression, Anxiety, and At-Risk Alcohol Use. <i>American Journal of Geriatric Psychiatry</i> , 2002 , 10, 417-427	6.5	112
118	The driving habits of adults aged 60 years and older. <i>Journal of the American Geriatrics Society</i> , 1999 , 47, 335-41	5.6	108
117	Long term effect of depression care management on mortality in older adults: follow-up of cluster randomized clinical trial in primary care. <i>BMJ, The</i> , 2013 , 346, f2570	5.9	103
116	The burden of depression in prostate cancer. <i>Psycho-Oncology</i> , 2012 , 21, 1338-45	3.9	95

115	Depression and cancer risk: 24 years of follow-up of the Baltimore Epidemiologic Catchment Area sample. <i>Cancer Causes and Control</i> , 2010 , 21, 191-9	2.8	93
114	Primary care clinicians evaluate integrated and referral models of behavioral health care for older adults: results from a multisite effectiveness trial (PRISM-e). <i>Annals of Family Medicine</i> , 2004 , 2, 305-9	2.9	93
113	Urinary incontinence and psychological distress in community-dwelling older adults. <i>Journal of the American Geriatrics Society</i> , 2002 , 50, 489-95	5.6	92
112	Education and sex differences in the mini-mental state examination: effects of differential item functioning. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2002 , 57, P548-58 ⁶	4.6	88
111	Unwritten rules of talking to doctors about depression: integrating qualitative and quantitative methods. <i>Annals of Family Medicine</i> , 2006 , 4, 302-9	2.9	73
110	Depression, Cardiovascular Disease, Diabetes, and Two-Year Mortality Among Older, Primary-Care Patients. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 748-755	6.5	68
109	Dimensions of the Mini-Mental State Examination among community dwelling older adults. <i>Psychological Medicine</i> , 2000 , 30, 605-18	6.9	65
108	Patient ethnicity and the identification and active management of depression in late life. <i>Archives of Internal Medicine</i> , 2005 , 165, 1962-8		62
107	Major depression and cancer: the 13-year follow-up of the Baltimore epidemiologic catchment area sample (United States). <i>Cancer Causes and Control</i> , 2000 , 11, 751-8	2.8	61
106	Depression, cardiovascular disease, diabetes, and two-year mortality among older, primary-care patients. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 748-55	6.5	60
105	Are higher rates of depression in women accounted for by differential symptom reporting?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 126-32	4.5	59
104	Physical functioning, depression, and preferences for treatment at the end of life: the Johns Hopkins Precursors Study. <i>Journal of the American Geriatrics Society</i> , 2004 , 52, 577-82	5.6	58
103	Multimorbidity, Depression, and Mortality in Primary Care: Randomized Clinical Trial of an Evidence-Based Depression Care Management Program on Mortality Risk. <i>Journal of General Internal Medicine</i> , 2016 , 31, 380-6	4	57
102	Using a Bayesian latent growth curve model to identify trajectories of positive affect and negative events following myocardial infarction. <i>Biostatistics</i> , 2005 , 6, 119-43	3.7	53
101	Suicidal and death ideation in older primary care patients with depression, anxiety, and at-risk alcohol use. <i>American Journal of Geriatric Psychiatry</i> , 2002 , 10, 417-27	6.5	53
100	Education bias in the mini-mental state examination. <i>International Psychogeriatrics</i> , 2001 , 13, 299-310	3.4	51
99	Life-sustaining treatments: what do physicians want and do they express their wishes to others?. <i>Journal of the American Geriatrics Society</i> , 2003 , 51, 961-9	5.6	50
98	Stability of preferences for end-of-life treatment after 3 years of follow-up: the Johns Hopkins Precursors Study. <i>Archives of Internal Medicine</i> , 2008 , 168, 2125-30		49

97	Depressive symptoms impair everyday problem-solving ability through cognitive abilities in late life. <i>American Journal of Geriatric Psychiatry</i> , 2011 , 19, 142-50	6.5	48
96	Depressive symptoms among older adults in Mexico City. <i>Journal of General Internal Medicine</i> , 2008 , 23, 1973-80	4	47
95	ApoE4 allele is associated with late-life depression: a population-based study. <i>American Journal of Geriatric Psychiatry</i> , 2007 , 15, 858-68	6.5	46
94	Chronic medical conditions and wishes to die among older primary care patients. <i>International Journal of Psychiatry in Medicine</i> , 2006 , 36, 183-98	1	43
93	Social role functioning in Parkinson's disease: A mixed-methods systematic review. <i>International Journal of Geriatric Psychiatry</i> , 2019 , 34, 1128-1138	3.9	42
92	Symptom profiles of depression among general medical service users compared with specialty mental health service users. <i>Psychological Medicine</i> , 1997 , 27, 1051-63	6.9	42
91	Personal characteristics of older primary care patients who provide a buccal swab for apolipoprotein E testing and banking of genetic material: the spectrum study. <i>Public Health Genomics</i> , 2004 , 7, 202-10		40
90	The challenge of depression in late life: bridging science and service in primary care. <i>JAMA - Journal of the American Medical Association</i> , 2000 , 284, 1570-2	27.4	36
89	Anxiety disorders and disability secondary to urinary incontinence among adults over age 50. <i>International Journal of Psychiatry in Medicine</i> , 2002 , 32, 141-54	1	33
88	The role of cardiovascular disease in the identification and management of depression by primary care physicians. <i>American Journal of Geriatric Psychiatry</i> , 2006 , 14, 71-8	6.5	31
87	The systematic assessment of depressed elderly primary care patients. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 560-9	3.9	30
86	Substance use, mental illness, and familial conflict non-negotiation among HIV-positive African-Americans: latent class regression and a new syndemic framework. <i>Journal of Behavioral Medicine</i> , 2016 , 39, 1-12	3.6	29
85	Towards Patient-Centered Care for Depression. <i>Patient</i> , 2010 , 3, 145-157	3.7	29
84	Non-pharmacological prevention of major depression among community-dwelling older adults: a systematic review of the efficacy of psychotherapy interventions. <i>Archives of Gerontology and Geriatrics</i> , 2012 , 55, 522-9	4	28
83	An Innovative Model of Depression Care Delivery: Peer Mentors in Collaboration with a Mental Health Professional to Relieve Depression in Older Adults. <i>American Journal of Geriatric Psychiatry</i> , 2016 , 24, 407-16	6.5	27
82	The Research magnificent in late life: psychiatric epidemiology and the primary health care of older adults. <i>International Journal of Psychiatry in Medicine</i> , 1997 , 27, 185-204	1	27
81	The role of physicians in assessing older drivers: barriers, opportunities, and strategies. <i>Journal of the American Board of Family Medicine</i> , 2004 , 17, 38-43	1.6	27
80	Late-life depressive symptoms: prediction models of change. <i>Journal of Affective Disorders</i> , 2013 , 150, 886-94	6.6	26

79	TOWARDS PATIENT-CENTERED CARE FOR DEPRESSION: CONJOINT METHODS TO TAILOR TREATMENT BASED ON PREFERENCES. <i>Patient</i> , 2010 , 3, 145-157	3.7	26
78	Alcohol consumption and domain-specific cognitive function in older adults: longitudinal data from the Johns Hopkins Precursors Study. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2011 , 66, 39-47	4.6	24
77	Patient characteristics associated with participation in a practice-based study of depression in late life: the Spectrum study. <i>International Journal of Psychiatry in Medicine</i> , 2005 , 35, 41-57	1	24
76	Do family physicians and internists differ in knowledge, attitudes, and self-reported approaches for depression?. <i>International Journal of Psychiatry in Medicine</i> , 2002 , 32, 1-20	1	24
75	A Framework of Minority Stress: From Physiological Manifestations to Cognitive Outcomes. <i>Gerontologist</i> , 2019 , 59, 1017-1023	5	23
74	Patient-Centered Preference Assessment to Improve Satisfaction With Care Among Patients With Localized Prostate Cancer: A Randomized Controlled Trial. <i>Journal of Clinical Oncology</i> , 2019 , 37, 964-973 ²	2.2	22
73	Prospective study of brief neuropsychological measures to assess crash risk in older primary care patients. <i>The Journal of the American Board of Family Practice</i> , 2002 , 15, 11-9		21
72	Computer-assisted assessment of depression and function in older primary care patients. <i>Computer Methods and Programs in Biomedicine</i> , 2004 , 73, 165-71	6.9	18
71	Comparative effectiveness of prostate cancer treatments for patient-centered outcomes: A systematic review and meta-analysis (PRISMA Compliant). <i>Medicine (United States)</i> , 2017 , 96, e6790	1.8	17
70	Heart Failure Rehospitalization and Delayed Decision Making: The Impact of Self-care and Depression. <i>Journal of Cardiovascular Nursing</i> , 2018 , 33, 30-39	2.1	17
69	Towards personalizing treatment for depression : developing treatment values markers. <i>Patient</i> , 2013 , 6, 35-43	3.7	17
68	Disparity in use of psychotherapy offered in primary care between older african-american and white adults: results from a practice-based depression intervention trial. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 154-60	5.6	17
67	Treatment preference and patient centered prostate cancer care: Design and rationale. <i>Contemporary Clinical Trials</i> , 2015 , 45, 296-301	2.3	15
66	Personal characteristics and depression-related attitudes of older adults and participation in stages of implementation of a multi-site effectiveness trial (PRISM-E). <i>International Journal of Geriatric Psychiatry</i> , 2005 , 20, 927-37	3.9	15
65	Concordance Between Clinical Diagnosis and Medicare Claims of Depression Among Older Primary Care Patients. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 726-34	6.5	14
64	Usefulness of two instruments in assessing depression among elderly Mexicans in population studies and for primary care. <i>Salud Publica De Mexico</i> , 2008 , 50, 447-56	1.7	14
63	Death Ideation and Suicidal Ideation in a Community Sample Who Do Not Meet Criteria for Major Depression. <i>Crisis</i> , 2016 , 37, 161-5	2.8	14
62	Cardiovascular risk factors and risk of incident depression throughout adulthood among men: The Johns Hopkins Precursors Study. <i>Journal of Affective Disorders</i> , 2017 , 214, 60-66	6.6	13

61	Depression Subtypes in Individuals With or at Risk for Symptomatic Knee Osteoarthritis. <i>Arthritis Care and Research</i> , 2020 , 72, 669-678	4.7	13
60	Physical Activity in Midlife is not Associated with Cognitive Health in Later Life Among Cognitively Normal Older Adults. <i>Journal of Alzheimer's Disease</i> , 2017 , 59, 1349-1358	4.3	12
59	What Does Depression Mean for Korean American Elderly?: A Qualitative Follow-Up Study. <i>Psychiatry Investigation</i> , 2016 , 13, 558-565	3.1	12
58	Urbanicity of residence and depression among adults 50 years and older in Ghana and South Africa: an analysis of the WHO Study on Global AGEing and Adult Health (SAGE). <i>Aging and Mental Health</i> , 2019 , 23, 660-669	3.5	12
57	Epidemiology of mental disorders in middle age and late life: conceptual issues. <i>Epidemiologic Reviews</i> , 1995 , 17, 83-94	4.1	11
56	Clinical diagnosis: a marker for disease?. <i>Journal of Nervous and Mental Disease</i> , 1997 , 185, 739-47	1.8	11
55	Funding and Publishing Integrated Studies: Writing Effective Mixed Methods Manuscripts and Grant Proposals 775-802		10
54	Decision making about Pap test use among Korean immigrant women: A qualitative study. <i>Health Expectations</i> , 2017 , 20, 685-695	3.7	9
53	Barriers and facilitators for access to mental health services by traumatized youth. <i>Children and Youth Services Review</i> , 2018 , 85, 273-278	2	8
52	Process Evaluation of a Retreat for Scholars in the First Cohort: The NIH Mixed Methods Research Training Program for the Health Sciences. <i>Journal of Mixed Methods Research</i> , 2019 , 13, 52-68	3.3	8
51	Development of a Self-Rated Mixed Methods Skills Assessment: The National Institutes of Health Mixed Methods Research Training Program for the Health Sciences. <i>Journal of Continuing Education in the Health Professions</i> , 2017 , 37, 76-82	2.1	7
50	The impact of peer mentor communication with older adults on depressive symptoms and working alliance: A pilot study. <i>Patient Education and Counseling</i> , 2018 , 101, 665-671	3.1	7
49	Depression in late life: a hidden public health problem for Mexico?. <i>Salud Publica De Mexico</i> , 1999 , 41, 189-202	1.7	7
48	Physician Preferences for Aggressive Treatment at the End of Life and Area-Level Health Care Spending: The Johns Hopkins Precursors Study. <i>Gerontology and Geriatric Medicine</i> , 2017 , 3, 233-372	2.3	6
47	Hearing Norton Sound: mixed methods protocol of a community randomised trial to address childhood hearing loss in rural Alaska. <i>BMJ Open</i> , 2019 , 9, e023081	3	6
46	Assessing urban-rural differences in the relationship between social capital and depression among Ghanaian and South African older adults. <i>PLoS ONE</i> , 2019 , 14, e0218620	3.7	6
45	Depressive symptoms among adolescents and older adults in Mexico City. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 953-60	4.5	6
44	Depressive symptoms and APOE polymorphisms in an elderly population-based sample. <i>Psychiatric Genetics</i> , 2010 , 20, 215-20	2.9	6

43	Cognitive impairment and syndromal depression in estimates of active life expectancy: the 13-year follow-up of the Baltimore Epidemiologic Catchment Area sample. <i>Acta Psychiatrica Scandinavica</i> , 2000 , 101, 265-273	6.5	6
42	Residents' Confidence Providing Primary Care With Behavioral Health Integration. <i>Family Medicine</i> , 2017 , 49, 361-368	0.8	6
41	Hearing Norton Sound: a community randomised trial protocol to address childhood hearing loss in rural Alaska. <i>BMJ Open</i> , 2019 , 9, e023078	3	5
40	Mixed methods grant applications in the health sciences: An analysis of reviewer comments. <i>PLoS ONE</i> , 2019 , 14, e0225308	3.7	5
39	Factors associated with help-seeking behaviors in Mexican older individuals with depressive symptoms: a cross-sectional study. <i>International Journal of Geriatric Psychiatry</i> , 2013 , 28, 1260-9	3.9	5
38	The role of patient personality in the identification of depression in older primary care patients. <i>International Journal of Geriatric Psychiatry</i> , 2007 , 22, 1095-100	3.9	5
37	Brief report: patient cognitive status and the identification and management of depression by primary care physicians. <i>Journal of General Internal Medicine</i> , 2006 , 21, 1042-4	4	5
36	The Association of Alcohol Use and Depression Among Puerto Ricans in the United States and in Puerto Rico. <i>Journal of Ethnicity in Substance Abuse</i> , 2003 , 2, 1-13	1.1	5
35	Cognitive impairment and syndromal depression in estimates of active life expectancy: the 13-year follow-up of the Baltimore Epidemiologic Catchment Area sample. <i>Acta Psychiatrica Scandinavica</i> , 2000 , 101, 265-273	6.5	5
34	Does a Depression Management Program Decrease Mortality in Older Adults with Specific Medical Conditions in Primary Care? An Exploratory Analysis. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 126-31	5.6	5
33	Association between disease progression and depression onset in persons with radiographic knee osteoarthritis. <i>Rheumatology</i> , 2020 , 59, 3390-3399	3.9	4
32	Patient-centred outcomes research: perspectives of patient stakeholders. <i>JRSM Open</i> , 2017 , 8, 2054270417738511	4.1	5
31	Bridging Psychiatric and Anthropological Approaches: The Case of "Nerves" in the United States. <i>Ethos</i> , 2009 , 37, 282-313	0.6	4
30	Urinary incontinence, condition-specific functional loss, and psychological distress. <i>Journal of the American Geriatrics Society</i> , 2002 , 50, 1311	5.6	4
29	Mood disorders, childhood maltreatment, and medical morbidity in US adults: An observational study. <i>Journal of Psychosomatic Research</i> , 2020 , 137, 110207	4.1	4
28	Advance Directives, Medical Conditions, and Preferences for End-of-Life Care Among Physicians: 12-year Follow-Up of the Johns Hopkins Precursors Study. <i>Journal of Pain and Symptom Management</i> , 2019 , 57, 556-565	4.8	4
27	Models of care for populations with chronic conditions and mental/behavioral health comorbidity. <i>International Review of Psychiatry</i> , 2018 , 30, 157-169	3.6	4
26	COSTS OF DEPRESSION FROM CLAIMS DATA FOR MEDICARE RECIPIENTS IN A POPULATION-BASED SAMPLE. <i>Journal of Health and Human Services Administration</i> , 2016 , 39, 72-94		4

25	A mixed methods exploratory assessment of the usefulness of Baltimore City Health Department's trauma-informed care training intervention. <i>American Journal of Orthopsychiatry</i> , 2019 , 89, 228-236	2.8	3
24	Sources of Information for Learning and Decision-Making in Men With Localized Prostate Cancer. <i>American Journal of Men's Health</i> , 2020 , 14, 1557988320945461	2.2	3
23	Hearing Norton Sound: community involvement in the design of a mixed methods community randomized trial in 15 Alaska Native communities. <i>Research Involvement and Engagement</i> , 2020 , 6, 67	4.4	3
22	Exploring Health Literacy and the Correlates of Pap Testing Among African Immigrant Women: Findings from the AfroPap Study. <i>Journal of Cancer Education</i> , 2021 , 36, 441-451	1.8	3
21	Using vignettes to understand heart failure self-care. <i>Journal of Clinical Nursing</i> , 2018 , 27, 3554-3560	3.2	3
20	Costs of substance use disorders from claims data for Medicare recipients from a population-based sample. <i>Journal of Substance Abuse Treatment</i> , 2017 , 77, 174-177	4.2	2
19	Residence in urban and rural areas over the life course and depression among Ghanaian and South African older adults. <i>Health and Place</i> , 2020 , 63, 102349	4.6	2
18	Patient-Centered Approach to Develop the Patient's Preferences for Prostate Cancer Care (PreProCare) Tool. <i>MDM Policy and Practice</i> , 2019 , 4, 2381468319855375	1.5	2
17	Skills Development and Academic Productivity of Scholars in the NIH Mixed Methods Research Training Program for the Health Sciences. <i>International Journal of Multiple Research Approaches</i> , 2018 , 10, 373-389	0.5	2
16	"We can't carry the weight of the whole world: illness experiences among Peruvian older adults with symptoms of depression and anxiety. <i>International Journal of Mental Health Systems</i> , 2020 , 14, 49	3.6	1
15	Advancing discussion of ethics in mixed methods health services research. <i>BMC Health Services Research</i> , 2021 , 21, 577	2.9	1
14	Does it Matter Who Decides? Outcomes of Surrogate Decision-Making for Community-Dwelling, Cognitively Impaired Older Adults Near the End of Life. <i>Journal of Pain and Symptom Management</i> , 2021 , 62, 1126-1134	4.8	1
13	Long-term depression incidence and associated mortality among African American and White prostate cancer survivors. <i>Cancer</i> , 2021 , 127, 3476-3485	6.4	1
12	"Conversational Advice": A mixed-methods analysis of medical residents' experiences co-managing primary care patients with behavioral health providers. <i>Patient Education and Counseling</i> , 2018 , 101, 85-91	3.1	1
11	Evaluating the association of adverse childhood experiences, mood and anxiety disorders, and suicidal ideation among behavioral health patients at a large federally qualified health center. <i>PLoS ONE</i> , 2021 , 16, e0254385	3.7	1
10	What matters when doctors die: A qualitative study of family perspectives. <i>PLoS ONE</i> , 2020 , 15, e02351387	3.7	0
9	The Role of Sources and Types of Health Information in Shaping Health Literacy in Cervical Cancer Screening Among African Immigrant Women: A Mixed-Methods Study. <i>Health Literacy Research and Practice</i> , 2021 , 5, e96-e108	2.6	0
8	Mixed Methods in Geriatrics and Gerontology Research 2018 , 129-142		0

- 7 Reply to A. Vickers et al. *Journal of Clinical Oncology*, **2019**, 37, 3463-3464 2.2
- 6 Prevention of Depression in Medical Conditions **2015**, 33-56
- 5 Racial disparities in depression incidence, management, and mortality after prostate cancer diagnosis.. *Journal of Clinical Oncology*, **2021**, 39, 201-201 2.2
- 4 What matters when doctors die: A qualitative study of family perspectives **2020**, 15, e0235138
- 3 What matters when doctors die: A qualitative study of family perspectives **2020**, 15, e0235138
- 2 What matters when doctors die: A qualitative study of family perspectives **2020**, 15, e0235138
- 1 What matters when doctors die: A qualitative study of family perspectives **2020**, 15, e0235138