

Joseph J Gallo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/10834143/joseph-j-gallo-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

132
papers

5,830
citations

41
h-index

74
g-index

139
ext. papers

6,552
ext. citations

3.8
avg. IF

5.43
L-index

#	Paper	IF	Citations
132	The Role of Sources and Types of Health Information in Shaping Health Literacy in Cervical Cancer Screening Among African Immigrant Women: A Mixed-Methods Study. <i>Health Literacy Research and Practice</i> , 2021 , 5, e96-e108	2.6	0
131	Advancing discussion of ethics in mixed methods health services research. <i>BMC Health Services Research</i> , 2021 , 21, 577	2.9	1
130	Does it Matter Who Decides? Outcomes of Surrogate Decision-Making for Community-Dwelling, Cognitively Impaired Older Adults Near the End of Life. <i>Journal of Pain and Symptom Management</i> , 2021 , 62, 1126-1134	4.8	1
129	Long-term depression incidence and associated mortality among African American and White prostate cancer survivors. <i>Cancer</i> , 2021 , 127, 3476-3485	6.4	1
128	Exploring Health Literacy and the Correlates of Pap Testing Among African Immigrant Women: Findings from the AfroPap Study. <i>Journal of Cancer Education</i> , 2021 , 36, 441-451	1.8	3
127	Racial disparities in depression incidence, management, and mortality after prostate cancer diagnosis.. <i>Journal of Clinical Oncology</i> , 2021 , 39, 201-201	2.2	
126	Evaluating the association of adverse childhood experiences, mood and anxiety disorders, and suicidal ideation among behavioral health patients at a large federally qualified health center. <i>PLoS ONE</i> , 2021 , 16, e0254385	3.7	1
125	Residence in urban and rural areas over the life course and depression among Ghanaian and South African older adults. <i>Health and Place</i> , 2020 , 63, 102349	4.6	2
124	What matters when doctors die: A qualitative study of family perspectives. <i>PLoS ONE</i> , 2020 , 15, e0235138	3.7	0
123	Association between disease progression and depression onset in persons with radiographic knee osteoarthritis. <i>Rheumatology</i> , 2020 , 59, 3390-3399	3.9	4
122	Sources of Information for Learning and Decision-Making in Men With Localized Prostate Cancer. <i>American Journal of Men's Health</i> , 2020 , 14, 1557988320945461	2.2	3
121	Hearing Norton Sound: community involvement in the design of a mixed methods community randomized trial in 15 Alaska Native communities. <i>Research Involvement and Engagement</i> , 2020 , 6, 67	4.4	3
120	"We can't carry the weight of the whole world: illness experiences among Peruvian older adults with symptoms of depression and anxiety. <i>International Journal of Mental Health Systems</i> , 2020 , 14, 49	3.6	1
119	Mood disorders, childhood maltreatment, and medical morbidity in US adults: An observational study. <i>Journal of Psychosomatic Research</i> , 2020 , 137, 110207	4.1	4
118	Depression Subtypes in Individuals With or at Risk for Symptomatic Knee Osteoarthritis. <i>Arthritis Care and Research</i> , 2020 , 72, 669-678	4.7	13
117	What matters when doctors die: A qualitative study of family perspectives 2020 , 15, e0235138		
116	What matters when doctors die: A qualitative study of family perspectives 2020 , 15, e0235138		

115	What matters when doctors die: A qualitative study of family perspectives 2020 , 15, e0235138		
114	What matters when doctors die: A qualitative study of family perspectives 2020 , 15, e0235138		
113	Reply to A. Vickers et al. <i>Journal of Clinical Oncology</i> , 2019 , 37, 3463-3464	2.2	
112	Hearing Norton Sound: mixed methods protocol of a community randomised trial to address childhood hearing loss in rural Alaska. <i>BMJ Open</i> , 2019 , 9, e023081	3	6
111	Assessing urban-rural differences in the relationship between social capital and depression among Ghanaian and South African older adults. <i>PLoS ONE</i> , 2019 , 14, e0218620	3.7	6
110	Social role functioning in Parkinson's disease: A mixed-methods systematic review. <i>International Journal of Geriatric Psychiatry</i> , 2019 , 34, 1128-1138	3.9	42
109	Patient-Centered Preference Assessment to Improve Satisfaction With Care Among Patients With Localized Prostate Cancer: A Randomized Controlled Trial. <i>Journal of Clinical Oncology</i> , 2019 , 37, 964-973	3.2	22
108	Hearing Norton Sound: a community randomised trial protocol to address childhood hearing loss in rural Alaska. <i>BMJ Open</i> , 2019 , 9, e023078	3	5
107	Patient-Centered Approach to Develop the Patient's Preferences for Prostate Cancer Care (PreProCare) Tool. <i>MDM Policy and Practice</i> , 2019 , 4, 2381468319855375	1.5	2
106	A Framework of Minority Stress: From Physiological Manifestations to Cognitive Outcomes. <i>Gerontologist</i> , 2019 , 59, 1017-1023	5	23
105	Mixed methods grant applications in the health sciences: An analysis of reviewer comments. <i>PLoS ONE</i> , 2019 , 14, e0225308	3.7	5
104	A mixed methods exploratory assessment of the usefulness of Baltimore City Health Department's trauma-informed care training intervention. <i>American Journal of Orthopsychiatry</i> , 2019 , 89, 228-236	2.8	3
103	Advance Directives, Medical Conditions, and Preferences for End-of-Life Care Among Physicians: 12-year Follow-Up of the Johns Hopkins Precursors Study. <i>Journal of Pain and Symptom Management</i> , 2019 , 57, 556-565	4.8	4
102	Urbanicity of residence and depression among adults 50 years and older in Ghana and South Africa: an analysis of the WHO Study on Global AGEing and Adult Health (SAGE). <i>Aging and Mental Health</i> , 2019 , 23, 660-669	3.5	12
101	Process Evaluation of a Retreat for Scholars in the First Cohort: The NIH Mixed Methods Research Training Program for the Health Sciences. <i>Journal of Mixed Methods Research</i> , 2019 , 13, 52-68	3.3	8
100	Barriers and facilitators for access to mental health services by traumatized youth. <i>Children and Youth Services Review</i> , 2018 , 85, 273-278	2	8
99	Heart Failure Rehospitalization and Delayed Decision Making: The Impact of Self-care and Depression. <i>Journal of Cardiovascular Nursing</i> , 2018 , 33, 30-39	2.1	17
98	The impact of peer mentor communication with older adults on depressive symptoms and working alliance: A pilot study. <i>Patient Education and Counseling</i> , 2018 , 101, 665-671	3.1	7

97	Skills Development and Academic Productivity of Scholars in the NIH Mixed Methods Research Training Program for the Health Sciences. <i>International Journal of Multiple Research Approaches</i> , 2018 , 10, 373-389	0.5	2
96	"Conversational Advice": A mixed-methods analysis of medical residents' experiences co-managing primary care patients with behavioral health providers. <i>Patient Education and Counseling</i> , 2018 , 101, 85-91	3.1	1
95	Models of care for populations with chronic conditions and mental/behavioral health comorbidity. <i>International Review of Psychiatry</i> , 2018 , 30, 157-169	3.6	4
94	Mixed Methods in Geriatrics and Gerontology Research 2018 , 129-142		0
93	Using vignettes to understand heart failure self-care. <i>Journal of Clinical Nursing</i> , 2018 , 27, 3554-3560	3.2	3
92	Cardiovascular risk factors and risk of incident depression throughout adulthood among men: The Johns Hopkins Precursors Study. <i>Journal of Affective Disorders</i> , 2017 , 214, 60-66	6.6	13
91	Decision making about Pap test use among Korean immigrant women: A qualitative study. <i>Health Expectations</i> , 2017 , 20, 685-695	3.7	9
90	Comparative effectiveness of prostate cancer treatments for patient-centered outcomes: A systematic review and meta-analysis (PRISMA Compliant). <i>Medicine (United States)</i> , 2017 , 96, e6790	1.8	17
89	Development of a Self-Rated Mixed Methods Skills Assessment: The National Institutes of Health Mixed Methods Research Training Program for the Health Sciences. <i>Journal of Continuing Education in the Health Professions</i> , 2017 , 37, 76-82	2.1	7
88	Costs of substance use disorders from claims data for Medicare recipients from a population-based sample. <i>Journal of Substance Abuse Treatment</i> , 2017 , 77, 174-177	4.2	2
87	Physical Activity in Midlife is not Associated with Cognitive Health in Later Life Among Cognitively Normal Older Adults. <i>Journal of Alzheimer's Disease</i> , 2017 , 59, 1349-1358	4.3	12
86	Physician Preferences for Aggressive Treatment at the End of Life and Area-Level Health Care Spending: The Johns Hopkins Precursors Study. <i>Gerontology and Geriatric Medicine</i> , 2017 , 3, 2333721417722328	7.2	6
85	Patient-centred outcomes research: perspectives of patient stakeholders. <i>JRSM Open</i> , 2017 , 8, 2054270417738511	4.1	11
84	Residents' Confidence Providing Primary Care With Behavioral Health Integration. <i>Family Medicine</i> , 2017 , 49, 361-368	0.8	6
83	Substance use, mental illness, and familial conflict non-negotiation among HIV-positive African-Americans: latent class regression and a new syndemic framework. <i>Journal of Behavioral Medicine</i> , 2016 , 39, 1-12	3.6	29
82	An Innovative Model of Depression Care Delivery: Peer Mentors in Collaboration with a Mental Health Professional to Relieve Depression in Older Adults. <i>American Journal of Geriatric Psychiatry</i> , 2016 , 24, 407-16	6.5	27
81	Multimorbidity, Depression, and Mortality in Primary Care: Randomized Clinical Trial of an Evidence-Based Depression Care Management Program on Mortality Risk. <i>Journal of General Internal Medicine</i> , 2016 , 31, 380-6	4	57
80	A systematic review of physical illness, functional disability, and suicidal behaviour among older adults. <i>Aging and Mental Health</i> , 2016 , 20, 166-94	3.5	175

79	What Does Depression Mean for Korean American Elderly?: A Qualitative Follow-Up Study. <i>Psychiatry Investigation</i> , 2016 , 13, 558-565	3.1	12
78	Death Ideation and Suicidal Ideation in a Community Sample Who Do Not Meet Criteria for Major Depression. <i>Crisis</i> , 2016 , 37, 161-5	2.8	14
77	Does a Depression Management Program Decrease Mortality in Older Adults with Specific Medical Conditions in Primary Care? An Exploratory Analysis. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 126-31	5.6	5
76	COSTS OF DEPRESSION FROM CLAIMS DATA FOR MEDICARE RECIPIENTS IN A POPULATION-BASED SAMPLE. <i>Journal of Health and Human Services Administration</i> , 2016 , 39, 72-94		4
75	Concordance Between Clinical Diagnosis and Medicare Claims of Depression Among Older Primary Care Patients. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 726-34	6.5	14
74	Treatment preference and patient centered prostate cancer care: Design and rationale. <i>Contemporary Clinical Trials</i> , 2015 , 45, 296-301	2.3	15
73	Prevention of Depression in Medical Conditions 2015 , 33-56		
72	Depressive symptoms among adolescents and older adults in Mexico City. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 953-60	4.5	6
71	Accuracy of reports of lifetime mental and physical disorders: results from the Baltimore Epidemiological Catchment Area study. <i>JAMA Psychiatry</i> , 2014 , 71, 273-80	14.5	123
70	Towards personalizing treatment for depression : developing treatment values markers. <i>Patient</i> , 2013 , 6, 35-43	3.7	17
69	Late-life depressive symptoms: prediction models of change. <i>Journal of Affective Disorders</i> , 2013 , 150, 886-94	6.6	26
68	Factors associated with help-seeking behaviors in Mexican older individuals with depressive symptoms: a cross-sectional study. <i>International Journal of Geriatric Psychiatry</i> , 2013 , 28, 1260-9	3.9	5
67	Long term effect of depression care management on mortality in older adults: follow-up of cluster randomized clinical trial in primary care. <i>BMJ, The</i> , 2013 , 346, f2570	5.9	103
66	Non-pharmacological prevention of major depression among community-dwelling older adults: a systematic review of the efficacy of psychotherapy interventions. <i>Archives of Gerontology and Geriatrics</i> , 2012 , 55, 522-9	4	28
65	The burden of depression in prostate cancer. <i>Psycho-Oncology</i> , 2012 , 21, 1338-45	3.9	95
64	Depressive symptoms impair everyday problem-solving ability through cognitive abilities in late life. <i>American Journal of Geriatric Psychiatry</i> , 2011 , 19, 142-50	6.5	48
63	Alcohol consumption and domain-specific cognitive function in older adults: longitudinal data from the Johns Hopkins Precursors Study. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2011 , 66, 39-47	4.6	24
62	Towards Patient-Centered Care for Depression. <i>Patient</i> , 2010 , 3, 145-157	3.7	29

61	Depressive symptoms and APOE polymorphisms in an elderly population-based sample. <i>Psychiatric Genetics</i> , 2010 , 20, 215-20	2.9	6
60	Depression and cancer risk: 24 years of follow-up of the Baltimore Epidemiologic Catchment Area sample. <i>Cancer Causes and Control</i> , 2010 , 21, 191-9	2.8	93
59	Disparity in use of psychotherapy offered in primary care between older african-american and white adults: results from a practice-based depression intervention trial. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 154-60	5.6	17
58	TOWARDS PATIENT-CENTERED CARE FOR DEPRESSION: CONJOINT METHODS TO TAILOR TREATMENT BASED ON PREFERENCES. <i>Patient</i> , 2010 , 3, 145-157	3.7	26
57	Bridging Psychiatric and Anthropological Approaches: The Case of "Nerves" in the United States. <i>Ethos</i> , 2009 , 37, 282-313	0.6	4
56	Stability of preferences for end-of-life treatment after 3 years of follow-up: the Johns Hopkins Precursors Study. <i>Archives of Internal Medicine</i> , 2008 , 168, 2125-30		49
55	Depressive symptoms among older adults in Mexico City. <i>Journal of General Internal Medicine</i> , 2008 , 23, 1973-80	4	47
54	Usefulness of two instruments in assessing depression among elderly Mexicans in population studies and for primary care. <i>Salud Publica De Mexico</i> , 2008 , 50, 447-56	1.7	14
53	ApoE4 allele is associated with late-life depression: a population-based study. <i>American Journal of Geriatric Psychiatry</i> , 2007 , 15, 858-68	6.5	46
52	The effect of a primary care practice-based depression intervention on mortality in older adults: a randomized trial. <i>Annals of Internal Medicine</i> , 2007 , 146, 689-98	8	114
51	The role of patient personality in the identification of depression in older primary care patients. <i>International Journal of Geriatric Psychiatry</i> , 2007 , 22, 1095-100	3.9	5
50	Unwritten rules of talking to doctors about depression: integrating qualitative and quantitative methods. <i>Annals of Family Medicine</i> , 2006 , 4, 302-9	2.9	73
49	The role of cardiovascular disease in the identification and management of depression by primary care physicians. <i>American Journal of Geriatric Psychiatry</i> , 2006 , 14, 71-8	6.5	31
48	Chronic medical conditions and wishes to die among older primary care patients. <i>International Journal of Psychiatry in Medicine</i> , 2006 , 36, 183-98	1	43
47	A mixed-methods approach to understanding loneliness and depression in older adults. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2006 , 61, S329-39	4.6	150
46	Brief report: patient cognitive status and the identification and management of depression by primary care physicians. <i>Journal of General Internal Medicine</i> , 2006 , 21, 1042-4	4	5
45	Depression, Cardiovascular Disease, Diabetes, and Two-Year Mortality Among Older, Primary-Care Patients. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 748-755	6.5	68
44	Patient characteristics associated with participation in a practice-based study of depression in late life: the Spectrum study. <i>International Journal of Psychiatry in Medicine</i> , 2005 , 35, 41-57	1	24

43	Personal characteristics and depression-related attitudes of older adults and participation in stages of implementation of a multi-site effectiveness trial (PRISM-E). <i>International Journal of Geriatric Psychiatry</i> , 2005 , 20, 927-37	3.9	15
42	Patient ethnicity and the identification and active management of depression in late life. <i>Archives of Internal Medicine</i> , 2005 , 165, 1962-8		62
41	Using a Bayesian latent growth curve model to identify trajectories of positive affect and negative events following myocardial infarction. <i>Biostatistics</i> , 2005 , 6, 119-43	3.7	53
40	Depression, cardiovascular disease, diabetes, and two-year mortality among older, primary-care patients. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 748-55	6.5	60
39	The role of physicians in assessing older drivers: barriers, opportunities, and strategies. <i>Journal of the American Board of Family Medicine</i> , 2004 , 17, 38-43	1.6	27
38	Primary care clinicians evaluate integrated and referral models of behavioral health care for older adults: results from a multisite effectiveness trial (PRISM-e). <i>Annals of Family Medicine</i> , 2004 , 2, 305-9	2.9	93
37	Personal characteristics of older primary care patients who provide a buccal swab for apolipoprotein E testing and banking of genetic material: the spectrum study. <i>Public Health Genomics</i> , 2004 , 7, 202-10		40
36	Physical functioning, depression, and preferences for treatment at the end of life: the Johns Hopkins Precursors Study. <i>Journal of the American Geriatrics Society</i> , 2004 , 52, 577-82	5.6	58
35	Computer-assisted assessment of depression and function in older primary care patients. <i>Computer Methods and Programs in Biomedicine</i> , 2004 , 73, 165-71	6.9	18
34	Are higher rates of depression in women accounted for by differential symptom reporting?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 126-32	4.5	59
33	Hopelessness, depression, substance disorder, and suicidality--a 13-year community-based study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 497-501	4.5	127
32	The Association of Alcohol Use and Depression Among Puerto Ricans in the United States and in Puerto Rico. <i>Journal of Ethnicity in Substance Abuse</i> , 2003 , 2, 1-13	1.1	5
31	The acceptability of treatment for depression among African-American, Hispanic, and white primary care patients. <i>Medical Care</i> , 2003 , 41, 479-89	3.1	531
30	Life-sustaining treatments: what do physicians want and do they express their wishes to others?. <i>Journal of the American Geriatrics Society</i> , 2003 , 51, 961-9	5.6	50
29	Urinary incontinence and psychological distress in community-dwelling older adults. <i>Journal of the American Geriatrics Society</i> , 2002 , 50, 489-95	5.6	92
28	Urinary incontinence, condition-specific functional loss, and psychological distress. <i>Journal of the American Geriatrics Society</i> , 2002 , 50, 1311	5.6	4
27	Education and sex differences in the mini-mental state examination: effects of differential item functioning. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2002 , 57, P548-58	4.6	88
26	Do family physicians and internists differ in knowledge, attitudes, and self-reported approaches for depression?. <i>International Journal of Psychiatry in Medicine</i> , 2002 , 32, 1-20	1	24

25	Anxiety disorders and disability secondary to urinary incontinence among adults over age 50. <i>International Journal of Psychiatry in Medicine</i> , 2002 , 32, 141-54	1	33
24	Suicidal and Death Ideation in Older Primary Care Patients With Depression, Anxiety, and At-Risk Alcohol Use. <i>American Journal of Geriatric Psychiatry</i> , 2002 , 10, 417-427	6.5	112
23	Prospective study of brief neuropsychological measures to assess crash risk in older primary care patients. <i>The Journal of the American Board of Family Practice</i> , 2002 , 15, 11-9		21
22	Suicidal and death ideation in older primary care patients with depression, anxiety, and at-risk alcohol use. <i>American Journal of Geriatric Psychiatry</i> , 2002 , 10, 417-27	6.5	53
21	The systematic assessment of depressed elderly primary care patients. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 560-9	3.9	30
20	Education bias in the mini-mental state examination. <i>International Psychogeriatrics</i> , 2001 , 13, 299-310	3.4	51
19	Dimensions of the Mini-Mental State Examination among community dwelling older adults. <i>Psychological Medicine</i> , 2000 , 30, 605-18	6.9	65
18	Cognitive impairment and syndromal depression in estimates of active life expectancy: the 13-year follow-up of the Baltimore Epidemiologic Catchment Area sample. <i>Acta Psychiatrica Scandinavica</i> , 2000 , 101, 265-273	6.5	5
17	Understanding the heterogeneity of depression through the triad of symptoms, course and risk factors: a longitudinal, population-based study. <i>Journal of Affective Disorders</i> , 2000 , 59, 1-11	6.6	113
16	Major depression and cancer: the 13-year follow-up of the Baltimore epidemiologic catchment area sample (United States). <i>Cancer Causes and Control</i> , 2000 , 11, 751-8	2.8	61
15	The challenge of depression in late life: bridging science and service in primary care. <i>JAMA - Journal of the American Medical Association</i> , 2000 , 284, 1570-2	27.4	36
14	Cognitive impairment and syndromal depression in estimates of active life expectancy: the 13-year follow-up of the Baltimore Epidemiologic Catchment Area sample. <i>Acta Psychiatrica Scandinavica</i> , 2000 , 101, 265-273	6.5	6
13	Consensus statement on the upcoming crisis in geriatric mental health: research agenda for the next 2 decades. <i>Archives of General Psychiatry</i> , 1999 , 56, 848-53		412
12	The driving habits of adults aged 60 years and older. <i>Journal of the American Geriatrics Society</i> , 1999 , 47, 335-41	5.6	108
11	The epidemiology of common late-life mental disorders in the community: themes for the new century. <i>Psychiatric Services</i> , 1999 , 50, 1158-66	3.3	190
10	Depression in late life: a hidden public health problem for Mexico?. <i>Salud Publica De Mexico</i> , 1999 , 41, 189-202	1.7	7
9	Mental health service utilization by African Americans and Whites: the Baltimore Epidemiologic Catchment Area Follow-Up. <i>Medical Care</i> , 1999 , 37, 1034-45	3.1	177
8	The Research magnificentRin late life: psychiatric epidemiology and the primary health care of older adults. <i>International Journal of Psychiatry in Medicine</i> , 1997 , 27, 185-204	1	27

7	Symptom profiles of depression among general medical service users compared with specialty mental health service users. <i>Psychological Medicine</i> , 1997 , 27, 1051-63	6.9	42
6	Depression without sadness: functional outcomes of nondysphoric depression in later life. <i>Journal of the American Geriatrics Society</i> , 1997 , 45, 570-8	5.6	199
5	Clinical diagnosis: a marker for disease?. <i>Journal of Nervous and Mental Disease</i> , 1997 , 185, 739-47	1.8	11
4	Depression, psychotropic medication, and risk of myocardial infarction. Prospective data from the Baltimore ECA follow-up. <i>Circulation</i> , 1996 , 94, 3123-9	16.7	413
3	Epidemiology of mental disorders in middle age and late life: conceptual issues. <i>Epidemiologic Reviews</i> , 1995 , 17, 83-94	4.1	11
2	Age differences in the symptoms of depression: a latent trait analysis. <i>Journal of Gerontology</i> , 1994 , 49, P251-64		256
1	Funding and Publishing Integrated Studies: Writing Effective Mixed Methods Manuscripts and Grant Proposals 775-802		10