

James V Staros

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10846970/publications.pdf>

Version: 2024-02-01

38
papers

2,800
citations

279487

23
h-index

344852

36
g-index

38
all docs

38
docs citations

38
times ranked

2601
citing authors

#	ARTICLE	IF	CITATIONS
1	Insights into the evolution of the ErbB receptor family and their ligands from sequence analysis. <i>BMC Evolutionary Biology</i> , 2006, 6, 79.	3.2	50
2	Functional Effects of Glycosylation at Asn-579 of the Epidermal Growth Factor Receptor. <i>Biochemistry</i> , 2005, 44, 14920-14931.	1.2	62
3	Preparation and characterization of Alexa Fluor 594-labeled epidermal growth factor for fluorescence resonance energy transfer studies: application to the epidermal growth factor receptor. <i>Analytical Biochemistry</i> , 2004, 324, 227-236.	1.1	32
4	Ligand- and kinase activity-independent cell survival mediated by the epidermal growth factor receptor expressed in 32D cells. <i>Experimental Cell Research</i> , 2003, 282, 121-131.	1.2	40
5	Rotational Dynamics of the Epidermal Growth Factor Receptor. <i>Biochemistry</i> , 2002, 41, 1957-1964.	1.2	22
6	A STOPPED-FLOW FLUORESCENCE ANISOTROPY METHOD FOR MEASURING HORMONE BINDING AND DISSOCIATION KINETICS WITH CELL-SURFACE RECEPTORS IN LIVING CELLS. <i>Journal of Receptor and Signal Transduction Research</i> , 2002, 22, 357-371.	1.3	9
7	Real-Time Kinetics of Ligand/Cell Surface Receptor Interactions in Living Cells: Binding of Epidermal Growth Factor to the Epidermal Growth Factor Receptor. <i>Biochemistry</i> , 2001, 40, 10230-10242.	1.2	25
8	Stimulation of Mitogenic Pathways through Kinase-Impaired Mutants of the Epidermal Growth Factor Receptor. <i>Experimental Cell Research</i> , 2001, 268, 262-273.	1.2	16
9	An Analytical Approach to the Measurement of Equilibrium Binding Constants: Application to EGF Binding to EGF Receptors in Intact Cells Measured by Flow Cytometry. <i>Biochemistry</i> , 2001, 40, 6142-6154.	1.2	34
10	Evolutionary Analysis of the ErbB Receptor and Ligand Families. <i>Journal of Molecular Evolution</i> , 2000, 50, 397-412.	0.8	78
11	Effects of Sulfhydryl Modification Reagents on the Kinase Activity of the Epidermal Growth Factor Receptor. <i>Biochemistry</i> , 1997, 36, 9911-9916.	1.2	24
12	5-(p-Fluorosulfonylbenzoyl)-2-(or 3)-(methylanthraniloyl)adenosine, Fluorescent Affinity Labels for Adenine Nucleotide Binding Sites: Interaction with the Kinase Active Site of the Receptor for Epidermal Growth Factor. <i>Biochemistry</i> , 1996, 35, 9197-9203.	1.2	10
13	Thermal Inactivation of the Protein Tyrosine Kinase of the Epidermal Growth Factor Receptor. <i>Biochemistry</i> , 1996, 35, 2878-2884.	1.2	14
14	Identification of Residues of the Epidermal Growth Factor Receptor Proximal to Residue 45 of Bound Epidermal Growth Factor. <i>Journal of Biological Chemistry</i> , 1996, 271, 19656-19659.	1.6	39
15	Steric constraints in the recognition of peptide substrates for the epidermal growth factor receptor kinase. <i>International Journal of Peptide and Protein Research</i> , 1996, 47, 219-226.	0.1	0
16	The interaction of epidermal growth factor with its receptor in A431 cell membranes: a stopped-flow fluorescence anisotropy study. <i>Biochemistry</i> , 1995, 34, 14508-14518.	1.2	24
17	Preparation and characterization of a bifunctionally spin-labeled mutant of murine epidermal growth factor for saturation-transfer electron paramagnetic resonance studies of the growth factor/receptor complex. <i>Biochemistry</i> , 1993, 32, 7893-7903.	1.2	14
18	Membrane-impermeant cross-linking reagents for structural and functional analyses of platelet membrane glycoproteins. <i>Methods in Enzymology</i> , 1992, 215, 403-412.	0.4	3

#	ARTICLE	IF	CITATIONS
19	High-yield covalent attachment of epidermal growth factor to its receptor by kinetically controlled, stepwise affinity cross-linking. <i>Biochemistry</i> , 1992, 31, 7341-7346.	1.2	7
20	Preparation and characterization of spin-labeled derivatives of epidermal growth factor (EGF) for investigations of the interactions of EGF with its receptor by electron paramagnetic resonance spectroscopy. <i>Biochemistry</i> , 1991, 30, 8976-8985.	1.2	6
21	High-yield trapping of EGF-induced receptor dimers by chemical cross-linking 1. <i>FASEB Journal</i> , 1989, 3, 71-75.	0.2	57
22	Bis(sulfo-N-succinimidyl) doxyl-2-spiro-5'-azelate: synthesis, characterization, and reaction with the anion-exchange channel in intact human erythrocytes. <i>Biochemistry</i> , 1989, 28, 6583-6590.	1.2	9
23	[35] Electrophoretic transfer of high-molecular-weight proteins for immunostaining. <i>Methods in Enzymology</i> , 1989, 172, 687-696.	0.4	31
24	[33] Membrane-impermeant cross-linking reagents. <i>Methods in Enzymology</i> , 1989, 172, 609-628.	0.4	23
25	Membrane-impermeant crosslinking reagents: probes of the structure and dynamics of membrane proteins. <i>Accounts of Chemical Research</i> , 1988, 21, 435-441.	7.6	52
26	Membrane-impermeant cross-linking reagents: Application to the study of the cell surface receptor for IgE. <i>Methods in Enzymology</i> , 1987, 150, 503-512.	0.4	16
27	Reactions of N-hydroxysulfosuccinimide active esters*. <i>International Journal of Peptide and Protein Research</i> , 1987, 30, 117-124.	0.1	106
28	Dynamics and interactions of the anion channel in intact human erythrocytes: an electron paramagnetic resonance spectroscopic study employing a new membrane-impermeant bifunctional spin-label. <i>Biochemistry</i> , 1986, 25, 3824-3832.	1.2	47
29	Enhancement by N-hydroxysulfosuccinimide of water-soluble carbodiimide-mediated coupling reactions. <i>Analytical Biochemistry</i> , 1986, 156, 220-222.	1.1	846
30	Functional properties of covalent .beta.-endorphin peptide/calmodulin complexes. Chlorpromazine binding and phosphodiesterase activation. <i>Biochemistry</i> , 1985, 24, 1203-1211.	1.2	34
31	Photoaffinity Labeling and Related Techniques. , 1984, , 433-490.		38
32	Interaction of specific platelet membrane proteins with collagen: evidence from chemical crosslinking. <i>Biochemistry</i> , 1984, 23, 3099-3104.	1.2	58
33	Cross-linking and chymotryptic digestion of the extractoplasmic domain of the anion exchange channel in intact human erythrocytes. <i>Journal of Membrane Biology</i> , 1983, 74, 247-254.	1.0	60
34	Membrane-Impermeant, Cleavable Cross-Linkers. <i>Biophysical Journal</i> , 1982, 37, 21-22.	0.2	8
35	N-hydroxysulfosuccinimide active esters: bis(N-hydroxysulfosuccinimide) esters of two dicarboxylic acids are hydrophilic, membrane-impermeant, protein cross-linkers. <i>Biochemistry</i> , 1982, 21, 3950-3955.	1.2	492
36	Aryl azide photolabels in biochemistry. <i>Trends in Biochemical Sciences</i> , 1980, 5, 320-322.	3.7	72

#	ARTICLE	IF	CITATIONS
37	Reduction of aryl azides by thiols: Implications for the use of photoaffinity reagents. <i>Biochemical and Biophysical Research Communications</i> , 1978, 80, 568-572.	1.0	207
38	Photochemical labeling of the surface proteins of human erythrocytes. <i>Biochemistry</i> , 1974, 13, 2720-2726.	1.2	135