Peter Godsk JÃ, rgensen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10848079/publications.pdf

Version: 2024-02-01

28 papers

994 citations

687363 13 h-index 26 g-index

28 all docs 28 docs citations

times ranked

28

1624 citing authors

#	Article	IF	CITATIONS
1	Potential role of conventional and speckle-tracking echocardiography in the screening of structural and functional cardiac abnormalities in elderly individuals: Baseline echocardiographic findings from the LOOP study. PLoS ONE, 2022, 17, e0269475.	2.5	2
2	Sex differences in the association between myocardial function and prognosis in type 1 diabetes without known heart disease: the Thousand & European Heart Journal Cardiovascular lmaging, 2021, 22, 1017-1025.	1.2	4
3	Echocardiographic predictors of cardiovascular morbidity and mortality in women from the general population. European Heart Journal Cardiovascular Imaging, 2021, 22, 1026-1034.	1.2	10
4	Prognostic Value of Early Systolic Lengthening by Strain Imaging in Type 2 Diabetes. Journal of the American Society of Echocardiography, 2021, 34, 127-135.	2.8	10
5	Relationship between peripheral neuropathy, diastolic function and adverse cardiovascular outcome in individuals with type 1 diabetes mellitus without known cardiovascular disease: Results from the Thousand & Englishers, Obesity and Metabolism, 2021, 23, 158-165.	4.4	4
6	Prognostic value of left ventricular mitral annular longitudinal displacement obtained by tissue Doppler imaging in patients with heart failure with reduced ejection fraction. Open Heart, 2021, 8, e001494.	2.3	0
7	Layer-specific global longitudinal strain obtained by speckle tracking echocardiography for predicting heart failure and cardiovascular death following STEMI treated with primary PCI. International Journal of Cardiovascular Imaging, 2021, 37, 2207-2215.	1.5	5
8	The prognostic value of myocardial deformational patterns on all-cause mortality is modified by ischemic cardiomyopathy in patients with heart failure. International Journal of Cardiovascular Imaging, 2021, 37, 3137-3144.	1.5	3
9	Echocardiographic predictors of longâ€ŧerm adverse cardiovascular outcomes in participants with and without diabetes mellitus: A followâ€up analysis of the Copenhagen City Heart Study. Diabetic Medicine, 2021, 38, e14627.	2.3	4
10	Prognostic value of right ventricular echocardiographic measures in patients with heart failure with reduced ejection fraction. Journal of Clinical Ultrasound, 2021, 49, 903-913.	0.8	7
11	Protective potential of high-intensity interval training on cardiac structure and function after COVID-19: protocol and statistical analysis plan for an investigator-blinded randomised controlled trial. BMJ Open, 2021, 11, e048281.	1.9	2
12	Prognostic utility of diastolic dysfunction and speckle tracking echocardiography in heart failure with reduced ejection fraction. ESC Heart Failure, 2020, 7, 148-158.	3.1	11
13	The impact of cardiovascular risk factors on global longitudinal strain over a decade in the general population: the copenhagen city heart study. International Journal of Cardiovascular Imaging, 2020, 36, 1907-1916.	1.5	19
14	Cardiac adaptation in hibernating, free-ranging Scandinavian Brown Bears (Ursus arctos). Scientific Reports, 2020, 10, 247.	3.3	10
15	Prognostic value of ratio of transmitral early filling velocity to early diastolic strain rate in patients with Type 2 diabetes. European Heart Journal Cardiovascular Imaging, 2019, 20, 1171-1178.	1.2	15
16	Prognostic Value of Left Atrial Functional Measures in Heart Failure With Reduced Ejection Fraction. Journal of Cardiac Failure, 2019, 25, 87-96.	1.7	18
17	Association between layer-specific global longitudinal strain and adverse outcomes following acute coronary syndrome. European Heart Journal Cardiovascular Imaging, 2018, 19, 1334-1342.	1.2	43
18	Global longitudinal strain corrected by RR interval is a superior predictor of allâ€cause mortality in patients with systolic heart failure and atrial fibrillation. ESC Heart Failure, 2018, 5, 311-318.	3.1	18

#	Article	lF	CITATIONS
19	Presence of micro- and macroalbuminuria and the association with cardiac mechanics in patients with type 2 diabetes. European Heart Journal Cardiovascular Imaging, 2018, 19, 1034-1041.	1.2	23
20	Echocardiographic Predictors of Mortality in Women With Heart Failure With Reduced Ejection Fraction. Circulation: Cardiovascular Imaging, 2018, 11, e008031.	2.6	20
21	Burden of Uncontrolled Metabolic Risk Factors and Left Ventricular Structure and Function in Patients With Type 2 Diabetes Mellitus. Journal of the American Heart Association, 2018, 7, e008856.	3.7	16
22	Global Longitudinal Strain by Echocardiography Predicts Long-Term Risk of Cardiovascular Morbidity and Mortality in a Low-Risk General Population. Circulation: Cardiovascular Imaging, 2017, 10, .	2.6	270
23	The Authors Reply:. JACC: Cardiovascular Imaging, 2016, 9, 901-902.	5. 3	0
24	Cholesterol remnants and triglycerides are associated with decreased myocardial function in patients with type 2 diabetes. Cardiovascular Diabetology, 2016, 15, 137.	6.8	25
25	Abnormal echocardiography in patients with type 2 diabetes and relation to symptoms and clinical characteristics. Diabetes and Vascular Disease Research, 2016, 13, 321-330.	2.0	42
26	Global Longitudinal Strain Is a Superior Predictor of All-Cause Mortality in Heart Failure With Reduced Ejection Fraction. JACC: Cardiovascular Imaging, 2015, 8, 1351-1359.	5. 3	288
27	Global Longitudinal Strain IsÂNotÂlmpairedÂin Type 1 Diabetes PatientsÂWithout Albuminuria. JACC: Cardiovascular Imaging, 2015, 8, 400-410.	5. 3	86
28	Prognostic Value of Cardiac Time Intervals by Tissue Doppler Imaging M-Mode in Patients With Acute ST-Segment–Elevation Myocardial Infarction Treated With Primary Percutaneous Coronary Intervention. Circulation: Cardiovascular Imaging, 2013, 6, 457-465.	2.6	39