## Arnaldo Videira

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1085146/publications.pdf

Version: 2024-02-01

201674 289244 1,974 73 27 citations h-index papers

g-index 73 73 73 1983 docs citations times ranked citing authors all docs

40

#	Article	IF	Citations
1	Complex I from the fungus Neurospora crassa. Biochimica Et Biophysica Acta - Bioenergetics, 1998, 1364, 89-100.	1.0	94
2	Regulated Forms of Cell Death in Fungi. Frontiers in Microbiology, 2017, 8, 1837.	3.5	90
3	Supramolecular Organization of the Respiratory Chain in <i>Neurospora crassa</i> Mitochondria. Eukaryotic Cell, 2007, 6, 2391-2405.	3.4	88
4	From NADH to ubiquinone in Neurospora mitochondria. Biochimica Et Biophysica Acta - Bioenergetics, 2002, 1555, 187-191.	1.0	83
5	The External Calcium-dependent NADPH Dehydrogenase from Neurospora crassa Mitochondria. Journal of Biological Chemistry, 2001, 276, 3947-3951.	3.4	70
6	New findings of Neurospora in Europe and comparisons of diversity in temperate climates on continental scales. Mycologia, 2006, 98, 550-559.	1.9	64
7	Bovine Mastitis Associated with <i>Prototheca blaschkeae</i> . Journal of Clinical Microbiology, 2008, 46, 1941-1945.	3.9	64
8	Immunoprotection against systemic candidiasis in mice. International Immunology, 1995, 7, 785-796.	4.0	54
9	Primary structure and expression of a nuclear-coded subunit of complex I homologous to proteins specified by the chloroplast genome. Biochemical and Biophysical Research Communications, 1990, 171, 1168-1174.	2.1	51
10	Composition of complex I from Neurospora crassa and disruption of two "accessory―subunits. Biochimica Et Biophysica Acta - Bioenergetics, 2005, 1707, 211-220.	1.0	49
11	Assembly kinetics and identification of precursor proteins of complex I from Neurospora crassa. FEBS Journal, 1989, 181, 493-502.	0.2	48
12	Enolase fromStreptococcus sobrinusis an immunosuppressive protein. Cellular Microbiology, 2004, 6, 79-88.	2.1	47
13	Identification of the polypeptide encoded by the URF-1 gene of Neurospora crassa mtDNA. FEBS Journal, 1985, 150, 447-454.	0.2	45
14	Syndromes associated with mitochondrial DNA depletion. Italian Journal of Pediatrics, 2014, 40, 34.	2.6	45
15	Primary structure and characterisation of a 64 kDa NADH dehydrogenase from the inner membrane of Neurospora crassa mitochondria1The sequence data have been submitted to the EMBL Data Library under the accession number AJ236906.1. Biochimica Et Biophysica Acta - Bioenergetics, 1999, 1412, 282-287.	1.0	44
16	Progressive cavitating leukoencephalopathy associated with respiratory chain complex I deficiency and a novel mutation in NDUFS1. Neurogenetics, 2011, 12, 9-17.	1.4	43
17	Disruption of iron-sulphur cluster N2 from NADH:ubiquinone oxidoreductase by site-directed mutagenesis. Biochemical Journal, 2002, 364, 833-839.	3.7	42
18	On complex I and other NADH:ubiquinone reductases of Neurospora crassa mitochondria., 2001, 33, 197-203.		38

#	Article	IF	CITATIONS
19	Increased Resistance of Complex I Mutants to Phytosphingosine-induced Programmed Cell Death. Journal of Biological Chemistry, 2008, 283, 19314-19321.	3.4	38
20	The main external alternative NAD(P)H dehydrogenase of Neurospora crassa mitochondria. Biochimica Et Biophysica Acta - Bioenergetics, 2004, 1608, 45-52.	1.0	36
21	Involvement of p53 in cell death following cell cycle arrest and mitotic catastrophe induced by rotenone. Biochimica Et Biophysica Acta - Molecular Cell Research, 2011, 1813, 492-499.	4.1	36
22	The internal alternative NADH dehydrogenase of Neurospora crassa mitochondria. Biochemical Journal, 2003, 371, 1005-1011.	3.7	33
23	Oral Therapeutic Vaccination with <i>Streptococcus sobrinus &lt;  i&gt;Recombinant Enolase Confers Protection against Dental Caries in Rats. Journal of Infectious Diseases, 2009, 199, 116-123.</i>	4.0	33
24	Orthovanadate-induced cell death in RET/PTC1-harboring cancer cells involves the activation of caspases and altered signaling through PI3K/Akt/mTOR. Life Sciences, 2011, 89, 371-377.	4.3	33
25	The 24-kDa iron-sulphur subunit of complex I is required for enzyme activity. FEBS Journal, 1999, 265, 86-93.	0.2	30
26	Respiratory Chain Complex I Is Essential for Sexual Development in Neurospora and Binding of Iron Sulfur Clusters Are Required for Enzyme Assembly. Genetics, 2000, 156, 607-615.	2.9	30
27	Inactivation of the gene coding for the 30.4-kDa subunit of respiratory chain NADH dehydrogenase: is the enzyme essential for Neurospora?. Molecular Genetics and Genomics, 1998, 257, 368-375.	2.4	29
28	Rotenone Enhances the Antifungal Properties of Staurosporine. Eukaryotic Cell, 2010, 9, 906-914.	3.4	28
29	The External Alternative NAD(P)H Dehydrogenase NDE3 Is Localized both in the Mitochondria and in the Cytoplasm of Neurospora crassa. Journal of Molecular Biology, 2007, 368, 1114-1121.	4.2	27
30	Novel Insights into the Role of <i>Neurospora crassa</i> NDUFAF2, an Evolutionarily Conserved Mitochondrial Complex I Assembly Factor. Molecular and Cellular Biology, 2013, 33, 2623-2634.	2.3	25
31	Primary structure, in vitro expression and import into mitochondria of a 2921-KDA subunit of complex I from Neurospora crassa. Biochemical and Biophysical Research Communications, 1990, 166, 280-285.	2.1	24
32	Transcriptional analysis of the response of Neurospora crassa to phytosphingosine reveals links to mitochondrial function. Microbiology (United Kingdom), 2009, 155, 3134-3141.	1.8	23
33	Disruption of the gene encoding the 78-kilodalton subunit of the peripheral arm of complex I in Neurospora crassa by repeat induced point mutation (RIP). Current Genetics, 1995, 27, 339-350.	1.7	22
34	Primary structure of a ferredoxin-like iron-sulfur subunit of complex I from Neurospora crassa. Biochimica Et Biophysica Acta - Bioenergetics, 1996, 1275, 151-153.	1.0	21
35	The 9.8 kDa Subunit of Complex I, Related to Bacterial Na+-translocating NADH Dehydrogenases, is Required for Enzyme Assembly and Function in Neurospora crassa. Journal of Molecular Biology, 2003, 329, 283-290.	4.2	21
36	Effects of mitochondrial complex III disruption in the respiratory chain of <i>Neurospora crassa</i> Molecular Microbiology, 2009, 72, 246-258.	2.5	21

#	Article	IF	CITATIONS
37	Effects of disrupting the 21ÂkDa subunit of complex I from Neurospora crassa. Biochemical Journal, 1999, 342, 551-554.	3.7	20
38	Modulation of fungal sensitivity to staurosporine by targeting proteins identified by transcriptional profiling. Fungal Genetics and Biology, 2011, 48, 1130-1138.	2.1	19
39	Purification, and biochemical and biological characterization of an immunosuppressive and lymphocyte mitogenic protein secreted by Streptococcus sobrinus. International Immunology, 1997, 9, 1735-1743.	4.0	18
40	Complementary DNA sequences of the 24 kDa and 21 kDa subunits of complex I from Neurospora. Biochimica Et Biophysica Acta - Bioenergetics, 1994, 1188, 159-161.	1.0	17
41	The 29.9kDa Subunit of Mitochondrial Complex I is Involved in the Enzyme Active/De-active Transitions. Journal of Molecular Biology, 2005, 351, 327-333.	4.2	16
42	CZT-1 Is a Novel Transcription Factor Controlling Cell Death and Natural Drug Resistance in <i>Neurospora crassa </i> G3: Genes, Genomes, Genetics, 2014, 4, 1091-1102.	1.8	16
43	Activation of a TRP-like channel and intracellular calcium dynamics during phospholipase C-mediated cell death. Journal of Cell Science, 2014, 127, 3817-29.	2.0	16
44	The membrane domain of complex I is not assembled in the stopper mutant E35 of Neurospora. Biochemistry and Cell Biology, 1998, 76, 139-143.	2.0	15
45	Characterization of a membrane fragment of respiratory chain complex I from Neurospora crassa. Insights on the topology of the ubiquinone-binding site. International Journal of Biochemistry & Cell Biology, 1994, 26, 505-510.	0.5	14
46	NADH dehydrogenase in Neurospora crassa contains myristic acid covalently linked to the ND5 subunit peptide. Biochimica Et Biophysica Acta - Molecular Cell Research, 2000, 1495, 223-230.	4.1	14
47	Neurospora Strains Harboring Mitochondrial Disease-Associated Mutations in Iron-Sulfur Subunits of Complex I. Genetics, 2005, 171, 91-99.	2.9	14
48	Reduced glutathione export during programmed cell death of Neurospora crassa. Apoptosis: an International Journal on Programmed Cell Death, 2013, 18, 940-948.	4.9	14
49	Involvement of mitochondrial proteins in calcium signaling and cell death induced by staurosporine in Neurospora crassa. Biochimica Et Biophysica Acta - Bioenergetics, 2015, 1847, 1064-1074.	1.0	14
50	Characterization of Apoptosis-Related Oxidoreductases from Neurospora crassa. PLoS ONE, 2012, 7, e34270.	2.5	14
51	FKBP22 is part of chaperone/folding catalyst complexes in the endoplasmic reticulum ofNeurospora crassa. FEBS Letters, 2007, 581, 2036-2040.	2.8	13
52	Disruption of alternative NAD(P)H dehydrogenases leads to decreased mitochondrial ROS in Neurospora crassa. Free Radical Biology and Medicine, 2012, 52, 402-409.	2.9	13
53	A Novel SUCLA2 Mutation in a Portuguese Child Associated With "Mild―Methylmalonic Aciduria. Journal of Child Neurology, 2015, 30, 228-232.	1.4	13
54	Two nuclear-coded subunits of mitochondrial complex I are similar to different domains of a bacterial formate hydrogenlyase subunit. International Journal of Biochemistry & Cell Biology, 1994, 26, 1391-1393.	0.5	12

#	Article	IF	Citations
55	Reorganization of plasma membrane lipid domains during conidial germination. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2017, 1862, 156-166.	2.4	12
56	Identification of the TYKY homologous subunit of complex I from Neurospora crassa. Biochimica Et Biophysica Acta - Bioenergetics, 1997, 1322, 237-241.	1.0	11
57	Identification of all FK506-binding proteins from Neurospora crassa. Fungal Genetics and Biology, 2008, 45, 1600-1607.	2.1	11
58	Transcription profiling of the Neurospora crassa response to a group of synthetic (thio)xanthones and a natural acetophenone. Genomics Data, 2015, 4, 26-32.	1.3	11
59	Synergistic growth inhibition of cancer cells harboring the RET/PTC1 oncogene by staurosporine and rotenone involves enhanced cell death. Journal of Biosciences, 2011, 36, 639-648.	1.1	10
60	Changes in the Biophysical Properties of the Cell Membrane Are Involved in the Response of Neurospora crassa to Staurosporine. Frontiers in Physiology, 2018, 9, 1375.	2.8	10
61	Mitochondrial type II NAD(P)H dehydrogenases in fungal cell death. Microbial Cell, 2015, 2, 68-73.	3.2	10
62	Characterisation of the last Fe-S cluster-binding subunit of Neurospora crassa complex I. Biochimica Et Biophysica Acta - Bioenergetics, 1999, 1411, 142-146.	1.0	8
63	Extracellular calcium triggers unique transcriptional programs and modulates staurosporine-induced cell death in Neurospora crassa. Microbial Cell, 2014, 1, 289-302.	3.2	8
64	Primary structure of the nuclear-encoded 10.5 kDa subunit of complex I from Neurospora crassa. Biochimica Et Biophysica Acta Gene Regulatory Mechanisms, 1993, 1172, 327-328.	2.4	6
65	Role of the Conserved Cysteine Residues of the 11.5 kDa Subunit in Complex I Catalytic Properties. Journal of Biochemistry, 2007, 141, 489-493.	1.7	6
66	Programmed Cell Death in Neurospora crassa. New Journal of Science, 2014, 2014, 1-7.	1.0	6
67	Effects of disrupting the 21ÂkDa subunit of complex I from Neurospora crassa. Biochemical Journal, 1999, 342, 551.	3.7	6
68	Molecular Evolution of DNA Topoisomerase III Beta (TOP3B) in Metazoa. Journal of Molecular Evolution, 2021, 89, 384-395.	1.8	5
69	Evolutionary History of TOPIIA Topoisomerases in Animals. Journal of Molecular Evolution, 2022, 90, 149-165.	1.8	5
70	Identification of NAD + Synthetase from Streptococcus sobrinus as a B-Cell-Stimulatory Protein. Journal of Bacteriology, 2004, 186, 419-426.	2.2	4
71	The Fungal Cell Death Regulator czt-1 Is Allelic to acr-3. Journal of Fungi (Basel, Switzerland), 2019, 5, 114.	3.5	3
72	Defective valyl-tRNA synthetase hampers the mitochondrial respiratory chain in Neurospora crassa. Biochemical Journal, 2012, 448, 297-306.	3.7	1

#	Article	IF	CITATIONS
73	Disruption of the nuclear gene encoding the 20.8-kDa subunit of NADH:ubiquinone reductase of Neurospora mitochondria. Molecular Genetics and Genomics, 1996, 252, 177-183.	2.4	O