

Lisheng Cai

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10854935/publications.pdf>

Version: 2024-02-01

26
papers

1,336
citations

471509

17
h-index

552781

26
g-index

29
all docs

29
docs citations

29
times ranked

1647
citing authors

#	ARTICLE	IF	CITATIONS
1	The chemistry of labeling heterocycles with carbon-11 or fluorine-18 for biomedical imaging. <i>Advances in Heterocyclic Chemistry</i> , 2020, 132, 241-384.	1.7	7
2	Evaluation of ¹¹ C-NR2B-SMe and Its Enantiomers as PET Radioligands for Imaging the NR2B Subunit Within the NMDA Receptor Complex in Rats. <i>Journal of Nuclear Medicine</i> , 2020, 61, 1212-1220.	5.0	15
3	Candidate PET Radioligand Development for Neurofibrillary Tangles: Two Distinct Radioligand Binding Sites Identified in Postmortem Alzheimer's Disease Brain. <i>ACS Chemical Neuroscience</i> , 2016, 7, 897-911.	3.5	22
4	New N-aryl-(3-(substituted)phenyl)-methylguanidines as leads to potential PET radioligands for imaging the open NMDA receptor. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 225-228.	2.2	5
5	Palladium-catalyzed Coupling between Aryl Halides and Trimethylsilylacetylene Assisted by Dimethylaminotrimethyltin. <i>Chinese Journal of Chemistry</i> , 2011, 29, 1059-1062.	4.9	3
6	A convenient one-pot procedure for the synthesis of 2-aryl quinazolines using active MnO ₂ as oxidant. <i>Journal of Heterocyclic Chemistry</i> , 2010, 47, 1240-1245.	2.6	67
7	Palladium-catalyzed Substitution of Ketone or Aldehyde Bearing Aryl Triflates by Amines or Amides. <i>Chinese Journal of Chemistry</i> , 2009, 27, 403-407.	4.9	2
8	Highly Efficient N-Monomethylation of Primary Aryl Amines. <i>Chinese Journal of Chemistry</i> , 2009, 27, 1339-1344.	4.9	20
9	Chemistry with [¹⁸ F]Fluoride Ion. <i>European Journal of Organic Chemistry</i> , 2008, 2008, 2853-2873.	2.4	413
10	Synthesis and Evaluation of N-Methyl and S-Methyl ¹¹ C-Labeled 6-Methylthio-2-(4-N,N-dimethylamino)phenylimidazo[1,2-a]pyridines as Radioligands for Imaging β -Amyloid Plaques in Alzheimer's Disease. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 148-158.	6.4	28
11	Radioligand Development for PET Imaging of β -Amyloid (A β)-Current Status. <i>Current Medicinal Chemistry</i> , 2007, 14, 19-52.	2.4	126
12	Brain and whole-body imaging in nonhuman primates with [¹¹ C]MeS-IMPY, a candidate radioligand for β -amyloid plaques. <i>Nuclear Medicine and Biology</i> , 2007, 34, 681-689.	0.6	18
13	Synthesis and Structure-Affinity Relationships of New 4-(6-Iodo-2-(4-N,N-dimethylamino)phenylimidazo[1,2-a]pyridin-2-yl)-N,N-dimethylbenzeneamine Derivatives as Ligands for Human β -Amyloid Plaques. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 4746-4758.	6.4	41
14	Rapid palladium-catalyzed cross-coupling in the synthesis of aryl thioethers under microwave conditions. <i>Tetrahedron Letters</i> , 2006, 47, 4449-4452.	1.4	30
15	Lipophilic Analogs of Thioflavin S as Novel Amyloid-Imaging Agents. <i>Current Alzheimer Research</i> , 2006, 3, 259-266.	1.4	12
16	PET imaging of brain with the β -amyloid probe, [¹¹ C]6-OH-BTA-1, in a transgenic mouse model of Alzheimer's disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2005, 32, 593-600.	6.4	119
17	Synthesis and Evaluation of Two ¹⁸ F-Labeled 6-Iodo-2-(4-N,N-dimethylamino)phenylimidazo[1,2-a]pyridine Derivatives as Prospective Radioligands for β -Amyloid in Alzheimer's Disease. <i>Journal of Medicinal Chemistry</i> , 2004, 47, 2208-2218.	6.4	91
18	Synthesis and in Vitro Antitumor Activity of Oligonucleotide-Tethered and Related Platinum Complexes. <i>Journal of Medicinal Chemistry</i> , 2001, 44, 2959-2965.	6.4	25

#	ARTICLE	IF	CITATIONS
19	Dication C(R1)â€“N(R2)2 Synthons and their use in the Synthesis of Formamidines, Amidines, and Î±-Aminonitriles. <i>Tetrahedron</i> , 2000, 56, 8253-8262.	1.9	31
20	One Pot Synthesis of 1-Chloro-2-Chlorocarboxy-4H-Quinolizin-4-One and Its Derivatives. <i>Synthetic Communications</i> , 2000, 30, 3985-3995.	2.1	2
21	Synthesis, characterization of (R)-2,2â€“diamino-1,1â€“binaphthyl mono-sulfonamide and its ruthenium complex and evaluation of the catalytic properties in transfer hydrogenation reactions. <i>Journal of Organometallic Chemistry</i> , 1998, 568, 77-86.	1.8	8
22	Chiral enrichment of 2-amino-2â€“hydroxy-1,1â€“binaphthyl. <i>Tetrahedron: Asymmetry</i> , 1998, 9, 2035-2042.	1.8	23
23	An efficient and convenient synthesis of formamidines. <i>Tetrahedron Letters</i> , 1997, 38, 5423-5426.	1.4	106
24	Synthesis of a [Fe4S4]â€“Sâ€“Ferriheme Bridged Assembly Containing an Isobacteriochlorin Component: A Further Analogue of the Active Site of Sulfite Reductase. <i>Inorganic Chemistry</i> , 1996, 35, 2767-2772.	4.0	41
25	Synthesis and Electron Delocalization of [Fe4S4]-S-Fe(III) Bridged Assemblies Related to the Exchange-Coupled Catalytic Site of Sulfite Reductases. <i>Journal of the American Chemical Society</i> , 1994, 116, 7177-7188.	13.7	61
26	Analogs of bridged biological active site assemblies: the Fe4S4-sulfide-heme unit. <i>Journal of the American Chemical Society</i> , 1993, 115, 9289-9290.	13.7	20