
Sefik Tagay

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10855559/publications.pdf Version: 2024-02-01



SEELK TACAY

#	Article	IF	CITATIONS
1	Focal psychodynamic therapy, cognitive behaviour therapy, and optimised treatment as usual in outpatients with anorexia nervosa (ANTOP study): randomised controlled trial. Lancet, The, 2014, 383, 127-137.	13.7	363
2	Health-related Quality of Life, Depression and Anxiety in Thyroid Cancer Patients. Quality of Life Research, 2006, 15, 695-703.	3.1	104
3	Health-related quality of life, anxiety and depression in thyroid cancer patients under short-term hypothyroidism and TSH-suppressive levothyroxine treatment. European Journal of Endocrinology, 2005, 153, 755-763.	3.7	86
4	Eating Disorders, Trauma, PTSD, and Psychosocial Resources. Eating Disorders, 2014, 22, 33-49.	3.0	72
5	Traumatic events, posttraumatic stress symptomatology and somatoform symptoms in eating disorder patients. European Eating Disorders Review, 2010, 18, 124-132.	4.1	57
6	Ghrelin, leptin and adiponectin as possible predictors of the hedonic value of odors. Regulatory Peptides, 2011, 167, 112-117.	1.9	56
7	Predictors of outcomes in outpatients with anorexia nervosa – Results from the ANTOP study. Psychiatry Research, 2016, 244, 45-50.	3.3	55
8	The relationship of body image with symptoms of depression and anxiety in patients with anorexia nervosa during outpatient psychotherapy: Results of the ANTOP study Psychotherapy, 2016, 53, 141-151.	1.2	41
9	Psychosocial predictors for outcome after total joint arthroplasty: a prospective comparison of hip and knee arthroplasty. BMC Musculoskeletal Disorders, 2018, 19, 159.	1.9	39
10	Posttraumatic stress disorder in a psychosomatic outpatient clinic. Journal of Psychosomatic Research, 2005, 58, 439-446.	2.6	38
11	The importance of body image disturbances for the outcome of outpatient psychotherapy in patients with anorexia nervosa: Results of the ANTOPâ€study. European Eating Disorders Review, 2019, 27, 49-58.	4.1	33
12	Sense of coherence and social support predict living liver donors' emotional stress prior to livingâ€donor liver transplantation. Clinical Transplantation, 2008, 22, 273-280.	1.6	31
13	Depression and protective factors of mental health in people with hepatitis C: A questionnaire survey. International Journal of Nursing Studies, 2010, 47, 342-349.	5.6	31
14	Posttraumatic Stress Disorder in Hemodialysis Patients. American Journal of Kidney Diseases, 2007, 50, 594-601.	1.9	28
15	Screening for posttraumatic stress disorder in young adult refugees from Syria and Iraq. Comprehensive Psychiatry, 2019, 90, 73-81.	3.1	19
16	Psychosocial Resources and Quality of Life in Transgender Women following Gender-Affirming Surgery. Journal of Sexual Medicine, 2019, 16, 1672-1680.	0.6	16
17	Emotional Expression Predicts Treatment Outcome in Focal Psychodynamic and Cognitive Behavioural Therapy for Anorexia Nervosa: Findings from the ANTOP Study. Psychotherapy and Psychosomatics, 2017, 86, 108-110.	8.8	15
18	A Systematic Review of the Effect of Neurofeedback in Cancer Patients. Integrative Cancer Therapies, 2019, 18, 153473541983236.	2.0	14

SEFIK TAGAY

#	Article	IF	CITATIONS
19	The Intersession Process in Psychotherapy for Anorexia Nervosa: Characteristics and Relation to Outcome. Journal of Clinical Psychology, 2016, 72, 861-879.	1.9	13
20	Psychosocial impact of prognostic genetic testing in uveal melanoma patients: a controlled prospective clinical observational study. BMC Psychology, 2020, 8, 8.	2.1	10
21	Subconscious olfactory influences of stimulant and relaxant odors on immune function. European Archives of Oto-Rhino-Laryngology, 2012, 269, 1909-1916.	1.6	9
22	The 2014 Yazidi genocide and its effect on Yazidi diaspora. Lancet, The, 2017, 390, 1946.	13.7	9
23	The Impact of Psychological Resources on Body Mass Index in Obesity Surgery Candidates. Frontiers in Psychiatry, 2020, 11, 649.	2.6	9
24	Frailty as a predictive factor for survival after liver transplantation, especially for patients with MELDâ‰ ⊉ 5—a prospective study. Langenbeck's Archives of Surgery, 2021, 406, 1963-1969.	1.9	8
25	Focal psychodynamic therapy, cognitive behaviour therapy, and optimised treatment as usual in female outpatients with anorexia nervosa (ANTOP study): 5-year follow-up of a randomised controlled trial in Germany. Lancet Psychiatry,the, 2022, 9, 280-290.	7.4	8
26	Sudden Gains in Cognitive Behavioural Therapy and Focal Psychodynamic Therapy for Anorexia Nervosa: Findings from the ANTOP Study. Psychotherapy and Psychosomatics, 2019, 88, 241-243.	8.8	5
27	Psychosocial impact of prognostic genetic testing in the care of uveal melanoma patients: protocol of a controlled prospective clinical observational study. BMC Cancer, 2016, 16, 408.	2.6	4
28	Salutogenesis. , 2013, , 1707-1709.		4
29	In-Session-Reflective-Functioning in Anorexia Nervosa: An Analysis of Psychotherapeutic Sessions of the ANTOP Study. Frontiers in Psychiatry, 2022, 13, .	2.6	4
30	Salutogenesis. , 2020, , 1943-1945.		0