

Wolf H Fridman

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/10860975/wolf-h-fridman-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

46
papers

5,980
citations

30
h-index

48
g-index

48
ext. papers

8,198
ext. citations

9.4
avg, IF

5.66
L-index

#	Paper	IF	Citations
46	B cells and tertiary lymphoid structures as determinants of tumour immune contexture and clinical outcome.. <i>Nature Reviews Clinical Oncology</i> , 2022 ,	19.4	7
45	Review of Prognostic Expression Markers for Clear Cell Renal Cell Carcinoma. <i>Frontiers in Oncology</i> , 2021 , 11, 643065	5.3	6
44	Complement C1s and C4d as Prognostic Biomarkers in Renal Cancer: Emergence of Noncanonical Functions of C1s. <i>Cancer Immunology Research</i> , 2021 , 9, 891-908	12.5	7
43	Mature tertiary lymphoid structures predict immune checkpoint inhibitor efficacy in solid tumors independently of PD-L1 expression.. <i>Nature Cancer</i> , 2021 , 2, 794-802	15.4	19
42	Complement System: Promoter or Suppressor of Cancer Progression?. <i>Antibodies</i> , 2020 , 9,	7	13
41	The Tumor Microenvironment in the Response to Immune Checkpoint Blockade Therapies. <i>Frontiers in Immunology</i> , 2020 , 11, 784	8.4	98
40	B cells are associated with survival and immunotherapy response in sarcoma. <i>Nature</i> , 2020 , 577, 556-560	50.4	538
39	Therapeutic Targeting of the Colorectal Tumor Stroma. <i>Gastroenterology</i> , 2020 , 158, 303-321	13.3	23
38	The murine Microenvironment Cell Population counter method to estimate abundance of tissue-infiltrating immune and stromal cell populations in murine samples using gene expression. <i>Genome Medicine</i> , 2020 , 12, 86	14.4	17
37	Tumor Cells Hijack Macrophage-Produced Complement C1q to Promote Tumor Growth. <i>Cancer Immunology Research</i> , 2019 , 7, 1091-1105	12.5	68
36	Integrating histopathology, immune biomarkers, and molecular subgroups in solid cancer: the next step in precision oncology. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019 , 474, 463-474	5.1	12
35	Immune-based identification of cancer patients at high risk of progression. <i>Current Opinion in Immunology</i> , 2018 , 51, 97-102	7.8	12
34	Transcriptomic analysis of the tumor microenvironment to guide prognosis and immunotherapies. <i>Cancer Immunology, Immunotherapy</i> , 2018 , 67, 981-988	7.4	58
33	Quantitative Analyses of the Tumor Microenvironment Composition and Orientation in the Era of Precision Medicine. <i>Frontiers in Oncology</i> , 2018 , 8, 390	5.3	31
32	Tumor-Infiltrating and Peripheral Blood T-cell Immunophenotypes Predict Early Relapse in Localized Clear Cell Renal Cell Carcinoma. <i>Clinical Cancer Research</i> , 2017 , 23, 4416-4428	12.9	174
31	The immune contexture in cancer prognosis and treatment. <i>Nature Reviews Clinical Oncology</i> , 2017 , 14, 717-734	19.4	935
30	Immune Contexture, Immunoscore, and Malignant Cell Molecular Subgroups for Prognostic and Theranostic Classifications of Cancers. <i>Advances in Immunology</i> , 2016 , 130, 95-190	5.6	120

29	Estimating the population abundance of tissue-infiltrating immune and stromal cell populations using gene expression. <i>Genome Biology</i> , 2016 , 17, 218	18.3	791
28	Orchestration and Prognostic Significance of Immune Checkpoints in the Microenvironment of Primary and Metastatic Renal Cell Cancer. <i>Clinical Cancer Research</i> , 2015 , 21, 3031-40	12.9	249
27	PD-1-expressing tumor-infiltrating T cells are a favorable prognostic biomarker in HPV-associated head and neck cancer. <i>Cancer Research</i> , 2013 , 73, 128-38	10.1	456
26	Comprehensive analysis of current approaches to inhibit regulatory T cells in cancer. <i>Onc Immunology</i> , 2012 , 1, 326-333	7.2	85
25	The ultimate goal of curative anti-cancer therapies: inducing an adaptive anti-tumor immune response. <i>Frontiers in Immunology</i> , 2011 , 2, 66	8.4	7
24	Immune infiltration in human cancer: prognostic significance and disease control. <i>Current Topics in Microbiology and Immunology</i> , 2011 , 344, 1-24	3.3	126
23	A decrease of regulatory T cells correlates with overall survival after sunitinib-based antiangiogenic therapy in metastatic renal cancer patients. <i>Journal of Immunotherapy</i> , 2010 , 33, 991-8	5	161
22	Better understanding tumor-host interaction in head and neck cancer to improve the design and development of immunotherapeutic strategies. <i>Head and Neck</i> , 2010 , 32, 946-58	4.2	42
21	Revisiting the prognostic value of regulatory T cells in patients with cancer. <i>Journal of Clinical Oncology</i> , 2009 , 27, e5-6; author reply e7	2.2	33
20	The soluble alpha chain of interleukin-15 receptor: a proinflammatory molecule associated with tumor progression in head and neck cancer. <i>Cancer Research</i> , 2008 , 68, 3907-14	10.1	57
19	B subunit of Shiga toxin-based vaccines synergize with alpha-galactosylceramide to break tolerance against self antigen and elicit antiviral immunity. <i>Journal of Immunology</i> , 2007 , 179, 3371-9	5.3	44
18	Prognostic value of tumor-infiltrating CD4+ T-cell subpopulations in head and neck cancers. <i>Clinical Cancer Research</i> , 2006 , 12, 465-72	12.9	441
17	The SH2 domain-containing inositol 5-phosphatase SHIP1 is recruited to the intracytoplasmic domain of human FcγRIIB and is mandatory for negative regulation of B cell activation. <i>Immunology Letters</i> , 2006 , 104, 156-65	4.1	25
16	Two distinct tyrosine-based motifs enable the inhibitory receptor FcγRIIB to cooperatively recruit the inositol phosphatases SHIP1/2 and the adapters Grb2/Grap. <i>Journal of Biological Chemistry</i> , 2004 , 279, 51931-8	5.4	38
15	Interleukin-17 inhibits tumor cell growth by means of a T-cell-dependent mechanism. <i>Blood</i> , 2002 , 99, 2114-21	2.2	266
14	Negative regulation of mast cell proliferation by FcγRIIB. <i>Molecular Immunology</i> , 2002 , 38, 1295-9	4.3	38
13	Src homology 2 domain-containing inositol 5-phosphatase 1 mediates cell cycle arrest by FcγRIIB. <i>Journal of Biological Chemistry</i> , 2001 , 276, 30381-91	5.4	21
12	Differential modulation of stimulatory and inhibitory Fc gamma receptors on human monocytes by Th1 and Th2 cytokines. <i>Journal of Immunology</i> , 2001 , 166, 531-7	5.3	200

11	Insufficient phosphorylation prevents Fc gamma RIIB from recruiting the SH2 domain-containing protein-tyrosine phosphatase SHP-1. <i>Journal of Biological Chemistry</i> , 2001 , 276, 6327-36	5-4	35
10	SHIP1-mediated negative regulation of cell activation and proliferation by FcRIIB 2001 , 141-152		
9	Molecular basis of the recruitment of the SH2 domain-containing inositol 5-phosphatases SHIP1 and SHIP2 by Fc gamma RIIB. <i>Journal of Biological Chemistry</i> , 2000 , 275, 37357-64	5-4	73
8	Signal regulatory proteins negatively regulate immunoreceptor-dependent cell activation. <i>Journal of Biological Chemistry</i> , 1999 , 274, 32493-9	5-4	55
7	Cytokines and cell regulation. <i>Molecular Aspects of Medicine</i> , 1997 , 18, 3-90	16.7	9
6	Selective in vivo recruitment of the phosphatidylinositol phosphatase SHIP by phosphorylated Fc gamma RIIB during negative regulation of IgE-dependent mouse mast cell activation. <i>Immunology Letters</i> , 1996 , 54, 83-91	4-1	111
5	The same tyrosine-based inhibition motif, in the intracytoplasmic domain of Fc gamma RIIB, regulates negatively BCR-, TCR-, and FcR-dependent cell activation. <i>Immunity</i> , 1995 , 3, 635-46	32-3	403
4	Distinct intracytoplasmic sequences are required for endocytosis and phagocytosis via murine Fc gamma RII in mast cells. <i>International Immunology</i> , 1993 , 5, 1393-401	4-9	44
3	Receptors for immunoglobulin isotypes (FcR) on murine T cells. I. Multiple FcR expression on T lymphocytes and hybridoma T cell clones. <i>European Journal of Immunology</i> , 1985 , 15, 662-7	6-1	30
2	The murine Microenvironment Cell Population counter method to estimate abundance of tissue-infiltrating immune and stromal cell populations in murine samples using gene expression		1
1	webMCP-counter: a web interface for transcriptomics-based quantification of immune and stromal cells in heterogeneous human or murine samples		1