

Yue-Sheng Wang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1086318/yue-sheng-wang-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

55
papers

4,183
citations

29
h-index

58
g-index

58
ext. papers

4,944
ext. citations

11.1
avg, IF

5.5
L-index

#	Paper	IF	Citations
55	Highly Active and Durable Single-Atom Tungsten-Doped NiS Se Nanosheet@NiS Se Nanorod Heterostructures for Water Splitting.. <i>Advanced Materials</i> , 2022 , e2107053	24	18
54	P2-Na _{0.55} [Mg _{0.25} Mn _{0.75}]O ₂ : An SEI-free anode for long-life and high-rate Na-ion batteries. <i>Energy Storage Materials</i> , 2022 , 45, 92-100	19.4	1
53	Promoting the charge separation and photoelectrocatalytic water reduction kinetics of Cu ₂ O nanowires via decorating dual-cocatalysts. <i>Journal of Materials Science and Technology</i> , 2021 , 62, 119-127 ⁹⁻¹	9.1	7
52	Na-K liquid alloy: A review on wettability enhancement and ionic carrier selection mechanism. <i>Chinese Chemical Letters</i> , 2021 , 32, 983-989	8.1	3
51	Pillar-beam structures prevent layered cathode materials from destructive phase transitions. <i>Nature Communications</i> , 2021 , 12, 13	17.4	24
50	A General Carboxylate-Assisted Approach to Boost the ORR Performance of ZIF-Derived Fe/N/C Catalysts for Proton Exchange Membrane Fuel Cells. <i>Advanced Functional Materials</i> , 2021 , 31, 2009645	15.6	36
49	Porous Carbon Membrane-Supported Atomically Dispersed Pyrrole-Type Fe ₂ N as Active Sites for Electrochemical Hydrazine Oxidation Reaction. <i>Small</i> , 2020 , 16, e2002203	11	19
48	Effects of ester-based electrolyte composition and salt concentration on the Na-storage stability of hard carbon anodes. <i>Journal of Power Sources</i> , 2020 , 471, 228455	8.9	7
47	High-Performance Manganese Hexacyanoferrate with Cubic Structure as Superior Cathode Material for Sodium-Ion Batteries. <i>Advanced Functional Materials</i> , 2020 , 30, 1908754	15.6	46
46	KOH-doped polybenzimidazole membrane for direct hydrazine fuel cell. <i>Journal of Colloid and Interface Science</i> , 2020 , 563, 27-32	9.3	15
45	ZIF-derived Co ₂ N ₄ ORR catalyst with high performance in proton exchange membrane fuel cells. <i>Progress in Natural Science: Materials International</i> , 2020 , 30, 855-860	3.6	12
44	Lattice-Strain Engineering of Homogeneous NiS Se Core-Shell Nanostructure as a Highly Efficient and Robust Electrocatalyst for Overall Water Splitting. <i>Advanced Materials</i> , 2020 , 32, e2000231	24	79
43	Highly Active and CO-Tolerant Trimetallic NiPtPd Hollow Nanocrystals as Electrocatalysts for Methanol Electro-oxidation Reaction. <i>ACS Applied Energy Materials</i> , 2019 , 2, 4763-4773	6.1	18
42	Enhancing the electrochemical performance of an O ₃ N ₂ NaCrO ₂ cathode in sodium-ion batteries by cation substitution. <i>Journal of Power Sources</i> , 2019 , 435, 226760	8.9	14
41	Effects of Different Atmosphere on Electrochemical Performance of Hard Carbon Electrode in Sodium Ion Battery. <i>Electronic Materials Letters</i> , 2019 , 15, 428-436	2.9	6
40	Combining the Advantages of Hollow and One-Dimensional Structures: Balanced Activity and Stability toward Methanol Oxidation Based on the Interface of PtCo Nanochains. <i>ACS Applied Energy Materials</i> , 2019 , 2, 1588-1593	6.1	11
39	Roles of Ti in Electrode Materials for Sodium-Ion Batteries. <i>Frontiers in Energy Research</i> , 2019 , 7,	3.8	13

38	A new Tin-based $\text{O}_3\text{-Na}_{0.9}[\text{Ni}_{0.45}\text{Mn}_{0.55}/2]\text{O}_2$ as sodium-ion battery cathode. <i>Journal of Energy Chemistry</i> , 2019 , 31, 132-137	12	21
37	Insights into pseudographite-structured hard carbon with stabilized performance for high energy K-ion storage. <i>Journal of Power Sources</i> , 2019 , 444, 227310	8.9	29
36	Capacity Contribution Induced by Pseudo-Capacitance Adsorption Mechanism of Anode Carbonaceous Materials Applied in Potassium-ion Battery. <i>Frontiers in Chemistry</i> , 2019 , 7, 640	5	9
35	Pre-treatments of Lithium Foil Surface for Improving the Cycling Life of Li Metal Batteries. <i>Frontiers in Materials</i> , 2019 , 6,	4	18
34	Superior electrochemical performance of sodium-ion full-cell using poplar wood derived hard carbon anode. <i>Energy Storage Materials</i> , 2019 , 18, 269-279	19.4	56
33	Tailored N-doped porous carbon nanocomposites through MOF self-assembling for Li/Na ion batteries. <i>Journal of Colloid and Interface Science</i> , 2019 , 538, 267-276	9.3	51
32	High-Capacity and Long-Cycle Life Aqueous Rechargeable Lithium-Ion Battery with the FePO Anode. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 7061-7068	9.5	25
31	TiS ₂ as a high performance potassium ion battery cathode in ether-based electrolyte. <i>Energy Storage Materials</i> , 2018 , 12, 216-222	19.4	102
30	Layered oxides-LiNi _{1/3} Co _{1/3} Mn _{1/3} O ₂ as anode electrode for symmetric rechargeable lithium-ion batteries. <i>Journal of Power Sources</i> , 2018 , 378, 516-521	8.9	23
29	A High-Temperature β -Phase NaMnO ₂ Stabilized by Cu Doping and Its Na Storage Properties. <i>Chinese Physics Letters</i> , 2018 , 35, 048801	1.8	14
28	Sodium Vanadium Fluorophosphates (NVOPF) Array Cathode Designed for High-Rate Full Sodium Ion Storage Device. <i>Advanced Energy Materials</i> , 2018 , 8, 1800058	21.8	124
27	High Capacity and High Efficiency Maple Tree-Biomass-Derived Hard Carbon as an Anode Material for Sodium-Ion Batteries. <i>Materials</i> , 2018 , 11,	3.5	23
26	Ultra-low cost and highly stable hydrated FePO ₄ anodes for aqueous sodium-ion battery. <i>Journal of Power Sources</i> , 2018 , 374, 211-216	8.9	32
25	Application of Operando X-ray Diffractometry in Various Aspects of the Investigations of Lithium/Sodium-Ion Batteries. <i>Energies</i> , 2018 , 11, 2963	3.1	13
24	A Layered Tunnel Intergrowth Structure for High-Performance Sodium-Ion Oxide Cathode. <i>Advanced Energy Materials</i> , 2018 , 8, 1800492	21.8	85
23	Graphene Oxide-Template Controlled Cuboid-Shaped High-Capacity VS ₄ Nanoparticles as Anode for Sodium-Ion Batteries. <i>Advanced Functional Materials</i> , 2018 , 28, 1801806	15.6	94
22	Enhanced Structural and Electrochemical Stability of Self-Similar Rice-Shaped SnO Nanoparticles. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 9747-9755	9.5	42
21	Practical Challenges in Employing Graphene for Lithium-Ion Batteries and Beyond. <i>Small Methods</i> , 2017 , 1, 1700099	12.8	27

20	Water-in-Salt Electrolyte Makes Aqueous Sodium-Ion Battery Safe, Green, and Long-Lasting. <i>Advanced Energy Materials</i> , 2017 , 7, 1701189	21.8	335
19	A high-performance sodium-ion battery enhanced by macadamia shell derived hard carbon anode. <i>Nano Energy</i> , 2017 , 39, 489-498	17.1	132
18	High Rate and Long Cycle Life of a CNT/rGO/Si Nanoparticle Composite Anode for Lithium-Ion Batteries. <i>Particle and Particle Systems Characterization</i> , 2017 , 34, 1700141	3.1	32
17	Improved Li storage performance in SnO ₂ nanocrystals by a synergetic doping. <i>Scientific Reports</i> , 2016 , 6, 18978	4.9	55
16	Sodium-Deficient O ₃ -Na _{0.9} [Ni _{0.4} Mn _x Ti _{0.6-x}]O ₂ Layered-Oxide Cathode Materials for Sodium-Ion Batteries. <i>Particle and Particle Systems Characterization</i> , 2016 , 33, 538-544	3.1	39
15	Suppressing the P ₂ O ₂ Phase Transition of Na _{0.67} Mn _{0.67} Ni _{0.33} O ₂ by Magnesium Substitution for Improved Sodium-Ion Batteries. <i>Angewandte Chemie</i> , 2016 , 128, 7571-7575	3.6	53
14	Suppressing the P ₂ -O ₂ Phase Transition of Na _{0.67} Mn _{0.67} Ni _{0.33} O ₂ by Magnesium Substitution for Improved Sodium-Ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 7445-9	16.4	330
13	Ti-substituted tunnel-type NaMnO ₂ oxide as a negative electrode for aqueous sodium-ion batteries. <i>Nature Communications</i> , 2015 , 6, 6401	17.4	265
12	P ₂ -Na _{0.6} [Cr _{0.6} Ti _{0.4}]O ₂ cation-disordered electrode for high-rate symmetric rechargeable sodium-ion batteries. <i>Nature Communications</i> , 2015 , 6, 6954	17.4	345
11	Amorphous monodispersed hard carbon micro-spherules derived from biomass as a high performance negative electrode material for sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 71-77	13	347
10	Direct evidence of gradient Mn(II) evolution at charged states in LiNi _{0.5} Mn _{1.5} O ₄ electrodes with capacity fading. <i>Journal of Power Sources</i> , 2015 , 273, 1120-1126	8.9	99
9	A Novel High Capacity Positive Electrode Material with Tunnel-Type Structure for Aqueous Sodium-Ion Batteries. <i>Advanced Energy Materials</i> , 2015 , 5, 1501005	21.8	127
8	Fe-Based Tunnel-Type Na _{0.61} [Mn _{0.27} Fe _{0.34} Ti _{0.39}]O ₂ Designed by a New Strategy as a Cathode Material for Sodium-Ion Batteries. <i>Advanced Energy Materials</i> , 2015 , 5, 1501156	21.8	100
7	A new oxyfluorinated titanium phosphate anode for a high-energy lithium-ion battery. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 1270-4	9.5	7
6	Na-deficient O ₃ -type cathode material Na _{0.8} [Ni _{0.3} Co _{0.2} Ti _{0.5}]O ₂ for room-temperature sodium-ion batteries. <i>Electrochimica Acta</i> , 2015 , 158, 258-263	6.7	38
5	Experimental visualization of the diffusion pathway of sodium ions in the Na ₃ [Ti ₂ P ₂ O ₁₀ F] anode for sodium-ion battery. <i>Scientific Reports</i> , 2014 , 4, 7231	4.9	39
4	Direct imaging of layered O ₃ - and P ₂ -Na _x Fe _{1/2} Mn _{1/2} O ₂ structures at the atomic scale. <i>Physical Chemistry Chemical Physics</i> , 2014 , 16, 21946-52	3.6	40
3	Amorphous iron phosphate: potential host for various charge carrier ions. <i>NPG Asia Materials</i> , 2014 , 6, e138-e138	10.3	180

- | | | | |
|---|---|------|-----|
| 2 | A zero-strain layered metal oxide as the negative electrode for long-life sodium-ion batteries. <i>Nature Communications</i> , 2013 , 4, 2365 | 17.4 | 468 |
| 1 | Size-controlled synthesis and morphology evolution of bismuth trifluoride nanocrystals via a novel solvent extraction route. <i>Nanoscale</i> , 2013 , 5, 518-22 | 7.7 | 18 |