

# Ronald De Krijger

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10867439/publications.pdf>

Version: 2024-02-01

16  
papers

1,957  
citations

687220

13  
h-index

940416

16  
g-index

16  
all docs

16  
docs citations

16  
times ranked

2430  
citing authors

#	ARTICLE	IF	CITATIONS
1	Value of Molecular Classification for Prognostic Assessment of Adrenocortical Carcinoma. <i>JAMA Oncology</i> , 2019, 5, 1440.	3.4	57
2	Hypoxia inducible factor 2 $\hat{\pm}$ (HIF2 $\hat{\pm}$ /EPAS1) is associated with development of pulmonary hypertension in severe congenital diaphragmatic hernia patients. <i>Pulmonary Circulation</i> , 2018, 8, 1-4.	0.8	5
3	European Society of Endocrinology Clinical Practice Guidelines on the management of adrenocortical carcinoma in adults, in collaboration with the European Network for the Study of Adrenal Tumors. <i>European Journal of Endocrinology</i> , 2018, 179, G1-G46.	1.9	559
4	DNA methylation is an independent prognostic marker of survival in adrenocortical cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 102, jc.2016-3205.	1.8	44
5	Hypoxia-Inducible Factor 2 $\hat{\pm}$ Mutation-Related Parangliomas Classify as Discrete Pseudohypoxic Subcluster. <i>Neoplasia</i> , 2016, 18, 567-576.	2.3	16
6	Major Prognostic Role of Ki67 in Localized Adrenocortical Carcinoma After Complete Resection. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 841-849.	1.8	274
7	Altered Phenotype of $\hat{\beta}$ -Cells and Other Pancreatic Cell Lineages in Patients With Diffuse Congenital Hyperinsulinism in Infancy Caused by Mutations in the ATP-Sensitive K-Channel. <i>Diabetes</i> , 2015, 64, 3182-3188.	0.3	20
8	Vascular Pattern Analysis for the Prediction of Clinical Behaviour in Pheochromocytomas and Parangliomas. <i>PLoS ONE</i> , 2015, 10, e0121361.	1.1	14
9	The window period of NEUROGENIN3 during human gestation. <i>Islets</i> , 2014, 6, e954436.	0.9	47
10	Integrated genomic characterization of adrenocortical carcinoma. <i>Nature Genetics</i> , 2014, 46, 607-612.	9.4	560
11	Genotype and Tumor Locus Determine Expression Profile of Pseudohypoxic Pheochromocytomas and Parangliomas. <i>Neoplasia</i> , 2013, 15, 435-IN22.	2.3	33
12	Premature differentiation of vascular smooth muscle cells in human congenital diaphragmatic hernia. <i>Experimental and Molecular Pathology</i> , 2013, 94, 195-202.	0.9	43
13	Observer Variation in the Application of the Pheochromocytoma of the Adrenal Gland Scaled Score. <i>American Journal of Surgical Pathology</i> , 2009, 33, 599-608.	2.1	152
14	Reactivity of Germ Cell Maturation Stage-Specific Markers in Spermatocytic Seminoma: Diagnostic and Etiological Implications. <i>Laboratory Investigation</i> , 2001, 81, 919-928.	1.7	106
15	Usage of TCRAV and TCRBV gene families in human fetal and adult TCR rearrangements. <i>Immunogenetics</i> , 1994, 39, 343-350.	1.2	18
16	Analysis of early fetal T-cell receptor $\hat{\gamma}$ chain in humans. <i>Immunogenetics</i> , 1990, 32, 331-336.	1.2	9