
Tomas Andersson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10868071/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Shift and night work during pregnancy and preterm birth—a cohort study of Swedish health care employees. International Journal of Epidemiology, 2022, 50, 1864-1874.	1.9	17
2	Alterations in Biomarkers Related to Glycemia, Lipid Metabolism, and Inflammation up to 20 Years Before Diagnosis of Type 1 Diabetes in Adults: Findings From the AMORIS Cohort. Diabetes Care, 2022, 45, 330-338.	8.6	6
3	Outcome at age 7 of epilepsy presenting in the first 2 years of life. A populationâ€based study. Epilepsia, 2022, 63, 2096-2107.	5.1	5
4	Interaction Between GAD65 Antibodies and Dietary Fish Intake or Plasma Phospholipid n-3 Polyunsaturated Fatty Acids on Incident Adult-Onset Diabetes: The EPIC-InterAct Study. Diabetes Care, 2021, 44, 416-424.	8.6	6
5	Disability pensions related to heavy physical workload: a cohort study of middle-aged and older workers in Sweden. International Archives of Occupational and Environmental Health, 2021, 94, 1851-1861.	2.3	14
6	Mortality rates and cardiovascular disease burden in type 2 diabetes by occupation, results from all Swedish employees in 2002–2015. Cardiovascular Diabetology, 2021, 20, 129.	6.8	4
7	Occupational exposure to particles and increased risk of developing chronic obstructive pulmonary disease (COPD): A population-based cohort study in Stockholm, Sweden. Environmental Research, 2021, 200, 111739.	7.5	24
8	Consumption of red meat, genetic susceptibility, and risk of LADA and type 2 diabetes. European Journal of Nutrition, 2021, 60, 769-779.	3.9	9
9	Genotypes of HLA, TCF7L2, and FTO as potential modifiers of the association between sweetened beverage consumption and risk of LADA and type 2 diabetes. European Journal of Nutrition, 2020, 59, 127-135.	3.9	6
10	Incidence and prevalence of type 2 diabetes by occupation: results from all Swedish employees. Diabetologia, 2020, 63, 95-103.	6.3	29
11	Pharmacologic treatment and SUDEP risk. Neurology, 2020, 95, e2509-e2518.	1.1	48
12	Physical Activity, Genetic Susceptibility, and the Risk of Latent Autoimmune Diabetes in Adults and Type 2 Diabetes. Journal of Clinical Endocrinology and Metabolism, 2020, 105, e4112-e4123.	3.6	11
13	Clinical risk factors in SUDEP. Neurology, 2020, 94, e419-e429.	1.1	197
14	Commonly used estimates of the genetic contribution to disease are subject to the same fallacies as bad luck estimates. European Journal of Epidemiology, 2019, 34, 987-992.	5.7	4
15	Interaction Between Overweight and Genotypes of HLA, TCF7L2, and FTO in Relation to the Risk of Latent Autoimmune Diabetes in Adults and Type 2 Diabetes. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 4815-4826.	3.6	22
16	Tobacco and type 2 diabetes: is the association explained by genetic factors?. International Journal of Epidemiology, 2019, 48, 926-933.	1.9	6
17	O4E.3â€Utility of routinely recorded data on working hours for an epidemiological cohort study of 60,000 swedish health care employees. Occupational and Environmental Medicine, 2019, 76, A40.1-A40.	2.8	0
18	Circumstances of SUDEP: A nationwide populationâ€based case series. Epilepsia, 2018, 59, 1074-1082.	5.1	42

Tomas Andersson

#	Article	IF	CITATIONS
19	Risk for injuries and accidents in epilepsy. Neurology, 2018, 90, e779-e789.	1.1	44
20	Cancer incidence in Stockholm firefighters 1958–2012: an updated cohort study. International Archives of Occupational and Environmental Health, 2018, 91, 285-291.	2.3	13
21	Evolution over time of SUDEP incidence: A nationwide populationâ€based cohort study. Epilepsia, 2018, 59, e120-e124.	5.1	28
22	The incidence of SUDEP. Neurology, 2017, 89, 170-177.	1.1	209
23	0360â€Occupational exposure to respirable silica dust in men and women and risk for acute myocardial infarction. , 2017, , .		0
24	0322â€Cancer incidence in firefighters in sweden – preliminary findings from an updated cohort study. , 2017, , .		0
25	Smoking and the Risk of LADA: Results From a Swedish Population-Based Case-Control Study. Diabetes Care, 2016, 39, 794-800.	8.6	26
26	O14-1â€Cancer incidence in laboratory technicians – extended follow-up of a swedish cohort study. , 2016, , .		0
27	Unprovoked seizures after traumatic brain injury: A populationâ€based case–control study. Epilepsia, 2015, 56, 1438-1444.	5.1	54
28	Declining incidence trends for hip fractures have not been accompanied by improvements in lifetime risk or post-fracture survival – A nationwide study of the Swedish population 60years and older. Bone, 2015, 78, 55-61.	2.9	52
29	The incidence of unprovoked seizures and occurrence of neurodevelopmental comorbidities in children at the time of their first epileptic seizure and during the subsequent six months. Epilepsy Research, 2015, 113, 140-150.	1.6	29
30	Agreement between Myocardial Infarction Patients and Their Spouses on Reporting of Data on 82 Cardiovascular Risk Exposures. PLoS ONE, 2015, 10, e0132601.	2.5	4
31	Diabetes Prevalence in Sweden at Present and Projections for Year 2050. PLoS ONE, 2015, 10, e0143084.	2.5	73
32	Alcohol and the risk for latent autoimmune diabetes in adults: results based on Swedish ESTRID study. European Journal of Endocrinology, 2014, 171, 535-543.	3.7	17
33	Does Improved Survival Lead to a More Fragile Population: Time Trends in Second and Third Hospital Admissions among Men and Women above the Age of 60 in Sweden. PLoS ONE, 2014, 9, e99034.	2.5	11
34	Prevalence and Incidence of Diabetes in Stockholm County 1990-2010. PLoS ONE, 2014, 9, e104033.	2.5	26
35	Trends in age at first hospital admission in relation to trends in life expectancy in Swedish men and women above the age of 60. BMJ Open, 2013, 3, e003447.	1.9	20
36	Smoking Is Associated With Reduced Risk of Autoimmune Diabetes in Adults Contrasting With Increased Risk in Overweight Men With Type 2 Diabetes. Diabetes Care, 2013, 36, 604-610.	8.6	51

Tomas Andersson

#	Article	IF	CITATIONS
37	Age-Specific Trends in Morbidity, Mortality and Case-Fatality from Cardiovascular Disease, Myocardial Infarction and Stroke in Advanced Age: Evaluation in the Swedish Population. PLoS ONE, 2013, 8, e64928.	2.5	35
38	Hospitalization for psychiatric disorders before and after onset of unprovoked seizures/epilepsy. Neurology, 2012, 78, 396-401.	1.1	168
39	Unprovoked seizures in multiple sclerosis and systemic lupus erythematosus: A population-based case–control study. Epilepsy Research, 2012, 101, 284-287.	1.6	10
40	Prior hospitalization for stroke, diabetes, myocardial infarction, and subsequent risk of unprovoked seizures. Epilepsia, 2011, 52, 301-307.	5.1	25
41	Newly diagnosed single unprovoked seizures and epilepsy in Stockholm, Sweden: First report from the Stockholm Incidence Registry of Epilepsy (SIRE). Epilepsia, 2009, 50, 1094-1101.	5.1	59
42	The magnitude of bias in a cross-sectional study on lifestyle factors in relation to Type 2 diabetes. Scandinavian Journal of Public Health, 2006, 34, 665-668.	2.3	8
43	CNOP (Mitoxantrone) Chemotherapy Is Inferior to CHOP (Doxorubicin) in the Treatment of Patients with Aggressive Non-Hodgkin Lymphoma (Review) Blood, 2006, 108, 2437-2437.	1.4	0
44	Calculating measures of biological interaction. European Journal of Epidemiology, 2005, 20, 575-579.	5.7	1,111
45	Explanations of Socioeconomic Differences in Excess Risk of Type 2 Diabetes in Swedish Men and Women. Diabetes Care, 2004, 27, 716-721.	8.6	91
46	Work Stress and Low Sense of Coherence Is Associated With Type 2 Diabetes in Middle-Aged Swedish Women. Diabetes Care, 2003, 26, 719-724.	8.6	156
47	Plasma Levels of Tissue Plasminogen Activator/Plasminogen Activator Inhibitor-1 Complex and von Willebrand Factor Are Significant Risk Markers for Recurrent Myocardial Infarction in the Stockholm Heart Epidemiology Program (SHEEP) Study. Arteriosclerosis, Thrombosis, and Vascular Biology, 2000, 20, 2019-2023.	2.4	178