

Amin Beiranvand Pour

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10873560/publications.pdf>

Version: 2024-02-01

77
papers

3,343
citations

126901

33
h-index

155644

55
g-index

78
all docs

78
docs citations

78
times ranked

1187
citing authors

#	ARTICLE	IF	CITATIONS
1	The application of ASTER remote sensing data to porphyry copper and epithermal gold deposits. <i>Ore Geology Reviews</i> , 2012, 44, 1-9.	2.7	233
2	Lithological and alteration mineral mapping in poorly exposed lithologies using Landsat-8 and ASTER satellite data: North-eastern Graham Land, Antarctic Peninsula. <i>Ore Geology Reviews</i> , 2019, 108, 112-133.	2.7	139
3	Hydrothermal alteration mapping from Landsat-8 data, Sar Cheshmeh copper mining district, south-eastern Islamic Republic of Iran. <i>Journal of Taibah University for Science</i> , 2015, 9, 155-166.	2.5	128
4	Detection of hydrothermal alteration zones in a tropical region using satellite remote sensing data: Bau goldfield, Sarawak, Malaysia. <i>Ore Geology Reviews</i> , 2013, 54, 181-196.	2.7	113
5	Identifying areas of high economic-potential copper mineralization using ASTER data in the Urumiehâ€“Dokhtar Volcanic Belt, Iran. <i>Advances in Space Research</i> , 2012, 49, 753-769.	2.6	112
6	Automatic lineament extraction in a heavily vegetated region using Landsat Enhanced Thematic Mapper (ETM+) imagery. <i>Advances in Space Research</i> , 2013, 51, 874-890.	2.6	108
7	Structural mapping using PALSAR data in the Central Gold Belt, Peninsular Malaysia. <i>Ore Geology Reviews</i> , 2015, 64, 13-22.	2.7	100
8	Application of Multi-Sensor Satellite Data for Exploration of Znâ€“Pb Sulfide Mineralization in the Franklinian Basin, North Greenland. <i>Remote Sensing</i> , 2018, 10, 1186.	4.0	92
9	Mapping hydrothermal alteration zones and lineaments associated with orogenic gold mineralization using ASTER data: A case study from the Sanandaj-Sirjan Zone, Iran. <i>Advances in Space Research</i> , 2019, 63, 3315-3332.	2.6	92
10	A Hybrid Analytic Network Process and Artificial Neural Network (ANP-ANN) Model for Urban Earthquake Vulnerability Assessment. <i>Remote Sensing</i> , 2018, 10, 975.	4.0	90
11	Application of Landsat-8, Sentinel-2, ASTER and WorldView-3 Spectral Imagery for Exploration of Carbonate-Hosted Pb-Zn Deposits in the Central Iranian Terrane (CIT). <i>Remote Sensing</i> , 2020, 12, 1239.	4.0	89
12	Identifying high potential zones of gold mineralization in a sub-tropical region using Landsat-8 and ASTER remote sensing data: A case study of the Ngoura-Colomines goldfield, eastern Cameroon. <i>Ore Geology Reviews</i> , 2020, 122, 103530.	2.7	83
13	Mapping alteration mineral zones and lithological units in Antarctic regions using spectral bands of ASTER remote sensing data. <i>Geocarto International</i> , 2018, 33, 1281-1306.	3.5	82
14	Regional geology mapping using satellite-based remote sensing approach in Northern Victoria Land, Antarctica. <i>Polar Science</i> , 2018, 16, 23-46.	1.2	76
15	Comparison of Different Algorithms to Map Hydrothermal Alteration Zones Using ASTER Remote Sensing Data for Polymetallic Vein-Type Ore Exploration: Toroudâ€“Chahshirin Magmatic Belt (TCMB), North Iran. <i>Remote Sensing</i> , 2019, 11, 495.	4.0	76
16	ASTER, ALI and Hyperion sensors data for lithological mapping and ore minerals exploration. <i>SpringerPlus</i> , 2014, 3, 130.	1.2	75
17	Integrating PALSAR and ASTER data for mineral deposits exploration in tropical environments: a case study from Central Belt, Peninsular Malaysia. <i>International Journal of Image and Data Fusion</i> , 2015, 6, 170-188.	1.7	75
18	Landsat-8, Advanced Spaceborne Thermal Emission and Reflection Radiometer, and WorldView-3 Multispectral Satellite Imagery for Prospecting Copper-Gold Mineralization in the Northeastern Inglefield Mobile Belt (IMB), Northwest Greenland. <i>Remote Sensing</i> , 2019, 11, 2430.	4.0	72

#	ARTICLE	IF	CITATIONS
19	Orogenic Gold in Transpression and Transtension Zones: Field and Remote Sensing Studies of the Barramiyaâ€Mueilha Sector, Egypt. <i>Remote Sensing</i> , 2019, 11, 2122.	4.0	70
20	Structural Mapping of the Bentongâ€Raub Suture Zone Using PALSAR Remote Sensing Data, Peninsular Malaysia: Implications for Sedimentâ€hosted/Orogenic Gold Mineral Systems Exploration. <i>Resource Geology</i> , 2016, 66, 368-385.	0.8	67
21	Application of Landsat-8 and ASTER satellite remote sensing data for porphyry copper exploration: a case study from Shahr-e-Babak, Kerman, south of Iran. <i>Geocarto International</i> , 2018, 33, 1186-1201.	3.5	67
22	Spectral transformation of ASTER and Landsat TM bands for lithological mapping of Soghan ophiolite complex, south Iran. <i>Advances in Space Research</i> , 2014, 54, 694-709.	2.6	63
23	A Remote Sensing-Based Application of Bayesian Networks for Epithermal Gold Potential Mapping in Ahar-Arasbaran Area, NW Iran. <i>Remote Sensing</i> , 2020, 12, 105.	4.0	63
24	Mapping Listvenite Occurrences in the Damage Zones of Northern Victoria Land, Antarctica Using ASTER Satellite Remote Sensing Data. <i>Remote Sensing</i> , 2019, 11, 1408.	4.0	60
25	Structural geology mapping using PALSAR data in the Bau gold mining district, Sarawak, Malaysia. <i>Advances in Space Research</i> , 2014, 54, 644-654.	2.6	59
26	Integrating aeromagnetic data and Landsat-8 imagery for detection of post-accretionary shear zones controlling hydrothermal alterations: The Allaqi-Heiani Suture zone, South Eastern Desert, Egypt. <i>Advances in Space Research</i> , 2020, 65, 1008-1024.	2.6	57
27	Evaluation of ICA and CEM algorithms with Landsat-8/ASTER data for geological mapping in inaccessible regions. <i>Geocarto International</i> , 2019, 34, 785-816.	3.5	55
28	Exploration of gold mineralization in a tropical region using Earth Observing-1 (EO1) and JERS-1 SAR data: a case study from Bau gold field, Sarawak, Malaysia. <i>Arabian Journal of Geosciences</i> , 2014, 7, 2393-2406.	1.3	53
29	Integration of ASTER satellite imagery and 3D inversion of aeromagnetic data for deep mineral exploration. <i>Advances in Space Research</i> , 2021, 68, 3641-3662.	2.6	49
30	Application of <sc>ASTER</sc> and Landsat <sc>TM</sc> Data for Geological Mapping of Esfandagheh Ophiolite Complex, Southern <sc>I</sc>ran. <i>Resource Geology</i> , 2014, 64, 233-246.	0.8	48
31	Integration of Selective Dimensionality Reduction Techniques for Mineral Exploration Using ASTER Satellite Data. <i>Remote Sensing</i> , 2020, 12, 1261.	4.0	45
32	Multi-Criteria Decision Making (MCDM) Model for Seismic Vulnerability Assessment (SVA) of Urban Residential Buildings. <i>ISPRS International Journal of Geo-Information</i> , 2018, 7, 444.	2.9	41
33	Band Ratios Matrix Transformation (BRMT): A Sedimentary Lithology Mapping Approach Using ASTER Satellite Sensor. <i>Sensors</i> , 2018, 18, 3213.	3.8	37
34	ASTER and WorldView-3 satellite data for mapping lithology and alteration minerals associated with Pb-Zn mineralization. <i>Geocarto International</i> , 2022, 37, 1782-1812.	3.5	36
35	Editorial for the Special Issue: Multispectral and Hyperspectral Remote Sensing Data for Mineral Exploration and Environmental Monitoring of Mined Areas. <i>Remote Sensing</i> , 2021, 13, 519.	4.0	36
36	Fusing ASTER, ALI and Hyperion data for enhanced mineral mapping. <i>International Journal of Image and Data Fusion</i> , 2013, 4, 126-145.	1.7	35

#	ARTICLE	IF	CITATIONS
37	Application of Landsat-8 and ALOS-2 data for structural and landslide hazard mapping in Kelantan, Malaysia. <i>Natural Hazards and Earth System Sciences</i> , 2017, 17, 1285-1303.	3.6	35
38	Shear-Related Gold Ores in the Wadi Hodein Shear Belt, South Eastern Desert of Egypt: Analysis of Remote Sensing, Field and Structural Data. <i>Minerals (Basel, Switzerland)</i> , 2021, 11, 474.	2.0	35
39	Lithological and alteration mineral mapping for alluvial gold exploration in the south east of Birao area, Central African Republic using Landsat-8 Operational Land Imager (OLI) data. <i>Journal of African Earth Sciences</i> , 2020, 170, 103933.	2.0	32
40	A simulation-based framework for modulating the effects of subjectivity in greenfield Mineral Prospectivity Mapping with geochemical and geological data. <i>Journal of Geochemical Exploration</i> , 2021, 229, 106838.	3.2	32
41	Identification of hydrothermal alteration minerals associated with geothermal system using ASTER and Hyperion satellite data: a case study from Yankari Park, NE Nigeria. <i>Geocarto International</i> , 2019, 34, 597-625.	3.5	29
42	A Comparative Study of Convolutional Neural Networks and Conventional Machine Learning Models for Lithological Mapping Using Remote Sensing Data. <i>Remote Sensing</i> , 2022, 14, 819.	4.0	28
43	Integration of SPOT-5 and ASTER satellite data for structural tracing and hydrothermal alteration mineral mapping: implications for Cu-Au prospecting. <i>International Journal of Image and Data Fusion</i> , 2018, 9, 237-262.	1.7	27
44	Landsat-7 and ASTER remote sensing satellite imagery for identification of iron skarn mineralization in metamorphic regions. <i>Geocarto International</i> , 2022, 37, 1971-1998.	3.5	26
45	Identification of Phyllosilicates in the Antarctic Environment Using ASTER Satellite Data: Case Study from the Mesa Range, Campbell and Priestley Glaciers, Northern Victoria Land. <i>Remote Sensing</i> , 2021, 13, 38.	4.0	22
46	Fracture mapping of lineaments and recognizing their tectonic significance using SPOT-5 satellite data: A case study from the Bajestan area, Lut Block, east of Iran. <i>Journal of African Earth Sciences</i> , 2017, 134, 600-612.	2.0	21
47	Integration of ASTER and landsat TM remote sensing data for chromite prospecting and lithological mapping in Neyriz ophiolite zone, south Iran. <i>Resource Geology</i> , 2015, 65, 375-388.	0.8	19
48	Alteration and structural features mapping in Kacho-Mesqal zone, Central Iran using ASTER remote sensing data for porphyry copper exploration. <i>International Journal of Image and Data Fusion</i> , 2021, 12, 155-175.	1.7	19
49	Lithological and alteration mapping using Landsat 8 and ASTER satellite data in the Reguibat Shield (West African Craton), North of Mauritania: implications for uranium exploration. <i>Arabian Journal of Geosciences</i> , 2021, 14, 1.	1.3	19
50	Landslide Mapping and Assessment by Integrating Landsat-8, PALSAR-2 and GIS Techniques: A Case Study from Kelantan State, Peninsular Malaysia. <i>Journal of the Indian Society of Remote Sensing</i> , 2018, 46, 233-248.	2.4	16
51	Integration of remote sensing, gravity and geochemical data for exploration of Cu-mineralization in Alwar basin, Rajasthan, India. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2020, 91, 102162.	2.8	16
52	Application of Dirichlet Process and Support Vector Machine Techniques for Mapping Alteration Zones Associated with Porphyry Copper Deposit Using ASTER Remote Sensing Imagery. <i>Minerals (Basel, Switzerland)</i> , 2021, 11, 1067.	2.0	16
53	Evaluation of Earth Observing-1 (EO1) Data for Lithological and Hydrothermal Alteration Mapping: A Case Study from Urumieh-Dokhtar Volcanic Belt, SE Iran. <i>Journal of the Indian Society of Remote Sensing</i> , 2015, 43, 583-597.	2.4	14
54	Lineament mapping and fractal analysis using SPOT-ASTER satellite imagery for evaluating the severity of slope weathering process. <i>Advances in Space Research</i> , 2019, 63, 871-885.	2.6	14

#	ARTICLE	IF	CITATIONS
55	Structural lineament mapping in a sub-tropical region using Landsat-8/SRTM data: a case study of Deng-Deng area in Eastern Cameroon. <i>Arabian Journal of Geosciences</i> , 2021, 14, 1.	1.3	14
56	Hybrid Fuzzy-Analytic Hierarchy Process (AHP) Model for Porphyry Copper Prospecting in Simorgh Area, Eastern Lut Block of Iran. <i>Mining</i> , 2022, 2, 1-12.	2.4	14
57	Remote sensing satellite-based structural/alteration mapping for gold exploration in the KettÃ© goldfield, Eastern Cameroon. <i>Journal of African Earth Sciences</i> , 2021, 184, 104386.	2.0	13
58	Integrating remote sensing, GIS and <i>in-situ</i> data for structural mapping over a part of the NW Rif belt, Morocco. <i>Geocarto International</i> , 2022, 37, 3265-3292.	3.5	12
59	Comparison of ETM+ and MODIS Data for Tropical Forest Degradation Monitoring in the Peninsular Malaysia. <i>Journal of the Indian Society of Remote Sensing</i> , 2014, 42, 383-396.	2.4	11
60	Remote sensing satellite imagery for prospecting geothermal systems in an aseismic geologic setting: Yankari Park, Nigeria. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2019, 80, 157-172.	2.8	11
61	Detection of alteration zones using the Dirichlet process Stick-Breaking model-based clustering algorithm to hyperion data: the case study of Kuh-Panj porphyry copper deposits, Southern Iran. <i>Geocarto International</i> , 2022, 37, 9788-9816.	3.5	11
62	Conjugate utilization of Landsat-8 OLI, ground gravity and magnetic data for targeting mafic cumulates within anorthositic-layered complex of Sittampundi, India. <i>Geocarto International</i> , 2021, 36, 1855-1872.	3.5	10
63	Identifying hydrothermally altered rocks using ASTER satellite imageries in Eastern Anti-Atlas of Morocco: a case study from Imiter silver mine. <i>International Journal of Image and Data Fusion</i> , 2022, 13, 337-361.	1.7	9
64	Gondwana-Derived Terranes Structural Mapping Using PALSAR Remote Sensing Data. <i>Journal of the Indian Society of Remote Sensing</i> , 2018, 46, 249-262.	2.4	9
65	Earthquake Vulnerability Assessment for Urban Areas Using an ANN and Hybrid SWOT-QSPM Model. <i>Remote Sensing</i> , 2021, 13, 4519.	4.0	9
66	Fusion of ASTER satellite imagery, geochemical and geology data for gold prospecting in the Astaneh granite intrusive, West Central Iran. <i>International Journal of Image and Data Fusion</i> , 2022, 13, 71-94.	1.7	7
67	Field and spaceborne imagery data for evaluation of the paleo-stress regime during formation of the Jurassic dike swarms in the Kalateh Alaeddin Mountain area, Shahrood, north Iran. <i>Arabian Journal of Geosciences</i> , 2019, 12, 1.	1.3	6
68	Application of PALSAR-2 remote sensing data for structural geology and topographic mapping in Kelantan river basin, Malaysia. <i>IOP Conference Series: Earth and Environmental Science</i> , 2016, 37, 012067.	0.3	3
69	Remote sensing analysis of geological structures in Peninsular Malaysia using PALSAR data. , 2016, , .		3
70	Application of ASTER SWIR bands in mapping anomaly pixels for Antarctic geological mapping. <i>Journal of Physics: Conference Series</i> , 2017, 852, 012025.	0.4	2
71	Per-pixel and sub-pixel mapping of alteration minerals associated with geothermal systems using ASTER SWIR data. <i>IOP Conference Series: Earth and Environmental Science</i> , 0, 169, 012086.	0.3	2
72	PALSAR remote sensing data for structural geology mapping in tropical environments. , 2015, , .		0

#	ARTICLE	IF	CITATIONS
73	Integration of ASTER and Landsat TM satellite data for lithological mapping and chromite prospecting. , 2015, , .		0
74	Sediment-hosted/orogenic gold mineral systems exploration using PALSAR remote sensing data in Peninsular Malaysia. IOP Conference Series: Earth and Environmental Science, 2016, 37, 012005.	0.3	0
75	Application of Constrained Energy Minimization (CEM) algorithm to ASTER data for alteration mineral mapping. , 2019, , .		0
76	Fractal analysis and structural mapping for copper exploration in Veshnavah area, central part of Urumieh-Dokhtar Magmatic Arc (UDMA), Iran. Arabian Journal of Geosciences, 2021, 14, 1.	1.3	0
77	Geology and Remote Sensing Investigations in Antarctic Environments. Sustainable Civil Infrastructures, 2018, , 272-281.	0.2	0