

Jane B Ford

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1087672/jane-b-ford-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

117
papers

3,232
citations

29
h-index

54
g-index

117
ext. papers

3,686
ext. citations

2.9
avg, IF

5.16
L-index

#	Paper	IF	Citations
117	Trends in postpartum hemorrhage in high resource countries: a review and recommendations from the International Postpartum Hemorrhage Collaborative Group. <i>BMC Pregnancy and Childbirth</i> , 2009 , 9, 55	3.2	399
116	Population-based trends in pregnancy hypertension and pre-eclampsia: an international comparative study. <i>BMJ Open</i> , 2011 , 1, e000101	3	178
115	Quality of data in perinatal population health databases: a systematic review. <i>Medical Care</i> , 2012 , 50, e7-20	3.1	173
114	The accuracy of reporting of the hypertensive disorders of pregnancy in population health data. <i>Hypertension in Pregnancy</i> , 2008 , 27, 285-97	2	136
113	Increased postpartum hemorrhage rates in Australia. <i>International Journal of Gynecology and Obstetrics</i> , 2007 , 98, 237-43	4	135
112	Hypertensive disorders in pregnancy: a population-based study. <i>Medical Journal of Australia</i> , 2005 , 182, 332-5	4	134
111	Monitoring the quality of maternity care: how well are labour and delivery events reported in population health data?. <i>Paediatric and Perinatal Epidemiology</i> , 2009 , 23, 144-52	2.7	100
110	Epidemiology and trends for Caesarean section births in New South Wales, Australia: a population-based study. <i>BMC Pregnancy and Childbirth</i> , 2011 , 11, 8	3.2	82
109	Trends in adverse maternal outcomes during childbirth: a population-based study of severe maternal morbidity. <i>BMC Pregnancy and Childbirth</i> , 2009 , 9, 7	3.2	82
108	Population-Based Study of Sleep Apnea in Pregnancy and Maternal and Infant Outcomes. <i>Journal of Clinical Sleep Medicine</i> , 2016 , 12, 871-7	3.1	81
107	Trends in postpartum haemorrhage. <i>Australian and New Zealand Journal of Public Health</i> , 2006 , 30, 151-6.3	6.3	71
106	Investigating linkage rates among probabilistically linked birth and hospitalization records. <i>BMC Medical Research Methodology</i> , 2012 , 12, 149	4.7	67
105	Antecedents of Abnormally Invasive Placenta in Primiparous Women: Risk Associated With Gynecologic Procedures. <i>Obstetrics and Gynecology</i> , 2018 , 131, 227-233	4.9	60
104	Blood transfusion during pregnancy, birth, and the postnatal period. <i>Obstetrics and Gynecology</i> , 2014 , 123, 126-133	4.9	58
103	Characteristics of unmatched maternal and baby records in linked birth records and hospital discharge data. <i>Paediatric and Perinatal Epidemiology</i> , 2006 , 20, 329-37	2.7	57
102	Trends in obstetric anal sphincter injuries and associated risk factors for vaginal singleton term births in New South Wales 2001-2009. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2013 , 53, 9-16	1.7	56
101	Trends in induction of labour, 1998-2007: a population-based study. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2009 , 49, 599-605	1.7	54

100	Unexplained variation in hospital caesarean section rates. <i>Medical Journal of Australia</i> , 2013 , 199, 348-534		49
99	The accuracy of population health data for monitoring trends and outcomes among women with diabetes in pregnancy. <i>Diabetes Research and Clinical Practice</i> , 2008 , 81, 105-9	7.4	48
98	Postpartum haemorrhage occurrence and recurrence: a population-based study. <i>Medical Journal of Australia</i> , 2007 , 187, 391-3	4	44
97	Using hospital discharge data for determining neonatal morbidity and mortality: a validation study. <i>BMC Health Services Research</i> , 2007 , 7, 188	2.9	44
96	Trends and outcomes of postpartum haemorrhage, 2003-2011. <i>BMC Pregnancy and Childbirth</i> , 2015 , 15, 334	3.2	42
95	Women's expectations and experiences of maternity care in NSW--what women highlight as most important. <i>Women and Birth</i> , 2014 , 27, 214-9	3.3	40
94	Maternal mortality in Australia, 1973-1996. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2004 , 44, 452-7; discussion 377	1.7	38
93	Use of hospitalisation history (lookback) to determine prevalence of chronic diseases: impact on modelling of risk factors for haemorrhage in pregnancy. <i>BMC Medical Research Methodology</i> , 2011 , 11, 68	4.7	36
92	Pathways to a rising caesarean section rate: a population-based cohort study. <i>BMJ Open</i> , 2012 , 2,	3	36
91	Maternal and neonatal outcomes following abnormally invasive placenta: a population-based record linkage study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017 , 96, 1373-1381	3.8	35
90	Trends in planned early birth: a population-based study. <i>American Journal of Obstetrics and Gynecology</i> , 2012 , 207, 186.e1-8	6.4	35
89	Labor before a primary caesarean delivery: reduced risk of uterine rupture in a subsequent trial of labor for vaginal birth after caesarean. <i>Obstetrics and Gynecology</i> , 2008 , 112, 1061-6	4.9	33
88	Seasonal variation in pregnancy hypertension is correlated with sunlight intensity. <i>American Journal of Obstetrics and Gynecology</i> , 2010 , 203, 215.e1-5	6.4	29
87	Are babies getting bigger? An analysis of birthweight trends in New South Wales, 1990-2005. <i>Medical Journal of Australia</i> , 2009 , 190, 312-5	4	29
86	Women's views about maternity care: how do women conceptualise the process of continuity?. <i>Midwifery</i> , 2015 , 31, 25-30	2.8	28
85	Motor vehicle accidents during pregnancy: a population-based study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2012 , 119, 499-503	3.7	27
84	Pregnancy outcomes in women with juvenile idiopathic arthritis: a population-based study. <i>Rheumatology</i> , 2013 , 52, 1119-25	3.9	27
83	Variation in hospital caesarean section rates for women with at least one previous caesarean section: a population based cohort study. <i>BMC Pregnancy and Childbirth</i> , 2015 , 15, 179	3.2	24

82	Trends and outcomes of induction of labour among nullipara at term. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2011 , 51, 510-7	1.7	24
81	Obstetric anal sphincter injury rates among primiparous women with different modes of vaginal delivery. <i>International Journal of Gynecology and Obstetrics</i> , 2015 , 131, 260-4	4	23
80	Variation in hospital rates of induction of labour: a population-based record linkage study. <i>BMJ Open</i> , 2015 , 5, e008755	3	23
79	Maternal exposure to short-to medium-term outdoor air pollution and obstetric and neonatal outcomes: A systematic review. <i>Environmental Pollution</i> , 2019 , 244, 915-925	9.3	23
78	Outcomes of Gallstone Disease during Pregnancy: a Population-based Data Linkage Study. <i>Paediatric and Perinatal Epidemiology</i> , 2017 , 31, 522-530	2.7	22
77	The impact of the Baby Bonus payment in New South Wales: who is having "one for the country"?. <i>Medical Journal of Australia</i> , 2009 , 190, 238-41	4	22
76	Trends and morbidity associated with oxytocin use in labour in nulliparas at term. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2012 , 52, 173-8	1.7	20
75	Red cell and platelet transfusions in neonates: a population-based study. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2015 , 100, F411-5	4.7	18
74	Decreasing length of maternal hospital stay is not associated with increased readmission rates. <i>Australian and New Zealand Journal of Public Health</i> , 2012 , 36, 430-4	2.3	18
73	Early-onset preeclampsia appears to discourage subsequent pregnancy but the risks may be overestimated. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 215, 785.e1-785.e8	6.4	18
72	Epidural analgesia in labour and risk of caesarean delivery. <i>Paediatric and Perinatal Epidemiology</i> , 2014 , 28, 400-11	2.7	17
71	Women's experiences of care and their concerns and needs following a significant primary postpartum hemorrhage. <i>Birth</i> , 2011 , 38, 327-35	3.1	16
70	Population rates of haemorrhage and transfusions among obstetric patients in NSW: a short communication. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2009 , 49, 296-8	1.7	16
69	Patterns and outcomes of preterm hospital admissions during pregnancy in NSW, 2001-2008. <i>Medical Journal of Australia</i> , 2012 , 196, 261-5	4	15
68	Prevalence of pre-eclampsia, pregnancy hypertension and gestational diabetes in population-based data: impact of different ascertainment methods on outcomes. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2012 , 52, 91-5	1.7	14
67	Maternal exposure to fine particulate matter from a large coal mine fire is associated with gestational diabetes mellitus: A prospective cohort study. <i>Environmental Research</i> , 2020 , 183, 108956	7.9	14
66	Outcomes of breech birth by mode of delivery: a population linkage study. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2016 , 56, 453-459	1.7	13
65	Inter-hospital variations in labor induction and outcomes for nullipara: an Australian population-based linkage study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016 , 95, 411-9	3.8	12

64	Trends and recurrence of placenta praevia: a population-based study. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2012 , 52, 483-6	1.7	12
63	Hospital data reporting on postpartum hemorrhage: under-estimates recurrence and over-estimates the contribution of uterine atony. <i>Maternal and Child Health Journal</i> , 2012 , 16, 1542-8	2.4	12
62	Development of a maternity hospital classification for use in perinatal research. <i>NSW Public Health Bulletin</i> , 2012 , 23, 12-6		12
61	Rate of spontaneous onset of labour before planned repeat caesarean section at term. <i>BMC Pregnancy and Childbirth</i> , 2014 , 14, 125	3.2	11
60	Heart valve prostheses in pregnancy: outcomes for women and their infants. <i>Journal of the American Heart Association</i> , 2014 , 3, e000953	6	11
59	Trends in the use of epidural analgesia in Australia. <i>International Journal of Gynecology and Obstetrics</i> , 2008 , 102, 253-8	4	11
58	Long-term childhood outcomes of breech presentation by intended mode of delivery: a population record linkage study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017 , 96, 342-351	3.8	10
57	The association between haemoglobin levels in the first 20 weeks of pregnancy and pregnancy outcomes. <i>PLoS ONE</i> , 2019 , 14, e0225123	3.7	10
56	Perineal management techniques among midwives at five hospitals in New South Wales - a cross-sectional survey. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2015 , 55, 251-6	1.7	10
55	Variation in hospital caesarean section rates for preterm births. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2015 , 55, 350-6	1.7	10
54	Characteristics in the first vaginal birth and their association with mode of delivery in the subsequent birth. <i>Paediatric and Perinatal Epidemiology</i> , 2013 , 27, 109-17	2.7	9
53	Methods for dealing with discrepant records in linked population health datasets: a cross-sectional study. <i>BMC Health Services Research</i> , 2007 , 7, 12	2.9	9
52	Single-unit transfusions in the obstetric setting: a qualitative study. <i>Transfusion</i> , 2016 , 56, 1716-22	2.9	9
51	Adjustment for compliance behavior in trials of epidural analgesia in labor using instrumental variable meta-analysis. <i>Journal of Clinical Epidemiology</i> , 2015 , 68, 525-33	5.7	8
50	The impact of first birth obstetric anal sphincter injury on the subsequent birth: a population-based linkage study. <i>BMC Pregnancy and Childbirth</i> , 2015 , 15, 31	3.2	8
49	Uptake of external cephalic version for term breech presentation: an Australian population study, 2002-2012. <i>BMC Pregnancy and Childbirth</i> , 2017 , 17, 244	3.2	8
48	Assessing the Accuracy of Reporting of Maternal Red Blood Cell Transfusion at Birth Reported in Routinely Collected Hospital Data. <i>Maternal and Child Health Journal</i> , 2016 , 20, 1878-85	2.4	8
47	Increased planned delivery contributes to declining rates of pregnancy hypertension in Australia: a population-based record linkage study. <i>BMJ Open</i> , 2015 , 5, e009313	3	8

46	Age of blood and adverse outcomes in a maternity population. <i>Transfusion</i> , 2015 , 55, 2730-7	2.9	8
45	Contribution of maternal age, medical and obstetric history to maternal and perinatal morbidity/mortality for women aged 35 or older. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2018 , 58, 91-97	1.7	8
44	Preterm birth, unplanned hospital contact, and mortality in infants born to teenage mothers in five countries: An administrative data cohort study. <i>Paediatric and Perinatal Epidemiology</i> , 2020 , 34, 645-654	2.7	7
43	Intrahepatic cholestasis of pregnancy is not associated with stillbirth in an Australian maternity population. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2014 , 176, 204-5	2.4	7
42	A survey of acute self-reported infections in pregnancy. <i>BMJ Open</i> , 2011 , 1, e000083	3	7
41	Multifetal pregnancies: preterm admissions and outcomes. <i>Australian Health Review</i> , 2012 , 36, 437-42	1.8	7
40	Cervical cerclage placed before 14 weeks gestation in women with one previous midtrimester loss: A population-based cohort study. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2017 , 57, 593-598	1.7	6
39	Trends in Postpartum Hemorrhage in High Resource Countries: A Review and Recommendations From the International Postpartum Hemorrhage Collaborative Group. <i>Obstetrical and Gynecological Survey</i> , 2010 , 65, 211-212	2.4	6
38	Triggers for Preeclampsia Onset: a Case-Crossover Study. <i>Paediatric and Perinatal Epidemiology</i> , 2016 , 30, 555-562	2.7	6
37	Benefits of not smoking during pregnancy for Australian Aboriginal and Torres Strait Islander women and their babies: a retrospective cohort study using linked data. <i>BMJ Open</i> , 2019 , 9, e032763	3	6
36	Blood transfusion following intended vaginal birth after cesarean vs elective repeat cesarean section in women with a prior primary cesarean: A population-based record linkage study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019 , 98, 382-389	3.8	6
35	Maternal exposure to fine particulate matter from a coal mine fire and birth outcomes in Victoria, Australia. <i>Environment International</i> , 2019 , 127, 233-242	12.9	5
34	Cross-sectional reporting of previous Cesarean birth was validated using longitudinal linked data. <i>Journal of Clinical Epidemiology</i> , 2010 , 63, 672-8	5.7	5
33	Reporting postpartum haemorrhage with transfusion: a comparison of NSW birth and hospital data. <i>Humanities Research</i> , 2014 , 24, 153-8		5
32	Red blood cell transfusion after postpartum haemorrhage and breastmilk feeding at discharge: A population-based study. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2016 , 56, 591-598	1.7	5
31	Outcomes associated with transfusion in low-risk women with obstetric haemorrhage. <i>Vox Sanguinis</i> , 2018 , 113, 678-685	3.1	5
30	Neonatal exchange transfusions in tertiary and non-tertiary hospital settings, New South Wales, 2001-2012. <i>Journal of Paediatrics and Child Health</i> , 2017 , 53, 447-450	1.3	4
29	Characteristics, causes and treatment of postpartum haemorrhage in first and second pregnancies. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2013 , 53, 90-3	1.7	4

28	Reporting of routinely collected data by public and private hospitals. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2008 , 48, 521-2	1.7	4
27	Comparison of selected reasons for hospitalization of children among children's/tertiary hospitals, Australia, 1996-97 and 1997-98. <i>Journal of Paediatrics and Child Health</i> , 2004 , 40, 374-9	1.3	4
26	Outcomes of Subsequent Births After Placenta Accreta Spectrum. <i>Obstetrics and Gynecology</i> , 2020 , 136, 745-755	4.9	4
25	Childhood health and education outcomes following early term induction for large-for-gestational age: A population-based record linkage study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019 , 98, 423-432	3.8	4
24	Comparison of neonatal red cell transfusion reporting in neonatal intensive care units with blood product issue data: a validation study. <i>BMC Pediatrics</i> , 2018 , 18, 86	2.6	3
23	Trends and recurrence of stillbirths in NSW. <i>Australian and New Zealand Journal of Public Health</i> , 2014 , 38, 384-9	2.3	3
22	Mode of delivery may be the risk factor for infant infectious morbidity. <i>Archives of Disease in Childhood</i> , 2012 , 97, 759	2.2	3
21	A prevalence survey of every-day activities in pregnancy. <i>BMC Pregnancy and Childbirth</i> , 2010 , 10, 41	3.2	3
20	Rates of stillbirth by maternal region of birth and gestational age in New South Wales, Australia 2004-2015. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2020 , 60, 425-432	1.7	3
19	Haemoglobin concentration following postpartum haemorrhage and the association between blood transfusion and breastfeeding: a retrospective cohort study. <i>BMC Research Notes</i> , 2018 , 11, 686	2.3	3
18	Outcomes of subsequent pregnancy following obstetric transfusion in a first birth. <i>PLoS ONE</i> , 2018 , 13, e0203195	3.7	3
17	Are Babies Getting Bigger: An Analysis of Birth Weight Trends in New South Wales, 1990-2005. <i>Obstetrical and Gynecological Survey</i> , 2009 , 64, 445-447	2.4	2
16	A composite neonatal adverse outcome indicator using population-based data: an update. <i>International Journal of Population Data Science</i> , 2020 , 5, 1337	1.4	2
15	Rates of neonatal morbidity by maternal region of birth and gestational age in New South Wales, Australia 2003-2016. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021 , 100, 331-338	3.8	2
14	Assessing the effect of risk factors on rates of obstetric transfusion over time using two methodological approaches. <i>BMC Medical Research Methodology</i> , 2018 , 18, 139	4.7	2
13	Are women birthing in New South Wales hospitals satisfied with their care?. <i>BMC Research Notes</i> , 2015 , 8, 106	2.3	1
12	Sleep in multiple pregnancy: Obstructive sleep apnoea and beyond. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2019 , 59, E15-E16	1.7	1
11	Peripartum antidepressant use is associated with an increased risk of postpartum haemorrhage. <i>Evidence-Based Medicine</i> , 2014 , 19, 79		1

10	Defining a study population using enhanced reporting of Aboriginality and the effects on study outcomes. <i>International Journal of Population Data Science</i> , 2020 , 5, 1114	1.4	1
9	Maternal factors and risk of spontaneous preterm birth due to high ambient temperatures in New South Wales, Australia. <i>Paediatric and Perinatal Epidemiology</i> , 2021 ,	2.7	1
8	Factors associated with changes into public or private maternity care for a second pregnancy. <i>Australian Health Review</i> , 2013 , 37, 495-500	1.8	1
7	Gestational age, morbidity and mortality among twin births in New South Wales, Australia 2003-2014: A cohort study. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2020 , 60, 541-547	1.7	1
6	Determining a strategy to reduce smoking in pregnancy. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2020 , 60, 935-941	1.7	1
5	Pregnancy outcomes for women with a history of stroke: A population-based record linkage study. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2021 , 61, 239-243	1.7	1
4	Further research supports association between antidepressant use and elevated risk of postpartum haemorrhage. <i>Evidence-based Nursing</i> , 2017 , 20, 76	0.3	
3	Monitoring severe maternal morbidity in Australia. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2008 , 48, 355-6; author reply 356-7	1.7	
2	Postpartum haemorrhage occurrence and recurrence: a population-based study. <i>Medical Journal of Australia</i> , 2008 , 188, 731-731	4	
1	Response to Postpartum hemorrhage and blood transfusion among parturients with scarred uterus-the evidence is thereS <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2019 , 98, 536-537	3.8	