

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10879791/publications.pdf>

Version: 2024-02-01

291
papers

11,616
citations

23567

58
h-index

45317

90
g-index

311
all docs

311
docs citations

311
times ranked

9704
citing authors

#	ARTICLE	IF	CITATIONS
1	â€œTrappedâ€™, â€œanxiousâ€™ and â€œtraumatisedâ€™: COVID-19 intensified the impact of housing inequality on Australiansâ€™ mental health. <i>International Journal of Housing Policy</i> , 2023, 23, 260-291.	1.8	30
2	Multiple lifestyle risk behaviours and hierarchical dimensions of psychopathology in 6640 Australian adolescents. <i>Australian and New Zealand Journal of Psychiatry</i> , 2023, 57, 241-251.	2.3	3
3	Evaluating the effectiveness of a universal eHealth school-based prevention programme for depression and anxiety, and the moderating role of friendship network characteristics. <i>Psychological Medicine</i> , 2023, 53, 5042-5051.	4.5	15
4	A national effectiveness trial of an eHealth program to prevent alcohol and cannabis misuse: responding to the replication crisis. <i>Psychological Medicine</i> , 2022, 52, 274-282.	4.5	6
5	Measurement Properties of Smartphone Approaches to Assess Diet, Alcohol Use, and Tobacco Use: Systematic Review. <i>JMIR MHealth and UHealth</i> , 2022, 10, e27337.	3.7	7
6	The relationship between brain structure and general psychopathology in preadolescents. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2022, 63, 734-744.	5.2	16
7	Integrated Trauma-Focused Psychotherapy for Traumatic Stress and Substance Use: Two Adolescent Case Studies. <i>Clinical Case Studies</i> , 2022, 21, 192-208.	0.8	2
8	A Web-Based Alcohol and Other Drug Prevention Program (Strong & Deadly Futures) for Aboriginal and Torres Strait Islander School Students: Protocol for a Cluster Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2022, 11, e34530.	1.0	0
9	Lifestyle risks for chronic disease among Australian adolescents: a cross-sectional survey. <i>Medical Journal of Australia</i> , 2022, 216, 156-157.	1.7	15
10	The 7-Year Effectiveness of School-Based Alcohol Use Prevention From Adolescence to Early Adulthood: A Randomized Controlled Trial of Universal, Selective, and Combined Interventions. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2022, 61, 520-532.	0.5	29
11	Fetal alcohol spectrum disorder resources for educators: A scoping review. <i>Health Promotion Journal of Australia</i> , 2022, 33, 797-809.	1.2	5
12	Opioid Prescribing and the Very Human Toll of Drug Harms. <i>American Journal of Psychiatry</i> , 2022, 179, 264-266.	7.2	2
13	Personality factors associated with suicidal ideation, plans and attempts in adolescents. <i>Journal of Affective Disorders</i> , 2022, 310, 135-141.	4.1	4
14	Selective personality-targeted prevention of suicidal ideation in young adolescents: <i>post hoc</i> analysis of data collected in a cluster randomised controlled trial. <i>Medical Journal of Australia</i> , 2022, 216, 525-529.	1.7	3
15	In their own words: An Australian community sampleâ€™s priority concerns regarding mental health in the context of COVID-19. <i>PLoS ONE</i> , 2022, 17, e0268824.	2.5	7
16	Lifestyle risk behaviours among adolescents: a two-year longitudinal study of the impact of the COVID-19 pandemic. <i>BMJ Open</i> , 2022, 12, e060309.	1.9	19
17	The structure of psychopathology and association with poor sleep, self-harm, suicidality, risky sexual behavior, and low self-esteem in a population sample of adolescents. <i>Development and Psychopathology</i> , 2021, 33, 1208-1219.	2.3	10
18	Direction of the relationship between methamphetamine use and positive psychotic symptoms in regular methamphetamine users: evidence from a prospective cohort study. <i>British Journal of Psychiatry</i> , 2021, 219, 361-367.	2.8	6

#	ARTICLE	IF	CITATIONS
19	The long-term effectiveness of universal, selective and combined prevention for alcohol use during adolescence: 36-month outcomes from a cluster randomized controlled trial. <i>Addiction</i> , 2021, 116, 514-524.	3.3	20
20	Shared decision-making among people with problematic alcohol/other drug use and co-occurring mental health conditions: A systematic review. <i>Drug and Alcohol Review</i> , 2021, 40, 307-324.	2.1	18
21	Altered Neurocognitive Functional Connectivity and Activation Patterns Underlie Psychopathology in Preadolescence. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021, 6, 387-398.	1.5	27
22	Stigma, discrimination and crystal methamphetamine (ice™): Current attitudes in Australia. <i>International Journal of Drug Policy</i> , 2021, 87, 102982.	3.3	30
23	Is Adolescent Alcohol Use Linked to Spikes in Aggressive Behaviour? A Growth Curve Analysis. <i>Prevention Science</i> , 2021, 22, 534-544.	2.6	3
24	Problems experienced by children from families with histories of substance misuse: An ABCD study. <i>Drug and Alcohol Dependence</i> , 2021, 218, 108403.	3.2	7
25	Randomised controlled trial of integrated cognitive behavioural treatment and motivational enhancement for comorbid social anxiety and alcohol use disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021, 55, 207-220.	2.3	8
26	Prevention of Substance Use Disorders. , 2021, , .		0
27	Strong and Deadly Futures: Co-Development of a Web-Based Wellbeing and Substance Use Prevention Program for Aboriginal and Torres Strait Islander and Non-Aboriginal Adolescents. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 2176.	2.6	5
28	Substance use, mental disorders and COVID-19: a volatile mix. <i>Current Opinion in Psychiatry</i> , 2021, 34, 351-356.	6.3	20
29	The school-led Preventure study: Protocol of a cluster-randomised controlled trial of effectiveness to prevent adolescent alcohol misuse, internalising problems, and externalising problems through a personality-targeted intervention delivered by school staff. <i>Preventive Medicine Reports</i> , 2021, 21, 101286.	1.8	5
30	A Multiple Health Behavior Change, Self-Monitoring Mobile App for Adolescents: Development and Usability Study of the Health4Life App. <i>JMIR Formative Research</i> , 2021, 5, e25513.	1.4	25
31	Fetal Alcohol Spectrum Disorder resources for educators working within primary school settings: a scoping review protocol. <i>BMJ Open</i> , 2021, 11, e045497.	1.9	5
32	Australian perspectives on shared goals for mental health research in the UK. <i>Journal of Mental Health</i> , 2021, , 1-2.	1.9	1
33	Assessing patient information and decision-support needs in problematic alcohol use and co-occurring depression to inform shared decision-making interventions. <i>Bulletin of the Menninger Clinic</i> , 2021, 85, 143-176.	0.6	4
34	It's the Content That Counts: Longitudinal Associations between Social Media Use, Parental Monitoring, and Alcohol Use in an Australian Sample of Adolescents Aged 13 to 16 Years. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7599.	2.6	5
35	Neuroscience literacy and substance use prevention: How well do young people understand their brain?. <i>Health Promotion Journal of Australia</i> , 2021, , .	1.2	1
36	A Web-Based Cognitive Bias Modification Intervention (Re-train Your Brain) for Emerging Adults With Co-occurring Social Anxiety and Hazardous Alcohol Use: Protocol for a Multiarm Randomized Controlled Pilot Trial. <i>JMIR Research Protocols</i> , 2021, 10, e28667.	1.0	3

#	ARTICLE	IF	CITATIONS
37	Evaluation of a Digital Health Initiative in Illicit Substance Use: Cross-sectional Survey Study. <i>Journal of Medical Internet Research</i> , 2021, 23, e29026.	4.3	4
38	Rethink My Drink : study protocol for a 12-month randomised controlled trial comparing a brief internet-delivered intervention to an online patient information booklet in reducing risky alcohol consumption among older adults in Australia. <i>Addiction</i> , 2021, , .	3.3	0
39	Are we making Inroads? A randomized controlled trial of a psychologist-supported, web-based, cognitive behavioral therapy intervention to reduce anxiety and hazardous alcohol use among emerging adults. <i>EClinicalMedicine</i> , 2021, 39, 101048.	7.1	6
40	Prevention of mental and substance use disorders: Shaping priorities for research and implementation. <i>Mental Health and Prevention</i> , 2021, 24, 200211.	1.3	7
41	Personality-targeted prevention for adolescent tobacco use: Three-year outcomes for a randomised trial in Australia. <i>Preventive Medicine</i> , 2021, 153, 106794.	3.4	4
42	The role of clinical supervision in implementing evidence-based practice for managing comorbidity. <i>Clinical Supervisor, The</i> , 2021, 40, 158-177.	1.7	7
43	Implementation of a Multi-Modal Training Program for the Management of Comorbid Mental Disorders in Drug and Alcohol Settings: Pathways to Comorbidity Care (PCC). <i>Journal of Dual Diagnosis</i> , 2021, 17, 304-312.	1.2	6
44	Treatment-seeking behaviour among people with opioid use disorder in the high-income countries: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2021, 16, e0258620.	2.5	2
45	New Australian guidelines for the treatment of alcohol problems: an overview of recommendations. <i>Medical Journal of Australia</i> , 2021, 215, S3-S32.	1.7	34
46	Age-varying associations between lifestyle risk factors and major depressive disorder: a nationally representative cross-sectional study of adolescents. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 129-139.	3.1	8
47	Factors Predicting Trial Engagement, Treatment Satisfaction, and Health-Related Quality of Life During a Web-Based Treatment and Social Networking Trial for Binge Drinking and Depression in Young Adults: Secondary Analysis of a Randomized Controlled Trial. <i>JMIR Mental Health</i> , 2021, 8, e23986.	3.3	3
48	Unpacking Violent Behavior in Young Adulthood: The Relative Importance of Hazardous Alcohol Use. <i>Journal of Interpersonal Violence</i> , 2021, , 088626052110441.	2.0	0
49	Barriers and Facilitators to the Implementation of the Pathways to Comorbidity Care (PCC) Training Package for the Management of Comorbid Mental Disorders in Drug and Alcohol Settings. , 2021, 1, .		4
50	A Novel Approach to Tackling Bullying in Schools: Personality-Targeted Intervention for Adolescent Victims and Bullies in Australia. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2020, 59, 508-518.e2.	0.5	25
51	Social Phobia Among Depressed Individuals Entering Residential Rehabilitation Programmes: Prevalence and Correlates. <i>International Journal of Mental Health and Addiction</i> , 2020, 18, 1148-1167.	7.4	1
52	Evaluating the differential effectiveness of social influence and personality-targeted alcohol prevention on mental health outcomes among high-risk youth: A novel cluster randomised controlled factorial design trial. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 259-271.	2.3	16
53	Preventing Substance Use Among Indigenous Adolescents in the USA, Canada, Australia and New Zealand: a Systematic Review of the Literature. <i>Prevention Science</i> , 2020, 21, 65-85.	2.6	36
54	Combined prevention for substance use, depression, and anxiety in adolescence: a cluster-randomised controlled trial of a digital online intervention. <i>The Lancet Digital Health</i> , 2020, 2, e74-e84.	12.3	65

#	ARTICLE	IF	CITATIONS
55	The comorbidity between alcohol use and internalising psychopathology in early adolescence. <i>Mental Health and Prevention</i> , 2020, 17, 200176.	1.3	3
56	Adolescentsâ€™ Perspectives on Substance Use Prevention: A qualitative study among Australian school students.. <i>Mental Health and Prevention</i> , 2020, 19, 200183.	1.3	3
57	Australian treatment outcome study: protocol for the 18â€“20-year follow-up of a prospective longitudinal cohort examining the natural history of heroin dependence and associated mortality, psychiatric and physical health, and health service use. <i>BMJ Open</i> , 2020, 10, e039226.	1.9	5
58	Themes in sentencing young adults charged with serious violent crime involving alcohol and other drugs. <i>Australian and New Zealand Journal of Criminology</i> , 2020, 53, 411-432.	2.5	3
59	Study protocol of the Health4Life initiative: a cluster randomised controlled trial of an eHealth school-based program targeting multiple lifestyle risk behaviours among young Australians. <i>BMJ Open</i> , 2020, 10, e035662.	1.9	29
60	Association of prenatal alcohol exposure with preadolescent alcohol sipping in the ABCD studyÂ®. <i>Drug and Alcohol Dependence</i> , 2020, 214, 108187.	3.2	13
61	Association of Prenatal Alcohol Exposure With Psychological, Behavioral, and Neurodevelopmental Outcomes in Children From the Adolescent Brain Cognitive Development Study. <i>American Journal of Psychiatry</i> , 2020, 177, 1060-1072.	7.2	87
62	Randomised controlled trial of integrated trauma-focused psychotherapy for traumatic stress and substance use among adolescents: trial protocol. <i>BMJ Open</i> , 2020, 10, e043742.	1.9	5
63	Acceptability and Coâ€Development of an Online Cognitive Bias Modification Intervention for Emerging Adults With Hazardous Alcohol Use and Social Anxiety: A Mixed Methods Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2020, 44, 2283-2297.	2.4	8
64	Measurement properties of smartphone approaches to assess key lifestyle behaviours: protocol of a systematic review. <i>Systematic Reviews</i> , 2020, 9, 127.	5.3	3
65	A randomised double-blind trial of cognitive training for the prevention of psychopathology in at-risk youth. <i>Behaviour Research and Therapy</i> , 2020, 132, 103672.	3.1	6
66	Exploring the complex inter-relations between internalising symptoms, executive functioning and alcohol use in young adults. <i>Addictive Behaviors</i> , 2020, 106, 106351.	3.0	7
67	Bidirectional relationships in the development of internalising symptoms and alcohol use in adolescence. <i>Drug and Alcohol Review</i> , 2020, 39, 950-959.	2.1	4
68	A Web-Based Intervention to Prevent Multiple Chronic Disease Risk Factors Among Adolescents: Co-Design and User Testing of the Health4Life School-Based Program. <i>JMIR Formative Research</i> , 2020, 4, e19485.	1.4	18
69	Rumination and problematic substance use among individuals with a long-term history of illicit drug use. <i>Drug and Alcohol Dependence</i> , 2019, 203, 44-50.	3.2	10
70	Effectiveness of school-based eHealth interventions to prevent multiple lifestyle risk behaviours among adolescents: a systematic review and meta-analysis. <i>The Lancet Digital Health</i> , 2019, 1, e206-e221.	12.3	91
71	Stakeholder perspectives on evidence for digital mental health interventions: Implications for accreditation systems. <i>Digital Health</i> , 2019, 5, 205520761987806.	1.8	9
72	Associations between personality and uptake of tobacco smoking: Do they differ across adolescence?. <i>Drug and Alcohol Review</i> , 2019, 38, 818-822.	2.1	10

#	ARTICLE	IF	CITATIONS
73	Neurobiological and Cognitive Profile of Young Binge Drinkers: a Systematic Review and Meta-Analysis. <i>Neuropsychology Review</i> , 2019, 29, 357-385.	4.9	73
74	Modelling Long-Term Joint Trajectories of Heroin Use and Treatment Utilisation: Findings from the Australian Treatment Outcome Study. <i>EClinicalMedicine</i> , 2019, 14, 71-79.	7.1	8
75	Lifestyle risk indices in adolescence and their relationships to adolescent disease burden: findings from an Australian national survey. <i>BMC Public Health</i> , 2019, 19, 60.	2.9	17
76	Conditional probabilities of substance use disorders and associated risk factors: Progression from first use to use disorder on alcohol, cannabis, stimulants, sedatives and opioids. <i>Drug and Alcohol Dependence</i> , 2019, 194, 136-142.	3.2	69
77	Machine learning prediction of adolescent alcohol use: a cross-cultural validation. <i>Addiction</i> , 2019, 114, 662-671.	3.3	34
78	The interactive effects of perceived peer drinking and personality profiles on adolescent drinking: a prospective cohort study. <i>Addiction</i> , 2019, 114, 450-461.	3.3	7
79	Protocol for the Inroads Study: A Randomized Controlled Trial of an Internet-Delivered, Cognitive Behavioral Therapy-Based Early Intervention to Reduce Anxiety and Hazardous Alcohol Use Among Young People. <i>JMIR Research Protocols</i> , 2019, 8, e12370.	1.0	7
80	Translating Evidence-Based Practice for Managing Comorbid Substance Use and Mental Illness Using a Multimodal Training Package. <i>Journal of Dual Diagnosis</i> , 2018, 14, 111-119.	1.2	13
81	Universal prevention of alcohol and drug use: An overview of reviews in an Australian context. <i>Drug and Alcohol Review</i> , 2018, 37, S435-S469.	2.1	29
82	The long-term impact of post traumatic stress disorder on recovery from heroin dependence. <i>Journal of Substance Abuse Treatment</i> , 2018, 89, 60-66.	2.8	15
83	Climate schools plus: An online, combined student and parent, universal drug prevention program. <i>Internet Interventions</i> , 2018, 12, 36-45.	2.7	15
84	Development and evaluation of "Pure Rush": An online serious game for drug education. <i>Drug and Alcohol Review</i> , 2018, 37, S420-S428.	2.1	18
85	Prospective associations between personality and bullying among Australian adolescents. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 173-180.	2.3	11
86	Cluster randomised controlled trial of an online intervention to prevent ecstasy and new psychoactive substance use among adolescents: final results and implications for implementation. <i>BMJ Open</i> , 2018, 8, e020433.	1.9	6
87	Universal cannabis outcomes from the Climate and Preventure (CAP) study: a cluster randomised controlled trial. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2018, 13, 34.	2.2	21
88	Binge drinking in young people: protocol for a systematic review of neuropsychological, neurophysiological and neuroimaging studies. <i>BMJ Open</i> , 2018, 8, e023629.	1.9	6
89	Clustering of Multiple Risk Behaviors Among a Sample of 18-Year-Old Australians and Associations With Mental Health Outcomes: A Latent Class Analysis. <i>Frontiers in Public Health</i> , 2018, 6, 135.	2.7	59
90	Pathways to prevention: protocol for the CAP (Climate and Preventure) study to evaluate the long-term effectiveness of school-based universal, selective and combined alcohol misuse prevention into early adulthood. <i>BMC Public Health</i> , 2018, 18, 643.	2.9	10

#	ARTICLE	IF	CITATIONS
91	Topiramate versus naltrexone for alcohol use disorder: study protocol for a genotype-stratified, double-blind randomised controlled trial (TOP study). <i>Trials</i> , 2018, 19, 443.	1.6	5
92	The interactive effects of personality profiles and perceived peer drinking on early adolescent drinking.. <i>Psychology of Addictive Behaviors</i> , 2018, 32, 230-236.	2.1	7
93	Smartphone Apps About Crystal Methamphetamine (â€œIceâ€): Systematic Search in App Stores and Assessment of Composition and Quality. <i>JMIR MHealth and UHealth</i> , 2018, 6, e10442.	3.7	24
94	Internet-Based Universal Prevention for Students and Parents to Prevent Alcohol and Cannabis Use Among Adolescents: Protocol for the Randomized Controlled Trial of Climate Schools Plus. <i>JMIR Research Protocols</i> , 2018, 7, e10849.	1.0	4
95	A Mobile App to Provide Evidence-Based Information About Crystal Methamphetamine (Ice) to the Community (Cracks in the Ice): Co-Design and Beta Testing. <i>JMIR MHealth and UHealth</i> , 2018, 6, e11107.	3.7	12
96	Evaluating the Long-Term Effectiveness of School-Based Depression, Anxiety, and Substance Use Prevention Into Young Adulthood: Protocol for the Climate School Combined Study. <i>JMIR Research Protocols</i> , 2018, 7, e11372.	1.0	6
97	A Web-Based Toolkit to Provide Evidence-Based Resources About Crystal Methamphetamine for the Australian Community: Collaborative Development of Cracks in the Ice. <i>JMIR Mental Health</i> , 2018, 5, e21.	3.3	6
98	Substance Use Prevention Programs for Indigenous Adolescents in the United States of America, Canada, Australia and New Zealand: Protocol for a Systematic Review. <i>JMIR Research Protocols</i> , 2018, 7, e38.	1.0	10
99	Substance use disorders comorbid with mood and anxiety disorders in the Australian general population. <i>Drug and Alcohol Review</i> , 2017, 36, 317-324.	2.1	49
100	Trajectories of heroin use: 10â€“11â€year findings from the Australian Treatment Outcome Study. <i>Addiction</i> , 2017, 112, 1056-1068.	3.3	28
101	Evidence for Sex Convergence in Prevalence of Cannabis Use: A Systematic Review and Meta-Regression. <i>Journal of Studies on Alcohol and Drugs</i> , 2017, 78, 344-352.	1.0	53
102	A systematic review of combined studentâ€and parentâ€based programs to prevent alcohol and other drug use among adolescents. <i>Drug and Alcohol Review</i> , 2017, 36, 337-351.	2.1	74
103	The<i>Brain Games</i>study: protocol for a randomised controlled trial of computerised cognitive training for preventing mental illness in adolescents with high-risk personality styles. <i>BMJ Open</i> , 2017, 7, e017721.	1.9	6
104	The general relationship between internalizing psychopathology and chronic physical health conditions: a population-based study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 1257-1265.	3.1	10
105	Trajectories of emotional symptoms in adolescence: impact on alcohol use. <i>Advances in Dual Diagnosis</i> , 2017, 10, 130-141.	0.5	0
106	Psychosocial factors associated with adolescent substance use: a longitudinal investigation. <i>Advances in Dual Diagnosis</i> , 2017, 10, 142-154.	0.5	46
107	A systematic review of school-based eHealth interventions targeting alcohol use, smoking, physical inactivity, diet, sedentary behaviour and sleep among adolescents: a review protocol. <i>Systematic Reviews</i> , 2017, 6, 246.	5.3	21
108	The contribution of gender-based violence and network trauma to gender differences in Post-Traumatic Stress Disorder. <i>PLoS ONE</i> , 2017, 12, e0171879.	2.5	35

#	ARTICLE	IF	CITATIONS
109	Empowering young people to make Positive Choices: Evidence-based resources for the prevention of alcohol and other drug use in Australian schools. <i>Learning Communities: International Journal of Adult and Vocational Learning</i> , 2017, 21, 152-167.	0.2	13
110	Integrated Exposure-Based Therapy for Co-Occurring Post Traumatic Stress Disorder (PTSD) and Substance Dependence: Predictors of Change in PTSD Symptom Severity. <i>Journal of Clinical Medicine</i> , 2016, 5, 101.	2.4	14
111	The long-term effectiveness of a selective, personality-targeted prevention program in reducing alcohol use and related harms: a cluster randomized controlled trial. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2016, 57, 1056-1065.	5.2	65
112	Effectiveness of a universal internet-based prevention program for ecstasy and new psychoactive substances: a cluster randomized controlled trial. <i>Addiction</i> , 2016, 111, 1396-1405.	3.3	68
113	The Reliability and Validity of the Australian Moral Disengagement Scale. <i>Behaviour Change</i> , 2016, 33, 136-149.	1.3	4
114	Early onset mood disorders and first alcohol use in the general population. <i>Journal of Affective Disorders</i> , 2016, 200, 243-249.	4.1	10
115	The shared and specific relationships between exposure to potentially traumatic events and transdiagnostic dimensions of psychopathology. <i>Journal of Anxiety Disorders</i> , 2016, 38, 102-109.	3.2	15
116	Birth cohort trends in the global epidemiology of alcohol use and alcohol-related harms in men and women: systematic review and meta-regression. <i>BMJ Open</i> , 2016, 6, e011827.	1.9	276
117	The efficacy of behavioural activation treatment for co-occurring depression and substance use disorder (the activate study): a randomized controlled trial. <i>BMC Psychiatry</i> , 2016, 16, 221.	2.6	12
118	Prevention of alcohol and other drug use and related harm in the digital age. <i>Current Opinion in Psychiatry</i> , 2016, 29, 242-249.	6.3	37
119	Drinking to Cope: a Latent Class Analysis of Coping Motives for Alcohol Use in a Large Cohort of Adolescents. <i>Prevention Science</i> , 2016, 17, 584-594.	2.6	48
120	Patterns and correlates of new psychoactive substance use in a sample of Australian high school students. <i>Drug and Alcohol Review</i> , 2016, 35, 338-344.	2.1	62
121	The profile of psychiatric symptoms exacerbated by methamphetamine use. <i>Drug and Alcohol Dependence</i> , 2016, 161, 104-109.	3.2	64
122	A cross-validation trial of an Internet-based prevention program for alcohol and cannabis: Preliminary results from a cluster randomised controlled trial. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 64-73.	2.3	36
123	The validity of the Substance Use Risk Profile Scale (SURPS) among Australian adolescents. <i>Addictive Behaviors</i> , 2016, 53, 23-30.	3.0	41
124	The psychometric properties of the Kessler Psychological Distress Scale (K6) in a general population sample of adolescents. <i>Psychological Assessment</i> , 2016, 28, 1232-1242.	1.5	100
125	An Online Intervention for Co-Occurring Depression and Problematic Alcohol Use in Young People: Primary Outcomes From a Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2016, 18, e71.	4.3	80
126	Patterns and Correlates of Sustained Heroin Abstinence: Findings From the 11-Year Follow-Up of the Australian Treatment Outcome Study. <i>Journal of Studies on Alcohol and Drugs</i> , 2015, 76, 909-915.	1.0	14

#	ARTICLE	IF	CITATIONS
127	The prevalence and correlates of secondary traumatic stress among alcohol and other drug workers in <sc>A</sc>ustralia. Drug and Alcohol Review, 2015, 34, 252-258.	2.1	41
128	Adapting the personalityâ€targeted <i><sc>P</sc>reventure</i> program to prevent substance use and associated harms among highâ€risk <sc>A</sc>ustralian adolescents. Microbial Biotechnology, 2015, 9, 308-315.	1.7	18
129	Patterns and correlates of attempted suicide amongst heroin users: 11-year follow-up of the Australian treatment outcome study cohort. Psychiatry Research, 2015, 227, 166-170.	3.3	33
130	Suicidality, internalizing problems and externalizing problems among adolescent bullies, victims and bully-victims. Preventive Medicine, 2015, 73, 100-105.	3.4	132
131	Longâ€term mortality, remission, criminality and psychiatric comorbidity of heroin dependence: 11â€year findings from the Australian Treatment Outcome Study. Addiction, 2015, 110, 986-993.	3.3	85
132	Delay to first treatment contact for alcohol use disorder. Drug and Alcohol Dependence, 2015, 147, 116-121.	3.2	58
133	Can we predict retention in longitudinal studies of substance use? Findings from the Australian Treatment Outcome Study. Addictive Behaviors, 2015, 51, 38-43.	3.0	10
134	DSM-IV and DSM-5 social anxiety disorder in the Australian community. Australian and New Zealand Journal of Psychiatry, 2015, 49, 227-235.	2.3	66
135	Anxiety disorders and first alcohol use in the general population. Findings from a nationally representative sample. Journal of Anxiety Disorders, 2015, 31, 108-113.	3.2	29
136	Primary and substance-induced psychotic disorders in methamphetamine users. Psychiatry Research, 2015, 226, 91-96.	3.3	40
137	Developing a roadmap for the translation of e-mental health services for depression. Australian and New Zealand Journal of Psychiatry, 2015, 49, 776-784.	2.3	73
138	Smoking, posttraumatic stress disorder, and alcohol use disorders in a nationally representative sample of Australian men and women. Drug and Alcohol Dependence, 2015, 156, 176-183.	3.2	21
139	Opportunities for Opening the Door to Transdiagnostic Approaches. Alcoholism: Clinical and Experimental Research, 2015, 39, 592-592.	2.4	1
140	Concurrent and prospective associations between bullying victimization and substance use among Australian adolescents. Drug and Alcohol Dependence, 2015, 154, 63-68.	3.2	44
141	The Clinical and Theoretical Basis for Integrated Cognitive Behavioral Treatment of Comorbid Social Anxiety and Alcohol Use Disorders. Cognitive and Behavioral Practice, 2015, 22, 504-521.	1.5	22
142	Concurrent Treatment of PTSD and Substance Use Disorders Using Prolonged Exposure (COPE). , 2015, , .		11
143	Development of a Universal Internet-Based Prevention Program for Ecstasy and New Psychoactive Substances. Open Journal of Preventive Medicine, 2015, 05, 23-30.	0.3	6
144	Treatments for Co-Occurring Depression and Substance Use in Young People: A Systematic Review. Current Drug Abuse Reviews, 2014, 7, 3-17.	3.4	12

#	ARTICLE	IF	CITATIONS
145	Improving the diagnostic criteria for alcohol use disorders through survey methodology and cognitive interviewing. <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 359-371.	2.1	7
146	“Truth or consequences” what about truth or dare. <i>Addiction</i> , 2014, 109, 1782-1784.	3.3	4
147	A systematic review of computerised serious educational games about alcohol and other drugs for adolescents. <i>Drug and Alcohol Review</i> , 2014, 33, 129-135.	2.1	75
148	Onset of common mental disorders and suicidal behavior following women's first exposure to gender based violence: a retrospective, population-based study. <i>BMC Psychiatry</i> , 2014, 14, 312.	2.6	22
149	A pilot study of an online universal school-based intervention to prevent alcohol and cannabis use in the UK. <i>BMJ Open</i> , 2014, 4, e004750.	1.9	12
150	Risky cognitions associated with adolescent alcohol misuse: Moral disengagement, alcohol expectancies and perceived self-regulatory efficacy. <i>Addictive Behaviors</i> , 2014, 39, 165-172.	3.0	24
151	Patterns and correlates of non-fatal heroin overdose at 11-year follow-up: Findings from the Australian Treatment Outcome Study. <i>Drug and Alcohol Dependence</i> , 2014, 144, 148-152.	3.2	38
152	Developing an integrated, Internet-based self-help programme for young people with depression and alcohol use problems. <i>Internet Interventions</i> , 2014, 1, 118-131.	2.7	10
153	A universal harm-minimisation approach to preventing psychostimulant and cannabis use in adolescents: a cluster randomised controlled trial. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2014, 9, 24.	2.2	44
154	The CLIMATE schools combined study: a cluster randomised controlled trial of a universal Internet-based prevention program for youth substance misuse, depression and anxiety. <i>BMC Psychiatry</i> , 2014, 14, 32.	2.6	41
155	Universal Internet-based prevention for alcohol and cannabis use reduces truancy, psychological distress and moral disengagement: A cluster randomised controlled trial. <i>Preventive Medicine</i> , 2014, 65, 109-115.	3.4	44
156	Associations between substance use, post-traumatic stress disorder and the perpetration of violence: A longitudinal investigation. <i>Addictive Behaviors</i> , 2014, 39, 1075-1080.	3.0	40
157	The feasibility and acceptability of a brief intervention for clients of substance use services experiencing symptoms of post traumatic stress disorder. <i>Addictive Behaviors</i> , 2014, 39, 1094-1099.	3.0	16
158	Evaluating a Brief, Internet-Based Intervention for Co-Occurring Depression and Problematic Alcohol Use in Young People: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2014, 3, e6.	1.0	8
159	An investigator-blinded, randomized study to compare the efficacy of combined CBT for alcohol use disorders and social anxiety disorder versus CBT focused on alcohol alone in adults with comorbid disorders: the Combined Alcohol Social Phobia (CASP) trial protocol. <i>BMC Psychiatry</i> , 2013, 13, 199.	2.6	19
160	A cluster randomised controlled trial of the Climate Schools: Ecstasy and Emerging Drugs Module in Australian secondary schools: study protocol. <i>BMC Public Health</i> , 2013, 13, 1168.	2.9	8
161	Integrated care for comorbid alcohol dependence and anxiety and/or depressive disorder: study protocol for an assessor-blind, randomized controlled trial. <i>Addiction Science & Clinical Practice</i> , 2013, 8, 19.	2.6	11
162	Static and dynamic predictors of criminal involvement among people with heroin dependence: Findings from a 3-year longitudinal study. <i>Drug and Alcohol Dependence</i> , 2013, 133, 600-606.	3.2	21

#	ARTICLE	IF	CITATIONS
163	Robust measurement is critical but not sufficient. <i>Addiction</i> , 2013, 108, 9-10.	3.3	2
164	Alcohol Use in Hazardous Situations: Implications for <sc>DSM</sc>â€<sc>IV</sc> and <sc>DSM</sc>â€5 Alcohol Use Disorders. <i>Alcoholism: Clinical and Experimental Research</i> , 2013, 37, E228-36.	2.4	6
165	Mental health correlates of anger in the general population: Findings from the 2007 National Survey of Mental Health and Wellbeing. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 470-476.	2.3	36
166	Do Young Adults Interpret the <sc>DSM</sc> Diagnostic Criteria for Alcohol Use Disorders as Intended? A Cognitive Interviewing Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2013, 37, 1001-1007.	2.4	29
167	A systematic review of schoolâ€based alcohol and other drug prevention programs facilitated by computers or the <sc>I</sc>nternet. <i>Drug and Alcohol Review</i> , 2013, 32, 115-123.	2.1	136
168	Randomized controlled trial of cognitive behaviour therapy for comorbid post-traumatic stress disorder and alcohol use disorders. <i>Addiction</i> , 2013, 108, 1397-1410.	3.3	102
169	Mental health correlates of anger and violence among individuals entering substance use treatment. <i>Mental Health and Substance Use: Dual Diagnosis</i> , 2013, 6, 287-302.	0.5	6
170	An Evaluation of the Proposed DSM-5 Cannabis Use Disorder Criteria Using Australian National Survey Data. <i>Journal of Studies on Alcohol and Drugs</i> , 2013, 74, 614-621.	1.0	31
171	Alcohol, Tobacco, and Prescription Drugs: The Relationship With Illicit Drugs in the Treatment of Substance Users. <i>Substance Use and Misuse</i> , 2012, 47, 963-971.	1.4	15
172	Developing the Climate Schools: Ecstasy Moduleâ€A Universal Internet-Based Drug Prevention Program. <i>Journal of Psychoactive Drugs</i> , 2012, 44, 372-380.	1.7	4
173	Guidelines on the management of co-occurring mental health conditions in alcohol and other drug treatment settings: how useful are they?. <i>Mental Health and Substance Use: Dual Diagnosis</i> , 2012, 5, 160-172.	0.5	9
174	Integrated Exposure-Based Therapy for Co-occurring Posttraumatic Stress Disorder and Substance Dependence. <i>JAMA - Journal of the American Medical Association</i> , 2012, 308, 690-9.	7.4	247
175	The association between moral disengagement, psychological distress, resistive self-regulatory efficacy and alcohol and cannabis use among adolescents in Sydney, Australia. <i>Addiction Research and Theory</i> , 2012, 20, 261-269.	1.9	24
176	Prevalence, correlates and comorbidity of DSM-IV Cannabis Use and Cannabis Use Disorders in Australia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 1182-1192.	2.3	60
177	The CAP study, evaluation of integrated universal and selective prevention strategies for youth alcohol misuse: study protocol of a cluster randomized controlled trial. <i>BMC Psychiatry</i> , 2012, 12, 118.	2.6	57
178	Postâ€traumatic stress disorder, depression and suicidality in inpatients with substance use disorders. <i>Drug and Alcohol Review</i> , 2012, 31, 294-302.	2.1	70
179	Australian schoolâ€based prevention programs for alcohol and other drugs: A systematic review. <i>Drug and Alcohol Review</i> , 2012, 31, 731-736.	2.1	73
180	School-based Alcohol and Other Drug Prevention. , 2012, , 545-560.		5

#	ARTICLE	IF	CITATIONS
181	Developing a school-based drug prevention program to overcome barriers to effective program implementation: The CLIMATE schools: Alcohol module. <i>Open Journal of Preventive Medicine</i> , 2012, 02, 410-422.	0.3	21
182	Developing the Climate Schools: Alcohol and Cannabis Module: A Harm-Minimization, Universal Drug Prevention Program Facilitated by the Internet. <i>Substance Use and Misuse</i> , 2011, 46, 1651-1663.	1.4	19
183	Hurt people who hurt people: Violence amongst individuals with comorbid substance use disorder and post traumatic stress disorder. <i>Addictive Behaviors</i> , 2011, 36, 721-728.	3.0	54
184	Rates and correlates of mortality amongst heroin users: Findings from the Australian Treatment Outcome Study (ATOS), 2001-2009. <i>Drug and Alcohol Dependence</i> , 2011, 115, 190-195.	3.2	99
185	Psychometric Performance of DSM-IV Alcohol Use Disorders in Young Adulthood: Evidence From an Australian General Population Sample*. <i>Journal of Studies on Alcohol and Drugs</i> , 2011, 72, 811-822.	1.0	24
186	DSM-5: EVIDENCE TRANSLATING TO CHANGE IS IMPRESSIVE. <i>Addiction</i> , 2011, 106, 877-878.	3.3	3
187	An evaluation of the proposed DSM-5 alcohol use disorder criteria using Australian national data. <i>Addiction</i> , 2011, 106, 941-950.	3.3	84
188	Commentary on Agrawal et al. (2011): Assessing the impact of changes to diagnostic criteria on the estimated prevalence of alcohol use disorders in general population surveys. <i>Addiction</i> , 2011, 106, 1944-1945.	3.3	1
189	An item response analysis of the DSM-IV criteria for major depression: Findings from the Australian National Survey of Mental Health and Wellbeing. <i>Journal of Affective Disorders</i> , 2011, 130, 92-98.	4.1	23
190	Lifetime Prevalence of Gender-Based Violence in Women and the Relationship With Mental Disorders and Psychosocial Function. <i>JAMA - Journal of the American Medical Association</i> , 2011, 306, 513-21.	7.4	284
191	Affective and Anxiety Disorders and their Relationship with Chronic Physical Conditions in Australia: Findings of the 2007 National Survey of Mental Health and Wellbeing. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 939-946.	2.3	43
192	Childhood trauma among individuals with co-morbid substance use and post-traumatic stress disorder. <i>Mental Health and Substance Use: Dual Diagnosis</i> , 2011, 4, 314-326.	0.5	48
193	The Epidemiology of DSM-IV Alcohol Use Disorders amongst Young Adults in the Australian Population. <i>Alcohol and Alcoholism</i> , 2011, 46, 185-191.	1.6	22
194	Assessing the Dimensionality of Lifetime DSM-IV Alcohol Use Disorders and a Quantity-Frequency Alcohol Use Criterion in the Australian Population: a Factor Mixture Modelling Approach. <i>Alcohol and Alcoholism</i> , 2011, 46, 333-341.	1.6	19
195	Benzodiazepine use among heroin users: Baseline use, current use and clinical outcome. <i>Drug and Alcohol Review</i> , 2010, 29, 250-255.	2.1	52
196	Theoretical and Observed Subtypes of DSM-IV Alcohol-and Cannabis-Use Disorders in the Australian Population*. <i>Journal of Studies on Alcohol and Drugs</i> , 2010, 71, 597-606.	1.0	3
197	Internet-based prevention for alcohol and cannabis use: final results of the Climate Schools course. <i>Addiction</i> , 2010, 105, 749-759.	3.3	165
198	Continuous, categorical and mixture models of DSM-IV alcohol and cannabis use disorders in the Australian community. <i>Addiction</i> , 2010, 105, 1246-1253.	3.3	20

#	ARTICLE	IF	CITATIONS
199	WHAT DOES SELF-CHANGE MEAN FOR HOW WE DELIVER TREATMENT?. <i>Addiction</i> , 2010, 105, 1522-1523.	3.3	1
200	Prevalence and correlates of DSM-IV alcohol abuse and dependence in Australia: findings of the 2007 National Survey of Mental Health and Wellbeing. <i>Addiction</i> , 2010, 105, 2085-2094.	3.3	203
201	Forming a national multicentre collaboration to conduct clinical trials: Increasing high-quality research in the drug and alcohol field. <i>Drug and Alcohol Review</i> , 2010, 29, 469-474.	2.1	6
202	Some new directions for research on psychological interventions for comorbid anxiety and substance use disorders. <i>Drug and Alcohol Review</i> , 2010, 29, 518-524.	2.1	31
203	Clinical Predictors of Outcome from an Australian Pharmacological Relapse Prevention Trial. <i>Alcohol and Alcoholism</i> , 2010, 45, 520-526.	1.6	9
204	Factor structure of posttraumatic stress disorder symptoms in the Australian general population. <i>Journal of Anxiety Disorders</i> , 2010, 24, 520-527.	3.2	36
205	‘Youthful epidemic’ or diagnostic bias? Differential item functioning of DSM-IV cannabis use criteria in an Australian general population survey. <i>Addictive Behaviors</i> , 2010, 35, 408-413.	3.0	22
206	Comorbidity in Australia: Findings of the 2007 National Survey of Mental Health and Wellbeing. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009, 43, 606-614.	2.3	168
207	Changes and predictors of change in the physical health status of heroin users over 24 months. <i>Addiction</i> , 2009, 104, 465-470.	3.3	12
208	A taxometric study of alcohol abuse and dependence in a general population sample: evidence of dimensional latent structure and implications for DSM-IV. <i>Addiction</i> , 2009, 104, 742-751.	3.3	30
209	A computerized harm minimization prevention program for alcohol misuse and related harms: randomized controlled trial. <i>Addiction</i> , 2009, 104, 564-575.	3.3	99
210	The association of alcohol dependence with general practice attendance. <i>Drug and Alcohol Review</i> , 2009, 28, 154-159.	2.1	10
211	Sample bias from different recruitment strategies in a randomised controlled trial for alcohol dependence. <i>Drug and Alcohol Review</i> , 2009, 28, 222-229.	2.1	9
212	The ageing heroin user: Career length, clinical profile and outcomes across 36-months. <i>Drug and Alcohol Review</i> , 2009, 28, 243-249.	2.1	21
213	Factors associated with violent victimisation among homeless adults in Sydney, Australia. <i>Australian and New Zealand Journal of Public Health</i> , 2009, 33, 347-351.	1.8	27
214	Further evidence of differences in substance use and dependence between Australia and the United States. <i>Drug and Alcohol Dependence</i> , 2009, 100, 258-264.	3.2	25
215	Patterns of major depression and drug-related problems amongst heroin users across 36-months. <i>Psychiatry Research</i> , 2009, 166, 7-14.	3.3	59
216	Delivering prevention for alcohol and cannabis using the internet: A cluster randomised controlled trial. <i>Preventive Medicine</i> , 2009, 48, 579-584.	3.4	107

#	ARTICLE	IF	CITATIONS
217	Reprint of "Understanding comorbidity between substance use, anxiety and affective disorders: Broadening the research base". Addictive Behaviors, 2009, 34, 795-799.	3.0	15
218	Climate Schools: Alcohol Module: Cross-Validation of a School-Based Prevention Programme for Alcohol Misuse. Australian and New Zealand Journal of Psychiatry, 2009, 43, 201-207.	2.3	69
219	Understanding comorbidity between substance use, anxiety and affective disorders: Broadening the research base. Addictive Behaviors, 2009, 34, 526-530.	3.0	53
220	Issues with recruitment to randomised controlled trials in the drug and alcohol field: a literature review and Australian case study. Drug and Alcohol Review, 2008, 27, 115-122.	2.1	33
221	The impact of treatment on 3 years' outcome for heroin dependence: findings from the Australian Treatment Outcome Study (ATOS). Addiction, 2008, 103, 80-88.	3.3	117
222	Do acamprosate or naltrexone have an effect on daily drinking by reducing craving for alcohol?. Addiction, 2008, 103, 953-959.	3.3	57
223	Injecting and Noninjecting Heroin Administration: Transitions and Treatment Outcomes across 36 Months. Journal of Drug Issues, 2008, 38, 543-557.	1.2	6
224	Predictors of Trauma and PTSD among Heroin Users: A Prospective Longitudinal Investigation. Journal of Drug Issues, 2008, 38, 585-599.	1.2	5
225	Problem Alcohol Use in Young Australian Adults. Australian and New Zealand Journal of Psychiatry, 2007, 41, 436-441.	2.3	9
226	Patterns of sustained heroin abstinence amongst long-term, dependent heroin users: 36 months findings from the Australian Treatment Outcome Study (ATOS). Addictive Behaviors, 2007, 32, 1897-1906.	3.0	57
227	Patterns and correlates of attempted suicide by heroin users over a 3-year period: Findings from the Australian treatment outcome study. Drug and Alcohol Dependence, 2007, 87, 146-152.	3.2	84
228	The effect of baseline cocaine use on treatment outcomes for heroin dependence over 24 months: Findings from the Australian Treatment Outcome Study. Journal of Substance Abuse Treatment, 2007, 33, 287-293.	2.8	27
229	Reliability of self-reported trauma exposure among people with heroin dependence: A longitudinal investigation. Journal of Traumatic Stress, 2007, 20, 313-323.	1.8	21
230	Borderline personality disorder and persistently elevated levels of risk in 36-month outcomes for the treatment of heroin dependence. Addiction, 2007, 102, 1140-1146.	3.3	34
231	The impact of post-traumatic stress disorder on treatment outcomes for heroin dependence. Addiction, 2007, 102, 447-454.	3.3	69
232	The Australian Treatment Outcome Study (ATOS): what have we learnt about treatment for heroin dependence?. Drug and Alcohol Review, 2007, 26, 49-54.	2.1	42
233	Changes in the use of medical services and prescription drugs among heroin users over two years. Drug and Alcohol Review, 2007, 26, 153-159.	2.1	5
234	Patterns of Nonfatal Heroin Overdose Over a 3-Year Period: Findings From the Australian Treatment Outcome Study. Journal of Urban Health, 2007, 84, 283-291.	3.6	73

#	ARTICLE	IF	CITATIONS
235	The structure of alcohol dependence in the community. <i>Drug and Alcohol Dependence</i> , 2006, 81, 21-26.	3.2	111
236	Substance use, dependence and treatment seeking in the United States and Australia: A cross-national comparison. <i>Drug and Alcohol Dependence</i> , 2006, 81, 149-155.	3.2	80
237	The effect of persistence of cocaine use on 12-month outcomes for the treatment of heroin dependence. <i>Drug and Alcohol Dependence</i> , 2006, 81, 293-300.	3.2	74
238	One year outcomes for heroin dependence: Findings from the Australian Treatment Outcome Study (ATOS). <i>Drug and Alcohol Dependence</i> , 2006, 83, 174-180.	3.2	118
239	Reductions in heroin use are not associated with increases in other drug use: 2-year findings from the Australian Treatment Outcome Study. <i>Drug and Alcohol Dependence</i> , 2006, 84, 201-205.	3.2	40
240	Depression among heroin users: 12-Month outcomes from the Australian Treatment Outcome Study (ATOS). <i>Journal of Substance Abuse Treatment</i> , 2006, 30, 355-362.	2.8	108
241	Short-term Outcomes for the Treatment of Heroin Dependence. <i>Addictive Disorders and Their Treatment</i> , 2006, 5, 133-143.	0.5	23
242	Trauma, PTSD, and Substance Use Disorders: Findings From the Australian National Survey of Mental Health and Well-Being. <i>American Journal of Psychiatry</i> , 2006, 163, 652-658.	7.2	352
243	Residential Rehabilitation for the Treatment of Heroin Dependence: Sustained Heroin Abstinence and Drug-Related Problems 2 Years After Treatment Entrance. <i>Addictive Disorders and Their Treatment</i> , 2006, 5, 9-18.	0.5	13
244	Patterns and costs of treatment for heroin dependence over 12 months: findings from the Australian Treatment Outcome Study. <i>Australian and New Zealand Journal of Public Health</i> , 2006, 30, 305-311.	1.8	3
245	Naltrexone versus acamprosate in the treatment of alcohol dependence: a multi-centre, randomized, double-blind, placebo-controlled trial. <i>Addiction</i> , 2006, 101, 1451-1462.	3.3	143
246	The association between cocaine use and short-term outcomes for the treatment of heroin dependence: findings from the Australian Treatment Outcome Study (ATOS). <i>Drug and Alcohol Review</i> , 2006, 25, 141-148.	2.1	24
247	Outcomes after detoxification for heroin dependence: findings from the Australian Treatment Outcome Study (ATOS). <i>Drug and Alcohol Review</i> , 2006, 25, 241-247.	2.1	23
248	Major depressive disorder is common in the US among Native Americans, women, the middle aged, the poor, and widowed, separated, or divorced people. <i>Evidence-Based Mental Health</i> , 2006, 9, 59-59.	4.5	2
249	Trauma, PTSD, and Substance Use Disorders: Findings From the Australian National Survey of Mental Health and Well-Being. <i>American Journal of Psychiatry</i> , 2006, 163, 652.	7.2	216
250	Twelve-month outcomes for heroin dependence treatments: does route of administration matter?. <i>Drug and Alcohol Review</i> , 2005, 24, 165-171.	2.1	10
251	Non-fatal heroin overdose, treatment exposure and client characteristics: Findings from the Australian Treatment Outcome Study (ATOS). <i>Drug and Alcohol Review</i> , 2005, 24, 425-432.	2.1	67
252	The characteristics of heroin users entering treatment: findings from the Australian Treatment Outcome Study (ATOS). <i>Drug and Alcohol Review</i> , 2005, 24, 411-418.	2.1	204

#	ARTICLE	IF	CITATIONS
253	The impact of comorbid anxiety and depression on alcohol treatment outcomes. <i>Addiction</i> , 2005, 100, 787-796.	3.3	155
254	The impact of borderline personality disorder on 12-month outcomes for the treatment of heroin dependence. <i>Addiction</i> , 2005, 100, 1121-1130.	3.3	51
255	The efficacy of compliance therapy in pharmacotherapy for alcohol dependence: a randomized controlled trial.. <i>Journal of Studies on Alcohol and Drugs</i> , 2005, 66, 833-841.	2.3	31
256	The Costs and Outcomes of Treatment for Opioid Dependence Associated With Posttraumatic Stress Disorder. <i>Psychiatric Services</i> , 2005, 56, 940-945.	2.0	57
257	Factors associated with 12 months continuous heroin abstinence: findings from the Australian Treatment Outcome Study (ATOS). <i>Journal of Substance Abuse Treatment</i> , 2005, 28, 255-263.	2.8	76
258	Post-traumatic stress disorder among people with heroin dependence in the Australian treatment outcome study (ATOS): prevalence and correlates. <i>Drug and Alcohol Dependence</i> , 2005, 77, 243-249.	3.2	147
259	Attempted suicide among heroin users: 12-month outcomes from the Australian Treatment Outcome Study (ATOS). <i>Drug and Alcohol Dependence</i> , 2005, 78, 177-186.	3.2	54
260	Depression among entrants to treatment for heroin dependence in the Australian Treatment Outcome Study (ATOS): prevalence, correlates and treatment seeking. <i>Drug and Alcohol Dependence</i> , 2005, 78, 309-315.	3.2	101
261	Psychiatric Disorders in Homeless Men and Women in Inner Sydney. <i>Australian and New Zealand Journal of Psychiatry</i> , 2004, 38, 162-168.	2.3	56
262	Cannabis and psychosis: extending the debate. <i>Addiction</i> , 2004, 99, 1352-1353.	3.3	1
263	Non-injecting routes of administration among entrants to three treatment modalities for heroin dependence. <i>Drug and Alcohol Review</i> , 2004, 23, 177-183.	2.1	30
264	Cannabis use and psychotic disorders: an update. <i>Drug and Alcohol Review</i> , 2004, 23, 433-443.	2.1	88
265	Attempted suicide among entrants to three treatment modalities for heroin dependence in the Australian Treatment Outcome Study (ATOS): prevalence and risk factors. <i>Drug and Alcohol Dependence</i> , 2004, 73, 1-10.	3.2	115
266	Borderline personality disorder, antisocial personality disorder and risk-taking among heroin users: findings from the Australian Treatment Outcome Study (ATOS). <i>Drug and Alcohol Dependence</i> , 2004, 74, 77-83.	3.2	96
267	Young people with heroin dependence: Findings from the Australian Treatment Outcome Study (ATOS). <i>Journal of Substance Abuse Treatment</i> , 2004, 27, 67-73.	2.8	48
268	Health service utilization and benzodiazepine use among heroin users: findings from the Australian Treatment Outcome Study (ATOS). <i>Addiction</i> , 2003, 98, 1129-1135.	3.3	80
269	Alcohol and Other Drug Use Disorders Among Homeless People in Australia. <i>Substance Use and Misuse</i> , 2003, 38, 463-474.	1.4	30
270	Schizophrenia among homeless people in inner-Sydney: Current prevalence and historical trends. <i>Journal of Mental Health</i> , 2003, 12, 51-57.	1.9	3

#	ARTICLE	IF	CITATIONS
271	Alcohol use disorders comorbid with anxiety, depression and drug use disorders. <i>Drug and Alcohol Dependence</i> , 2002, 68, 299-307.	3.2	294
272	The structure of cannabis dependence in the community. <i>Drug and Alcohol Dependence</i> , 2002, 68, 255-262.	3.2	81
273	Who seeks treatment for alcohol dependence?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2002, 37, 451-456.	3.1	53
274	Substance use disorders in an Australian community survey. <i>Drug and Alcohol Review</i> , 2002, 21, 275-280.	2.1	6
275	Characteristics of DSM-IV and ICD-10 cannabis dependence among Australian adults: results from the National Survey of Mental Health and Wellbeing. <i>Drug and Alcohol Dependence</i> , 2001, 63, 147-153.	3.2	71
276	Cannabis use and dependence among Australian adults: results from the National Survey of Mental Health and Wellbeing. <i>Addiction</i> , 2001, 96, 737-748.	3.3	109
277	Does Case Management Work? The Evidence and the Abuse of Evidence-Based Medicine. <i>Australian and New Zealand Journal of Psychiatry</i> , 2001, 35, 731-746.	2.3	65
278	Alcohol- and Drug-Use Disorders in Australia: Implications of the National Survey of Mental Health and Wellbeing. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000, 34, 206-213.	2.3	193
279	Measuring Disability, Need and Outcome in Australian Community Mental Health Services. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000, 34, 850-855.	2.3	29
280	Measurement of Need for Care: A Trial of the Camberwell Assessment of Need and the Health of the Nation Outcome Scales. <i>Australian and New Zealand Journal of Psychiatry</i> , 1999, 33, 754-759.	2.3	60
281	The 12-month prevalence of substance use and ICD-10 substance use disorders in Australian adults: findings from the National Survey of Mental Health and Well-Being. <i>Addiction</i> , 1999, 94, 1541-1550.	3.3	145
282	Evaluation of a treatment programme for serious mental illness and substance use in an inner city area. <i>Journal of Mental Health</i> , 1999, 8, 19-28.	1.9	16
283	Intensive Case Management: A Cost-Effectiveness Analysis. <i>Australian and New Zealand Journal of Psychiatry</i> , 1998, 32, 551-559.	2.3	25
284	Smart versus dumb treatment: services for mental disorders. <i>Current Opinion in Psychiatry</i> , 1994, 7, 181-185.	6.3	18
285	Prevalence of Schizophrenia among Women in Refuges for the Homeless. <i>Australian and New Zealand Journal of Psychiatry</i> , 1993, 27, 405-410.	2.3	14
286	Mobile community treatment in inner city and suburban Sydney. <i>Psychiatric Quarterly</i> , 1992, 63, 119-127.	2.1	21
287	Follow-up of Community Placement of the Chronic Mentally Ill in New South Wales. <i>Psychiatric Services</i> , 1990, 41, 184-188.	2.0	10
288	Prevalence of schizophrenia in a refuge for homeless men: a five year follow-up. <i>Psychiatric Bulletin</i> , 1990, 14, 597-600.	0.3	19

#	ARTICLE	IF	CITATIONS
289	Substance Use and Mental Health in Longitudinal Perspective. , 0, , 43-51.		20
290	Effectiveness of online training for improving knowledge, attitudes, and confidence of alcohol and other drug workers in relation to co-occurring mental health conditions. Drugs: Education, Prevention and Policy, 0, , 1-9.	1.3	1
291	Binging, Boozing, and the Teenage Brain. Frontiers for Young Minds, 0, 8, .	0.8	0