Maryam Mirlohi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10885185/publications.pdf

Version: 2024-02-01

		777949	651938
33	750	13	25
papers	citations	h-index	g-index
34	34	34	1275
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	Effect of Face-to-Face Education on Knowledge, Attitudes, and Practices Toward "Traffic Light―Food Labeling in Isfahan Society, Iran. International Quarterly of Community Health Education, 2021, 41, 275-284.	0.4	6
2	Effects of probiotic soy milk fermented by lactobacillus plantarum A7 (KC 355240) added with Cuminum Cyminum essential oil on fasting blood glucose levels, serum lipid profile and body weight in diabetic Wistar rats. International Journal of Preventive Medicine, 2020, 11, 8.	0.2	13
3	Occurrence of Tetracycline Residue in Table Eggs and Genotoxic Effects of Raw and Heated Contaminated Egg Yolks on Hepatic Cells. Iranian Journal of Public Health, 2020, 49, 1355-1363.	0.3	2
4	Probiotic Soy Milk Consumption and Renal Function Among Type 2 Diabetic Patients with Nephropathy: a Randomized Controlled Clinical Trial. Probiotics and Antimicrobial Proteins, 2019, 11, 124-132.	1.9	41
5	Nutritional and social consequences of cheating trout distribution instead of salmon fish. International Journal of Preventive Medicine, 2019, 10, 209.	0.2	1
6	The Impact of Probiotic Soy Milk Consumption on Oxidative Stress Among Type 2 Diabetic Kidney Disease Patients: A Randomized Controlled Clinical Trial., 2017, 27, 317-324.		71
7	Antioxidant Capability of Ultra-high Temperature Milk and Ultra-high Temperature Soy Milk and their Fermented Products Determined by Four Distinct Spectrophotometric Methods. Advanced Biomedical Research, 2017, 6, 62.	0.2	8
8	Comparison of Energy and Nutrient Contents of Commercial and Noncommercial Enteral Nutrition Solutions. Advanced Biomedical Research, 2017, 6, 131.	0.2	8
9	Kidney Function Improvement by Soy Milk Containing Lactobacillus plantarum A7 in Type 2 Diabetic Patients With Nephropathy: a Double-Blinded Randomized Controlled Trial. Iranian Journal of Kidney Diseases, 2017, 11, 36-43.	0.1	20
10	Evaluation of Response Surface Methodology to Predict Optimum Growth Conditions for Lactobacillus plantarum A7 (KC 355240) in Probiotic Soy Milk Containing Essential Oil of Cuminum cyminum. Recent Patents on Food, Nutrition & Egriculture, 2016, 8, 132-137.	0.5	4
11	Factors affecting tea consumption pattern in an urban society in Isfahan, Iran. Journal of Education and Health Promotion, 2016, 5, 13.	0.3	12
12	The effect of neutral oligosaccharides on fecal microbiota in premature infants fed exclusively with breast milk: A randomized clinical trial. Journal of Research in Pharmacy Practice, 2016, 5, 27.	0.2	13
13	Protective role of Lactobacillus plantarum A7 against irinotecan-induced genotoxicity. Avicenna Journal of Phytomedicine, 2016, 6, 329-35.	0.1	1
14	Dietary exposure to tetracycline residues through milk consumption in Iran. Journal of Environmental Health Science & Engineering, 2015, 13, 80.	1.4	41
15	Exposure assessment of Bisphenol A intake from polymeric baby bottles in formula-fed infants aged less than one year. Toxicology Reports, 2015, 2, 1273-1280.	1.6	14
16	A randomized, double-blind, placebo-controlled, clinical trial on probiotic soy milk and soy milk: effects on epigenetics and oxidative stress in patients with type II diabetes. Genes and Nutrition, 2015, 10, 52.	1.2	48
17	Isolation of toxigenic Clostridium difficile from ready-to-eat salads by multiplex polymerase chain reaction in Isfahan, Iran. Advanced Biomedical Research, 2015, 4, 87.	0.2	14
18	The influence of impact delivery mode, lactation time, infant gender, maternal age and rural or urban life on total number of Lactobacillus in breast milk Isfahan - Iran. Advanced Biomedical Research, 2015, 4, 141.	0.2	11

#	Article	IF	CITATIONS
19	The effect of probiotic soy milk and soy milk on anthropometric measures and blood pressure in patients with type II diabetes mellitus: A randomized double-blind clinical trial. ARYA Atherosclerosis, 2015, 11, 74-80.	0.4	28
20	Comparison of soymilk and probiotic soymilk effects on serum high-density lipoprotein cholesterol and low-density lipoprotein cholesterol in diabetic Wistar rats. ARYA Atherosclerosis, 2015, 11, 88-93.	0.4	10
21	Microbial and physiochemical changes in yoghurts containing different <i><scp>L</scp>actobacillus delbrueckii</i> subsp <i> bulgaricus</i> strains in association with <i><scp>L</scp>actobacillus plantarum</i> as an adjunct culture. International Journal of Dairy Technology, 2014, 67, 246-254.	1.3	11
22	Determination of antibiotic consumption index for animal originated foods produced in animal husbandry in Iran, 2010. Journal of Environmental Health Science & Engineering, 2014, 12, 42.	1.4	32
23	A randomized triple-masked controlled trial on the effects of synbiotics on inflammation markers in overweight children. Jornal De Pediatria (Versão Em Portuguòs), 2014, 90, 161-168.	0.2	0
24	A randomized triple-masked controlled trial on the effects of synbiotics on inflammation markers in overweight children. Jornal De Pediatria, 2014, 90, 161-168.	0.9	30
25	A Systematic Review on Exposure to Toxic and Essential Elements through Black Tea Consumption in Iran: Could It be a Major Risk for Human Health?. International Journal of Preventive Medicine, 2014, 5, 1351-9.	0.2	5
26	The Effect of Neutral Oligosaccharides on Reducing the Incidence of Necrotizing Enterocolitis in Preterm infants: A Randomized Clinical Trial. International Journal of Preventive Medicine, 2014, 5, 1387-95.	0.2	29
27	Effects of Lactobacillus plantarum A7 with probiotic potential on colon cancer and normal cells proliferation in comparison with a commercial strain. Iranian Journal of Basic Medical Sciences, 2014, 17, 815-9.	1.0	48
28	The effects of synbiotic supplementation on some cardio-metabolic risk factors in overweight and obese children: a randomized triple-masked controlled trial. International Journal of Food Sciences and Nutrition, 2013, 64, 687-693.	1.3	86
29	Soy Milk Consumption and Blood Pressure Among Type 2 Diabetic Patients With Nephropathy. , 2013, 23, 277-282.e1.		30
30	Preliminary estimation of infantile exposure to BPA based on the standard quality of baby bottles distributed in Isfahan urban society. International Journal of Environmental Health Engineering, 2013, 2, 23.	0.4	3
31	Prevalence of antibiotic residues in commercial milk and its variation by season and thermal processing methods. International Journal of Environmental Health Engineering, 2013, 2, 41.	0.4	20
32	Simultaneous Determination of Sodium Benzoate, Potassium Sorbate and Natamycin Content in Iranian Yoghurt Drink (Doogh) and the Associated Risk of Their Intake through Doogh Consumption. Iranian Journal of Public Health, 2013, 42, 915-20.	0.3	14
33	Soy Milk Consumption, Inflammation, Coagulation, and Oxidative Stress Among Type 2 Diabetic Patients With Nephropathy. Diabetes Care, 2012, 35, 1981-1985.	4.3	76