

R Madhavi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10885722/publications.pdf>

Version: 2024-02-01

52

papers

702

citations

567281

15

h-index

610901

24

g-index

52

all docs

52

docs citations

52

times ranked

495

citing authors

#	ARTICLE	IF	CITATIONS
1	Community ecology of the metazoan parasites of the Indian mackerel <i>Rastrelliger kanagurta</i> (Scombridae) from the coast of Visakhapatnam, Bay of Bengal. <i>Journal of Parasitic Diseases</i> , 2012, 36, 165-170.	1.0	5
2	Checklist of digenetic trematodes reported from Indian marine fishes. <i>Systematic Parasitology</i> , 2011, 78, 163-232.	1.1	14
3	Metazoan parasites of the Indian mackerel, <i>Rastrelliger kanagurta</i> (Scombridae) of Visakhapatnam coast, Bay of Bengal. <i>Journal of Parasitic Diseases</i> , 2011, 35, 66-74.	1.0	9
4	A new monorchiid trematode, <i>Paramonorchides selaris</i> n. sp., from the carangid fish <i>Selar crumenophthalmus</i> in the Bay of Bengal off the Visakhapatnam coast of India. <i>Systematic Parasitology</i> , 2009, 73, 135-139.	1.1	2
5	Family Monorchiidae Odhner, 1911.., 2008, , 145-175.		23
6	Characterization of <i>Vibrio</i> spp. Associated with Diseased Shrimp from Culture Ponds of Andhra Pradesh (India). <i>Journal of the World Aquaculture Society</i> , 2006, 37, 523-532.	2.4	137
7	Epibionts and parasites of <i>Macrobrachium rosenbergii</i> and <i>Metapenaeus dobsoni</i> from Gosthani estuary. <i>Journal of Natural History</i> , 2001, 35, 157-167.	0.5	26
8	Community structure of helminth parasites of the tuna, < i>Euthynnus affinis</i>, from the Visakhapatnam coast, Bay of Bengal. <i>Journal of Helminthology</i> , 2000, 74, 337-342.	1.0	26
9	A population study of the dicrocoeliid trematode <i>Paradistomum orientalis</i> in the garden lizard <i>Calotes versicolor</i> . <i>Journal of Zoology</i> , 1998, 244, 489-496.	1.7	3
10	<i>Euclinostomum heterostomum</i> (Rudolphi, 1809) (Trematoda): life-cycle, growth and development of the metacercaria and adult. <i>Systematic Parasitology</i> , 1997, 38, 51-64.	1.1	23
11	Some new and known species of the genus <i>Didymocystis</i> Ariola, 1902 (Trematoda: Didymozoidae) from scombrid fishes of the Visakhapatnam coast, Bay of Bengal. <i>Systematic Parasitology</i> , 1995, 31, 11-24.	1.1	9
12	Observations on the life cycle of <i>Gryloma indica</i> n.sp. (Trematoda: Psilostomidae). <i>Journal of Helminthology</i> , 1995, 69, 363-366.	1.0	3
13	The miracidium of < i>Transversotrema patialense</i> (Soparkar, 1924). <i>Journal of Helminthology</i> , 1994, 68, 49-51.	1.0	3
14	The life-cycle of <i>Helicometra gibsoni</i> n. sp. (Digenetia: Opecoelidae). <i>Systematic Parasitology</i> , 1993, 25, 63-72.	1.1	16
15	Cercariae and metacercariae of <i>Stephanostomum cloacum</i> (Trematoda: Acanthocolpidae). <i>International Journal for Parasitology</i> , 1993, 23, 341-347.	3.1	10
16	The effects of crowding on adults of <i>Philophthalmus nocturnus</i> grown in domestic chicks. <i>Journal of Helminthology</i> , 1992, 66, 255-259.	1.0	1
17	Growth, development and allometry of <i>Philophthalmus nocturnus</i> in the eyes of domestic chicks. <i>Journal of Helminthology</i> , 1992, 66, 100-107.	1.0	5
18	Population biology of the metacercariae of <i>Centrocestus formosanus</i> (Trematoda: Heterophyidae) on the gills of <i>Aplocheilus panchax</i> . <i>Journal of Zoology</i> , 1991, 223, 509-520.	1.7	16

#	ARTICLE	IF	CITATIONS
19	Observations on the life-cycles of two haploporid trematodes, <i>Carassotrema bengalense</i> Rekharani & Madhavi, 1985 and <i>Saccocoelioides martini</i> Madhavi, 1979. <i>Systematic Parasitology</i> , 1991, 20, 97-107.	1.1	8
20	Comparison of digenean faunas of sillaginid fishes from inshore and offshore waters of Visakhapatnam Coast, Bay of Bengal. <i>Journal of Fish Biology</i> , 1990, 36, 693-699.	1.6	6
21	Egg and Miracidium of <i>Hirudinella ventricosa</i> (Trematoda: Hirudinellidae). <i>Journal of Parasitology</i> , 1990, 76, 748.	0.7	3
22	Cercaria chilkaensis No. 1, a new cystophorous cercaria from the snail <i>Stenothyra blanfordiana</i> from Chilka lake, India. <i>Journal of Natural History</i> , 1990, 24, 261-270.	0.5	2
23	Egg and miracidium of <i>Hirudinella ventricosa</i> (Trematoda: Hirudinellidae). <i>Journal of Parasitology</i> , 1990, 76, 748-9.	0.7	2
24	Growth and development of <i>Pleurogenoides orientalis</i> (Srivastava, 1934) (Trematoda:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 542 Td (Leed) 3	1.1	
25	The morphology, life-history and systematic position of <i>Haplorchoides mehrai</i> Pande & Shukla, 1976 (Trematoda: Heterophyidae). <i>Systematic Parasitology</i> , 1988, 11, 73-83.	1.1	7
26	Chromosomes of <i>Atrophecaecum Burminis</i> (Bhalerao, 1926) (Trematoda: Acanthostomidae). <i>Caryologia</i> , 1988, 41, 341-346.	0.3	1
27	First report of <i>Galactosomum ussuricense</i> Oshmarin, 1963 (Trematoda: Heterophyidae) from the shore birds of Visakhapatnam, India. <i>Journal of Helminthology</i> , 1988, 62, 233-234.	1.0	1
28	The life history of <i>Pleurogenoides orientalis</i> (Srivastava, 1934) (Trematoda: Lecithodendriidae). <i>Zeitschrift fÃ¼r Parasitenkunde</i> (Berlin, Germany), 1987, 73, 41-45.	0.8	11
29	Distribution of metacercariae of <i>Centrocestus formosanus</i> (Trematoda: Heterophyidae) on the gills of <i>Apocheilus panchax</i> . <i>Journal of Fish Biology</i> , 1986, 29, 685-690.	1.6	19
30	The cercaria and metacercaria of <i>Galactosomum ussuricense</i> Oshmarin, 1963 (Trematoda:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302 Td 7	1.0	
31	Variability in the susceptibility of the fish host, <i>Poecilia reticulata</i> , to infection with <i>Cyrodactylus bullatarudis</i> (Monogenea). <i>Parasitology</i> , 1985, 91, 531-544.	1.5	69
32	Digenetic trematodes from mullets of Visakhapatnam (India). <i>Journal of Natural History</i> , 1985, 19, 929-951.	0.5	25
33	Cytological investigations on two species of allocereiid trematodes with special reference to the occurrence of triploidy and parthenogenesis in <i>Allocereidium fasciatum</i> . <i>International Journal for Parasitology</i> , 1984, 14, 309-316.	3.1	8
34	Metacercaria of <i>Galactosomum ussuricense</i> Oshmarin, 1963 (Trematoda: Heterophyidae) from brackish water fishes of Bheemunipatnam (India). <i>Journal of Helminthology</i> , 1983, 57, 91-94.	1.0	4
35	Didymozoid trematodes (including new genera and species) from marine fishes of the Waltair coast, Bay of Bengal. <i>Systematic Parasitology</i> , 1982, 4, 99-124.	1.1	16
36	Life history of <i>Allocereidium handiae</i> Pande, 1937 (Trematoda: Allocereidiidae) from the freshwater fish <i>Channa punctata</i> Bloch. <i>Zeitschrift fÃ¼r Parasitenkunde</i> (Berlin, Germany), 1980, 63, 89-97.	0.8	7

#	ARTICLE	IF	CITATIONS
37	Comparison of the parasitic fauna of <i>Aplocheilus panchax</i> and <i>A. melastigma</i> . <i>Journal of Fish Biology</i> , 1980, 17, 349-358.	1.6	10
38	Observations on the occurrence of <i>< i>Allocreadium fasciatusi</i></i> in <i>< i>Aplocheilus melastigma</i></i> . <i>Journal of Fish Biology</i> , 1979, 14, 47-58.	1.6	12
39	Life history of <i>< i>Allocreadium fasciatusi</i></i> Kakaji, 1969 (Trematoda: Allocreadiidae) from the freshwater fish <i>< i>Aplocheilus melastigma</i></i> McClelland. <i>Journal of Helminthology</i> , 1978, 52, 51-59.	1.0	13
40	Life history of <i>Genarchopsis goppo</i> Ozaki, 1925 (Trematoda: Hemiuridae) from the freshwater fish <i>Channa punctata</i> . <i>Journal of Helminthology</i> , 1978, 52, 251-259.	1.0	15
41	Studies on two new species of Microsporida hyperparasitic in adult <i>Allocreadium fasciatusi</i> (Trematoda, Allocreadiidae). <i>Parasitology</i> , 1977, 75, 293-300.	1.5	19
42	Miracidium of <i>Allocreadium fasciatusi</i> Kakaji 1969 (Trematoda: Allocreadiidae). <i>Journal of Parasitology</i> , 1976, 62, 410.	0.7	6
43	Miracidium of <i>Allocreadium fasciatusi</i> Kakaji 1969 (Trematoda: Allocreadiidae). <i>Journal of Parasitology</i> , 1976, 62, 410-2.	0.7	2
44	Digenetic Trematodes from Marine Fishes of Waltair Coast, Bay of Bengal. I. Family Lepocreadiidae. <i>Journal of Parasitology</i> , 1972, 58, 217.	0.7	15
45	Digenetic trematodes from marine fishes of Waltair coast, Bay of Bengal. I. Family Lepocreadiidae. <i>Journal of Parasitology</i> , 1972, 58, 217-25.	0.7	5
46	<i>Orchisprium heterovitellatum</i> : Chemical nature of the eggshell. <i>Experimental Parasitology</i> , 1971, 30, 345-348.	1.2	11
47	Keratin in the Egg Shells of Amphistomes; Histochemical Differentiation from Quinonetanned Protein in Other Trematoda. <i>Biotechnic & Histochemistry</i> , 1971, 46, 105-109.	0.4	5
48	Redescription and Systematic Position of <i>Echeneidocoelium indicum</i> Simha and Pershad, 1964 (Trematoda: Digenea) from the Sucker Fish <i>Echeneis naucrates</i> . <i>Journal of Parasitology</i> , 1970, 56, 317.	0.7	3
49	<i>Orchisprium heterovitellatum</i> gen. et sp. n. (Trematoda: Sanguinicolaidea) from the Ray Fish, <i>Dasyatis imbricatus</i> Day, from Bay of Bengal. <i>Journal of Parasitology</i> , 1970, 56, 41.	0.7	18
50	<i>Diplodiscus mehrai</i> : Chemical nature of eggshell. <i>Experimental Parasitology</i> , 1968, 23, 392-397.	1.2	17
51	A Didymozoid Metacercaria from the Copepod, <i>Paracalanus aculeatus</i> Giesbrecht, from Bay of Bengal. <i>Journal of Parasitology</i> , 1968, 54, 629.	0.7	10
52	Egg-shell in paramphistomatidae (Trematoda: Digenea). <i>Experientia</i> , 1966, 22, 93-94.	1.2	11