
Xiang-Zhou Meng

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10885923/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Identification of industrial sewage sludge based on heavy metal profiles: a case study of printing and dyeing industry. Environmental Science and Pollution Research, 2022, 29, 12377-12386.	2.7	10
2	Comparative meta-analysis of organic contaminants in sewage sludge from the United States and China. Science of the Total Environment, 2022, 821, 153423.	3.9	16
3	Impact of Ex-Closure in above and below Ground Carbon Stock Biomass. Forests, 2021, 12, 130.	0.9	8
4	Exploring the genotoxicity triggers in the MP UV/H2O2-chloramination treatment of bisphenol A through bioassay coupled with non-targeted analysis. Science of the Total Environment, 2021, 769, 145218.	3.9	2
5	Occurrence of organophosphate esters in surface water and sediment in drinking water source of Xiangjiang River, China. Science of the Total Environment, 2021, 781, 146734.	3.9	42
6	Application of Hi-throat/Hi-volume SPE technique in analyzing occurrence, influencing factors and human health risk of organophosphate esters (OPEs) in drinking water of China. Journal of Environmental Management, 2021, 291, 112714.	3.8	19
7	Formation of nitrogenous disinfection byproducts in MP UV-based water treatments of natural organic matters: The role of nitrate. Water Research, 2021, 204, 117583.	5.3	17
8	Occurrence of currently used organochlorine pesticides in the drinking water of Yangtze River Delta urban agglomeration, China. Journal of Hazardous Materials Advances, 2021, 4, 100019.	1.2	3
9	Occurrence of seventy-nine SVOCs in tapwater of China based on high throughput organic analysis testing combined with high volume solid phase extraction. Chemosphere, 2020, 256, 127136.	4.2	31
10	Persistence of antibiotic resistance genes from river water to tap water in the Yangtze River Delta. Science of the Total Environment, 2020, 742, 140592.	3.9	39
11	Spatial Distributions and Seasonal Changes of Currentâ€Use Pesticides from the North Pacific to the Arctic Oceans. Journal of Geophysical Research D: Atmospheres, 2019, 124, 9716-9729.	1.2	42
12	Short-chain chlorinated paraffins in fish from two developed regions of China: Occurrence, influencing factors and implication for human exposure via consumption. Chemosphere, 2019, 236, 124317.	4.2	17
13	Optimizing sampling strategy for Chinese National Sewage Sludge Survey (CNSSS) based on urban agglomeration, wastewater treatment process, and treatment capacity. Science of the Total Environment, 2019, 696, 133998.	3.9	16
14	Nationwide reconnaissance of five parabens, triclosan, triclocarban and its transformation products in sewage sludge from China. Journal of Hazardous Materials, 2019, 365, 502-510.	6.5	77
15	Comparing and modeling sedimentary profiles of elemental carbon and polycyclic aromatic hydrocarbons between early- and newly-urbanized areas in Shanghai. Environmental Pollution, 2019, 244, 971-979.	3.7	14
16	Modeling and evaluating spatial variation of polycyclic aromatic hydrocarbons in urban lake surface sediments in Shanghai. Environmental Pollution, 2018, 235, 1-10.	3.7	44
17	Usage, residue, and human health risk of antibiotics in Chinese aquaculture: A review. Environmental Pollution, 2017, 223, 161-169.	3.7	649
18	Tracking human footprints in Antarctica through passive sampling of polycyclic aromatic hydrocarbons in inland lakes. Environmental Pollution, 2016, 213, 412-419.	3.7	26

XIANG-ZHOU MENG

#	Article	IF	CITATIONS
19	Organic Contaminants in Chinese Sewage Sludge: A Meta-Analysis of the Literature of the Past 30 Years. Environmental Science & Technology, 2016, 50, 5454-5466.	4.6	139
20	Tracking aquaculture-derived fluoroquinolones in a mangrove wetland, South China. Environmental Pollution, 2016, 219, 916-923.	3.7	18
21	An extended study on historical mercury accumulation in lake sediment of Shanghai: The contribution of socioeconomic driver. Environmental Pollution, 2016, 219, 612-619.	3.7	9
22	Characterizing distribution, sources, and potential health risk of polybrominated diphenyl ethers (PBDEs) in office environment. Environmental Pollution, 2015, 198, 25-31.	3.7	42
23	Occurrence of hexabromocyclododecane (HBCD) in sewage sludge from Shanghai: Implications for source and environmental burden. Chemosphere, 2015, 118, 207-212.	4.2	25
24	Mercury distribution in sediment along urban–rural gradient around Shanghai (China): implication for pollution history. Environmental Science and Pollution Research, 2015, 22, 1697-1704.	2.7	9
25	Novel flame retardants (N-FRs), polybrominated diphenyl ethers (PBDEs) and dioxin-like polychlorinated biphenyls (DL-PCBs) in fish, penguin, and skua from King George Island, Antarctica. Marine Pollution Bulletin, 2015, 96, 513-518.	2.3	47
26	Exploring the bioaccessibility of polybrominated diphenyl ethers (PBDEs) in sewage sludge. Environmental Pollution, 2015, 207, 1-5.	3.7	8
27	Historical development and future perspectives of Environmental Specimen Bank in China: a mini review. Environmental Science and Pollution Research, 2015, 22, 1562-1567.	2.7	1
28	Polybrominated Diphenyl Ethers (PBDEs) in PM2.5, PM10, TSP and Gas Phase in Office Environment in Shanghai, China: Occurrence and Human Exposure. PLoS ONE, 2015, 10, e0119144.	1.1	18
29	Comprehensive risk assessment of heavy metals in lake sediment from public parks in Shanghai. Ecotoxicology and Environmental Safety, 2014, 102, 129-135.	2.9	126
30	Spatial distributions and sources of heavy metals in sediment from public park in Shanghai, the Yangtze River Delta. Applied Geochemistry, 2014, 44, 54-60.	1.4	41
31	Flow of sewage sludge-borne phthalate esters (PAEs) from human release to human intake: Implication for risk assessment of sludge applied to soil. Science of the Total Environment, 2014, 476-477, 242-249.	3.9	117
32	Polybrominated diphenyl ethers in e-waste: Level and transfer in a typical e-waste recycling site in Shanghai, Eastern China. Waste Management, 2014, 34, 1059-1065.	3.7	51
33	Occurrence and human health risk of wastewater–derived pharmaceuticals in a drinking water source for Shanghai, East China. Science of the Total Environment, 2014, 490, 987-993.	3.9	60
34	Polybrominated diphenyl ethers (PBDEs) and dechlorane plus (DP) in a conventional wastewater treatment plant (WWTP) in Shanghai: Seasonal variations and potential sources. Science of the Total Environment, 2014, 487, 342-349.	3.9	39
35	Multi-phase partitioning, ecological risk and fate of acidic pharmaceuticals in a wastewater receiving river: The role of colloids. Science of the Total Environment, 2013, 447, 267-273.	3.9	47
36	Acidic pharmaceuticals in domestic wastewater and receiving water from hyper-urbanization city of China (Shanghai): environmental release and ecological risk. Environmental Science and Pollution Research, 2013, 20, 108-116.	2.7	36

XIANG-ZHOU MENG

#	Article	IF	CITATIONS
37	Polybrominated diphenyl ethers (PBDEs) in a conventional wastewater treatment plant (WWTP) from Shanghai, the Yangtze River Delta: Implication for input source and mass loading. Science of the Total Environment, 2013, 461-462, 391-396.	3.9	41
38	Exposure Levels of Environmental Endocrine Disruptors in Mother-Newborn Pairs in China and Their Placental Transfer Characteristics. PLoS ONE, 2013, 8, e62526.	1.1	79
39	Distribution and air–sea exchange of organochlorine pesticides in the North Pacific and the Arctic. Journal of Geophysical Research, 2012, 117, .	3.3	30
40	Hexabromocyclododecane in consumer fish from South China: Implications for human exposure via dietary intake. Environmental Toxicology and Chemistry, 2012, 31, 1424-1430.	2.2	33
41	Short- and long-chain perfluorinated acids in sewage sludge from Shanghai, China. Chemosphere, 2012, 88, 1300-1305.	4.2	64
42	Occurrence, sources, and inventory of hexabromocyclododecanes (HBCDs) in soils from Chongming Island, the Yangtze River Delta (YRD). Chemosphere, 2011, 82, 725-731.	4.2	51
43	Occurrence of polybrominated diphenyl ethers in soil from the central Loess Plateau, China: Role of regional range atmospheric transport. Chemosphere, 2011, 83, 1391-1397.	4.2	20
44	Polybrominated diphenyl ethers in sewage sludge from Shanghai, China: Possible ecological risk applied to agricultural land. Chemosphere, 2011, 85, 418-423.	4.2	66
45	Human Exposure to PBDEs Via House Dust Ingestion in Guangzhou, South China. Archives of Environmental Contamination and Toxicology, 2011, 60, 556-564.	2.1	29
46	Polybrominated diphenyl ethers in background surface soils from the Yangtze River Delta (YRD), China: occurrence, sources, and inventory. Environmental Science and Pollution Research, 2010, 17, 948-956.	2.7	54
47	Occurrence and Fate of 1-Chloro-2,2-bis(4-chlorophenyl)ethene in the Environment of the Pearl River Delta, South China. Environmental Science & Technology, 2009, 43, 3073-3079.	4.6	19
48	Enantiomeric Signatures of Chiral Organochlorine Pesticides in Consumer Fish from South China. Journal of Agricultural and Food Chemistry, 2009, 57, 4299-4304.	2.4	19
49	Polybrominated diphenyl ethers in pinnipeds stranded along the southern California coast. Environmental Pollution, 2009, 157, 2731-2736.	3.7	35
50	Congenerâ€specific distribution of polybrominated diphenyl ethers in fish of China: Implication for input sources. Environmental Toxicology and Chemistry, 2008, 27, 67-72.	2.2	58
51	DISTRIBUTION OF POLYBROMINATED DIPHENYL ETHERS IN FISH TISSUES FROM THE PEARL RIVER DELTA, CHINA: LEVELS, COMPOSITIONS, AND POTENTIAL SOURCES. Environmental Toxicology and Chemistry, 2008, 27, 576.	2.2	33
52	Tissue distribution of organochlorine pesticides in fish collected from the Pearl River Delta, China: Implications for fishery input source and bioaccumulation. Environmental Pollution, 2008, 155, 150-156.	3.7	82
53	Assessment of Human Exposure to Polybrominated Diphenyl Ethers in China via Fish Consumption and Inhalation. Environmental Science & Technology, 2007, 41, 4882-4887.	4.6	103
54	Persistent Halogenated Hydrocarbons in Consumer Fish of China: Regional and Global Implications for Human Exposure. Environmental Science & Technology, 2007, 41, 1821-1827.	4.6	134