Meena Kumari

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10886726/publications.pdf

Version: 2024-02-01

226 papers 46,339 citations

89 h-index 201 g-index

243 all docs 243 docs citations

times ranked

243

50705 citing authors

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Genetic studies of body mass index yield new insights for obesity biology. Nature, 2015, 518, 197-206. | 27.8 | 3,823 |
| 2 | Discovery and refinement of loci associated with lipid levels. Nature Genetics, 2013, 45, 1274-1283. | 21.4 | 2,641 |
| 3 | New genetic loci implicated in fasting glucose homeostasis and their impact on type 2 diabetes risk. Nature Genetics, 2010, 42, 105-116. | 21.4 | 1,982 |
| 4 | Genetic variants in novel pathways influence blood pressure and cardiovascular disease risk. Nature, 2011, 478, 103-109. | 27.8 | 1,855 |
| 5 | Gene discovery and polygenic prediction from a genome-wide association study of educational attainment in 1.1 million individuals. Nature Genetics, 2018, 50, 1112-1121. | 21.4 | 1,835 |
| 6 | Defining the role of common variation in the genomic and biological architecture of adult human height. Nature Genetics, 2014, 46, 1173-1186. | 21.4 | 1,818 |
| 7 | Inflammation, obesity, stress and coronary heart disease: is interleukin-6 the link?. Atherosclerosis, 2000, 148, 209-214. | 0.8 | 1,611 |
| 8 | New genetic loci link adipose and insulin biology to body fat distribution. Nature, 2015, 518, 187-196. | 27.8 | 1,328 |
| 9 | The interleukin-6 receptor as a target for prevention of coronary heart disease: a mendelian randomisation analysis. Lancet, The, 2012, 379, 1214-1224. | 13.7 | 886 |
| 10 | Genetic variants associated with subjective well-being, depressive symptoms, and neuroticism identified through genome-wide analyses. Nature Genetics, 2016, 48, 624-633. | 21.4 | 870 |
| 11 | Job strain as a risk factor for coronary heart disease: a collaborative meta-analysis of individual participant data. Lancet, The, 2012, 380, 1491-1497. | 13.7 | 786 |
| 12 | A genome-wide approach accounting for body mass index identifies genetic variants influencing fasting glycemic traits and insulin resistance. Nature Genetics, 2012, 44, 659-669. | 21.4 | 762 |
| 13 | Common variants associated with plasma triglycerides and risk for coronary artery disease. Nature Genetics, 2013, 45, 1345-1352. | 21.4 | 754 |
| 14 | Large-scale association analyses identify new loci influencing glycemic traits and provide insight into the underlying biological pathways. Nature Genetics, 2012, 44, 991-1005. | 21.4 | 746 |
| 15 | Assessing salivary cortisol in large-scale, epidemiological research. Psychoneuroendocrinology, 2009, 34, 1423-1436. | 2.7 | 694 |
| 16 | Genetic variation in GIPR influences the glucose and insulin responses to an oral glucose challenge. Nature Genetics, 2010, 42, 142-148. | 21.4 | 591 |
| 17 | Genome-wide meta-analysis identifies 11 new loci for anthropometric traits and provides insights into genetic architecture. Nature Genetics, 2013, 45, 501-512. | 21.4 | 578 |
| 18 | Mendelian randomization of blood lipids for coronary heart disease. European Heart Journal, 2015, 36, 539-550. | 2.2 | 567 |

| # | Article | IF | Citations |
|----|---|------|-----------|
| 19 | HMG-coenzyme A reductase inhibition, type 2 diabetes, and bodyweight: evidence from genetic analysis and randomised trials. Lancet, The, 2015, 385, 351-361. | 13.7 | 562 |
| 20 | Genome-wide association analyses of risk tolerance and risky behaviors in over 1 million individuals identify hundreds of loci and shared genetic influences. Nature Genetics, 2019, 51, 245-257. | 21.4 | 536 |
| 21 | Long working hours and risk of coronary heart disease and stroke: a systematic review and meta-analysis of published and unpublished data for 603â€^838 individuals. Lancet, The, 2015, 386, 1739-1746. | 13.7 | 529 |
| 22 | Association between alcohol and cardiovascular disease: Mendelian randomisation analysis based on individual participant data. BMJ, The, 2014, 349, g4164-g4164. | 6.0 | 528 |
| 23 | Work stress and coronary heart disease: what are the mechanisms?. European Heart Journal, 2008, 29, 640-648. | 2.2 | 507 |
| 24 | Use of low-density lipoprotein cholesterol gene score to distinguish patients with polygenic and monogenic familial hypercholesterolaemia: a case-control study. Lancet, The, 2013, 381, 1293-1301. | 13.7 | 485 |
| 25 | Physical Activity Attenuates the Influence of FTO Variants on Obesity Risk: A Meta-Analysis of 218,166 Adults and 19,268 Children. PLoS Medicine, 2011, 8, e1001116. | 8.4 | 446 |
| 26 | A Prospective Study of Change in Sleep Duration: Associations with Mortality in the Whitehall II Cohort. Sleep, 2007, 30, 1659-1666. | 1.1 | 440 |
| 27 | Rare variant in scavenger receptor BI raises HDL cholesterol and increases risk of coronary heart disease. Science, 2016, 351, 1166-1171. | 12.6 | 438 |
| 28 | Gender-Specific Associations of Short Sleep Duration With Prevalent and Incident Hypertension. Hypertension, 2007, 50, 693-700. | 2.7 | 430 |
| 29 | Sex-stratified Genome-wide Association Studies Including 270,000 Individuals Show Sexual Dimorphism in Genetic Loci for Anthropometric Traits. PLoS Genetics, 2013, 9, e1003500. | 3.5 | 371 |
| 30 | The genetics of blood pressure regulation and its target organs from association studies in 342,415 individuals. Nature Genetics, 2016, 48, 1171-1184. | 21.4 | 362 |
| 31 | The power of genetic diversity in genome-wide association studies of lipids. Nature, 2021, 600, 675-679. | 27.8 | 353 |
| 32 | Impact of common genetic determinants of Hemoglobin A1c on type 2 diabetes risk and diagnosis in ancestrally diverse populations: A transethnic genome-wide meta-analysis. PLoS Medicine, 2017, 14, e1002383. | 8.4 | 341 |
| 33 | The trans-ancestral genomic architecture of glycemic traits. Nature Genetics, 2021, 53, 840-860. | 21.4 | 341 |
| 34 | The Influence of Age and Sex on Genetic Associations with Adult Body Size and Shape: A Large-Scale Genome-Wide Interaction Study. PLoS Genetics, 2015, 11, e1005378. | 3.5 | 331 |
| 35 | Association of vitamin D status with arterial blood pressure and hypertension risk: a mendelian randomisation study. Lancet Diabetes and Endocrinology,the, 2014, 2, 719-729. | 11.4 | 319 |
| 36 | Prospective Study of Social and Other Risk Factors for Incidence of Type 2 Diabetes in the Whitehall II Study. Archives of Internal Medicine, 2004, 164, 1873. | 3.8 | 311 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Causal Associations of Adiposity and Body Fat Distribution With Coronary Heart Disease, Stroke Subtypes, and Type 2 Diabetes Mellitus. Circulation, 2017, 135, 2373-2388. | 1.6 | 304 |
| 38 | Association of Diurnal Patterns in Salivary Cortisol with All-Cause and Cardiovascular Mortality: Findings from the Whitehall II Study. Journal of Clinical Endocrinology and Metabolism, 2011, 96, 1478-1485. | 3.6 | 302 |
| 39 | PCSK9 genetic variants and risk of type 2 diabetes: a mendelian randomisation study. Lancet Diabetes and Endocrinology,the, 2017, 5, 97-105. | 11.4 | 298 |
| 40 | Trans-ancestry genome-wide association study identifies 12 genetic loci influencing blood pressure and implicates a role for DNA methylation. Nature Genetics, 2015, 47, 1282-1293. | 21.4 | 294 |
| 41 | Genetic variation near IRS1 associates with reduced adiposity and an impaired metabolic profile. Nature Genetics, 2011, 43, 753-760. | 21.4 | 289 |
| 42 | Identification of heart rate–associated loci and their effects on cardiac conduction and rhythm disorders. Nature Genetics, 2013, 45, 621-631. | 21.4 | 282 |
| 43 | Genetic association study of QT interval highlights role for calcium signaling pathways in myocardial repolarization. Nature Genetics, 2014, 46, 826-836. | 21.4 | 281 |
| 44 | Utility of genetic and non-genetic risk factors in prediction of type 2 diabetes: Whitehall II prospective cohort study. BMJ: British Medical Journal, 2010, 340, b4838-b4838. | 2.3 | 248 |
| 45 | New loci for body fat percentage reveal link between adiposity and cardiometabolic disease risk. Nature Communications, 2016, 7, 10495. | 12.8 | 245 |
| 46 | Large-Scale Gene-Centric Meta-Analysis across 39 Studies Identifies Type 2 Diabetes Loci. American Journal of Human Genetics, 2012, 90, 410-425. | 6.2 | 239 |
| 47 | The Relationship between Smoking Status and Cortisol Secretion. Journal of Clinical Endocrinology and Metabolism, 2007, 92, 819-824. | 3.6 | 234 |
| 48 | Psychophysiological biomarkers of workplace stressors. Neuroscience and Biobehavioral Reviews, 2010, 35, 51-57. | 6.1 | 229 |
| 49 | Multivariate genome-wide analyses of the well-being spectrum. Nature Genetics, 2019, 51, 445-451. | 21.4 | 228 |
| 50 | Effects of Moderate and Vigorous Physical Activity on Heart Rate Variability in a British Study of Civil Servants. American Journal of Epidemiology, 2003, 158, 135-143. | 3.4 | 227 |
| 51 | Large-Scale Gene-Centric Meta-analysis across 32 Studies Identifies Multiple Lipid Loci. American Journal of Human Genetics, 2012, 91, 823-838. | 6.2 | 227 |
| 52 | Genomic and phenotypic insights from an atlas of genetic effects on DNA methylation. Nature Genetics, 2021, 53, 1311-1321. | 21.4 | 218 |
| 53 | Sleep epidemiology-a rapidly growing field. International Journal of Epidemiology, 2011, 40, 1431-1437. | 1.9 | 214 |
| 54 | Guidance for DNA methylation studies: statistical insights from the Illumina EPIC array. BMC Genomics, 2019, 20, 366. | 2.8 | 201 |

| # | Article | IF | Citations |
|----|--|------|-----------|
| 55 | Neuroendocrine and Inflammatory Factors Associated with Positive Affect in Healthy Men and Women: The Whitehall II Study. American Journal of Epidemiology, 2007, 167, 96-102. | 3.4 | 200 |
| 56 | Job Strain as a Risk Factor for Leisure-Time Physical Inactivity: An Individual-Participant Meta-Analysis of Up to 170,000 Men and Women: The IPD-Work Consortium. American Journal of Epidemiology, 2012, 176, 1078-1089. | 3.4 | 198 |
| 57 | A Genome-Wide Association Search for Type 2 Diabetes Genes in African Americans. PLoS ONE, 2012, 7, e29202. | 2.5 | 197 |
| 58 | Gene-centric Association Signals for Lipids and Apolipoproteins Identified via the HumanCVD BeadChip. American Journal of Human Genetics, 2009, 85, 628-642. | 6.2 | 183 |
| 59 | Self-Reported Sleep Duration and Sleep Disturbance Are Independently Associated with Cortisol Secretion in the Whitehall II Study. Journal of Clinical Endocrinology and Metabolism, 2009, 94, 4801-4809. | 3.6 | 182 |
| 60 | Genome-wide meta-analysis of 241,258 adults accounting for smoking behaviour identifies novel loci for obesity traits. Nature Communications, 2017, 8, 14977. | 12.8 | 169 |
| 61 | Association of genetic variation with systolic and diastolic blood pressure among African Americans: the Candidate Gene Association Resource study. Human Molecular Genetics, 2011, 20, 2273-2284. | 2.9 | 168 |
| 62 | Interleukin-6 and C-reactive protein as predictors of cognitive decline in late midlife. Neurology, 2014, 83, 486-493. | 1.1 | 167 |
| 63 | The CIRCORT database: Reference ranges and seasonal changes in diurnal salivary cortisol derived from a meta-dataset comprised of 15 field studies. Psychoneuroendocrinology, 2016, 73, 16-23. | 2.7 | 160 |
| 64 | Blood Pressure Loci Identified with a Gene-Centric Array. American Journal of Human Genetics, 2011, 89, 688-700. | 6.2 | 159 |
| 65 | Association of Lifecourse Socioeconomic Status with Chronic Inflammation and Type 2 Diabetes Risk: The Whitehall II Prospective Cohort Study. PLoS Medicine, 2013, 10, e1001479. | 8.4 | 158 |
| 66 | Gene-centric Meta-analysis in 87,736 Individuals of European Ancestry Identifies Multiple Blood-Pressure-Related Loci. American Journal of Human Genetics, 2014, 94, 349-360. | 6.2 | 158 |
| 67 | Genome-wide physical activity interactions in adiposity ― A meta-analysis of 200,452 adults. PLoS Genetics, 2017, 13, e1006528. | 3.5 | 158 |
| 68 | Life-course influences on health in British adults: effects of socio-economic position in childhood and adulthood. International Journal of Epidemiology, 2007, 36, 532-539. | 1.9 | 157 |
| 69 | Cross-sectional versus Prospective Associations of Sleep Duration with Changes in Relative Weight and Body Fat Distribution. American Journal of Epidemiology, 2008, 167, 321-329. | 3.4 | 150 |
| 70 | Investigating the possible causal association of smoking with depression and anxiety using Mendelian randomisation meta-analysis: the CARTA consortium. BMJ Open, 2014, 4, e006141. | 1.9 | 150 |
| 71 | Apolipoprotein E genotype, cardiovascular biomarkers and risk of stroke: Systematic review and meta-analysis of 14 015 stroke cases and pooled analysis of primary biomarker data from up to 60 883 individuals. International Journal of Epidemiology, 2013, 42, 475-492. | 1.9 | 145 |
| 72 | Gender differences in the cross-sectional relationships between sleep duration and markers of inflammation: Whitehall II study. Sleep, 2009, 32, 857-64. | 1.1 | 143 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Associations Between Change in Sleep Duration and Inflammation: Findings on C-reactive Protein and Interleukin 6 in the Whitehall II Study. American Journal of Epidemiology, 2013, 178, 956-961. | 3.4 | 139 |
| 74 | Inflammation, Insulin Resistance, and Diabetes—Mendelian Randomization Using CRP Haplotypes Points Upstream. PLoS Medicine, 2008, 5, e155. | 8.4 | 136 |
| 75 | Social and psychosocial influences on inflammatory markers and vascular function in civil servants (the Whitehall II study). American Journal of Cardiology, 2003, 92, 984-987. | 1.6 | 126 |
| 76 | Leveraging DNA-Methylation Quantitative-Trait Loci to Characterize the Relationship between Methylomic Variation, Gene Expression, and Complex Traits. American Journal of Human Genetics, 2018, 103, 654-665. | 6.2 | 126 |
| 77 | Plasma urate concentration and risk of coronary heart disease: a Mendelian randomisation analysis. Lancet Diabetes and Endocrinology,the, 2016, 4, 327-336. | 11.4 | 122 |
| 78 | GWAS and colocalization analyses implicate carotid intima-media thickness and carotid plaque loci in cardiovascular outcomes. Nature Communications, 2018, 9, 5141. | 12.8 | 119 |
| 79 | A Nonlinear Relationship of Generalized and Central Obesity with Diurnal Cortisol Secretion in the Whitehall II Study. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 4415-4423. | 3.6 | 116 |
| 80 | Secretory Phospholipase A2-IIA and Cardiovascular Disease. Journal of the American College of Cardiology, 2013, 62, 1966-1976. | 2.8 | 115 |
| 81 | Assessing cortisol from hair samples in a large observational cohort: The Whitehall II study. Psychoneuroendocrinology, 2016, 73, 148-156. | 2.7 | 114 |
| 82 | <i>PLA2G7</i> Genotype, Lipoprotein-Associated Phospholipase A ₂ Activity, and Coronary Heart Disease Risk in 10 494 Cases and 15 624 Controls of European Ancestry. Circulation, 2010, 121, 2284-2293. | 1.6 | 111 |
| 83 | Cortisol secretion and fatigue: Associations in a community based cohort. Psychoneuroendocrinology, 2009, 34, 1476-1485. | 2.7 | 109 |
| 84 | Cystatin C and Cardiovascular Disease. Journal of the American College of Cardiology, 2016, 68, 934-945. | 2.8 | 109 |
| 85 | The menopausal transition was associated in a prospective study with decreased health functioning in women who report menopausal symptoms. Journal of Clinical Epidemiology, 2005, 58, 719-727. | 5.0 | 105 |
| 86 | Effect of Smoking on Blood Pressure and Resting Heart Rate. Circulation: Cardiovascular Genetics, 2015, 8, 832-841. | 5.1 | 105 |
| 87 | The Relationship between Alcohol Consumption and Cortisol Secretion in an Aging Cohort. Journal of Clinical Endocrinology and Metabolism, 2008, 93, 750-757. | 3.6 | 101 |
| 88 | Diurnal Cortisol Patterns, Future Diabetes, and Impaired Glucose Metabolism in the Whitehall II Cohort Study. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 619-625. | 3.6 | 100 |
| 89 | Recalibrating the epigenetic clock: implications for assessing biological age in the human cortex. Brain, 2020, 143, 3763-3775. | 7.6 | 100 |
| 90 | Job Strain and the Risk of Stroke. Stroke, 2015, 46, 557-559. | 2.0 | 97 |

| # | Article | IF | Citations |
|-----|---|------|-----------|
| 91 | Systematic underestimation of the epigenetic clock and age acceleration in older subjects. Genome Biology, 2019, 20, 283. | 8.8 | 97 |
| 92 | Separating the Mechanism-Based and Off-Target Actions of Cholesteryl Ester Transfer Protein Inhibitors With <i>CETP</i> Gene Polymorphisms. Circulation, 2010, 121, 52-62. | 1.6 | 96 |
| 93 | Genetic loci associated with heart rate variability and their effects on cardiac disease risk. Nature Communications, 2017, 8, 15805. | 12.8 | 95 |
| 94 | Comparative analysis of genome-wide association studies signals for lipids, diabetes, and coronary heart disease: Cardiovascular Biomarker Genetics Collaboration. European Heart Journal, 2012, 33, 393-407. | 2.2 | 93 |
| 95 | Psychological coping styles and cortisol over the day in healthy older adults. Psychoneuroendocrinology, 2008, 33, 601-611. | 2.7 | 91 |
| 96 | Sixty-Five Common Genetic Variants and Prediction of Type 2 Diabetes. Diabetes, 2015, 64, 1830-1840. | 0.6 | 91 |
| 97 | The Association of C-Reactive Protein and CRP Genotype with Coronary Heart Disease: Findings from Five Studies with 4,610 Cases amongst 18,637 Participants. PLoS ONE, 2008, 3, e3011. | 2.5 | 90 |
| 98 | <i>ANGPTL4</i> E40K and T266M. Arteriosclerosis, Thrombosis, and Vascular Biology, 2008, 28, 2319-2325. | 2.4 | 89 |
| 99 | Association of Diurnal Patterns in Salivary Cortisol With Type 2 Diabetes in the Whitehall II Study. Journal of Clinical Endocrinology and Metabolism, 2014, 99, 4625-4631. | 3.6 | 89 |
| 100 | Causal Effect of Plasminogen Activator Inhibitor Type 1 on Coronary Heart Disease. Journal of the American Heart Association, 2017, 6, . | 3.7 | 89 |
| 101 | Genome-wide analysis of health-related biomarkers in the UK Household Longitudinal Study reveals novel associations. Scientific Reports, 2017, 7, 11008. | 3.3 | 88 |
| 102 | Sex-dimorphic genetic effects and novel loci for fasting glucose and insulin variability. Nature Communications, 2021, 12, 24. | 12.8 | 87 |
| 103 | Genetics of cortisol secretion and depressive symptoms: A candidate gene and genome wide association approach. Psychoneuroendocrinology, 2011, 36, 1053-1061. | 2.7 | 85 |
| 104 | The Joint Effect of Sleep Duration and Disturbed Sleep on Cause-Specific Mortality: Results from the Whitehall II Cohort Study. PLoS ONE, 2014, 9, e91965. | 2.5 | 85 |
| 105 | Socioeconomic Position and DNA Methylation Age Acceleration Across the Life Course. American Journal of Epidemiology, 2018, 187, 2346-2354. | 3.4 | 81 |
| 106 | Identifying patterns in cortisol secretion in an older population. Findings from the Whitehall II study. Psychoneuroendocrinology, 2010, 35, 1091-1099. | 2.7 | 79 |
| 107 | Recurrent short sleep, chronic insomnia symptoms and salivary cortisol: A 10-year follow-up in the Whitehall II study. Psychoneuroendocrinology, 2016, 68, 91-99. | 2.7 | 79 |
| 108 | Long working hours as a risk factor for atrial fibrillation: a multi-cohort study. European Heart Journal, 2017, 38, 2621-2628. | 2.2 | 76 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 109 | Social isolation in childhood and adult inflammation: Evidence from the National Child Development Study. Psychoneuroendocrinology, 2014, 50, 85-94. | 2.7 | 75 |
| 110 | The transferability of lipid loci across African, Asian and European cohorts. Nature Communications, 2019, 10, 4330. | 12.8 | 75 |
| 111 | Effects of Socioeconomic Position on Inflammatory and Hemostatic Markers: A Life-Course Analysis in the 1958 British Birth Cohort. American Journal of Epidemiology, 2008, 167, 1332-1341. | 3.4 | 68 |
| 112 | Parental separation in childhood and adult inflammation: The importance of material and psychosocial pathways. Psychoneuroendocrinology, 2013, 38, 2476-2484. | 2.7 | 68 |
| 113 | De-standardization and gender convergence in work–family life courses in Great Britain: A multi-channel sequence analysis. Advances in Life Course Research, 2015, 26, 60-75. | 1.4 | 68 |
| 114 | Examining Overweight and Obesity as Risk Factors for Common Mental Disorders Using Fat Mass and Obesity-Associated (FTO) Genotype-Instrumented Analysis: The Whitehall II Study, 1985-2004. American Journal of Epidemiology, 2011, 173, 421-429. | 3.4 | 66 |
| 115 | The Relationship Between Plasma Angiopoietin-like Protein 4 Levels, Angiopoietin-like Protein 4 Genotype, and Coronary Heart Disease Risk. Arteriosclerosis, Thrombosis, and Vascular Biology, 2010, 30, 2277-2282. | 2.4 | 64 |
| 116 | Social Determinants of von Willebrand Factor. Arteriosclerosis, Thrombosis, and Vascular Biology, 2000, 20, 1842-1847. | 2.4 | 62 |
| 117 | Measures of Social Position and Cortisol Secretion in an Aging Population: Findings From the Whitehall II Study. Psychosomatic Medicine, 2010, 72, 27-34. | 2.0 | 62 |
| 118 | Lifecourse influences on health among British adults: Effects of region of residence in childhood and adulthood. International Journal of Epidemiology, 2007, 36, 522-531. | 1.9 | 61 |
| 119 | Socio-economic trajectories and cardiovascular disease mortality in older people: the English Longitudinal Study of Ageing. International Journal of Epidemiology, 2018, 47, 36-46. | 1.9 | 61 |
| 120 | Meta-analysis of Gene-Level Associations for Rare Variants Based on Single-Variant Statistics. American Journal of Human Genetics, 2013, 93, 236-248. | 6.2 | 60 |
| 121 | Dysregulation of the hypothalamic pituitary adrenal (HPA) axis and physical performance at older ages: An individual participant meta-analysis. Psychoneuroendocrinology, 2013, 38, 40-49. | 2.7 | 60 |
| 122 | Cholesteryl Ester Transfer Protein (CETP) Polymorphisms Affect mRNA Splicing, HDL Levels, and Sex-Dependent Cardiovascular Risk. PLoS ONE, 2012, 7, e31930. | 2.5 | 59 |
| 123 | Duration of depressive symptoms and mortality risk: The English Longitudinal Study of Ageing (ELSA). British Journal of Psychiatry, 2016, 208, 337-342. | 2.8 | 59 |
| 124 | Are Flexible Work Arrangements Associated with Lower Levels of Chronic Stress-Related Biomarkers? A Study of 6025 Employees in the UK Household Longitudinal Study. Sociology, 2019, 53, 779-799. | 2.5 | 58 |
| 125 | Change in Sleep Duration and Type 2 Diabetes: The Whitehall II Study. Diabetes Care, 2015, 38, 1467-1472. | 8.6 | 56 |
| 126 | Heavier smoking may lead to a relative increase in waist circumference: evidence for a causal relationship from a Mendelian randomisation meta-analysis. The CARTA consortium: TableÂ1. BMJ Open, 2015, 5, e008808. | 1.9 | 53 |

| # | Article | lF | Citations |
|-----|---|-----|-----------|
| 127 | Bigmelon: tools for analysing large DNA methylation datasets. Bioinformatics, 2019, 35, 981-986. | 4.1 | 49 |
| 128 | Sleep and biomarkers in the English Longitudinal Study of Ageing: Associations with C-reactive protein, fibrinogen, dehydroepiandrosterone sulfate and hemoglobin. Psychoneuroendocrinology, 2013, 38, 1484-1493. | 2.7 | 48 |
| 129 | Identification of the <i>BCAR1-CFDP1-TMEM170A</i> Locus as a Determinant of Carotid Intima-Media Thickness and Coronary Artery Disease Risk. Circulation: Cardiovascular Genetics, 2012, 5, 656-665. | 5.1 | 47 |
| 130 | Job insecurity and risk of diabetes: a meta-analysis of individual participant data. Cmaj, 2016, 188, E447-E455. | 2.0 | 47 |
| 131 | Positive affect and distressed affect over the day in older people Psychology and Aging, 2011, 26, 956-965. | 1.6 | 46 |
| 132 | Stratification by Smoking Status Reveals an Association of CHRNA5-A3-B4 Genotype with Body Mass Index in Never Smokers. PLoS Genetics, 2014, 10, e1004799. | 3.5 | 45 |
| 133 | Gene-Centric Analysis Identifies Variants Associated With Interleukin-6 Levels and Shared Pathways With Other Inflammation Markers. Circulation: Cardiovascular Genetics, 2013, 6, 163-170. | 5.1 | 44 |
| 134 | Unemployment, underweight, and obesity: Findings from Understanding Society (UKHLS). Preventive Medicine, 2017, 97, 19-25. | 3.4 | 44 |
| 135 | The relationship between physical activity, sleep duration and depressive symptoms in older adults: The English Longitudinal Study of Ageing (ELSA). Preventive Medicine Reports, 2016, 4, 512-516. | 1.8 | 43 |
| 136 | BMI and Waist Circumference as Predictors of Wellâ€being in Older Adults: Findings From the English Longitudinal Study of Ageing. Obesity, 2010, 18, 1981-1987. | 3.0 | 40 |
| 137 | Genetic Determinants of Circulating Interleukin-1 Receptor Antagonist Levels and Their Association With Glycemic Traits. Diabetes, 2014, 63, 4343-4359. | 0.6 | 40 |
| 138 | Lifecourse socioeconomic status and type 2 diabetes: the role of chronic inflammation in the English Longitudinal Study of Ageing. Scientific Reports, 2016, 6, 24780. | 3.3 | 40 |
| 139 | Does High C-reactive Protein Concentration Increase Atherosclerosis? The Whitehall II Study. PLoS ONE, 2008, 3, e3013. | 2.5 | 39 |
| 140 | Population Genomics of Cardiometabolic Traits: Design of the University College London-London School of Hygiene and Tropical Medicine-Edinburgh-Bristol (UCLEB) Consortium. PLoS ONE, 2013, 8, e71345. | 2.5 | 39 |
| 141 | Causal Relevance of Blood Lipid Fractions in the Development of Carotid Atherosclerosis. Circulation: Cardiovascular Genetics, 2013, 6, 63-72. | 5.1 | 36 |
| 142 | Circulating Fatty Acids and Risk of Coronary Heart Disease and Stroke: Individual Participant Data Metaâ€Analysis in Up to 16Â126 Participants. Journal of the American Heart Association, 2020, 9, e013131. | 3.7 | 36 |
| 143 | Social isolation and diurnal cortisol patterns in an ageing cohort. Psychoneuroendocrinology, 2013, 38, 2737-2745. | 2.7 | 35 |
| 144 | Effect of smoking on physical and cognitive capability in later life: a multicohort study using observational and genetic approaches. BMJ Open, 2015, 5, e008393. | 1.9 | 35 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Work-family life courses and markers of stress and inflammation in mid-life: evidence from the National Child Development Study. International Journal of Epidemiology, 2016, 45, 1247-1259. | 1.9 | 35 |
| 146 | Investigating the causal effect of smoking on hay fever and asthma: a Mendelian randomization meta-analysis in the CARTA consortium. Scientific Reports, 2017, 7, 2224. | 3.3 | 35 |
| 147 | Circulating Apolipoprotein E Concentration and Cardiovascular Disease Risk: Meta-analysis of Results from Three Studies. PLoS Medicine, 2016, 13, e1002146. | 8.4 | 35 |
| 148 | No evidence of a longitudinal association between diurnal cortisol patterns and cognition. Neurobiology of Aging, 2014, 35, 2239-2245. | 3.1 | 34 |
| 149 | Characterising sex differences of autosomal DNA methylation in whole blood using the Illumina EPIC array. Clinical Epigenetics, 2022, 14, 62. | 4.1 | 34 |
| 150 | Influence of common genetic variation on blood lipid levels, cardiovascular risk, and coronary events in two British prospective cohort studies. European Heart Journal, 2013, 34, 972-981. | 2.2 | 33 |
| 151 | Sexâ€Specific Effects of Adiponectin on Carotid Intimaâ€Media Thickness and Incident Cardiovascular Disease. Journal of the American Heart Association, 2015, 4, e001853. | 3.7 | 33 |
| 152 | Genome-wide association study of circulating interleukin 6 levels identifies novel loci. Human Molecular Genetics, 2021, 30, 393-409. | 2.9 | 32 |
| 153 | Filaggrin gene mutations are associated with asthma and eczema in later life. Journal of Allergy and Clinical Immunology, 2008, 122, 834-836. | 2.9 | 30 |
| 154 | Is There an Association between Work Stress and Diurnal Cortisol Patterns? Findings from the Whitehall II Study. PLoS ONE, 2013, 8, e81020. | 2.5 | 29 |
| 155 | Genetic Variants Associated with von Willebrand Factor Levels in Healthy Men and Women Identified Using the HumanCVD BeadChip. Annals of Human Genetics, 2011, 75, 456-467. | 0.8 | 28 |
| 156 | Alcohol consumption and cognitive performance: a <scp>M</scp> endelian randomization study. Addiction, 2014, 109, 1462-1471. | 3.3 | 27 |
| 157 | A systematic review and meta-analysis of 130,000 individuals shows smoking does not modify the association of APOE genotype on risk of coronary heart disease. Atherosclerosis, 2014, 237, 5-12. | 0.8 | 27 |
| 158 | Marginal role for 53 common genetic variants in cardiovascular disease prediction. Heart, 2016, 102, 1640-1647. | 2.9 | 27 |
| 159 | Proinflammatory genotype is associated with the frailty phenotype in the English Longitudinal Study of Ageing. Aging Clinical and Experimental Research, 2016, 28, 413-421. | 2.9 | 27 |
| 160 | Unemployment and inflammatory markers in England, Wales and Scotland, 1998–2012: Meta-analysis of results from 12 studies. Brain, Behavior, and Immunity, 2017, 64, 91-102. | 4.1 | 26 |
| 161 | Metabolic Profiling of Adiponectin Levels in Adults. Circulation: Cardiovascular Genetics, 2017, 10, . | 5.1 | 26 |
| 162 | Dysregulation of the hypothalamic pituitary adrenal (HPA) axis and cognitive capability at older ages: individual participant meta-analysis of five cohorts. Scientific Reports, 2019, 9, 4555. | 3.3 | 26 |

| # | Article | IF | Citations |
|-----|--|-----------------|--------------------|
| 163 | Glycemia, Insulin Resistance, Insulin Secretion, and Risk of Depressive Symptoms in Middle Age. Diabetes Care, 2013, 36, 928-934. | 8.6 | 25 |
| 164 | Elevated inflammatory biomarkers during unemployment: modification by age and country in the UK. Journal of Epidemiology and Community Health, 2015, 69, 673-679. | 3.7 | 25 |
| 165 | No Interactions Between Previously Associated 2-Hour Glucose Gene Variants and Physical Activity or BMI on 2-Hour Glucose Levels. Diabetes, 2012, 61, 1291-1296. | 0.6 | 23 |
| 166 | Associations between APOE and low-density lipoprotein cholesterol genotypes and cognitive and physical capability: the HALCyon programme. Age, 2014, 36, 9673. | 3.0 | 23 |
| 167 | Relationships Between Sleep Duration and von Willebrand Factor, Factor VII, and Fibrinogen. Arteriosclerosis, Thrombosis, and Vascular Biology, 2010, 30, 2032-2038. | 2.4 | 22 |
| 168 | Novel Genetic Approach to Investigate the Role of Plasma Secretory Phospholipase A2 (sPLA) Tj ETQq0 0 0 rgBT 144-150. | Overlock 5.1 | 10 Tf 50 547 22 |
| 169 | Exome-wide analysis of rare coding variation identifies novel associations with COPD and airflow limitation in <i>MOCS3</i> , <i>IFIT3</i> and <i>SERPINA12</i> . Thorax, 2016, 71, 501-509. | 5.6 | 22 |
| 170 | Socio-economic inequalities in C-reactive protein and fibrinogen across the adult age span: Findings from Understanding Society. Scientific Reports, 2017, 7, 2641. | 3.3 | 22 |
| 171 | Phenome-wide association analysis of LDL-cholesterol lowering genetic variants in PCSK9. BMC Cardiovascular Disorders, 2019, 19, 240. | 1.7 | 22 |
| 172 | Replication and Characterization of Association between ABO SNPs and Red Blood Cell Traits by Meta-Analysis in Europeans. PLoS ONE, 2016, 11, e0156914. | 2.5 | 22 |
| 173 | Use of Allele-Specific FAIRE to Determine Functional Regulatory Polymorphism Using Large-Scale Genotyping Arrays. PLoS Genetics, 2012, 8, e1002908. | 3.5 | 21 |
| 174 | Social Differences in Insulin-like Growth Factor-1: Findings from a British Birth Cohort. Annals of Epidemiology, 2008, 18, 664-670. | 1.9 | 20 |
| 175 | Meta analysis of candidate gene variants outside the LPA locus with Lp(a) plasma levels in 14,500 participants of six White European cohorts. Atherosclerosis, 2011, 217, 447-451. | 0.8 | 20 |
| 176 | Effect of Apolipoprotein E epsilon4 on the association between health behaviors and cognitive function in late midlife. Molecular Neurodegeneration, 2010, 5, 23. | 10.8 | 19 |
| 177 | A gene-centric association scan for Coagulation Factor VII levels in European and African Americans: the Candidate Gene Association Resource (CARe) Consortium. Human Molecular Genetics, 2011, 20, 3525-3534. | 2.9 | 19 |
| 178 | What explains the American disadvantage in health compared with the English? The case of diabetes. Journal of Epidemiology and Community Health, 2012, 66, 259-264. | 3.7 | 19 |
| 179 | Work-family life courses and metabolic markers in mid-life: evidence from the British National Child Development Study. Journal of Epidemiology and Community Health, 2016, 70, 481-487. | 3.7 | 19 |
| 180 | Triglyceride-containing lipoprotein sub-fractions and risk of coronary heart disease and stroke: A prospective analysis in 11,560 adults. European Journal of Preventive Cardiology, 2020, 27, 1617-1626. | 1.8 | 19 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 181 | Biological predictors of change in functioning in the Whitehall II study. Annals of Epidemiology, 2004, 14, 250-257. | 1.9 | 18 |
| 182 | Influence of Social Environment on Loneliness in Older Adults: Moderation by Polymorphism in the CRHR1. American Journal of Geriatric Psychiatry, 2014, 22, 510-518. | 1.2 | 18 |
| 183 | Identifying low density lipoprotein cholesterol associated variants in the Annexin A2 (ANXA2) gene. Atherosclerosis, 2017, 261, 60-68. | 0.8 | 18 |
| 184 | Association between IL6 gene variants â^174G>C and â^572G>C and serum IL-6 levels: Interactions with social position in the Whitehall II cohort. Atherosclerosis, 2009, 204, 459-464. | 0.8 | 17 |
| 185 | Translating genomics into improved healthcare. BMJ, The, 2010, 341, c5945-c5945. | 6.0 | 17 |
| 186 | Associations of Common Genetic Variants With Age-Related Changes in Fasting and Postload Glucose. Diabetes, 2011, 60, 1617-1623. | 0.6 | 17 |
| 187 | Functional Analysis of a Carotid Intima-Media Thickness Locus Implicates <i>BCAR1</i> and Suggests a Causal Variant. Circulation: Cardiovascular Genetics, 2015, 8, 696-706. | 5.1 | 17 |
| 188 | The Benefits of Using Genetic Information to Design Prevention Trials. American Journal of Human Genetics, 2013, 92, 547-557. | 6.2 | 16 |
| 189 | Gene-environment interactions between education and body mass: Evidence from the UK and Finland. Social Science and Medicine, 2017, 195, 12-16. | 3.8 | 16 |
| 190 | A genetic instrument for Mendelian randomization of fibrinogen. European Journal of Epidemiology, 2012, 27, 267-279. | 5.7 | 14 |
| 191 | Mendelian Randomisation study of the influence of eGFR on coronary heart disease. Scientific Reports, 2016, 6, 28514. | 3.3 | 14 |
| 192 | Variant rs10911021 that associates with coronary heart disease in type 2 diabetes, is associated with lower concentrations of circulating HDL cholesterol and large HDL particles but not with amino acids. Cardiovascular Diabetology, 2016, 15, 115. | 6.8 | 14 |
| 193 | Association of chronic insomnia symptoms and recurrent extreme sleep duration over 10 years with well-being in older adults: a cohort study. BMJ Open, 2016, 6, e009501. | 1.9 | 14 |
| 194 | Testosterone, risk, and socioeconomic position in British men: Exploring causal directionality. Social Science and Medicine, 2019, 220, 129-140. | 3.8 | 13 |
| 195 | Integration of Genetics into a Systems Model of Electrocardiographic Traits Using HumanCVD BeadChip. Circulation: Cardiovascular Genetics, 2012, 5, 630-638. | 5.1 | 12 |
| 196 | Impact of a functional polymorphism in the PAR-1 gene promoter in COPD and COPD exacerbations. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2014, 307, L311-L316. | 2.9 | 12 |
| 197 | Incident disability in older adults: prediction models based on two British prospective cohort studies. Age and Ageing, 2015, 44, 275-282. | 1.6 | 12 |
| 198 | Investigating the Bidirectional Associations of Adiposity with Sleep Duration in Older Adults: The English Longitudinal Study of Ageing (ELSA). Scientific Reports, 2017, 7, 40250. | 3.3 | 11 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 199 | A Multi-Cohort Study of Polymorphisms in the GH/IGF Axis and Physical Capability: The HALCyon Programme. PLoS ONE, 2012, 7, e29883. | 2.5 | 10 |
| 200 | Gene-Targeted Analysis of Copy Number Variants Identifies 3 Novel Associations With Coronary Heart Disease Traits. Circulation: Cardiovascular Genetics, 2012, 5, 555-560. | 5.1 | 9 |
| 201 | A genetic risk score is associated with statin-induced low-density lipoprotein cholesterol lowering. Pharmacogenomics, 2016, 17, 583-591. | 1.3 | 9 |
| 202 | A study of common Mendelian disease carriers across ageing British cohorts: meta-analyses reveal heterozygosity for alpha 1-antitrypsin deficiency increases respiratory capacity and height. Journal of Medical Genetics, 2016, 53, 280-288. | 3.2 | 9 |
| 203 | Is Pre-operation Social Connectedness Associated with Weight Loss up to 2ÂYears Post Bariatric Surgery?. Obesity Surgery, 2018, 28, 3524-3530. | 2.1 | 9 |
| 204 | Informal caregiving and diurnal patterns of salivary cortisol: Results from the Whitehall II cohort study. Psychoneuroendocrinology, 2019, 100, 41-47. | 2.7 | 9 |
| 205 | Biological costs and benefits of social relationships for men and women in adulthood: The role of partner, family and friends. Sociology of Health and Illness, 2022, 44, 5-24. | 2.1 | 9 |
| 206 | Absence of association of a single-nucleotide polymorphism in the TERT-CLPTM1L locus with age-related phenotypes in a large multicohort study: the HALCyon programme. Aging Cell, 2011, 10, 520-532. | 6.7 | 8 |
| 207 | Gene-centric association signals for haemostasis and thrombosis traits identified with the HumanCVD BeadChip. Thrombosis and Haemostasis, 2013, 110, 995-1003. | 3.4 | 8 |
| 208 | Associations of C-reactive protein and psychological distress are modified by antidepressants, supporting an inflammatory depression subtype: Findings from UKHLS. Brain, Behavior, and Immunity, 2017, 66, 89-93. | 4.1 | 8 |
| 209 | Appetite disinhibition rather than hunger explains genetic effects on adult BMI trajectory. International Journal of Obesity, 2021, 45, 758-765. | 3.4 | 8 |
| 210 | Discovery and replication of SNP-SNP interactions for quantitative lipid traits in over 60,000 individuals. BioData Mining, 2017, 10, 25. | 4.0 | 7 |
| 211 | Assessing potential shared genetic aetiology between body mass index and sleep duration in 142,209 individuals. Genetic Epidemiology, 2019, 43, 207-214. | 1.3 | 7 |
| 212 | Associations between a Polymorphism in the Pleiotropic GCKR and Age-Related Phenotypes: The HALCyon Programme. PLoS ONE, 2013, 8, e70045. | 2.5 | 6 |
| 213 | Functional Analysis of the Coronary Heart Disease Risk Locus on Chromosome 21q22. Disease Markers, 2017, 2017, 1-10. | 1.3 | 6 |
| 214 | Retirement and Socioeconomic Differences in Diurnal Cortisol: Longitudinal Evidence From a Cohort of British Civil Servants. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2018, 73, 447-456. | 3.9 | 6 |
| 215 | Social support and trajectories of body mass index and waist to hip ratio from mid-adulthood to old age. Journal of Epidemiology and Community Health, 2019, 73, 111-116. | 3.7 | 6 |
| 216 | Work-Family Life Courses and Metabolic Markers in the MRC National Survey of Health and Development. PLoS ONE, 2016, 11, e0161923. | 2.5 | 6 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Lifecourse Social Position and D-Dimer; Findings from the 1958 British Birth Cohort. PLoS ONE, 2014, 9, e93277. | 2.5 | 5 |
| 218 | Role of a functional polymorphism in the F2R gene promoter in sarcoidosis. Respirology, 2015, 20, 1285-1287. | 2.3 | 5 |
| 219 | Diurnal pattern of salivary cortisol and progression of aortic stiffness: Longitudinal study. Psychoneuroendocrinology, 2021, 133, 105372. | 2.7 | 5 |
| 220 | Social, Behavioral, and Metabolic Determinants of Plasma Viscosity in the Whitehall II Study. Annals of Epidemiology, 2005, 15, 398-404. | 1.9 | 4 |
| 221 | HAPRAP: a haplotype-based iterative method for statistical fine mapping using GWAS summary statistics. Bioinformatics, 2017, 33, 79-86. | 4.1 | 4 |
| 222 | Social Epidemiology. , 2014, , 1551-1576. | | 4 |
| 223 | Assessing the robustness of sisVIVE in a Mendelian randomization study to estimate the causal effect of body mass index on income using multiple SNPs from understanding society. Statistics in Medicine, 2019, 38, 1529-1542. | 1.6 | 3 |
| 224 | THE AUTHORS REPLY. American Journal of Epidemiology, 2019, 188, 488-489. | 3.4 | 3 |
| 225 | Establishing reference intervals for triglyceride-containing lipoprotein subfraction metabolites measured using nuclear magnetic resonance spectroscopy in a UK population. Annals of Clinical Biochemistry, 2021, 58, 47-53. | 1.6 | 2 |
| 226 | International comparisons of social differences in inflammatory markers: Different patterns, same drivers?. Brain, Behavior, and Immunity, 2020, 84, 4-5. | 4.1 | 0 |