Violetta Krajka-KuÅ^oniak

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1088808/publications.pdf

Version: 2024-02-01

304368 301761 1,745 61 22 citations h-index papers

g-index 62 62 62 2491 docs citations times ranked citing authors all docs

39

#	Article	IF	CITATIONS
1	Indomethacin and Diclofenac Hybrids with Oleanolic Acid Oximes Modulate Key Signaling Pathways in Pancreatic Cancer Cells. International Journal of Molecular Sciences, 2022, 23, 1230.	1.8	4
2	Lichen Secondary Metabolites Inhibit the Wnt/ \hat{l}^2 -Catenin Pathway in Glioblastoma Cells and Improve the Anticancer Effects of Temozolomide. Cells, 2022, 11, 1084.	1.8	17
3	Role of Nrf2 in Pancreatic Cancer. Antioxidants, 2022, 11, 98.	2.2	14
4	Methoxy-stilbenes downregulate the transcription of Wnt/ \hat{l}^2 -catenin-dependent genes and lead to cell cycle arrest and apoptosis in human T98G glioblastoma cells. Advances in Medical Sciences, 2021, 66, 6-20.	0.9	13
5	R-sulforaphane modulates the expression profile of AhR, ERα, Nrf2, NQO1, and GSTP in human breast cell lines. Molecular and Cellular Biochemistry, 2021, 476, 525-533.	1.4	10
6	(+)-Usnic acid modulates the Nrf2-ARE pathway in FaDu hypopharyngeal carcinoma cells. Molecular and Cellular Biochemistry, 2021, 476, 2539-2549.	1.4	3
7	COXIBs and 2,5-dimethylcelecoxib counteract the hyperactivated Wnt/ \hat{l}^2 -catenin pathway and COX-2/PGE2/EP4 signaling in glioblastoma cells. BMC Cancer, 2021, 21, 493.	1.1	23
8	Combinations of Phytochemicals More Efficiently than Single Components Activate Nrf2 and Induce the Expression of Antioxidant Enzymes in Pancreatic Cancer Cells. Nutrition and Cancer, 2021, , 1-16.	0.9	8
9	Modulation of Nrf2 and NF-κB Signaling Pathways by Naturally Occurring Compounds in Relation to Cancer Prevention and Therapy. Are Combinations Better Than Single Compounds?. International Journal of Molecular Sciences, 2021, 22, 8223.	1.8	41
10	Abstract 1289: Conjugation of indomethacin with novel oleanolic acid oximes increases its Nrf2 and NF- \hat{l}^0 B signaling pathways modulating effect in pancreatic cancer cells. , 2021, , .		0
11	Conjugation of Diclofenac with Novel Oleanolic Acid Derivatives Modulate Nrf2 and NF-κB Activity in Hepatic Cancer Cells and Normal Hepatocytes Leading to Enhancement of Its Therapeutic and Chemopreventive Potential. Pharmaceuticals, 2021, 14, 688.	1.7	10
12	Anti-Cancer Potential of Synthetic Oleanolic Acid Derivatives and Their Conjugates with NSAIDs. Molecules, 2021, 26, 4957.	1.7	13
13	Comparison of the Impact of Xanthohumol and Phenethyl Isothiocyanate and Their Combination on Nrf2 and NF-ÎB Pathways in HepG2 Cells In Vitro and Tumor Burden In Vivo. Nutrients, 2021, 13, 3000.	1.7	11
14	Lichen-Derived Depsides and Depsidones Modulate the Nrf2, NF-κB and STAT3 Signaling Pathways in Colorectal Cancer Cells. Molecules, 2021, 26, 4787.	1.7	10
15	The inhibitors of KDM4 and KDM6 histone lysine demethylases enhance the anti-growth effects of erlotinib and HS-173 in head and neck cancer cells. European Journal of Pharmaceutical Sciences, 2021, 166, 105961.	1.9	14
16	The Effect of Novel Oleanolic Acid Oximes Conjugated with Indomethacin on the Nrf2-ARE And NF-κB Signaling Pathways in Normal Hepatocytes and Human Hepatocellular Cancer Cells. Pharmaceuticals, 2021, 14, 32.	1.7	10
17	Attenuation of Pancreatic Cancer In Vitro and In Vivo via Modulation of Nrf2 and NF-κB Signaling Pathways by Natural Compounds. Cells, 2021, 10, 3556.	1.8	14
18	Neuroprotective Effects of Pomegranate Juice against Parkinson's Disease and Presence of Ellagitannins-Derived Metaboliteâ€"Urolithin Aâ€"In the Brain. International Journal of Molecular Sciences, 2020, 21, 202.	1.8	95

#	Article	IF	CITATIONS
10	Activation of the Nrf2 response by oleanolic acid oxime morpholide (3-hydroxyiminoolean-12-en-28-oic) Tj ETQq1		
19	hepatoma cells. European Journal of Pharmacology, 2020, 883, 173307.	1.7	8
20	Effect of methoxy stilbenes—analogs of resveratrol—on the viability and induction of cell cycle arrest and apoptosis in human myeloid leukemia cells. Molecular and Cellular Biochemistry, 2020, 474, 113-123.	1.4	10
21	Tannic Acid: Specific Form of Tannins in Cancer Chemoprevention and Therapy-Old and New Applications. Current Pharmacology Reports, 2020, 6, 28-37.	1.5	39
22	Combination of xanthohumol and phenethyl isothiocyanate inhibits NF-κB and activates Nrf2 in pancreatic cancer cells. Toxicology in Vitro, 2020, 65, 104799.	1.1	34
23	The effect of luteolin 7-glucoside, apigenin 7-glucoside and Succisa pratensis extracts on NF-κB activation and α-amylase activity in HepG2 cells. Acta Biochimica Polonica, 2020, 67, 41-47.	0.3	9
24	The Effect of $3\hat{a}\in^2$ -Hydroxy-3,4,5,4 $\hat{a}\in^2$ -Tetramethoxy -stilbene, the Metabolite of the Resveratrol Analogue DMU-212, on the Motility and Proliferation of Ovarian Cancer Cells. International Journal of Molecular Sciences, 2020, 21, 1100.	1.8	9
25	Porcupine and CBP/β-catenin are the most suitable targets for the inhibition of canonical Wnt signaling in colorectal carcinoma cell lines*. Postepy Higieny I Medycyny Doswiadczalnej, 2020, 74, 224-235.	0.1	3
26	Morpholide derivative of the novel oleanolic oxime and succinic acid conjugate diminish the expression and activity of NF-κB and STATs in human hepatocellular carcinoma cells. Chemico-Biological Interactions, 2019, 311, 108786.	1.7	10
27	Oleanolic acid oxime derivatives and their conjugates with aspirin modulate the NF-κB-mediated transcription in HepG2 hepatoma cells. Bioorganic Chemistry, 2019, 93, 103326.	2.0	20
28	Phytochemical Combinations Modulate the Activation of Nrf2 and Expression of SOD in Pancreatic Cancer Cells More Efficiently Than Single Plant Components. Proceedings (mdpi), 2019, 11, 22.	0.2	1
29	Inhibition of CBP/β-catenin and porcupine attenuates Wnt signaling and induces apoptosis in head and neck carcinoma cells. Cellular Oncology (Dordrecht), 2019, 42, 505-520.	2.1	31
30	Lichen-derived caperatic acid and physodic acid inhibit Wnt signaling in colorectal cancer cells. Molecular and Cellular Biochemistry, 2018, 441, 109-124.	1.4	42
31	The inhibition of c-MYC transcription factor modulates the expression of glycolytic and glutaminolytic enzymes in FaDu hypopharyngeal carcinoma cells. Advances in Clinical and Experimental Medicine, 2018, 27, 735-742.	0.6	24
32	The effect of resveratrol, its naturally occurring derivatives and tannic acid on the induction of cell cycle arrest and apoptosis in rat C6 and human T98G glioma cell lines. Toxicology in Vitro, 2017, 43, 69-75.	1.1	40
33	The Nrf2-ARE signaling pathway: An update on its regulation and possible role in cancer prevention and treatment. Pharmacological Reports, 2017, 69, 393-402.	1.5	207
34	Effect of tannic acid, resveratrol and its derivatives, on oxidative damage and apoptosis in human neutrophils. Food and Chemical Toxicology, 2015, 84, 37-46.	1.8	17
35	The activation of the Nrf2/ARE pathway in HepG2 hepatoma cells by phytochemicals and subsequent modulation of phase II and antioxidant enzyme expression. Journal of Physiology and Biochemistry, 2015, 71, 227-238.	1.3	61
36	Cabbage Juices and Indoles Modulate the Expression Profile of AhR, ERÎ $_\pm$, and Nrf2 in Human Breast Cell Lines. Nutrition and Cancer, 2015, 67, 1344-1356.	0.9	16

#	Article	lF	Citations
37	The effect of cloudy apple juice on hepatic and mammary gland phase I and II enzymes induced by DMBA in female Sprague-Dawley rats. Drug and Chemical Toxicology, 2014, 37, 472-479.	1.2	9
38	Hawthorn (Crataegus oxyacantha L.) Bark Extract Regulates Antioxidant Response Element (ARE)-Mediated Enzyme Expression Via Nrf2 Pathway Activation in Normal Hepatocyte Cell Line. Phytotherapy Research, 2014, 28, 593-602.	2.8	12
39	Evaluation of the Effect of Beetroot Juice on DMBAâ€induced Damage in Liver and Mammary Gland of Female Sprague–Dawley Rats. Phytotherapy Research, 2014, 28, 55-61.	2.8	46
40	The effect of resveratrol and its methylthio-derivatives on EGFR and Stat3 activation in human HaCaT and A431 cells. Molecular and Cellular Biochemistry, 2014, 396, 221-228.	1.4	17
41	The effect of resveratrol and its methylthio-derivatives on the Nrf2-ARE pathway in mouse epidermis and HaCaT keratinocytes. Cellular and Molecular Biology Letters, 2014, 19, 500-16.	2.7	17
42	The effect of resveratrol and its methylthio-derivatives on NF-κB and AP-1 signaling pathways in HaCaT keratinocytes. Pharmacological Reports, 2014, 66, 732-740.	1.5	16
43	Phloretamide, an apple phenolic compound, activates the Nrf2/ARE pathway in human hepatocytes. Food and Chemical Toxicology, 2013, 51, 202-209.	1.8	18
44	Xanthohumol induces phase II enzymes via Nrf2 in human hepatocytes in vitro. Toxicology in Vitro, 2013, 27, 149-156.	1.1	49
45	Betanin, a beetroot component, induces nuclear factor erythroid-2-related factor 2-mediated expression of detoxifying/antioxidant enzymes in human liver cell lines. British Journal of Nutrition, 2013, 110, 2138-2149.	1.2	94
46	Beetroot juice protects against N-nitrosodiethylamine-induced liver injury in rats. Food and Chemical Toxicology, 2012, 50, 2027-2033.	1.8	53
47	Modulation of CYP1A1, CYP1A2 and CYP1B1 Expression by Cabbage Juices and Indoles in Human Breast Cell Lines. Nutrition and Cancer, 2012, 64, 879-888.	0.9	25
48	Modulation of Carcinogen Metabolizing Cytochromes P450 in Rat Liver and Kidney by Cabbage and Sauerkraut Juices: Comparison with the Effects of Indoleâ€3 arbinol and Phenethyl Isothiocyanate. Phytotherapy Research, 2012, 26, 1148-1155.	2.8	11
49	Chokeberry (Aronia melanocarpa) juice modulates 7,12-dimethylbenz[a]anthracene induced hepatic but not mammary gland phase I and II enzymes in female rats. Environmental Toxicology and Pharmacology, 2011, 31, 339-346.	2.0	14
50	Frequent gene hypermethylation in laryngeal cancer cell lines and the resistance to demethylation induction by plant polyphenols. Toxicology in Vitro, 2011, 25, 213-221.	1.1	10
51	Modulation of rat hepatic and kidney phase II enzymes by cabbage juices: comparison with the effects of indole-3-carbinol and phenethyl isothiocyanate. British Journal of Nutrition, 2011, 105, 816-826.	1.2	33
52	The effect of dietary polyphenols on the epigenetic regulation of gene expression in MCF7 breast cancer cells. Toxicology Letters, 2010, 192, 119-125.	0.4	170
53	Effect of Chokeberry (<i>Aronia melanocarpa</i>) Juice on the Metabolic Activation and Detoxication of Carcinogenic <i>N</i> -Nitrosodiethylamine in Rat Liver. Journal of Agricultural and Food Chemistry, 2009, 57, 5071-5077.	2.4	30
54	The effect of initiating doses of benzo[a]pyrene and 7,12-dimethylbenz[a]anthracene on the expression of PAH activating enzymes and its modulation by plant phenols. Toxicology, 2008, 251, 28-34.	2.0	15

#	Article	IF	CITATIONS
55	Cytotoxic activity of 3,3′,4,4′,5,5′-hexahydroxystilbene against breast cancer cells is mediated by induction of p53 and downregulation of mitochondrial superoxide dismutase. Toxicology in Vitro, 2008, 22, 1361-1370.	1.1	44
56	Hepatic and extrahepatic expression of glutathione S-transferase isozymes in mice and its modulation by naturally occurring phenolic acids. Environmental Toxicology and Pharmacology, 2008, 25, 27-32.	2.0	10
57	Effect of naturally occurring phenolic acids on the expression of glutathione S-transferase isozymes in the rat. Food and Chemical Toxicology, 2008, 46, 1097-1102.	1.8	24
58	Modulation of cytochrome P450 and phase II enzymes by protocatechuic acid in mouse liver and kidney. Toxicology, 2005, 216, 24-31.	2.0	20
59	Modulation of 3-methylcholanthrene-induced rat hepatic and renal cytochrome P450 and phase II enzymes by plant phenols: protocatechuic and tannic acids. Toxicology Letters, 2004, 152, 117-26.	0.4	37
60	The effects of tannic acid on cytochrome P450 and phase II enzymes in mouse liver and kidney. Toxicology Letters, 2003, 143, 209-216.	0.4	58
61	Monoclonal Antibody-Directed Analysis of Benzo[<o *a]pyrene="" 117-125.<="" 2001,="" 39,="" and="" cancer,="" effect="" extrahepatic="" gallate.="" in="" liver="" metabolism="" nutrition="" octyl="" of="" propyl="" rat="" td="" tissues:=""><td>0.9</td><td>7</td></o>	0.9	7