
Craig Steel

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10890130/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Managing Dissociation in Imagery Rescripting for Voice Hearers With Trauma: Lessons From a Case Series. Cognitive and Behavioral Practice, 2022, 29, 434-445.	0.9	6
2	Multisite randomised controlled trial of trauma-focused cognitive behaviour therapy for psychosis to reduce post-traumatic stress symptoms in people with co-morbid post-traumatic stress disorder and psychosis, compared to treatment as usual: study protocol for the STAR (Study of Trauma And) Tj ETQq0 () 0 rgB7 /0	verl8ck 10 Tf 5
3	A network analysis of post-traumatic stress and psychosis symptoms. Psychological Medicine, 2021, 51, 2485-2492.	2.7	26
4	Positive memory training for the treatment of depression in schizophrenia: A randomised controlled trial. Behaviour Research and Therapy, 2020, 135, 103734.	1.6	12
5	Voice hearers' experiences of the Making Sense of Voices approach in an NHS setting. Psychosis, 2020, 12, 106-114.	0.4	14
6	Imagery rescripting for the treatment of trauma in voice hearers: a case series. Behavioural and Cognitive Psychotherapy, 2019, 47, 709-725.	0.9	39
7	Making Sense of Voices: a case series. Psychosis, 2019, 11, 3-15.	0.4	24
8	The PCL as a brief screen for posttraumatic stress disorder within schizophrenia. International Journal of Psychiatry in Clinical Practice, 2017, 21, 148-150.	1.2	7
9	Psychological Interventions for Working with Trauma and Distressing Voices: The Future Is in the Past. Frontiers in Psychology, 2017, 7, 2035.	1.1	3
10	Cognitive Emotion Regulation as a Mediator between Posttraumatic Stress Symptoms and Hypomanic Personality within a Non-Clinical Population. Behavioural and Cognitive Psychotherapy, 2016, 44, 104-111.	0.9	6
11	Process analysis of traumaâ€focused cognitive behavioural therapy for individuals with schizophrenia. Psychology and Psychotherapy: Theory, Research and Practice, 2016, 89, 117-132.	1.3	12
12	Brief and effective psychological treatment of worry within people diagnosed with persecutory delusions. Evidence-Based Mental Health, 2016, 19, 27-27.	2.2	0
13	Hallucinations as a trauma-based memory: implications for psychological interventions. Frontiers in Psychology, 2015, 6, 1262.	1.1	42
14	Autobiographical memory distributions for negative self-images: Memories are organised around negative as well as positive aspects of identity. Memory, 2015, 23, 473-486.	0.9	10
15	A randomised controlled trial of positive memory training for the treatment of depression within schizophrenia. BMC Psychiatry, 2015, 15, 85.	1.1	24
16	Examining vulnerability to involuntary memories in schizophrenia comorbid with post-traumatic stress disorder. Schizophrenia Research, 2014, 152, 487-489.	1.1	12
17	Cognitive Behaviour Therapy for Psychosis: The Impact of Therapist Training and Supervision. Psychotherapy and Psychosomatics, 2012, 81, 194-195.	4.0	12
18	Schizotypal personality and vulnerability to involuntary autobiographical memories. Journal of Behavior Therapy and Experimental Psychiatry, 2012, 43, 871-876.	0.6	19

CRAIG STEEL

#	Article	IF	CITATIONS
19	Psychological approaches to the management of persistent delusions and hallucinations. , 2012, , 32-46.		0
20	Psychological approaches to the management of persistent delusions and hallucinations. , 2012, , 32-46.		0
21	Auditory Hallucinations and Posttraumatic Stress Disorder Within Schizophrenia and Substance Abuse. Journal of Nervous and Mental Disease, 2011, 199, 709-711.	0.5	17
22	Integrated motivational interviewing and cognitive behavioural therapy for people with psychosis and comorbid substance misuse: randomised controlled trial. BMJ: British Medical Journal, 2010, 341, c6325-c6325.	2.4	187
23	Can we harness computerised cognitive bias modification to treat anxiety in schizophrenia? A first step highlighting the role of mental imagery. Psychiatry Research, 2010, 178, 451-455.	1.7	36
24	Childhood abuse and schizotypal personality. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 917-923.	1.6	37
25	Family interventions in psychosis: a scale to measure therapist adherence. Journal of Family Therapy, 2009, 31, 270-283.	0.5	8
26	Positive schizotypy and trait dissociation as vulnerability factors for postâ€ŧraumatic distress. British Journal of Clinical Psychology, 2008, 47, 245-249.	1.7	16
27	Cognitive Behaviour Therapy for Psychosis: Current Evidence and Future Directions. Behavioural and Cognitive Psychotherapy, 2008, 36, 705-712.	0.9	13
28	Measuring Adherence in CBT for Psychosis: A Psychometric Analysis of an Adherence Scale. Behavioural and Cognitive Psychotherapy, 2008, 36, 163-178.	0.9	34
29	Positive Schizotypy and Trauma-Related Intrusions. Journal of Nervous and Mental Disease, 2007, 195, 60-64.	0.5	34
30	Associations between schizotypal personality traits and the facilitation and inhibition of the speed of contextually cued responses. Psychiatry Research, 2007, 150, 131-140.	1.7	11
31	Cognitive Behavior Therapy for Schizophrenia: Effect Sizes, Clinical Models, and Methodological Rigor. Schizophrenia Bulletin, 2007, 34, 523-537.	2.3	844
32	The multidimensional measurement of the positive symptoms of psychosis. International Journal of Methods in Psychiatric Research, 2007, 16, 88-96.	1.1	56
33	Trauma and Hallucinatory Experience in Psychosis. Journal of Nervous and Mental Disease, 2005, 193, 501-507.	0.5	186
34	Trauma-Related Intrusions and Psychosis: An Information Processing Account. Behavioural and Cognitive Psychotherapy, 2005, 33, 139-152.	0.9	119
35	Schizotypy: A Vulnerability Factor for Traumatic Intrusions. Journal of Nervous and Mental Disease, 2004, 192, 28-34.	0.5	70
36	Oxford-Liverpool Inventory of Feelings and Experiences: Reliability in an experimental population. British Journal of Clinical Psychology, 1998, 37, 107-108.	1.7	66

#	Article	IF	CITATIONS
37	â€~Cognitive inhibition' and schizotypy as measured by the Oxford-Liverpool inventory of feelings and experiences. Personality and Individual Differences, 1996, 20, 769-773.	1.6	33