

# Yi Pang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1089023/publications.pdf>

Version: 2024-02-01

109  
papers

4,988  
citations

81900

39  
h-index

98798

67  
g-index

113  
all docs

113  
docs citations

113  
times ranked

5181  
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficient Aerobic Oxidation of 5-Hydroxymethylfurfural to 2,5-Diformylfuran, and Synthesis of a Fluorescent Material. <i>ChemSusChem</i> , 2011, 4, 51-54.	6.8	256
2	A Highly Selective Pyrophosphate Sensor Based on ESIPT Turn-On in Water. <i>Organic Letters</i> , 2011, 13, 1362-1365.	4.6	245
3	Flavone-Based ESIPT Ratiometric Chemodosimeter for Detection of Cysteine in Living Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 4402-4407.	8.0	192
4	Novel Turn-On Fluorescent Sensors with Mega Stokes Shifts for Dual Detection of Al <sup>3+</sup> and Zn <sup>2+</sup> . <i>ACS Sensors</i> , 2016, 1, 144-150.	7.8	172
5	The copolymerization reactivity of diols with 2,5-furandicarboxylic acid for furan-based copolyester materials. <i>Journal of Materials Chemistry</i> , 2012, 22, 3457.	6.7	165
6	A Polymeric Colorimetric Sensor with Excited-State Intramolecular Proton Transfer for Anionic Species. <i>Chemistry of Materials</i> , 2007, 19, 6421-6429.	6.7	152
7	Synthesis and crystallinity of poly(butylene 2,5-furandicarboxylate). <i>Polymer</i> , 2012, 53, 4145-4151.	3.8	142
8	An NIR-emitting lysosome-targeting probe with large Stokes shift via coupling cyanine and excited-state intramolecular proton transfer. <i>Chemical Communications</i> , 2017, 53, 3697-3700.	4.1	130
9	A single molecular probe for multi-analyte (Cr <sup>3+</sup> , Al <sup>3+</sup> and Fe <sup>3+</sup> ) detection in aqueous medium and its biological application. <i>Chemical Communications</i> , 2014, 50, 12258-12261.	4.1	121
10	A Highly Luminescent Poly[(m-phenylenevinylene)-alt-(p-phenylenevinylene)] with Defined Conjugation Length and Improved Solubility. <i>Macromolecules</i> , 1999, 32, 3946-3950.	4.8	113
11	Aggregation Control of Squaraines and Their Use as Near-Infrared Fluorescent Sensors for Protein. <i>Journal of Physical Chemistry B</i> , 2010, 114, 8574-8580.	2.6	103
12	A fluorescent probe for hydrazine and its in vivo applications. <i>RSC Advances</i> , 2014, 4, 41807-41811.	3.6	102
13	Zinc binding-induced near-IR emission from excited-state intramolecular proton transfer of a bis(benzoxazole) derivative. <i>Chemical Communications</i> , 2010, 46, 4070.	4.1	98
14	Wrapping of Single-Walled Carbon Nanotubes by a $\pi$ -Conjugated Polymer: The Role of Polymer Conformation-Controlled Size Selectivity. <i>Journal of Physical Chemistry B</i> , 2008, 112, 12263-12269.	2.6	97
15	Fluorescence monitor of hydrazine in vivo by selective deprotection of flavonoid. <i>Sensors and Actuators B: Chemical</i> , 2014, 202, 194-200.	7.8	86
16	Progress in Tuning Emission of the Excited-State Intramolecular Proton Transfer (ESIPT)-Based Fluorescent Probes. <i>ACS Omega</i> , 2021, 6, 6547-6553.	3.5	83
17	A Processible Poly(phenyleneethynylene) with Strong Photoluminescence: Synthesis and Characterization of Poly[(m-phenyleneethynylene)-alt-(p-phenyleneethynylene)]. <i>Macromolecules</i> , 1998, 31, 6730-6732.	4.8	80
18	Synthesis, Characterization and Luminescence of Poly[(m-phenylenevinylene)-alt-(1,4-dibutoxy-2,5-phenylenevinylene)] with Different Content of cis-and-trans-Olefins. <i>Macromolecules</i> , 2001, 34, 6756-6760.	4.8	80

#	ARTICLE	IF	CITATIONS
19	Blue-Emitting Soluble Poly(m-phenylenevinylene) Derivatives. <i>Macromolecules</i> , 2001, 34, 7300-7305.	4.8	79
20	A simple sensitive ESIPT on-off fluorescent sensor for selective detection of Al <sup>3+</sup> in water. <i>RSC Advances</i> , 2014, 4, 5845.	3.6	78
21	A step toward simplified detection of serum albumin on SDS-PAGE using an environment-sensitive flavone sensor. <i>Chemical Communications</i> , 2015, 51, 11060-11063.	4.1	78
22	Rational design of a NIR-emitting Pd(II) sensor via oxidative cyclization to form a benzoxazole ring. <i>Chemical Communications</i> , 2012, 48, 3824.	4.1	77
23	Zn <sup>2+</sup> -triggered excited-state intramolecular proton transfer: a sensitive probe with near-infrared emission from bis(benzoxazole) derivative. <i>Dalton Transactions</i> , 2011, 40, 1503.	3.3	74
24	Bright red-emitting pyrene derivatives with a large Stokes shift for nucleus staining. <i>Chemical Communications</i> , 2017, 53, 5886-5889.	4.1	74
25	Schiff base polymers derived from 2,5-diformylfuran. <i>Polymer International</i> , 2013, 62, 1517-1523.	3.1	70
26	Fluorescent flavonoids for endoplasmic reticulum cell imaging. <i>Journal of Materials Chemistry B</i> , 2016, 4, 7902-7908.	5.8	69
27	Excited-state intramolecular proton transfer in 2-(2,6-dihydroxyphenyl)benzoxazole: effect of dual hydrogen bonding on the optical properties. <i>Tetrahedron Letters</i> , 2010, 51, 1914-1918.	1.4	65
28	Excited-State Intramolecular Proton Transfer (ESIPT) of Fluorescent Flavonoid Dyes: A Close Look by Low Temperature Fluorescence. <i>Journal of Physical Chemistry B</i> , 2017, 121, 4981-4986.	2.6	63
29	A benzothiazole-based sensor for pyrophosphate (PPi) and ATP: mechanistic insight for anion-induced ESIPT turn-on. <i>Journal of Materials Chemistry B</i> , 2014, 2, 6634-6638.	5.8	61
30	Origin of Water-Induced Fluorescence Turn-On from a Schiff Base Compound: AIE or H-Bonding Promoted ESIPT?. <i>Journal of Physical Chemistry B</i> , 2016, 120, 766-772.	2.6	59
31	A mononuclear zinc complex for selective detection of diphosphate via ESIPT fluorescence turn-on. <i>Journal of Materials Chemistry B</i> , 2014, 2, 3349.	5.8	55
32	Zn <sup>2+</sup> Binding-Enabled Excited State Intramolecular Proton Transfer: A Step toward New Near-Infrared Fluorescent Probes for Imaging Applications. <i>Advanced Healthcare Materials</i> , 2012, 1, 485-492.	7.6	54
33	Solvatochromic fluorescent probes for recognition of human serum albumin in aqueous solution: Insights into structure-property relationship. <i>Sensors and Actuators B: Chemical</i> , 2016, 236, 668-674.	7.8	54
34	Large Fluorescence Response by Alcohol from a Bis(benzoxazole)-Zinc(II) Complex: The Role of Excited State Intramolecular Proton Transfer. <i>Journal of Physical Chemistry B</i> , 2013, 117, 4127-4133.	2.6	49
35	Efficient synthesis of 2-(2-hydroxyphenyl)benzoxazole by palladium(II)-catalyzed oxidative cyclization. <i>Tetrahedron Letters</i> , 2009, 50, 6680-6683.	1.4	47
36	A selective NIR-emitting zinc sensor by using Schiff base binding to turn-on excited-state intramolecular proton transfer. <i>Journal of Materials Chemistry B</i> , 2014, 2, 2008.	5.8	45

#	ARTICLE	IF	CITATIONS
37	A novel flavonoid-based bioprobe for intracellular recognition of Cu <sup>2+</sup> and its complex with Cu <sup>2+</sup> for secondary sensing of pyrophosphate. <i>Sensors and Actuators B: Chemical</i> , 2016, 229, 131-137.	7.8	44
38	An NIR-emitting ESIPT dye with large stokes shift for plasma membrane of prokaryotic ( <i>E. coli</i> ) cells. <i>Sensors and Actuators B: Chemical</i> , 2018, 259, 44-49.	7.8	43
39	Photophysical and Electroluminescent Properties of Hyperbranched Polyfluorenes. <i>Macromolecular Chemistry and Physics</i> , 2006, 207, 870-878.	2.2	41
40	Green-Emitting PPE-PPV Hybrid Polymers: Efficient Energy Transfer across them-Phenylene Bridge. <i>Macromolecules</i> , 2003, 36, 3848-3853.	4.8	40
41	Biocompatible Flavone-Based Fluorogenic Probes for Quick Wash-Free Mitochondrial Imaging in Living Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 21638-21644.	8.0	40
42	A bright red-emitting flavonoid for Al <sup>3+</sup> detection in live cells without quenching ICT fluorescence. <i>Chemical Communications</i> , 2019, 55, 7041-7044.	4.1	40
43	Synthesis, Chain Rigidity, and Luminescent Properties of Poly[(1,3-phenyleneethynylene)-alt-tris(2,5-dialkoxy-1,4-phenyleneethynylene)]s. <i>Macromolecules</i> , 2002, 35, 7569-7574.	4.8	38
44	Effect of Cation-π Interaction on Macroionic Self-Assembly. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 4067-4072.	13.8	37
45	Synthesis of terpyridine-functionalized poly(phenylenevinylene): The role of meta-phenylene linkage on the Cu <sup>2+</sup> and Zn <sup>2+</sup> chemosensors. <i>Polymer</i> , 2009, 50, 2001-2009.	3.8	36
46	Polymer conformation-assisted wrapping of single-walled carbon nanotube: The impact of cis-vinylene linkage. <i>Polymer</i> , 2010, 51, 475-481.	3.8	34
47	A fluorescent bis(benzoxazole) ligand: Toward binuclear Zn(II)-Zn(II) assembly. <i>Dalton Transactions</i> , 2010, 39, 5254.	3.3	32
48	Photoluminescence and Electroluminescence Study of Violet-Blue and Green Emitting Polymers and Their Blend. <i>Macromolecules</i> , 2003, 36, 7301-7307.	4.8	31
49	Rotational Energy Barrier of 2-(2,6-Dihydroxyphenyl)benzoxazole: A Case Study by NMR. <i>Journal of Organic Chemistry</i> , 2012, 77, 285-290.	3.2	31
50	A binuclear Zn(II)-Zn(II) complex from a 2-hydroxybenzohydrazide-derived Schiff base for selective detection of pyrophosphate. <i>Dalton Transactions</i> , 2014, 43, 14142.	3.3	31
51	A Ca <sup>3+</sup> -self-assembled fluorescent probe for ATP imaging in vivo. <i>Biosensors and Bioelectronics</i> , 2015, 65, 166-170.	10.1	30
52	Red-emitting pyrene-benzothiazolium: unexpected selectivity to lysosomes for real-time cell imaging without alkalinizing effect. <i>Chemical Communications</i> , 2019, 55, 3469-3472.	4.1	30
53	NIR-emitting benzothiazolium cyanines with an enhanced stokes shift for mitochondria imaging in live cells. <i>Organic and Biomolecular Chemistry</i> , 2018, 16, 3382-3388.	2.8	29
54	Selection of Single-Walled Carbon Nanotube with Narrow Diameter Distribution by Using a PPE-PPV Copolymer. <i>ACS Macro Letters</i> , 2012, 1, 246-251.	4.8	28

#	ARTICLE	IF	CITATIONS
55	Synthesis and optical properties of light-emitting $\pi$ -conjugated polymers containing biphenyl and dithienosilole. <i>Journal of Polymer Science Part A</i> , 2007, 45, 2048-2058.	2.3	27
56	Effect of Iodine-Catalyzed Isomerization on the Optical Properties of Poly[(1,3-phenylenevinylene)-alt-(2,5-hexyloxy-1,4-phenylenevinylene)]s. <i>Macromolecules</i> , 2002, 35, 6055-6059.	4.8	26
57	Aggregation and Self-Assembly of Oligo(2,5-dialkoxy-1,4-phenyleneethynylene)]s: An Improved Probe To Study Inter- and Intramolecular Interaction. <i>Macromolecules</i> , 2005, 38, 517-520.	4.8	26
58	NIR-Emitting Hemicyanines with Large Stokes Shifts for Live Cell Imaging: from Lysosome to Mitochondria Selectivity by Substituent Effect. <i>ACS Applied Bio Materials</i> , 2019, 2, 4037-4043.	4.6	26
59	Bright red-emitting highly reliable styryl probe with large stokes shift for visualizing mitochondria in live cells under wash-free conditions. <i>Sensors and Actuators B: Chemical</i> , 2019, 285, 76-83.	7.8	24
60	Optical Response of Terpyridine Ligands to Zinc Binding: A Close Look at the Substitution Effect by Spectroscopic Studies at Low Temperature. <i>Journal of Physical Chemistry B</i> , 2016, 120, 3311-3317.	2.6	23
61	A fluorescent flavonoid for lysosome detection in live cells under wash free conditions. <i>Journal of Materials Chemistry B</i> , 2018, 6, 5050-5058.	5.8	23
62	Poly[(2-alkoxy-5-methyl-1,3-phenylene vinylene)-alt-(phenylene vinylene)] derivatives with different contents of cis- and trans-olefins: The effect of the olefin bond geometry and conjugation length on luminescence. <i>Journal of Polymer Science Part A</i> , 2004, 42, 303-316.	2.3	21
63	Regioregular poly(3-alkanoylthiophene): Synthesis and electrochemical, photophysical, charge transport, and photovoltaic properties. <i>Journal of Polymer Science Part A</i> , 2010, 48, 4681-4690.	2.3	21
64	A flavonoid-based light-up bioprobe with intramolecular charge transfer characteristics for wash-free fluorescence imaging in vivo. <i>Sensors and Actuators B: Chemical</i> , 2016, 235, 309-315.	7.8	20
65	Green-Emitting Poly[(2-alkoxy-5-methyl-1,3-phenylenevinylene)-alt-(1,4-phenylenevinylene)]s: Effect of Substitution Patterns on the Optical Properties. <i>Macromolecules</i> , 2002, 35, 3819-3824.	4.8	19
66	A Highly Efficient Light-Emitting Poly{[5-(diphenylamino)-1,3-phenylenevinylene]-alt-(2,5-dihexyloxy-1,4-phenylenevinylene)}: Synthesis and Optical Properties. <i>Macromolecules</i> , 2004, 37, 3970-3972.	4.8	19
67	Terpyridine-substituted, fluorescent polymers and their chelation with zinc ion: The ligand-to-metal ratio and optical properties. <i>Journal of Polymer Science Part A</i> , 2006, 44, 2338-2345.	2.3	19
68	Achieving Diameter-Selective Separation of Single-Walled Carbon Nanotubes by Using Polymer Conformation-Confined Helical Cavity. <i>ACS Macro Letters</i> , 2012, 1, 701-705.	4.8	19
69	Fused bis[2-(2-hydroxyphenyl)benzoxazole] derivatives for improved fluoride sensing: The impact of regiochemistry and competitive hydrogen bonding. <i>Tetrahedron Letters</i> , 2017, 58, 1627-1632.	1.4	19
70	Highly Selective Dispersion of Carbon Nanotubes by Using Poly(phenyleneethynylene)-Guided Supramolecular Assembly. <i>Small</i> , 2013, 9, 870-875.	10.0	18
71	Structural Effect on the Cellular Selectivity of an NIR-Emitting Cyanine Probe: From Lysosome to Simultaneous Nucleus and Mitochondria Selectivity with Potential for Monitoring Mitochondria Dysfunction in Cells. <i>ACS Applied Bio Materials</i> , 2019, 2, 5174-5181.	4.6	18
72	Ultrafast excited state intramolecular proton/charge transfers in novel NIR-emitting molecules. <i>AIP Advances</i> , 2019, 9, .	1.3	18

#	ARTICLE	IF	CITATIONS
73	A NIR-emitting cyanine with large Stokes shifts for live cell imaging: large impact of the phenol group on emission. <i>Chemical Communications</i> , 2019, 55, 13223-13226.	4.1	18
74	Regiocontrolled Synthesis of Poly[(p-phenylene ethynylene)-alt-(2,5-thienylene ethynylene)]s: Regioregularity Effect on Photoluminescence and Solution Properties.. <i>Macromolecules</i> , 1998, 31, 5740-5745.	4.8	17
75	A pyrene-based two-photon excitable fluorescent probe to visualize nuclei in live cells. <i>Photochemical and Photobiological Sciences</i> , 2020, 19, 1152-1159.	2.9	17
76	An ESIPT-based fluorescent probe for the determination of hypochlorous acid (HClO): mechanism study and its application in cell imaging. <i>Analytical and Bioanalytical Chemistry</i> , 2018, 410, 7007-7017.	3.7	16
77	From nucleus to mitochondria to lysosome selectivity switching in a cyanine probe: The phenolic to methoxy substituent conversion affects probe's selectivity. <i>Bioorganic Chemistry</i> , 2020, 99, 103848.	4.1	16
78	Synthesis and luminescence of yellow/orange-emitting poly[tris(2,5-dihexyloxy-1,4-phenylenevinylene)-alt-(1,3-phenylenevinylene)]s. <i>Journal of Polymer Science Part A</i> , 2004, 42, 5853-5862.	2.3	15
79	Lysosome imaging in cancer cells by pyrene-benzothiazolium dyes: An alternative imaging approach for LAMP-1 expression based visualization methods to avoid background interference. <i>Bioorganic Chemistry</i> , 2019, 91, 103144.	4.1	14
80	An NIR emitting styryl dye with large Stokes shift to enable co-staining study on zebrafish neuromast hair cells. <i>Bioorganic Chemistry</i> , 2019, 89, 103040.	4.1	14
81	Synthesis of highly selective lysosomal markers by coupling 2-(2-hydroxyphenyl)benzothiazole (HBT) with benzothiazolium cyanine (Cy): the impact of substituents on selectivity and optical properties. <i>Journal of Materials Chemistry B</i> , 2019, 7, 7502-7514.	5.8	14
82	Conformational change due to intramolecular hydrophobic interaction leads to large blue-shifted emission from single molecular cage solutions. <i>Chemical Communications</i> , 2019, 55, 330-333.	4.1	14
83	Lysosomal Biogenesis and Implications for Hydroxychloroquine Disposition. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2021, 376, 294-305.	2.5	14
84	Albumin-induced large fluorescence turn ON in 4-(diphenylamino)benzothiazolium dyes for clinical applications in protein detection. <i>Sensors and Actuators B: Chemical</i> , 2022, 368, 132199.	7.8	14
85	Yellow-light-emitting cyano-substituted poly[(1,3-phenylene vinylene)-alt-(1,4-phenylene vinylene)] derivative: Its synthesis and optical properties. <i>Journal of Polymer Science Part A</i> , 2003, 41, 3149-3158.	2.3	13
86	Selective dispersion of single-walled carbon nanotubes by a cationic surfactant. <i>RSC Advances</i> , 2013, 3, 25097.	3.6	13
87	A near infrared fluorescent dye for trivalent ions sensing and working as a molecular keypad lock. <i>RSC Advances</i> , 2014, 4, 11634.	3.6	13
88	Synthesis of fused 2-(2-hydroxyphenyl)benzoxazole derivatives: the impact of meta-/para-substitution on fluorescence and zinc binding. <i>Tetrahedron Letters</i> , 2016, 57, 3518-3522.	1.4	13
89	Solvation Controlled Excited-State Planarization in a Push-Pull Pyrene Dye. <i>Journal of Physical Chemistry C</i> , 2020, 124, 8550-8560.	3.1	13
90	Poly[(1,4-phenylenevinylene)-alt-(1,3-phenylenevinylene)]s with different length of side chain: their synthesis and optical properties. <i>Synthetic Metals</i> , 2004, 144, 271-277.	3.9	12

#	ARTICLE	IF	CITATIONS
91	A study on the vibrational structure of poly(phenylenevinylene)s via low-temperature UV-vis and fluorescence spectroscopy. <i>Journal of Materials Chemistry</i> , 2001, 11, 3078-3081.	6.7	11
92	Synthesis of a bis[2-(2-hydroxyphenyl)benzoxazole]pyridinium derivative: the fluoride-induced large spectral shift for ratiometric response. <i>New Journal of Chemistry</i> , 2021, 45, 9102-9108.	2.8	11
93	Synthesis and optical properties of poly[(p-phenyleneethynylene)-alt-(m-phenyleneethynylene)]s. <i>Synthetic Metals</i> , 2004, 140, 43-48.	3.9	10
94	A Fluorescent Flavonoid for Lysosome Imaging: the Effect of Substituents on Selectivity and Optical Properties. <i>Journal of Fluorescence</i> , 2019, 29, 599-607.	2.5	10
95	NIR-emitting styryl dyes with large Stokes shifts for imaging application: From cellular plasma membrane, mitochondria to zebrafish neuromast. <i>Dyes and Pigments</i> , 2021, 194, 109629.	3.7	10
96	A NIR Emitting Cyanine with Large Stokes Shift for Mitochondria and Identification of their Membrane Potential Disruption. <i>ChemBioChem</i> , 2022, 23, .	2.6	10
97	Blue-emitting poly[(m-phenylene vinylene)-alt-(o-phenylene vinylene)]s: The effect of regioregularity on the optical properties. <i>Journal of Polymer Science Part A</i> , 2003, 41, 2650-2658.	2.3	9
98	Green-emitting poly[(1,3-phenylenevinylene)-alt-(1,4-phenylenevinylene)]s: Effect of the substitution patterns on the optical properties. <i>Journal of Polymer Science Part A</i> , 2004, 42, 1820-1829.	2.3	8
99	A benzoxazole sulfenamide accelerator: Synthesis, structure, property, and implication in rubber vulcanization mechanism. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	2.6	8
100	Efficient blue-green-emitting poly[(5-diphenylamino-1,3-phenylenevinylene)-alt-(2,5-dihexyloxy-1,4-phenylenevinylene)] derivatives: Synthesis and optical properties. <i>Journal of Polymer Science Part A</i> , 2006, 44, 2307-2315.	2.3	7
101	Substituent effect on fluorophores instead of ionophores: its implication in highly selective fluorescent probes for Zn <sup>2+</sup> over Cd <sup>2+</sup> . <i>RSC Advances</i> , 2014, 4, 4827.	3.6	7
102	A versatile synthesis of bis[2-(2-hydroxyphenyl)benzoxazole] derivatives as zinc sensors. <i>RSC Advances</i> , 2013, 3, 10208.	3.6	6
103	Efficient synthesis of NIR emitting bis[2-(2-hydroxyphenyl)benzoxazole] derivative and its potential for imaging applications. <i>Bioorganic Chemistry</i> , 2020, 96, 103585.	4.1	5
104	Blue-emitting poly(1,3-phenylenevinylene) derivatives: Effect of substitution patterns on optical properties. <i>Journal of Polymer Science Part A</i> , 2005, 43, 2800-2809.	2.3	4
105	Simultaneous Visualization of Mitochondria and Lysosome by a Single Cyanine Dye: The Impact of the Donor Group (-NR <sub>2</sub> ) Towards Organelle Selectivity. <i>Journal of Fluorescence</i> , 2021, 31, 1227-1234.	2.5	4
106	The Unexpected Selectivity Switching from Mitochondria to Lysosome in a D-ΐ-A Cyanine Dye. <i>Biosensors</i> , 2022, 12, 504.	4.7	3
107	Application of sonochemistry in the isomerization of carbon-carbon double bonds. <i>Journal of Polymer Science Part A</i> , 2010, 48, 5254-5257.	2.3	2
108	Impact of Cyano-Functional Group on Luminescence of Poly(m-phenylenevinylene) Derivatives: Its Dependence on Conjugation Length. <i>ACS Symposium Series</i> , 2005, , 76-89.	0.5	1

#	ARTICLE	IF	CITATIONS
109	Synthesis of a far-red emitting flavonoid-based lysosome marker for live cell imaging applications. <i>Bioorganic Chemistry</i> , 2020, 102, 104040.	4.1	0