

Ravshan Burikhanov

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10891343/publications.pdf>

Version: 2024-02-01

29
papers

1,636
citations

331670

21
h-index

477307

29
g-index

32
all docs

32
docs citations

32
times ranked

1822
citing authors

#	ARTICLE	IF	CITATIONS
1	Ru(II)/amino acid complexes inhibit the progression of breast cancer cells through multiple mechanism-induced apoptosis. <i>Journal of Inorganic Biochemistry</i> , 2022, 226, 111625.	3.5	14
2	Tumor Suppressor Par-4 Regulates Complement Factor C3 and Obesity. <i>Frontiers in Oncology</i> , 2022, 12, 860446.	2.8	1
3	Neoadjuvant administration of hydroxychloroquine in a phase 1 clinical trial induced plasma Par-4 levels and apoptosis in diverse tumors. <i>Genes and Cancer</i> , 2018, 9, 190-197.	1.9	22
4	Chloroquine-Inducible Par-4 Secretion Is Essential for Tumor Cell Apoptosis and Inhibition of Metastasis. <i>Cell Reports</i> , 2017, 18, 508-519.	6.4	61
5	A Naturally Generated Decoy of the Prostate Apoptosis Response-4 Protein Overcomes Therapy Resistance in Tumors. <i>Cancer Research</i> , 2017, 77, 4039-4050.	0.9	26
6	Par-4 secretion: stoichiometry of 3-arylquinoline binding to vimentin. <i>Organic and Biomolecular Chemistry</i> , 2016, 14, 74-84.	2.8	17
7	Development of 6 H -chromeno[3,4- c]pyrido[3- a :2- a ' :4,5]thieno[2,3- e]pyridazin-6-ones as Par-4 secretagogues. <i>Tetrahedron Letters</i> , 2015, 56, 3382-3384.	1.4	7
8	Arylquins target vimentin to trigger Par-4 secretion for tumor cell apoptosis. <i>Nature Chemical Biology</i> , 2014, 10, 924-926.	8.0	54
9	Paracrine Apoptotic Effect of p53 Mediated by Tumor Suppressor Par-4. <i>Cell Reports</i> , 2014, 6, 271-277.	6.4	33
10	Novel Mechanism of Apoptosis Resistance in Cancer Mediated by Extracellular PAR-4. <i>Cancer Research</i> , 2013, 73, 1011-1019.	0.9	47
11	Prostate apoptosis response-4 is involved in the apoptosis response to docetaxel in MCF-7 breast cancer cells. <i>International Journal of Oncology</i> , 2013, 43, 531-538.	3.3	21
12	Systemic Par-4 inhibits non-autochthonous tumor growth. <i>Cancer Biology and Therapy</i> , 2011, 12, 152-157.	3.4	35
13	The Tumor Suppressor Par-4 Activates an Extrinsic Pathway for Apoptosis. <i>Cell</i> , 2009, 138, 377-388.	28.9	233
14	The Tumor Suppressor Par-4 Activates an Extrinsic Pathway for Apoptosis. <i>Cell</i> , 2009, 138, 1032.	28.9	2
15	Critical role of prostate apoptosis response-4 in determining the sensitivity of pancreatic cancer cells to small-molecule inhibitor-induced apoptosis. <i>Molecular Cancer Therapeutics</i> , 2008, 7, 2884-2893.	4.1	37
16	Par-4 Binds to Topoisomerase 1 and Attenuates Its DNA Relaxation Activity. <i>Cancer Research</i> , 2008, 68, 6190-6198.	0.9	38
17	Par-4-Dependent Apoptosis by the Dietary Compound Withaferin A in Prostate Cancer Cells. <i>Cancer Research</i> , 2007, 67, 246-253.	0.9	200
18	Suppression of PTEN Expression Is Essential for Antiapoptosis and Cellular Transformation by Oncogenic Ras. <i>Cancer Research</i> , 2007, 67, 10343-10350.	0.9	63

#	ARTICLE	IF	CITATIONS
19	Cancer Resistance in Transgenic Mice Expressing the SAC Module of Par-4. <i>Cancer Research</i> , 2007, 67, 9276-9285.	0.9	62
20	Role of Tumor Necrosis Factor- α and TRAIL in High-Dose Radiation-Induced Bystander Signaling in Lung Adenocarcinoma. <i>Cancer Research</i> , 2007, 67, 11811-11820.	0.9	114
21	Binding and Phosphorylation of Par-4 by Akt Is Essential for Cancer Cell Survival. <i>Molecular Cell</i> , 2005, 20, 33-44.	9.7	143
22	Alcohol, But Not Lipopolysaccharide-Induced Liver Apoptosis Involves Changes in Intracellular Compartmentalization of Apoptotic Regulators. <i>Alcoholism: Clinical and Experimental Research</i> , 2004, 28, 160-172.	2.4	19
23	Microarray gene analysis of the liver in a rat model of chronic, voluntary alcohol intake. <i>Alcohol</i> , 2004, 32, 113-127.	1.7	26
24	Large-scale gene profiling of the liver in a mouse model of chronic, intragastric ethanol infusion. <i>Journal of Hepatology</i> , 2004, 40, 219-227.	3.7	54
25	Identification of a Unique Core Domain of Par-4 Sufficient for Selective Apoptosis Induction in Cancer Cells. <i>Molecular and Cellular Biology</i> , 2003, 23, 5516-5525.	2.3	150
26	A Role for Interleukin-10 in Alcohol-Induced Liver Sensitization to Bacterial Lipopolysaccharide. <i>Alcoholism: Clinical and Experimental Research</i> , 2002, 26, 74-82.	2.4	76
27	Epidermal Growth Factor Protects the Liver Against Alcohol-Induced Injury and Sensitization to Bacterial Lipopolysaccharide. <i>Alcoholism: Clinical and Experimental Research</i> , 2002, 26, 864-874.	2.4	31
28	Inhibition of Caspases In Vivo Protects the Rat Liver Against Alcohol-Induced Sensitization to Bacterial Lipopolysaccharide. <i>Alcoholism: Clinical and Experimental Research</i> , 2001, 25, 935-943.	2.4	46
29	Inhibition of Caspases In Vivo Protects the Rat Liver Against Alcohol-Induced Sensitization to Bacterial Lipopolysaccharide. <i>Alcoholism: Clinical and Experimental Research</i> , 2001, 25, 935-943.	2.4	4