

Peter Clemmensen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10891470/publications.pdf>

Version: 2024-02-01

133
papers

13,256
citations

76196

40
h-index

21474

114
g-index

135
all docs

135
docs citations

135
times ranked

12024
citing authors

#	ARTICLE	IF	CITATIONS
1	Single-dose of adreuzumab versus placebo in acute cardiogenic shock (ACCOST-HH): an investigator-initiated, randomised, double-blinded, placebo-controlled, multicentre trial. <i>Lancet Respiratory Medicine</i> , 2022, 10, 247-254.	5.2	12
2	Prognostic Value of Coronary CT Angiography in Patients With Non-ST-Segment Elevation Acute Coronary Syndromes. <i>Journal of the American College of Cardiology</i> , 2021, 77, 1044-1052.	1.2	26
3	Completeness of revascularisation in acute coronary syndrome patients with multivessel disease. <i>EuroIntervention</i> , 2021, 17, 193-201.	1.4	9
4	Importance of Risk Assessment in Timing of Invasive Coronary Evaluation and Treatment of Patients With Non-ST-Segment Elevation Acute Coronary Syndrome: Insights From the VERDICT Trial. <i>Journal of the American Heart Association</i> , 2021, 10, e022333.	1.6	9
5	Diagnostic performance of a new ECG algorithm for reducing false positive cases in patients suspected acute coronary syndrome. <i>Journal of Electrocardiology</i> , 2021, 69, 60-64.	0.4	2
6	Using proximity extension proteomics assay to identify biomarkers associated with infarct size and ejection fraction after ST-elevation myocardial infarction. <i>Scientific Reports</i> , 2020, 10, 18663.	1.6	10
7	Worst lead ST deviation and resolution of ST elevation at one hour for prediction of myocardial salvage, infarct size, and microvascular obstruction in patients with ST-elevation myocardial infarction treated with primary percutaneous coronary intervention. <i>Annals of Noninvasive Electrocardiology</i> , 2020, 25, e12784.	0.5	3
8	Soluble urokinase receptor as a predictor of non-cardiac mortality in patients with percutaneous coronary intervention treated ST-segment elevation myocardial infarction. <i>Clinical Biochemistry</i> , 2020, 80, 8-13.	0.8	1
9	Five-Year Clinical and Echocardiographic Outcomes From the NOTION Randomized Clinical Trial in Patients at Lower Surgical Risk. <i>Circulation</i> , 2019, 139, 2714-2723.	1.6	229
10	Unreported exclusion and sampling bias in interpretation of randomized controlled trials in patients with STEMI. <i>International Journal of Cardiology</i> , 2019, 289, 1-5.	0.8	5
11	Complete Revascularization Versus Culprit Lesion Only in Patients With ST-Segment Elevation Myocardial Infarction and Multivessel Disease. <i>JACC: Cardiovascular Interventions</i> , 2019, 12, 721-730.	1.1	15
12	Acute kidney injury – A frequent and serious complication after primary percutaneous coronary intervention in patients with ST-segment elevation myocardial infarction. <i>PLoS ONE</i> , 2019, 14, e0226625.	1.1	18
13	Sex And Prognostic Significance of Self-Reported Frailty in Non-ST-Segment Elevation Acute Coronary Syndromes: Insights From the TRILOGY ACS Trial. <i>Canadian Journal of Cardiology</i> , 2019, 35, 430-437.	0.8	7
14	Right bundle branch block in patients with suspected myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019, 8, 161-166.	0.4	20
15	Title is missing!. , 2019, 14, e0226625.		0
16	Title is missing!. , 2019, 14, e0226625.		0
17	Title is missing!. , 2019, 14, e0226625.		0
18	Title is missing!. , 2019, 14, e0226625.		0

#	ARTICLE	IF	CITATIONS
19	Title is missing!. , 2019, 14, e0226625.		0
20	Title is missing!. , 2019, 14, e0226625.		0
21	Correlation of anteroseptal ST elevation with myocardial infarction territories through cardiovascular magnetic resonance imaging. Journal of Electrocardiology, 2018, 51, 563-568.	0.4	4
22	Relation of Bleeding Events to Mortality in Patients With ST-Segment Elevation Myocardial Infarction Treated by Percutaneous Coronary Intervention (a DANAMI-3 Substudy). American Journal of Cardiology, 2018, 121, 781-788.	0.7	2
23	Correlation of ST changes in leads V4â€“V6 to area of ischemia by CMR in inferior STEMI. Scandinavian Cardiovascular Journal, 2018, 52, 189-195.	0.4	2
24	Long-term survival and causes of death in patients with ST-elevation acute coronary syndrome without obstructive coronary artery disease. European Heart Journal, 2018, 39, 102-110.	1.0	87
25	Appropriateness of anteroseptal myocardial infarction nomenclature evaluated by late gadolinium enhancement cardiovascular magnetic resonance imaging. Journal of Electrocardiology, 2018, 51, 218-223.	0.4	2
26	Electrocardiographic scores of severity and acuteness of myocardial ischemia predict myocardial salvage in patients with anterior ST-segment elevation myocardial infarction. Journal of Electrocardiology, 2018, 51, 195-202.	0.4	6
27	Cardiac Magnetic Resonance Evaluation of the Extent of Myocardial Injury in Patients with Inferior ST Elevation Myocardial Infarction and Concomitant ST Depression in Leads V1â€“V3: Analysis from the MITOCARE Study. Cardiology, 2018, 140, 178-185.	0.6	6
28	MRâ€“proADM as a Prognostic Marker in Patients With STâ€“Segmentâ€“Elevation Myocardial Infarctionâ€“DANAMIâ€“3 (a Danish Study of Optimal Acute Treatment of Patients With STEMI) Substudy. Journal of the American Heart Association, 2018, 7, .	1.6	15
29	Can copeptin and troponin T ratio predict final infarct size and myocardial salvage index in patients with ST-elevation myocardial infarction: A sub-study of the DANAMI-3 trial. Clinical Biochemistry, 2018, 59, 37-42.	0.8	4
30	Bleeding Events After ST-segment Elevation Myocardial Infarction in Patients Randomized to an All-comer Clinical Trial Compared With Unselected Patients. American Journal of Cardiology, 2018, 122, 1287-1296.	0.7	7
31	The significance of STâ€“elevation in aVL in anterolateral myocardial infarction: An assessment by cardiac magnetic resonance imaging. Annals of Noninvasive Electrocardiology, 2018, 23, e12580.	0.5	7
32	Automatic electrocardiographic algorithm for assessing severity of ischemia in ST-segment elevation myocardial infarction. International Journal of Cardiology, 2018, 268, 18-22.	0.8	2
33	Early Versus Standard Care Invasive Examination and Treatment of Patients With Non-ST-Segment Elevation Acute Coronary Syndrome. Circulation, 2018, 138, 2741-2750.	1.6	168
34	Comparison between patients included in randomized controlled trials of ischemic heart disease and real-world data. A nationwide study. American Heart Journal, 2018, 204, 128-138.	1.2	7
35	Predictive Value of High-Sensitivity Troponin T for Systolic Dysfunction and Infarct Size (Six Months) After ST-Elevation Myocardial Infarction. American Journal of Cardiology, 2018, 122, 735-743.	0.7	10
36	ST-segment resolution with bivalirudin versus heparin and routine glycoprotein IIb/IIIa inhibitors started in the ambulance in ST-segment elevation myocardial infarction patients transported for primary percutaneous coronary intervention: The EUROMAX ST-segment resolution substudy. European Heart Journal: Acute Cardiovascular Care, 2017, 6, 404-411.	0.4	5

#	ARTICLE	IF	CITATIONS
37	Dr. Galen Wagner (1939-2016) as an Academic Writer: An Overview of his Peer-reviewed Scientific Publications. <i>Journal of Electrocardiology</i> , 2017, 50, 47-73.	0.4	2
38	Association Between Early Q Waves and Reperfusion Success in Patients With ST-Segment Elevation Myocardial Infarction Treated With Primary Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2017, 10, .	1.4	10
39	Effect of Ischemic Postconditioning During Primary Percutaneous Coronary Intervention for Patients With ST-Segment Elevation Myocardial Infarction. <i>JAMA Cardiology</i> , 2017, 2, 490.	3.0	105
40	Fractional Flow Reserve-Guided Complete Revascularization Improves the Prognosis in Patients With ST-Segment Elevation Myocardial Infarction and Severe Nonculprit Disease. <i>Circulation: Cardiovascular Interventions</i> , 2017, 10, .	1.4	39
41	Prehospital electrocardiographic acuteness score of ischemia is inversely associated with neurohormonal activation in STEMI patients with severe ischemia. <i>Journal of Electrocardiology</i> , 2017, 50, 90-96.	0.4	5
42	Myocardial Damage in Patients With Deferred Stenting After STEMI. <i>Journal of the American College of Cardiology</i> , 2017, 69, 2794-2804.	1.2	37
43	Proteomics in Hypothermia as Adjunctive Therapy in Patients with ST-Segment Elevation Myocardial Infarction: A CHILL-MI Substudy. <i>Therapeutic Hypothermia and Temperature Management</i> , 2017, 7, 152-161.	0.3	15
44	Potent P2Y 12 Inhibitors in Men Versus Women. <i>Journal of the American College of Cardiology</i> , 2017, 69, 1549-1559.	1.2	51
45	Oxidative stress in ischemia and reperfusion: current concepts, novel ideas and future perspectives. <i>Biomarkers in Medicine</i> , 2017, 11, 11031-1040.	0.6	71
46	Myocardium at risk assessed by electrocardiographic scores and cardiovascular magnetic resonance - a MITOCARE substudy. <i>Journal of Electrocardiology</i> , 2017, 50, 725-731.	0.4	5
47	Algorithm for the automatic computation of the modified Anderson-Wilkins acuteness score of ischemia from the pre-hospital ECG in ST-segment elevation myocardial infarction. <i>Journal of Electrocardiology</i> , 2017, 50, 97-101.	0.4	4
48	Early clinical outcomes as a function of use of newer oral P2Y 12 inhibitors versus clopidogrel in the EUROMAX trial. <i>Open Heart</i> , 2017, 4, e000677.	0.9	3
49	Mortality in primary angioplasty patients starting antiplatelet therapy with prehospital prasugrel or clopidogrel: a 1-year follow-up from the European MULTIPRAC Registry. <i>Vascular Health and Risk Management</i> , 2016, 12, 143.	1.0	5
50	Early Stent Thrombosis and Mortality After Primary Percutaneous Coronary Intervention in ST-Segment Elevation Myocardial Infarction. <i>Circulation: Cardiovascular Interventions</i> , 2016, 9, e003272.	1.4	13
51	Deferred versus conventional stent implantation in patients with ST-segment elevation myocardial infarction (DANAMI 3-DEFER): an open-label, randomised controlled trial. <i>Lancet</i> , The, 2016, 387, 2199-2206.	6.3	160
52	Gender Differences in Associations Between Intraprocedural Thrombotic Events During Percutaneous Coronary Intervention and Adverse Outcomes. <i>American Journal of Cardiology</i> , 2016, 118, 1661-1668.	0.7	6
53	Two-Year Outcomes in Patients With Severe Aortic Valve Stenosis Randomized to Transcatheter Versus Surgical Aortic Valve Replacement. <i>Circulation: Cardiovascular Interventions</i> , 2016, 9, .	1.4	155
54	Comparison of Outcome of Patients With ST-Segment Elevation Myocardial Infarction and Complete Versus Incomplete ST-Resolution Before Primary Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2016, 117, 1735-1740.	0.7	14

#	ARTICLE	IF	CITATIONS
55	Pre-hospital electrocardiographic severity and acuteness scores predict left ventricular function in patients with ST elevation myocardial infarction. <i>Journal of Electrocardiology</i> , 2016, 49, 284-291.	0.4	6
56	Evaluation of acute ischemia in pre-procedure ECG predicts myocardial salvage after primary PCI in STEMI patients with symptoms ≤ 12 hours. <i>Journal of Electrocardiology</i> , 2016, 49, 278-283.	0.4	10
57	Impact of Hemoglobin A1c Levels on Residual Platelet Reactivity and Outcomes After Insertion of Coronary Drug-Eluting Stents (from the ADAPT-DES Study). <i>American Journal of Cardiology</i> , 2016, 117, 192-200.	0.7	16
58	Impact of chronic kidney disease on long-term ischemic and bleeding outcomes in medically managed patients with acute coronary syndromes: Insights from the TRILOGY ACS Trial. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2016, 5, 443-454.	0.4	43
59	Optimal timing of initiation of oral P2Y12-receptor antagonist therapy in patients with non-ST elevation acute coronary syndromes. Lessons learnt from the ACCOAST-trial. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2016, 5, 282-288.	0.4	3
60	Bleeding episodes in "complete, staged" versus "culprit only" revascularisation in patients with multivessel disease and ST-segment elevation myocardial infarction: a DANAMI-3-PRIMULTI substudy. <i>EuroIntervention</i> , 2016, 12, 1231-1238.	1.4	5
61	A post hoc analysis of long-term prognosis after exenatide treatment in patients with ST-segment elevation myocardial infarction. <i>EuroIntervention</i> , 2016, 12, 449-455.	1.4	15
62	Impact of time to treatment on the effects of bivalirudin vs. glycoprotein IIb/IIIa inhibitors and heparin in patients undergoing primary percutaneous coronary intervention: insights from the HORIZONS-AMI trial. <i>EuroIntervention</i> , 2016, 12, 1144-1153.	1.4	3
63	Predictors and prognostic value of left atrial remodelling after acute myocardial infarction. <i>Open Heart</i> , 2015, 2, e000223.	0.9	17
64	Prehospital administration of P2Y12 inhibitors and early coronary reperfusion in primary PCI: an observational comparative study. <i>Thrombosis and Haemostasis</i> , 2015, 114, 623-631.	1.8	15
65	Cerebral Lesions in Patients Undergoing Coronary Artery Bypass Grafting in Relation to Asymptomatic Carotid and Vertebral Artery Stenosis. <i>Annals of Vascular Diseases</i> , 2015, 8, 7-13.	0.2	5
66	Therapeutic Hypothermia for the Treatment of Acute Myocardial Infarction "Combined Analysis of the RAPID MI-ICE and the CHILL-MI Trials. <i>Therapeutic Hypothermia and Temperature Management</i> , 2015, 5, 77-84.	0.3	54
67	Bivalirudin Versus Heparin With or Without Glycoprotein IIb/IIIa Inhibitors in Patients With STEMI Undergoing Primary Percutaneous Coronary Intervention. <i>Journal of the American College of Cardiology</i> , 2015, 65, 27-38.	1.2	62
68	Acute Stent Thrombosis After Primary Percutaneous Coronary Intervention. <i>JACC: Cardiovascular Interventions</i> , 2015, 8, 214-220.	1.1	77
69	Complete revascularisation versus treatment of the culprit lesion only in patients with ST-segment elevation myocardial infarction and multivessel disease (DANAMI-3 "PRIMULTI): an open-label, randomised controlled trial. <i>Lancet</i> , The, 2015, 386, 665-671.	6.3	748
70	Long-term outcomes for women versus men with unstable angina/non-ST-segment elevation myocardial infarction managed medically without revascularization: Insights from the Targeted platelet Inhibition to Clarify the Optimal strategy to medically manage Acute Coronary Syndromes trial. <i>American Heart Journal</i> , 2015, 170, 695-705.e5.	1.2	18
71	Transcatheter Versus Surgical Aortic Valve Replacement in Patients With Severe Aortic Valve Stenosis. <i>Journal of the American College of Cardiology</i> , 2015, 65, 2184-2194.	1.2	779
72	The Third DANish Study of Optimal Acute Treatment of Patients with ST-segment Elevation Myocardial Infarction: Ischemic postconditioning or deferred stent implantation versus conventional primary angioplasty and complete revascularization versus treatment of culprit lesion only. <i>American Heart Journal</i> , 2015, 169, 613-621.	1.2	61

#	ARTICLE	IF	CITATIONS
73	Impact of Arterial Access Site on Outcomes After Primary Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2015, 8, e002049.	1.4	20
74	Effect of intravenous TRO40303 as an adjunct to primary percutaneous coronary intervention for acute ST-elevation myocardial infarction: MITOCARE study results. <i>European Heart Journal</i> , 2015, 36, 112-119.	1.0	154
75	The impact of distal embolization and distal protection on long-term outcome in patients with ST elevation myocardial infarction randomized to primary percutaneous coronary intervention â€” results from a randomized study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2015, 4, 180-188.	0.4	17
76	MULTInational non-interventional study of patients with ST-segment elevation myocardial infarction treated with PRimary Angioplasty and Concomitant use of upstream antiplatelet therapy with prasugrel or clopidogrel â€” the European MULTIPRAC Registry. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2015, 4, 220-229.	0.4	48
77	Impact of Health Care System Delay in Patients With ST-Elevation Myocardial Infarction on Return to Labor Market and Work Retirement. <i>American Journal of Cardiology</i> , 2014, 114, 1810-1816.	0.7	25
78	Impact of Acute Hyperglycemia on Myocardial Infarct Size, Area at Risk, and Salvage in Patients With STEMI and the Association With Exenatide Treatment: Results From a Randomized Study. <i>Diabetes</i> , 2014, 63, 2474-2485.	0.3	59
79	Hypercoagulation Assessed by Thromboelastography is Neither Related to Infarct Size nor to Clinical Outcome After Primary Percutaneous Coronary Intervention. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2014, 20, 825-831.	0.7	2
80	Search and rescue helicopter-assisted transfer of ST-elevation myocardial infarction patients from an island in the Baltic Sea: results from over 100 rescue missions. <i>Emergency Medicine Journal</i> , 2014, 31, 920-925.	0.4	6
81	Reperfusion therapy for ST elevation acute myocardial infarction 2010/2011: current status in 37 ESC countries. <i>European Heart Journal</i> , 2014, 35, 1957-1970.	1.0	275
82	Short-term hemodynamic effect of angiotensin-converting enzyme inhibition in patients with severe aortic stenosis. <i>American Heart Journal</i> , 2014, 167, 226-234.	1.2	34
83	A mismatch index based on the difference between measured left ventricular ejection fraction and that estimated by infarct size at three months following reperfused acute myocardial infarction. <i>Journal of Electrocardiology</i> , 2014, 47, 191-196.	0.4	2
84	Impact of smoking status on platelet function and clinical outcomes with prasugrel vs. clopidogrel in patients with acute coronary syndromes managed without revascularization: Insights from the TRILOGY ACS trial. <i>American Heart Journal</i> , 2014, 168, 76-87.e1.	1.2	22
85	Rapid Endovascular Catheter Core Cooling Combined With Cold Saline as an Adjunct to Percutaneous Coronary Intervention for the Treatment of Acute Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2014, 63, 1857-1865.	1.2	203
86	Bivalirudin is superior to heparins alone with bailout GP IIb/IIIa inhibitors in patients with ST-segment elevation myocardial infarction transported emergently for primary percutaneous coronary intervention: a pre-specified analysis from the EUROMAX trial. <i>European Heart Journal</i> , 2014, 35, 2460-2467.	1.0	80
87	Short- and Long-Term Cause of Death in Patients Treated With Primary PCI for STEMI. <i>Journal of the American College of Cardiology</i> , 2014, 64, 2101-2108.	1.2	301
88	Clinical use of the combined Sclarovsky Birnbaum Severity and Anderson Wilkins Acuteness scores from the pre-hospital ECG in ST-segment elevation myocardial infarction. <i>Journal of Electrocardiology</i> , 2014, 47, 566-570.	0.4	6
89	ST peak during percutaneous coronary intervention serves as an early prognostic predictor in patients with ST-segment elevation myocardial. <i>EuroIntervention</i> , 2014, 10, 466-474.	1.4	3
90	Bivalirudin Started during Emergency Transport for Primary PCI. <i>New England Journal of Medicine</i> , 2013, 369, 2207-2217.	13.9	443

#	ARTICLE	IF	CITATIONS
91	Design and methods of European Ambulance Acute Coronary Syndrome Angiography Trial (EUROMAX): An international randomized open-label ambulance trial of bivalirudin versus standard-of-care anticoagulation in patients with acute ST-segment-elevation myocardial infarction transferred for primary percutaneous coronary intervention. <i>American Heart Journal</i> , 2013, 166, 960-967.e6.	1.2	13
92	Prasugrel versus clopidogrel for patients with unstable angina or non-ST-segment elevation myocardial infarction with or without angiography: a secondary, prespecified analysis of the TRILOGY ACS trial. <i>Lancet</i> , The, 2013, 382, 605-613.	6.3	105
93	Pre-hospital diagnosis and transfer of patients with acute myocardial infarction—a decade long experience from one of Europe's largest STEMI networks. <i>Journal of Electrocardiology</i> , 2013, 46, 546-552.	0.4	39
94	Telecardiología: pasado, presente y futuro. <i>Revista Espanola De Cardiologia</i> , 2013, 66, 212-218.	0.6	19
95	Telecardiology: Past, Present and Future. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2013, 66, 212-218.	0.4	8
96	Dual Antiplatelet Therapy with Prasugrel or Ticagrelor Versus Clopidogrel in Interventional Cardiology. <i>Cardiovascular Drugs and Therapy</i> , 2013, 27, 239-245.	1.3	16
97	2012 ESC STEMI guidelines and reperfusion therapy. <i>Heart</i> , 2013, 99, 1154-1156.	1.2	16
98	Final infarct size measured by cardiovascular magnetic resonance in patients with ST elevation myocardial infarction predicts long-term clinical outcome: an observational study. <i>European Heart Journal Cardiovascular Imaging</i> , 2013, 14, 387-395.	0.5	124
99	A Novel Prehospital Electrocardiogram Score Predicts Myocardial Salvage in Patients with ST-Segment Elevation Myocardial Infarction Evaluated by Cardiac Magnetic Resonance. <i>Cardiology</i> , 2013, 126, 97-106.	0.6	17
100	Euro Heart Survey 2009 Snapshot: regional variations in presentation and management of patients with AMI in 47 countries. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2013, 2, 359-370.	0.4	74
101	A response to a misrepresentation of the STEMI guidelines: the response. <i>Heart</i> , 2013, 99, 1787-1788.	1.2	5
102	Deferred stent implantation in patients with ST-segment elevation myocardial infarction: a pilot study. <i>EuroIntervention</i> , 2013, 8, 1126-1133.	1.4	38
103	Exenatide Reduces Final Infarct Size in Patients With ST-Segment Elevation Myocardial Infarction and Short-Duration of Ischemia. <i>Circulation: Cardiovascular Interventions</i> , 2012, 5, 288-295.	1.4	186
104	Prasugrel versus Clopidogrel for Acute Coronary Syndromes without Revascularization. <i>New England Journal of Medicine</i> , 2012, 367, 1297-1309.	13.9	765
105	Reperfusion delay in patients treated with primary percutaneous coronary intervention: insight from a real world Danish ST-segment elevation myocardial infarction population in the era of telemedicine. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2012, 1, 200-209.	0.4	24
106	ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation. <i>European Heart Journal</i> , 2012, 33, 2569-2619.	1.0	5,034
107	Exenatide reduces reperfusion injury in patients with ST-segment elevation myocardial infarction. <i>European Heart Journal</i> , 2012, 33, 1491-1499.	1.0	456
108	Impact of system delay on infarct size, myocardial salvage index, and left ventricular function in patients with ST-segment elevation myocardial infarction. <i>American Heart Journal</i> , 2012, 164, 538-546.	1.2	50

#	ARTICLE	IF	CITATIONS
127	Effects of revascularization after first acute myocardial infarction on the evolution of QRS complex changes (the DANAMI trial)—For a complete listing of the DANAMI study organization see Reference 12 (Circulation 1997;96:748-755).. American Journal of Cardiology, 1999, 83, 488-492.	0.7	11
128	Very Early Risk Stratification Using Combined ECG and Biochemical Assessment in Patients With Unstable Coronary Artery Disease (A Thrombin Inhibition in Myocardial Ischemia [TRIM] Substudy). Circulation, 1998, 98, 2004-2009.	1.6	83
129	Ratio of ST-Segment and myoglobin slopes to estimate myocardial salvage during thrombolytic therapy for acute myocardial infarction. American Journal of Cardiology, 1993, 71, 1362-1365.	0.7	11
130	Use of the 12-lead ECG to detect myocardial reperfusion and salvage during acute myocardial infarction. Journal of Electrocardiology, 1992, 25, 281-286.	0.4	5
131	Myocardial salvage after reperfusion. Journal of Electrocardiology, 1992, 25, 10-14.	0.4	1
132	Evaluation of formulas for estimating the final size of acute myocardial infarcts from quantitative ST-segment elevation on the initial standard 12-lead ECG. Journal of Electrocardiology, 1991, 24, 77-83.	0.4	56
133	Changes in standard electrocardiographic ST-segment elevation predictive of successful reperfusion in acute myocardial infarction. American Journal of Cardiology, 1990, 66, 1407-1411.	0.7	129