
## Moacir Geraldo Pizzolatti

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10894817/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Biological activity of 2α,3β,23-trihydroxyolean-12-ene on glucose homeostasis. European Journal of Pharmacology, 2021, 907, 174250.	1.7	1
2	Mechanisms involved in the endothelium-dependent vasodilatory effect of an ethyl acetate fraction of Cyathea phalerata Mart. in isolated rats' aorta rings. Journal of Traditional and Complementary Medicine, 2020, 10, 360-365.	1.5	8
3	Dihydrostyryl-2-pyrone as a chemical marker of three non-xanthone-producing Polygala species (Polygalaceae). Biochemical Systematics and Ecology, 2020, 90, 104034.	0.6	2
4	A new xanthone as a chemical marker of four Polygala species (Polygalaceae). Biochemical Systematics and Ecology, 2018, 78, 46-48.	0.6	4
5	Phytochemical and chemotaxonomic study of Polygala altomontana (Polygalaceae). Biochemical Systematics and Ecology, 2018, 77, 1-3.	0.6	7
6	Fern-9(11)-ene-2α,3β-diol Action on Insulin Secretion under Hyperglycemic Conditions. Biochemistry, 2018, 57, 3894-3902.	1.2	4
7	Psychopharmacological effects and safety of styryl-2-pyrones and dihydrostyryl-2-pyrones-rich fraction from <i>Polygala sabulosa</i> : absence of withdrawal syndrome and tolerance to anxiolytic-like and anticonvulsant effects. Journal of Pharmacy and Pharmacology, 2018, 70, 1272-1286.	1.2	1
8	Bisâ€Pyrano Prenyl Isoflavone Improves Glucose Homeostasis by Inhibiting Dipeptidyl Peptidaseâ€4 in Hyperglycemic Rats. Journal of Cellular Biochemistry, 2017, 118, 92-103.	1.2	8
9	Inhibition of the NF-κB and p38 MAPK pathways by scopoletin reduce the inflammation caused by carrageenan in the mouse model of pleurisy. Immunopharmacology and Immunotoxicology, 2016, 38, 344-352.	1.1	15
10	Triterpene derivative: A potential signaling pathway for the fern-9(11)-ene-2α,3β-diol on insulin secretion in pancreatic islet. Life Sciences, 2016, 154, 58-65.	2.0	10
11	Acute effect of 3β-hidroxihop-22(29)ene on insulin secretion is mediated by GLP-1, potassium and calcium channels for the glucose homeostasis. Journal of Steroid Biochemistry and Molecular Biology, 2015, 150, 112-122.	1.2	19
12	Modulatory effect of Senecio brasiliensis (Spreng) Less. in a murine model of inflammation induced by carrageenan into the pleural cavity. Journal of Ethnopharmacology, 2015, 168, 373-379.	2.0	9
13	The mechanism of action of ursolic acid as insulin secretagogue and insulinomimetic is mediated by cross-talk between calcium and kinases to regulate glucose balance. Biochimica Et Biophysica Acta - General Subjects, 2015, 1850, 51-61.	1.1	64
14	Neuroprotective effect of the proanthocyanidin-rich fraction in experimental model of spinal cord injury. Journal of Pharmacy and Pharmacology, 2014, 66, 694-704.	1.2	3
15	Croton antisyphiliticus Mart. attenuates the inflammatory response to carrageenan-induced pleurisy in mice. Inflammopharmacology, 2014, 22, 115-126.	1.9	24
16	Betulinic acid and 1,25(OH)2 vitamin D3 share intracellular signal transduction in glucose homeostasis in soleus muscle. International Journal of Biochemistry and Cell Biology, 2014, 48, 18-27.	1.2	28
17	Insulin signaling: A potential signaling pathway for the stimulatory effect of kaempferitrin on glucose uptake in skeletal muscle. European Journal of Pharmacology, 2013, 712, 1-7.	1.7	44
18	Natural and Synthetic Chalcones. Studies in Natural Products Chemistry, 2013, , 47-89.	0.8	7

#	Article	IF	CITATIONS
19	Antiulcer Effect of Bark Extract of <i>Tabebuia avellanedae</i> : Activation of Cell Proliferation in Gastric Mucosa During the Healing Process. Phytotherapy Research, 2013, 27, 1067-1073.	2.8	32
20	Systemic Administration of Rosmarinus officinalis Attenuates the Inflammatory Response Induced by Carrageenan in the Mouse Model of Pleurisy. Planta Medica, 2013, 79, 1605-1614.	0.7	18
21	Activation of Human Neutrophils by the Anti-Inflammatory MediatorEsenbeckia leiocarpaLeads to Atypical Apoptosis. Mediators of Inflammation, 2012, 2012, 1-10.	1.4	5
22	Cardioprotective effects of a proanthocyanidin-rich fraction from Croton celtidifolius Baill: Focus on atherosclerosis. Food and Chemical Toxicology, 2012, 50, 3769-3775.	1.8	12
23	Anti-hyperglycemic action of apigenin-6-C-β-fucopyranoside from Averrhoa carambola. Fìtoterapìâ, 2012, 83, 1176-1183.	1.1	66
24	Antinociceptive and anti-inflammatory potential of extract and isolated compounds from the leaves of Salvia officinalis in mice. Journal of Ethnopharmacology, 2012, 139, 519-526.	2.0	114
25	Activation of human neutrophils by Esenbeckia leiocarpa: comparison between the crude hydroalcoholic extract (CHE) and an alkaloid (Alk) fraction. Journal of Inflammation, 2012, 9, 19.	1.5	3
26	Acute effect of β-sitosterol on calcium uptake mediates anti-inflammatory effect in murine activated neutrophils. Journal of Pharmacy and Pharmacology, 2012, 65, 115-122.	1.2	26
27	<i>Lotus corniculatus</i> Regulates the Inflammation Induced by Bradykinin in a Murine Model of Pleurisy. Journal of Agricultural and Food Chemistry, 2011, 59, 2291-2298.	2.4	22
28	Protected effect of Esenbeckia leiocarpa upon the inflammatory response induced by carrageenan in a murine air pouch model. International Immunopharmacology, 2011, 11, 1991-1999.	1.7	19
29	Further antinociceptive effects of myricitrin in chemical models of overt nociception in mice. Neuroscience Letters, 2011, 495, 173-177.	1.0	49
30	Antinociceptive and gastroprotective actions of ethanolic extract from Pluchea sagittalis (Lam.) Cabrera. Journal of Ethnopharmacology, 2011, 135, 603-609.	2.0	17
31	Effects of flavonoids on α-glucosidase activity: Potential targets for glucose homeostasis. Nutrition, 2011, 27, 1161-1167.	1.1	153
32	Analysis of the anti-inflammatory properties of Rosmarinus officinalis L. in mice. Food Chemistry, 2011, 124, 468-475.	4.2	70
33	Antinociceptive effect of proanthocyanidins from Croton celtidifolius barkâ€. Journal of Pharmacy and Pharmacology, 2010, 57, 765-771.	1.2	15
34	Antinociceptive properties of coumarins, steroid and dihydrostyryl-2-pyrones from Polygala sabulosa (Polygalaceae) in mice. Journal of Pharmacy and Pharmacology, 2010, 58, 107-112.	1.2	52
35	Evidence of TRPV1 receptor and PKC signaling pathway in the antinociceptive effect of amyrin octanoate. Brain Research, 2009, 1295, 76-88.	1.1	15
36	Gastroprotective constituents of Salvia officinalis L. Fìtoterapìâ, 2009, 80, 421-426.	1.1	45

#	Article	IF	CITATIONS
37	Mechanism of action of the stimulatory effect of apigenin-6-C-(2″-O-α-l-rhamnopyranosyl)-β-l-fucopyranoside on 14C-glucose uptake. Chemico-Biological Interactions, 2009, 179, 407-412.	1.7	62
38	Stimulatory effect of apigenin-6-C-β-l-fucopyranoside on insulin secretion and glycogen synthesis. European Journal of Medicinal Chemistry, 2009, 44, 4668-4673.	2.6	55
39	Evaluation of the anti-inflammatory efficacy of Lotus corniculatus. Food Chemistry, 2009, 117, 444-450.	4.2	22
40	Signaling pathways of kaempferol-3-neohesperidoside in glycogen synthesis in rat soleus muscle. Biochimie, 2009, 91, 843-849.	1.3	37
41	Anticonvulsant and anxiolytic-like effects of compounds isolated from Polygala sabulosa (Polygalaceae) in rodents: in vitro and in vivo interactions with benzodiazepine binding sites. Psychopharmacology, 2008, 197, 351-360.	1.5	32
42	Synthetic derivatives of the α- and β-amyrin triterpenes and their antinociceptive properties. Bioorganic and Medicinal Chemistry, 2008, 16, 3377-3386.	1.4	43
43	Antioxidant and Hepatoprotective Effects of <i>Cyathea phalerata</i> Mart. (Cyatheaceae). Basic and Clinical Pharmacology and Toxicology, 2008, 103, 17-24.	1.2	21
44	Antiulcerogenic activity of bark extract of Tabebuia avellanedae, Lorentz ex Griseb. Journal of Ethnopharmacology, 2008, 118, 455-459.	2.0	30
45	Flavonoids: Cellular and Molecular Mechanism of Action in Glucose Homeostasis. Mini-Reviews in Medicinal Chemistry, 2008, 8, 1032-1038.	1.1	83
46	Mechanisms Underlying the Vasorelaxant Effect Induced by Proanthocyanidin-Rich Fraction From Croton celtidifolius in Rat Small Resistance Arteries. Journal of Pharmacological Sciences, 2008, 106, 234-241.	1.1	24
47	Activation of Endothelial Nitric Oxide Synthase by Proanthocyanidin-Rich Fraction From Croton celtidifolius (Euphorbiaceae): Involvement of Extracellular Calcium Influx in Rat Thoracic Aorta. Journal of Pharmacological Sciences, 2008, 107, 181-189.	1.1	15
48	Flavonoids: Prospective Drug Candidates. Mini-Reviews in Medicinal Chemistry, 2008, 8, 1429-1440.	1.1	300
49	Effect of crude extract and fractions from Vitex megapotamica leaves on hyperglycemia in alloxan-diabetic rats. Journal of Ethnopharmacology, 2007, 109, 151-155.	2.0	59
50	Cyathenosin A, a spiropyranosyl derivative of protocatechuic acid from Cyathea phalerata. Phytochemistry, 2007, 68, 1327-1330.	1.4	13
51	Involvement of p38MAPK on the antinociceptive action of myricitrin in mice. Biochemical Pharmacology, 2007, 74, 924-931.	2.0	38
52	Antinociceptive action of myricitrin: Involvement of the K+ and Ca2+ channels. European Journal of Pharmacology, 2007, 567, 198-205.	1.7	39
53	Participation of dihydrostyryl-2-pyrones and styryl-2-pyrones in the central effects of Polygala sabulosa (Polygalaceae), a folk medicine topical anesthetic. Pharmacology Biochemistry and Behavior, 2007, 86, 150-161.	1.3	28
54	Antinociceptive effect of Croton celtidifolius Baill (Euphorbiaceae). Journal of Ethnopharmacology, 2006, 107, 73-78.	2.0	16

#	Article	IF	CITATIONS
55	Anticoagulant effect and Constituents of Baccharis illinita. Natural Product Communications, 2006, 1, 1934578X0600100.	0.2	1
56	Follow-up studies on glycosylated flavonoids and their complexes with vanadium: Their anti-hyperglycemic potential role in diabetes. Chemico-Biological Interactions, 2006, 163, 177-191.	1.7	63
57	Anti-allodynic property of flavonoid myricitrin in models of persistent inflammatory and neuropathic pain in mice. Biochemical Pharmacology, 2006, 72, 1707-1713.	2.0	72
58	Analysis of the antinociceptive effect of the proanthocyanidin-rich fraction obtained from Croton celtidifolius barks: Evidence for a role of the dopaminergic system. Pharmacology Biochemistry and Behavior, 2006, 85, 317-323.	1.3	25
59	Analysis of the Antinociceptive Effect of the Flavonoid Myricitrin: Evidence for a Role of the I-Arginine-Nitric Oxide and Protein Kinase C Pathways. Journal of Pharmacology and Experimental Therapeutics, 2006, 316, 789-796.	1.3	141
60	A new styryl-2-pyrone derivative from Polygala sabulosa (Polygalaceae). Biochemical Systematics and Ecology, 2004, 32, 603-606.	0.6	19
61	Insulinomimetic effects of kaempferitrin on glycaemia and on 14C-glucose uptake in rat soleus muscle. Chemico-Biological Interactions, 2004, 149, 89-96.	1.7	132
62	Hypoglycemic Effect and Antioxidant Potential of Kaempferol-3,7-O-(α)-dirhamnoside fromBauhiniaforficataLeaves. Journal of Natural Products, 2004, 67, 829-832.	1.5	216
63	Flavonóides glicosilados das folhas e flores de Bauhinia forficata (Leguminosae). Quimica Nova, 2003, 26, 466-469.	0.3	55
64	Flavonóides e triterpenos de Baccharis pseudotenuifolia: bioatividade sobre Artemia salina. Quimica Nova, 2003, 26, 309-311.	0.3	27
65	Acute effect of Bauhinia forficata on serum glucose levels in normal and alloxan-induced diabetic rats. Journal of Ethnopharmacology, 2002, 83, 33-37.	2.0	97
66	Styryl- and dihydrostyryl-2-pyrones derivatives from Polygala sabulosa. Phytochemistry, 2000, 55, 819-822.	1.4	26