

Xuan-Ce Wang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1089577/xuan-ce-wang-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

105
papers

6,757
citations

40
h-index

81
g-index

107
ext. papers

7,715
ext. citations

4.4
avg, IF

5.71
L-index

#	Paper	IF	Citations
105	Decoupling of isotopes between magmatic zircons and their mafic host rocks: A case study from the ca. 830 Ma Jiabang dolerite, South China. <i>Precambrian Research</i> , 2022 , 369, 106519	3.9	5
104	Decoupling between Oxygen and Radiogenic Isotopes: Evidence for Generation of Juvenile Continental Crust by Partial Melting of Subducted Oceanic Crust. <i>Journal of Earth Science (Wuhan, China)</i> , 2021 , 32, 1212-1225	2.2	2
103	Early crustal evolution of the Yangtze Block: Constraints from zircon U-Pb-Hf isotope systematics of 3.1-2.9 Ga granitoids in the Cuoque Complex, SW China. <i>Precambrian Research</i> , 2021 , 357, 106155	3.9	7
102	Revisiting Rhenium-Osmium Isotopic Investigations of Petroleum Systems: From Geochemical Behaviours to Geological Interpretations. <i>Journal of Earth Science (Wuhan, China)</i> , 2021 , 32, 1226	2.2	0
101	Dating mafic magmatism by integrating baddeleyite, zircon and apatite U-Pb geochronology: A case study of Proterozoic mafic dykes/sills in the North China Craton. <i>Lithos</i> , 2021 , 380-381, 105820	2.9	2
100	Long-lived low Th/U Pacific-type isotopic mantle domain: Constraints from Nd and Pb isotopes of the Paleo-Asian Ocean mantle. <i>Earth and Planetary Science Letters</i> , 2021 , 567, 117006	5.3	3
99	A Neoproterozoic low- $\delta^{18}\text{O}$ magmatic ring around South China: Implications for configuration and breakup of Rodinia supercontinent. <i>Earth and Planetary Science Letters</i> , 2021 , 575, 117196	5.3	11
98	Reply to the comment on: Petrogenesis of cretaceous shoshonitic rocks in the northern Wuyi Mountains, South China: A result of the roll-back of a flat-slab? by Tian and Wang (2020). <i>Lithos</i> , 2020 , 366-367, 105563	2.9	
97	Petrogenesis of ca. 830 Ma Lushan bimodal volcanic rocks at the southeastern margin of the Yangtze Block, South China: Implications for asthenospheric upwelling and reworking of juvenile crust. <i>Precambrian Research</i> , 2020 , 342, 105673	3.9	6
96	Molybdenum isotopic behavior during intense weathering of basalt on Hainan Island, South China. <i>Geochimica Et Cosmochimica Acta</i> , 2020 , 287, 180-204	5.5	6
95	Detrital zircon U-Pb ages and whole-rock geochemistry of early Paleozoic metasedimentary rocks in the Mongolian Altai: Insights into the tectonic affinity of the whole Altai-Mongolian terrane. <i>Bulletin of the Geological Society of America</i> , 2020 , 132, 477-494	3.9	6
94	Generation of Late Cretaceous Jiān basalts through asthenosphere-slab interaction in South China. <i>Bulletin of the Geological Society of America</i> , 2020 , 132, 1316-1332	3.9	4
93	Miocene adakites in south Tibet: Partial melting of the thickened Lhasa juvenile mafic lower crust with the involvement of ancient Indian continental crust compositions. <i>Bulletin of the Geological Society of America</i> , 2020 , 132, 1273-1290	3.9	3
92	Detrital record of late-stage silicic volcanism in the Emeishan large igneous province. <i>Gondwana Research</i> , 2020 , 79, 197-208	5.1	10
91	Generation of continental intraplate alkali basalts and implications for deep carbon cycle. <i>Earth-Science Reviews</i> , 2020 , 201, 103073	10.2	13
90	Derivation of Jurassic HIMU-like intraplate basalts from mantle transition zone in South China: New geochemical constraints from olivine-hosted melt inclusion. <i>Lithos</i> , 2020 , 354-355, 105337	2.9	3
89	First Direct Dating of Alteration of Paleo-Oil Pools Using Rubidium-Strontium Pyrite Geochronology. <i>Minerals (Basel, Switzerland)</i> , 2020 , 10, 606	2.4	1

88	Do Supercontinent-Superplume Cycles Control the Growth and Evolution of Continental Crust?. <i>Journal of Earth Science (Wuhan, China)</i> , 2020 , 31, 1142-1169	2.2	6
87	Tracing mantle sources in the northern Lau back-arc basin by independent component analysis of basalt isotopic compositions. <i>International Geology Review</i> , 2020 , 62, 938-954	2.3	1
86	Direct Rubidium-Strontium Dating of Hydrocarbon Charge Using Small Authigenic Illitic Clay Aliquots from the Silurian Bituminous Sandstone in the Tarim Basin, NW China. <i>Scientific Reports</i> , 2019 , 9, 12565	4.9	2
85	The Role of Earth's Deep Volatile Cycling in the Generation of Intracontinental High-Mg Andesites: Implication for Lithospheric Thinning Beneath the North China Craton. <i>Journal of Geophysical Research: Solid Earth</i> , 2019 , 124, 1305-1323	3.6	13
84	Sr Isotope Analysis of Picogram-Level Samples by Thermal Ionization Mass Spectrometry Using a Highly Sensitive Silicotungstic Acid Emitter. <i>Analytical Chemistry</i> , 2019 , 91, 7288-7294	7.8	9
83	Organic tracers from biomass burning in snow from the coast to the ice sheet summit of East Antarctica. <i>Atmospheric Environment</i> , 2019 , 201, 231-241	5.3	15
82	New insights into the origin of early Cambrian carbonate-hosted Pb-Zn deposits in South China: A case study of the Maliping Pb-Zn deposit. <i>Gondwana Research</i> , 2019 , 70, 88-103	5.1	19
81	Pyroxene ⁴⁰ Ar/ ³⁹ Ar Dating of Basalt and Applications to Large Igneous Provinces and Precambrian Stratigraphic Correlations. <i>Journal of Geophysical Research: Solid Earth</i> , 2019 , 124, 8313-8330	3.6	4
80	Pyroxenite-derived Cenozoic basaltic magmatism in central Inner Mongolia, eastern China: Potential contributions from the subduction of the Paleo-Pacific and Paleo-Asian oceanic slabs in the Mantle Transition Zone. <i>Lithos</i> , 2019 , 332-333, 39-54	2.9	11
79	Precise determination of radiogenic Sr and Nd isotopic ratios and Rb, Sr, Sm, Nd elemental concentrations in four coal ash and coal fly ash reference materials using isotope dilution thermal ionization mass spectrometry. <i>Microchemical Journal</i> , 2019 , 146, 906-913	4.8	19
78	No plate tectonic shutdown in the early Paleoproterozoic: Constraints from the ca. 2.4 Ga granitoids in the Quanji Massif, NW China. <i>Journal of Asian Earth Sciences</i> , 2019 , 172, 221-242	2.8	11
77	Newly identified 1.89 Ga mafic dyke swarm in the Archean Yilgarn Craton, Western Australia suggests a connection with India. <i>Precambrian Research</i> , 2019 , 329, 156-169	3.9	21
76	In situ U-Pb geochronology and geochemistry of a 1.13 Ga mafic dyke suite at Bungler Hills, East Antarctica: The end of the Albany-Fraser Orogeny. <i>Precambrian Research</i> , 2018 , 310, 76-92	3.9	8
75	Identification of ca. 850 Ma high-temperature strongly peraluminous granitoids in southeastern Guizhou Province, South China: A result of early extension along the southern margin of the Yangtze Block. <i>Precambrian Research</i> , 2018 , 308, 18-34	3.9	14
74	New insights into the metallogeny of MVT Zn-Pb deposits: A case study from the Nayongzhi in South China, using field data, fluid compositions, and in situ S-Pb isotopes. <i>American Mineralogist</i> , 2018 , 103, 91-108	2.9	42
73	Role of deep-Earth water cycling in the growth and evolution of continental crust: Constraints from Cretaceous magmatism in southeast China. <i>Lithos</i> , 2018 , 302-303, 126-141	2.9	15
72	1.39 Ga mafic dyke swarm in southwestern Yilgarn Craton marks Nuna to Rodinia transition in the West Australian Craton. <i>Precambrian Research</i> , 2018 , 316, 291-304	3.9	13
71	Ore genesis of the Fule Pb Zn deposit and its relationship with the Emeishan Large Igneous Province: Evidence from mineralogy, bulk C O S and in situ S Pb isotopes. <i>Gondwana Research</i> , 2018 , 54, 161-179	5.1	38

70	The 825 Ma Yiyang high-MgO basalts of central South China: Insights from Os/Hf data. <i>Chemical Geology</i> , 2018 , 502, 107-121	4.2	9
69	Identifying late Carboniferous sanukitoids in Hala-Bala Mountain, Northwest China: new constraint on the closing time of remnant ocean basin in West Junggar. <i>International Geology Review</i> , 2017 , 59, 1116-1130	2.3	10
68	Precambrian evolution of the Chinese Central Tianshan Block: Constraints on its tectonic affinity to the Tarim Craton and responses to supercontinental cycles. <i>Precambrian Research</i> , 2017 , 295, 24-37	3.9	48
67	Initial breakup of supercontinent Rodinia as recorded by ca 860-840 Ma bimodal volcanism along the southeastern margin of the Yangtze Block, South China. <i>Precambrian Research</i> , 2017 , 296, 148-167	3.9	28
66	Hydrous parental magmas of Early to Middle Permian gabbroic intrusions in western Inner Mongolia, North China: New constraints on deep-Earth fluid cycling in the Central Asian Orogenic Belt. <i>Journal of Asian Earth Sciences</i> , 2017 , 144, 184-204	2.8	8
65	Deep carbon cycles constrained by a large-scale mantle Mg isotope anomaly in eastern China. <i>National Science Review</i> , 2017 , 4, 111-120	10.8	149
64	Differentiation of the early silicate Earth as recorded by ¹⁴² Nd- ¹⁴³ Nd in 3.8-3.0 Ga rocks from the Anshan Complex, North China Craton. <i>Precambrian Research</i> , 2017 , 301, 86-101	3.9	5
63	Paleogene igneous intrusion and its effect on thermal maturity of organic-rich mudstones in the Beibuwan Basin, South China Sea. <i>Marine and Petroleum Geology</i> , 2017 , 86, 733-750	4.7	21
62	A low-blank two-column chromatography separation strategy based on a KMnO ₄ oxidizing reagent for Cr isotope determination in micro-silicate samples by thermal ionization mass spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 2017 , 32, 1938-1945	3.7	8
61	Petrogenesis of Cretaceous shoshonitic rocks in the northern Wuyi Mountains, South China: A result of the roll-back of a flat-slab?. <i>Lithos</i> , 2017 , 288-289, 125-142	2.9	8
60	Phanerozoic amalgamation of the Alxa Block and North China Craton: Evidence from Paleozoic granitoids, U-Pb geochronology and Sr-Nd-Pb-Hf isotope geochemistry. <i>Gondwana Research</i> , 2016 , 32, 105-121	5.1	72
59	Precise measurement of Cr isotope ratios using a highly sensitive Nb ₂ O ₅ emitter by thermal ionization mass spectrometry and an improved procedure for separating Cr from geological materials. <i>Journal of Analytical Atomic Spectrometry</i> , 2016 , 31, 2375-2383	3.7	14
58	Rapid separation scheme of Sr, Nd, Pb, and Hf from a single rock digest using a tandem chromatography column prior to isotope ratio measurements by mass spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 2016 , 31, 1150-1159	3.7	62
57	Eocene Neo-Tethyan slab breakoff constrained by 45 Ma oceanic island basalt-type magmatism in southern Tibet. <i>Geology</i> , 2016 , 44, 283-286	5	97
56	Origin of arc-like continental basalts: Implications for deep-Earth fluid cycling and tectonic discrimination. <i>Lithos</i> , 2016 , 261, 5-45	2.9	96
55	Comment on Behavior of Re and Os during contact between an aqueous solution and oil: Consequences for the application of the Re-Os geochronometer to petroleum. <i>Geochim. Cosmochim. Acta</i> 158 (2015) 1021. <i>Geochimica Et Cosmochimica Acta</i> , 2016 , 186, 344-347	5.5	2
54	Late Carboniferous N-MORB-type basalts in central Inner Mongolia, China: Products of hydrous melting in an intraplate setting?. <i>Lithos</i> , 2016 , 261, 55-71	2.9	19
53	Petrogenesis of early Jurassic basalts in southern Jiangxi Province, South China: Implications for the thermal state of the Mesozoic mantle beneath South China. <i>Lithos</i> , 2016 , 256-257, 311-330	2.9	42

52	Integrated in situ U-Pb age and Hf-O isotopic analyses of zircon from Suixian Group in northern Yangtze: New insights into the Neoproterozoic low- $\delta^{18}\text{O}$ magmas in the South China Block. <i>Precambrian Research</i> , 2016 , 273, 151-164	3.9	58
51	Middle Jurassic MORB-type gabbro, high-Mg diorite, calc-alkaline diorite and granodiorite in the Ando area, central Tibet: Evidence for a slab roll-back of the Bangong-Nujiang Ocean. <i>Lithos</i> , 2016 , 264, 315-328	2.9	19
50	Overlapping Sr-Nd-Hf-O isotopic compositions in Permian mafic enclaves and host granitoids in Alxa Block, NW China: Evidence for crust-mantle interaction and implications for the generation of silicic igneous provinces. <i>Lithos</i> , 2015 , 230, 133-145	2.9	38
49	Disequilibrium-induced initial Os isotopic heterogeneity in gram aliquots of single basaltic rock powders: Implications for dating and source tracing. <i>Chemical Geology</i> , 2015 , 406, 10-17	4.2	20
48	Continental flood basalts derived from the hydrous mantle transition zone. <i>Nature Communications</i> , 2015 , 6, 7700	17.4	91
47	Mid-Neoproterozoic angular unconformity in the Yangtze Block revisited: Insights from detrital zircon U-Pb age and Hf-O isotopes. <i>Precambrian Research</i> , 2015 , 266, 165-178	3.9	53
46	Direct High-Precision Measurements of the (87)Sr/(86)Sr Isotope Ratio in Natural Water without Chemical Separation Using Thermal Ionization Mass Spectrometry Equipped with 10(12) Ω Resistors. <i>Analytical Chemistry</i> , 2015 , 87, 7426-32	7.8	21
45	Pyroxenite-derived Early Cretaceous lavas in the Liaodong Peninsula: Implication for metasomatism and thinning of the lithospheric mantle beneath North China Craton. <i>Lithos</i> , 2015 , 227, 77-93	2.9	27
44	Mid-Neoproterozoic diabase dykes from Xide in the western Yangtze Block, South China: New evidence for continental rifting related to the breakup of Rodinia supercontinent. <i>Precambrian Research</i> , 2015 , 268, 339-356	3.9	36
43	Reassessment of Hydrofluoric Acid Desilicification in the Carius Tube Digestion Technique for Re-Os Isotopic Determination in Geological Samples. <i>Geostandards and Geoanalytical Research</i> , 2015 , 39, 17-30	3.6	40
42	Ce-Nd separation by solid-phase micro-extraction and its application to high-precision 142Nd/144Nd measurements using TIMS in geological materials. <i>Journal of Analytical Atomic Spectrometry</i> , 2015 , 30, 895-902	3.7	15
41	Geochemical and Sr-Nd isotopic variations in a deep-sea sediment core from Eastern Indian Ocean: Constraints on dust provenances, paleoclimate and volcanic eruption history in the last 300,000 years. <i>Marine Geology</i> , 2015 , 367, 38-49	3.3	4
40	Partial melting of thickened continental crust in central Tibet: Evidence from geochemistry and geochronology of Eocene adakitic rhyolites in the northern Qiangtang Terrane. <i>Earth and Planetary Science Letters</i> , 2015 , 414, 30-44	5.3	71
39	Age and paleomagnetism of the 1210Ma Gnowangerup-Edwards dyke swarm, Western Australia, and implications for late Mesoproterozoic paleogeography. <i>Precambrian Research</i> , 2014 , 246, 1-15	3.9	40
38	Neoproterozoic S-type granites in the Alxa Block, westernmost North China and tectonic implications: In situ zircon U-Pb-Hf-O isotopic and geochemical constraints. <i>Numerische Mathematik</i> , 2014 , 314, 110-153	5.3	67
37	Genesis of the 1.21 Ga Marnda Moorn large igneous province by plume-lithosphere interaction. <i>Precambrian Research</i> , 2014 , 241, 85-103	3.9	41
36	Single-step separation scheme and high-precision isotopic ratios analysis of Sr-Nd-Hf in silicate materials. <i>Journal of Analytical Atomic Spectrometry</i> , 2014 , 29, 1467-1476	3.7	28
35	Measurement of the Isotopic Composition of Molybdenum in Geological Samples by MC-ICP-MS using a Novel Chromatographic Extraction Technique. <i>Geostandards and Geoanalytical Research</i> , 2014 , 38, 345-354	3.6	58

34	Paleoproterozoic S-type granites in the Helanshan Complex, Khondalite Belt, North China Craton: Implications for rapid sediment recycling during slab break-off. <i>Precambrian Research</i> , 2014 , 254, 59-72	3.9	48
33	Chemical heterogeneity of the Emeishan mantle plume: Evidence from highly siderophile element abundances in picrites. <i>Journal of Asian Earth Sciences</i> , 2014 , 79, 191-205	2.8	10
32	Determination of Platinum-Group Elements and Re-Os Isotopes using ID-ICP-MS and N-TIMS from a Single Digestion after Two-Stage Column Separation. <i>Geostandards and Geoanalytical Research</i> , 2014 , 38, 37-50	3.6	57
31	Revisiting the ϵ -type adakites of the Lower Yangtze River Belt, central eastern China: In-situ zircon Hf δ isotope and geochemical constraints. <i>Chemical Geology</i> , 2013 , 345, 1-15	4.2	167
30	Early differentiation of the bulk silicate Earth as recorded by the oldest mantle reservoir. <i>Precambrian Research</i> , 2013 , 238, 52-60	3.9	11
29	Palaeomagnetic, geochronological and geochemical study of Mesoproterozoic Lakhna Dykes in the Bastar Craton, India: Implications for the Mesoproterozoic supercontinent. <i>Lithos</i> , 2013 , 174, 125-143	2.9	72
28	Identification of an ancient mantle reservoir and young recycled materials in the source region of a young mantle plume: Implications for potential linkages between plume and plate tectonics. <i>Earth and Planetary Science Letters</i> , 2013 , 377-378, 248-259	5.3	96
27	Continental flood basalts of the Huashan Group, northern margin of the Yangtze block: implications for the breakup of Rodinia. <i>International Geology Review</i> , 2013 , 55, 1865-1884	2.3	21
26	Geochronological and geochemical results from Mesozoic basalts in southern South China Block support the flat-slab subduction model. <i>Lithos</i> , 2012 , 132-133, 127-140	2.9	103
25	The Early Permian active continental margin and crustal growth of the Cathaysia Block: In situ U $\beta\beta$, Lu $\beta\beta$ and O isotope analyses of detrital zircons. <i>Chemical Geology</i> , 2012 , 328, 195-207	4.2	171
24	Episodic Precambrian crust growth: Evidence from U $\beta\beta$ ages and Hf δ isotopes of zircon in the Nanhua Basin, central South China. <i>Precambrian Research</i> , 2012 , 222-223, 386-403	3.9	108
23	Integrated in situ zircon U $\beta\beta$ age and Hf δ isotopes for the Helanshan khondalites in North China Craton: Juvenile crustal materials deposited in active or passive continental margin?. <i>Precambrian Research</i> , 2012 , 222-223, 143-158	3.9	107
22	Post-kinematic lithospheric delamination of the Wuyi-Yunkai orogen in South China: Evidence from ca. 435Ma high-Mg basalts. <i>Lithos</i> , 2012 , 154, 115-129	2.9	103
21	Paleoproterozoic evolution of the eastern Alxa Block, westernmost North China: Evidence from in situ zircon U $\beta\beta$ dating and Hf δ isotopes. <i>Gondwana Research</i> , 2012 , 21, 838-864	5.1	126
20	Temperature, Pressure, and Composition of the Mantle Source Region of Late Cenozoic Basalts in Hainan Island, SE Asia: a Consequence of a Young Thermal Mantle Plume close to Subduction Zones?. <i>Journal of Petrology</i> , 2012 , 53, 177-233	3.9	159
19	Geochemical and Hf δ isotope data of Nanhua rift sedimentary and volcanoclastic rocks indicate a Neoproterozoic continental flood basalt provenance. <i>Lithos</i> , 2011 , 127, 427-440	2.9	63
18	Nonglacial origin for low- $\delta^{18}\text{O}$ Neoproterozoic magmas in the South China Block: Evidence from new in-situ oxygen isotope analyses using SIMS. <i>Geology</i> , 2011 , 39, 735-738	5	55
17	Penglai Zircon Megacrysts: A Potential New Working Reference Material for Microbeam Determination of Hf δ Isotopes and U $\beta\beta$ Age. <i>Geostandards and Geoanalytical Research</i> , 2010 , 34, 117-134	3.6	610

16	The Tongde Picritic Dikes in the Western Yangtze Block: Evidence for Ca. 800-Ma Mantle Plume Magmatism in South China during the Breakup of Rodinia. <i>Journal of Geology</i> , 2010 , 118, 509-522	2	36
15	Petrogenesis and tectonic significance of the ~ 850 Ma Gangbian alkaline complex in South China: Evidence from in situ zircon U-Pb dating, Hf-O isotopes and whole-rock geochemistry. <i>Lithos</i> , 2010 , 114, 1-15	2.9	389
14	SIMS U-Pb zircon geochronology of porphyry Cu-Au(Mo) deposits in the Yangtze River Metallogenic Belt, eastern China: Magmatic response to early Cretaceous lithospheric extension. <i>Lithos</i> , 2010 , 119, 427-438	2.9	186
13	The Willouran basic province of South Australia: Its relation to the Guibei large igneous province in South China and the breakup of Rodinia. <i>Lithos</i> , 2010 , 119, 569-584	2.9	57
12	Variable involvements of mantle plumes in the genesis of mid-Neoproterozoic basaltic rocks in South China: A review. <i>Gondwana Research</i> , 2009 , 15, 381-395	5.1	116
11	Role of mantle-derived magma in genesis of early Yanshanian granites in the Nanling Range, South China: in situ zircon Hf-O isotopic constraints. <i>Science in China Series D: Earth Sciences</i> , 2009 , 52, 1262-1278		256
10	The South China piece in the Rodinian puzzle: A reply to the comment by Munteanu and Wilson. <i>Precambrian Research</i> , 2009 , 171, 77-79	3.9	4
9	The Bikou basalts in the northwestern Yangtze block, South China: Remnants of 820-810 Ma continental flood basalts?. <i>Bulletin of the Geological Society of America</i> , 2008 , 120, 1478-1492	3.9	162
8	Ca. 825 Ma komatiitic basalts in South China: First evidence for >1500 °C mantle melts by a Rodinian mantle plume. <i>Geology</i> , 2007 , 35, 1103	5	139
7	Geochemistry of high-Mg andesites from the early Cretaceous Yixian Formation, western Liaoning: Implications for lower crustal delamination and Sr/Y variations. <i>Science in China Series D: Earth Sciences</i> , 2006 , 49, 904-914		19
6	Mesozoic adakites in the Lingqiu Basin of the central North China Craton: Partial melting of underplated basaltic lower crust. <i>Geochemical Journal</i> , 2006 , 40, 447-461	0.9	14
5	Nb-Ta variations of mafic volcanics on the Archean-Proterozoic boundary: Implications for the Nb-Ta imbalance. <i>Science in China Series D: Earth Sciences</i> , 2005 , 48, 1106		8
4	Zircon U-Pb ages of olivine pyroxenite xenolith from Hannuoba: Links between the 97-158 Ma basaltic under-plating and granulite-facies metamorphism. <i>Science Bulletin</i> , 2004 , 49, 1055		2
3	Recycling lower continental crust in the North China craton. <i>Nature</i> , 2004 , 432, 892-7	50.4	1314
2	U-Pb zircon ages and Nd, Sr, and Pb isotopes of lower crustal xenoliths from North China Craton: insights on evolution of lower continental crust. <i>Chemical Geology</i> , 2004 , 211, 87-109	4.2	198
1	Styles of Trench-parallel Mid-ocean Ridge Subduction Affect Cenozoic Geological Evolution in circum-Pacific Continental Margins. <i>Geophysical Research Letters</i> ,	4.9	0