

Noam Barnea-Ygael

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10901165/publications.pdf>

Version: 2024-02-01

17
papers

911
citations

840585

11
h-index

940416

16
g-index

17
all docs

17
docs citations

17
times ranked

1189
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficacy and Safety of Deep Transcranial Magnetic Stimulation for Obsessive-Compulsive Disorder: A Prospective Multicenter Randomized Double-Blind Placebo-Controlled Trial. <i>American Journal of Psychiatry</i> , 2019, 176, 931-938.	4.0	250
2	Clinical and electrophysiological outcomes of deep TMS over the medial prefrontal and anterior cingulate cortices in OCD patients. <i>Brain Stimulation</i> , 2018, 11, 158-165.	0.7	164
3	Repeated Electrical Stimulation of Reward-Related Brain Regions Affects Cocaine But Not "Natural" Reinforcement. <i>Journal of Neuroscience</i> , 2007, 27, 14179-14189.	1.7	130
4	Repetitive transcranial magnetic stimulation for smoking cessation: a pivotal multicenter double-blind randomized controlled trial. <i>World Psychiatry</i> , 2021, 20, 397-404.	4.8	97
5	A conflict rat model of cue-induced relapse to cocaine seeking. <i>Psychopharmacology</i> , 2007, 194, 117-125.	1.5	87
6	Prelimbic Stimulation Ameliorates Depressive-Like Behaviors and Increases Regional BDNF Expression in a Novel Drug-Resistant Animal Model of Depression. <i>Brain Stimulation</i> , 2016, 9, 243-250.	0.7	28
7	Cue-induced reinstatement of cocaine seeking in the rat "conflict model": Effect of prolonged home-cage confinement. <i>Psychopharmacology</i> , 2012, 219, 875-883.	1.5	27
8	Alleviation of ADHD symptoms by non-invasive right prefrontal stimulation is correlated with EEG activity. <i>NeuroImage: Clinical</i> , 2020, 26, 102206.	1.4	27
9	Application of transcranial magnetic stimulation for major depression: Coil design and neuroanatomical variability considerations. <i>European Neuropsychopharmacology</i> , 2021, 45, 73-88.	0.3	27
10	Induction of depressive-like effects by subchronic exposure to cocaine or heroin in laboratory rats. <i>Journal of Neurochemistry</i> , 2014, 130, 575-582.	2.1	20
11	A Method to Provoke Obsessive Compulsive Symptoms for Basic Research and Clinical Interventions. <i>Frontiers in Psychiatry</i> , 2019, 10, 814.	1.3	16
12	Rotational field TMS: Comparison with conventional TMS based on motor evoked potentials and thresholds in the hand and leg motor cortices. <i>Brain Stimulation</i> , 2020, 13, 900-907.	0.7	11
13	Deep transcranial magnetic stimulation for obsessive-compulsive disorder is efficacious even in patients who failed multiple medications and CBT. <i>Psychiatry Research</i> , 2020, 290, 113179.	1.7	10
14	How to Use the H1 Deep Transcranial Magnetic Stimulation Coil for Conditions Other than Depression. <i>Journal of Visualized Experiments</i> , 2017, , .	0.2	8
15	Chronic cocaine administration induces long-term impairment in the drive to obtain natural reinforcers in high- but not low-demanding tasks. <i>Addiction Biology</i> , 2016, 21, 294-303.	1.4	7
16	Increased relapse to cocaine seeking in a genetic model for depression. <i>Addiction Biology</i> , 2020, 25, e12756.	1.4	2
17	Efficacy and Safety of Deep Transcranial Magnetic Stimulation for Obsessive-Compulsive Disorder: A Prospective Multicenter Randomized Double-Blind Placebo-Controlled Trial. <i>Focus (American)</i> Tj ETQq1 1 0.784314gBT /Overlock 10		