

Maria Cristina Mingari

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/10901386/maria-cristina-mingari-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

166
papers

14,989
citations

62
h-index

120
g-index

171
ext. papers

16,950
ext. citations

7.2
avg, IF

6.11
L-index

#	Paper	IF	Citations
166	Polymorphonuclear Myeloid-Derived Suppressor Cells Are Abundant in Peripheral Blood of Cancer Patients and Suppress Natural Killer Cell Anti-Tumor Activity.. <i>Frontiers in Immunology</i> , 2021 , 12, 803014	8.4	2
165	NK cells and ILCs in tumor immunotherapy. <i>Molecular Aspects of Medicine</i> , 2021 , 80, 100870	16.7	26
164	Natural killer cell receptors regulate responses of HLA-E-restricted T cells. <i>Science Immunology</i> , 2021 , 6,	28	4
163	Human NK cells, their receptors and function. <i>European Journal of Immunology</i> , 2021 , 51, 1566-1579	6.1	14
162	Glucocorticoids and the cytokines IL-12, IL-15, and IL-18 present in the tumor microenvironment induce PD-1 expression on human natural killer cells. <i>Journal of Allergy and Clinical Immunology</i> , 2021 , 147, 349-360	11.5	28
161	Is there a role for tapered topical dose steroidal treatment for dry eye disease? A randomized, pilot study. <i>European Journal of Ophthalmology</i> , 2021 , 11206721211048730	1.9	
160	EZH1/2 Inhibitors Favor ILC3 Development from Human HSPC-CD34 Cells. <i>Cancers</i> , 2021 , 13,	6.6	2
159	Association Between Response to Nivolumab Treatment and Peripheral Blood Lymphocyte Subsets in Patients With Non-small Cell Lung Cancer. <i>Frontiers in Immunology</i> , 2020 , 11, 125	8.4	22
158	Targeted Therapies: Friends or Foes for Patient's NK Cell-Mediated Tumor Immune-Surveillance?. <i>Cancers</i> , 2020 , 12,	6.6	8
157	Myeloma cells induce the accumulation of activated CD94 ^{low} NK cells by cell-to-cell contacts involving CD56 molecules. <i>Blood Advances</i> , 2020 , 4, 2297-2307	7.8	9
156	Phenotypic and Functional Characterization of NK Cells in T-Cell and B-Cell Depleted Haplo-HSCT to Cure Pediatric Patients with Acute Leukemia. <i>Cancers</i> , 2020 , 12,	6.6	3
155	Inhibitory Receptors and Checkpoints in Human NK Cells, Implications for the Immunotherapy of Cancer. <i>Frontiers in Immunology</i> , 2020 , 11, 2156	8.4	22
154	TIGIT Blockade and IL15 in Tumor Immunotherapy: Together is Better. <i>Clinical Cancer Research</i> , 2020 , 26, 5274-5275	12.9	0
153	ILC3s: Rhythmic Keepers of Gut Integrity at Mealtime. <i>Trends in Immunology</i> , 2020 , 41, 364-366	14.4	
152	Influence of Vitamin D in Advanced Non-Small Cell Lung Cancer Patients Treated with Nivolumab. <i>Cancers</i> , 2019 , 11,	6.6	4
151	NKp44-NKp44 Ligand Interactions in the Regulation of Natural Killer Cells and Other Innate Lymphoid Cells in Humans. <i>Frontiers in Immunology</i> , 2019 , 10, 719	8.4	29
150	Presence of innate lymphoid cells in pleural effusions of primary and metastatic tumors: Functional analysis and expression of PD-1 receptor. <i>International Journal of Cancer</i> , 2019 , 145, 1660-1668	7.5	45

149	Heterogeneity of NK Cells and Other Innate Lymphoid Cells in Human and Murine Decidua. <i>Frontiers in Immunology</i> , 2019 , 10, 170	8.4	32
148	Exploiting Human NK Cells in Tumor Therapy. <i>Frontiers in Immunology</i> , 2019 , 10, 3013	8.4	17
147	Killer Ig-Like Receptors (KIRs): Their Role in NK Cell Modulation and Developments Leading to Their Clinical Exploitation. <i>Frontiers in Immunology</i> , 2019 , 10, 1179	8.4	127
146	Human NK cells: surface receptors, inhibitory checkpoints, and translational applications. <i>Cellular and Molecular Immunology</i> , 2019 , 16, 430-441	15.4	152
145	PD-1 is expressed by and regulates human group 3 innate lymphoid cells in human decidua. <i>Mucosal Immunology</i> , 2019 , 12, 624-631	9.2	31
144	Immune Checkpoint Inhibitors: Anti-NKG2A Antibodies on Board. <i>Trends in Immunology</i> , 2019 , 40, 83-85	14.4	26
143	NK-cell Editing Mediates Epithelial-to-Mesenchymal Transition via Phenotypic and Proteomic Changes in Melanoma Cell Lines. <i>Cancer Research</i> , 2018 , 78, 3913-3925	10.1	37
142	PD-L1 expression comparison between primary and relapsed non-small cell lung carcinoma using whole sections and clone SP263. <i>Oncotarget</i> , 2018 , 9, 30465-30471	3.3	20
141	Human natural killer cells and other innate lymphoid cells in cancer: Friends or foes?. <i>Immunology Letters</i> , 2018 , 201, 14-19	4.1	33
140	Hypoxia Modifies the Transcriptome of Human NK Cells, Modulates Their Immunoregulatory Profile, and Influences NK Cell Subset Migration. <i>Frontiers in Immunology</i> , 2018 , 9, 2358	8.4	67
139	Molecular definition of group 1 innate lymphoid cells in the mouse uterus. <i>Nature Communications</i> , 2018 , 9, 4492	17.4	42
138	Effect of Tyrosin Kinase Inhibitors on NK Cell and ILC3 Development and Function. <i>Frontiers in Immunology</i> , 2018 , 9, 2433	8.4	10
137	Human Innate Lymphoid Cells: Their Functional and Cellular Interactions in Decidua. <i>Frontiers in Immunology</i> , 2018 , 9, 1897	8.4	33
136	PD-L1 Expression Heterogeneity in Non-Small Cell Lung Cancer: Defining Criteria for Harmonization between Biopsy Specimens and Whole Sections. <i>Journal of Thoracic Oncology</i> , 2018 , 13, 1113-1120	8.9	91
135	Markers and function of human NK cells in normal and pathological conditions. <i>Cytometry Part B - Clinical Cytometry</i> , 2017 , 92, 100-114	3.4	83
134	PD-L1 expression heterogeneity in non-small cell lung cancer: evaluation of small biopsies reliability. <i>Oncotarget</i> , 2017 , 8, 90123-90131	3.3	64
133	A conserved energetic footprint underpins recognition of human leukocyte antigen-E by two distinct T cell receptors. <i>Journal of Biological Chemistry</i> , 2017 , 292, 21149-21158	5.4	10
132	Human natural killer cells: news in the therapy of solid tumors and high-risk leukemias. <i>Cancer Immunology, Immunotherapy</i> , 2016 , 65, 465-76	7.4	33

131	Human innate lymphoid cells. <i>Immunology Letters</i> , 2016 , 179, 2-8	4.1	42
130	Cytokines can counteract the inhibitory effect of MEK-i on NK-cell function. <i>Oncotarget</i> , 2016 , 7, 60858-60871	5.9	10
129	NK Cells, Tumor Cell Transition, and Tumor Progression in Solid Malignancies: New Hints for NK-Based Immunotherapy?. <i>Journal of Immunology Research</i> , 2016 , 2016, 4684268	4.5	53
128	NK Cells and Other Innate Lymphoid Cells in Hematopoietic Stem Cell Transplantation. <i>Frontiers in Immunology</i> , 2016 , 7, 188	8.4	37
127	The generation of human innate lymphoid cells is influenced by the source of hematopoietic stem cells and by the use of G-CSF. <i>European Journal of Immunology</i> , 2016 , 46, 1271-8	6.1	28
126	Killer cell immunoglobulin-like receptor 3DL1 polymorphism defines distinct hierarchies of HLA class I recognition. <i>Journal of Experimental Medicine</i> , 2016 , 213, 791-807	16.6	53
125	Human NK cells: From surface receptors to clinical applications. <i>Immunology Letters</i> , 2016 , 178, 15-9	4.1	27
124	MSC and innate immune cell interactions: A lesson from human decidua. <i>Immunology Letters</i> , 2015 , 168, 170-4	4.1	19
123	NCR(+)ILC3 concentrate in human lung cancer and associate with intratumoral lymphoid structures. <i>Nature Communications</i> , 2015 , 6, 8280	17.4	147
122	Role of NK cells in immunotherapy and virotherapy of solid tumors. <i>Immunotherapy</i> , 2015 , 7, 861-82	3.8	16
121	IL-1 β -releasing human acute myeloid leukemia blasts modulate natural killer cell differentiation from CD34+ precursors. <i>Haematologica</i> , 2015 , 100, e42-5	6.6	11
120	IL-1 β inhibits ILC3 while favoring NK-cell maturation of umbilical cord blood CD34(+) precursors. <i>European Journal of Immunology</i> , 2015 , 45, 2061-71	6.1	18
119	Natural Killer (NK)/melanoma cell interaction induces NK-mediated release of chemotactic High Mobility Group Box-1 (HMGB1) capable of amplifying NK cell recruitment. <i>Oncolmmunology</i> , 2015 , 4, e1052353	7.2	27
118	A non-canonical adenosinergic pathway led by CD38 in human melanoma cells induces suppression of T cell proliferation. <i>Oncotarget</i> , 2015 , 6, 25602-18	3.3	60
117	Targeting Syndecan-1, a molecule implicated in the process of vasculogenic mimicry, enhances the therapeutic efficacy of the L19-IL2 immunocytokine in human melanoma xenografts. <i>Oncotarget</i> , 2015 , 6, 37426-42	3.3	17
116	Unique Eomes(+) NK Cell Subsets Are Present in Uterus and Decidua During Early Pregnancy. <i>Frontiers in Immunology</i> , 2015 , 6, 646	8.4	77
115	Development of human natural killer cells and other innate lymphoid cells. <i>Seminars in Immunology</i> , 2014 , 26, 107-13	10.7	44
114	Effect of tumor cells and tumor microenvironment on NK-cell function. <i>European Journal of Immunology</i> , 2014 , 44, 1582-92	6.1	237

113	Human natural killer cells: origin, receptors, function, and clinical applications. <i>International Archives of Allergy and Immunology</i> , 2014 , 164, 253-64	3.7	96
112	CD56(bright)perforin(low) noncytotoxic human NK cells are abundant in both healthy and neoplastic solid tissues and recirculate to secondary lymphoid organs via afferent lymph. <i>Journal of Immunology</i> , 2014 , 192, 3805-15	5.3	131
111	Chronic lymphocytic leukemia nurse-like cells express hepatocyte growth factor receptor (c-MET) and indoleamine 2,3-dioxygenase and display features of immunosuppressive type 2 skewed macrophages. <i>Haematologica</i> , 2014 , 99, 1078-87	6.6	36
110	HLA-G is a component of the chronic lymphocytic leukemia escape repertoire to generate immune suppression: impact of the HLA-G 14 base pair (rs66554220) polymorphism. <i>Haematologica</i> , 2014 , 99, 888-96	6.6	38
109	Human NK cells: from surface receptors to the therapy of leukemias and solid tumors. <i>Frontiers in Immunology</i> , 2014 , 5, 87	8.4	69
108	Human ROR γ (+)CD34(+) cells are lineage-specified progenitors of group 3 ROR γ (+) innate lymphoid cells. <i>Immunity</i> , 2014 , 41, 988-1000	32.3	113
107	In vivo generation of decidual natural killer cells from resident hematopoietic progenitors. <i>Haematologica</i> , 2014 , 99, 448-57	6.6	33
106	Stromal cells from human decidua exert a strong inhibitory effect on NK cell function and dendritic cell differentiation. <i>PLoS ONE</i> , 2014 , 9, e89006	3.7	49
105	The engagement of CTLA-4 on primary melanoma cell lines induces antibody-dependent cellular cytotoxicity and TNF- β production. <i>Journal of Translational Medicine</i> , 2013 , 11, 108	8.5	101
104	Hypoxia downregulates the expression of activating receptors involved in NK-cell-mediated target cell killing without affecting ADCC. <i>European Journal of Immunology</i> , 2013 , 43, 2756-64	6.1	147
103	Natural killer cells in human pregnancy. <i>Journal of Reproductive Immunology</i> , 2013 , 97, 14-9	4.2	53
102	A novel human anti-syndecan-1 antibody inhibits vascular maturation and tumour growth in melanoma. <i>European Journal of Cancer</i> , 2013 , 49, 2022-33	7.5	37
101	Understanding human NK cell differentiation: clues for improving the haploidentical hematopoietic stem cell transplantation. <i>Immunology Letters</i> , 2013 , 155, 2-5	4.1	5
100	NK cells from malignant pleural effusions are not anergic but produce cytokines and display strong antitumor activity on short-term IL-2 activation. <i>European Journal of Immunology</i> , 2013 , 43, 550-61	6.1	36
99	Human NK cell receptors/markers: a tool to analyze NK cell development, subsets and function. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2013 , 83, 702-13	4.6	129
98	Characterization of human afferent lymph dendritic cells from seroma fluids. <i>Journal of Immunology</i> , 2013 , 191, 4858-66	5.3	18
97	Polymorphism in human cytomegalovirus UL40 impacts on recognition of human leukocyte antigen-E (HLA-E) by natural killer cells. <i>Journal of Biological Chemistry</i> , 2013 , 288, 8679-8690	5.4	70
96	Human NK cells at early stages of differentiation produce CXCL8 and express CD161 molecule that functions as an activating receptor. <i>Blood</i> , 2012 , 119, 3987-96	2.2	44

95	Melanoma Cells Inhibit NK Cell Functions Response. <i>Cancer Research</i> , 2012 , 72, 5430-5430	10.1	1
94	Melanoma immunoediting by NK cells. <i>OncolImmunology</i> , 2012 , 1, 1607-1609	7.2	14
93	Dendritic cell editing by activated natural killer cells results in a more protective cancer-specific immune response. <i>PLoS ONE</i> , 2012 , 7, e39170	3.7	78
92	Melanoma cells become resistant to NK-cell-mediated killing when exposed to NK-cell numbers compatible with NK-cell infiltration in the tumor. <i>European Journal of Immunology</i> , 2012 , 42, 1833-42	6.1	74
91	How melanoma cells inactivate NK cells. <i>OncolImmunology</i> , 2012 , 1, 974-975	7.2	16
90	Melanoma cells inhibit natural killer cell function by modulating the expression of activating receptors and cytolytic activity. <i>Cancer Research</i> , 2012 , 72, 1407-15	10.1	222
89	Origin, phenotype and function of human natural killer cells in pregnancy. <i>Trends in Immunology</i> , 2011 , 32, 517-23	14.4	119
88	Human NK receptors: from the molecules to the therapy of high risk leukemias. <i>FEBS Letters</i> , 2011 , 585, 1563-7	3.8	30
87	Killer Ig-like receptor-mediated control of natural killer cell alloreactivity in haploidentical hematopoietic stem cell transplantation. <i>Blood</i> , 2011 , 117, 764-71	2.2	185
86	CXCL12/CXCR4 blockade induces multimodal antitumor effects that prolong survival in an immunocompetent mouse model of ovarian cancer. <i>Cancer Research</i> , 2011 , 71, 5522-5534	10.1	171
85	CD34+ hematopoietic precursors are present in human decidua and differentiate into natural killer cells upon interaction with stromal cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 2402-7	11.5	145
84	The immune inhibitory receptor LAIR-1 is highly expressed by plasmacytoid dendritic cells and acts complementary with NKp44 to control IFN γ production. <i>PLoS ONE</i> , 2010 , 5, e15080	3.7	54
83	Combined genotypic and phenotypic killer cell Ig-like receptor analyses reveal KIR2DL3 alleles displaying unexpected monoclonal antibody reactivity: identification of the amino acid residues critical for staining. <i>Journal of Immunology</i> , 2010 , 185, 433-41	5.3	26
82	The emerging role of HLA-E-restricted CD8+ T lymphocytes in the adaptive immune response to pathogens and tumors. <i>Journal of Biomedicine and Biotechnology</i> , 2010 , 2010, 907092		67
81	Crosstalk between decidual NK and CD14+ myelomonocytic cells results in induction of Tregs and immunosuppression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 11918-23	11.5	171
80	CTLA-4 is expressed by human monocyte-derived dendritic cells and regulates their functions. <i>Human Immunology</i> , 2010 , 71, 934-41	2.3	70
79	Immune response in the conjunctival epithelium of patients with dry eye. <i>Experimental Eye Research</i> , 2010 , 91, 524-9	3.7	55
78	Seroma fluid subsequent to axillary lymph node dissection for breast cancer derives from an accumulation of afferent lymph. <i>Immunology Letters</i> , 2010 , 131, 67-72	4.1	25

77	Melanoma-associated fibroblasts modulate NK cell phenotype and antitumor cytotoxicity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 20847-52	11.5	202
76	Natural killer cells kill human melanoma cells with characteristics of cancer stem cells. <i>International Immunology</i> , 2009 , 21, 793-801	4.9	118
75	NKp44 expression, phylogenesis and function in non-human primate NK cells. <i>International Immunology</i> , 2009 , 21, 245-55	4.9	21
74	NK cells provide helper signal for CD8+ T cells by inducing the expression of membrane-bound IL-15 on DCs. <i>International Immunology</i> , 2009 , 21, 599-606	4.9	41
73	Peptides with dual binding specificity for HLA-A2 and HLA-E are encoded by alternatively spliced isoforms of the antioxidant enzyme peroxiredoxin 5. <i>International Immunology</i> , 2009 , 21, 257-68	4.9	22
72	Analysis of NK cell/DC interaction in NK-type lymphoproliferative disease of granular lymphocytes (LDGL): role of DNAM-1 and NKp30. <i>Experimental Hematology</i> , 2009 , 37, 1167-75	3.1	12
71	Haploidentical hemopoietic stem cell transplantation for the treatment of high-risk leukemias: how NK cells make the difference. <i>Clinical Immunology</i> , 2009 , 133, 171-8	9	63
70	Anti-leukemia activity of alloreactive NK cells in KIR ligand-mismatched haploidentical HSCT for pediatric patients: evaluation of the functional role of activating KIR and redefinition of inhibitory KIR specificity. <i>Blood</i> , 2009 , 113, 3119-29	2.2	301
69	HLA-E and HLA-E-bound peptides: recognition by subsets of NK and T cells. <i>Current Pharmaceutical Design</i> , 2009 , 15, 3336-44	3.3	36
68	Susceptibility of human melanoma cells to autologous natural killer (NK) cell killing: HLA-related effector mechanisms and role of unlicensed NK cells. <i>PLoS ONE</i> , 2009 , 4, e8132	3.7	32
67	Perturbations of natural killer cell regulatory functions in respiratory allergic diseases. <i>Journal of Allergy and Clinical Immunology</i> , 2008 , 121, 479-85	11.5	48
66	Mesenchymal stem cells inhibit natural killer-cell proliferation, cytotoxicity, and cytokine production: role of indoleamine 2,3-dioxygenase and prostaglandin E2. <i>Blood</i> , 2008 , 111, 1327-33	2.2	851
65	Regulatory role of NKp44, NKp46, DNAM-1 and NKG2D receptors in the interaction between NK cells and trophoblast cells. Evidence for divergent functional profiles of decidual versus peripheral NK cells. <i>International Immunology</i> , 2008 , 20, 1395-405	4.9	84
64	Methylprednisolone induces preferential and rapid differentiation of CD34+ cord blood precursors toward NK cells. <i>International Immunology</i> , 2008 , 20, 565-75	4.9	26
63	Generation of a novel regulatory NK cell subset from peripheral blood CD34+ progenitors promoted by membrane-bound IL-15. <i>PLoS ONE</i> , 2008 , 3, e2241	3.7	39
62	Natural killer cells infiltrating human nonsmall-cell lung cancer are enriched in CD56 bright CD16(-) cells and display an impaired capability to kill tumor cells. <i>Cancer</i> , 2008 , 112, 863-75	6.4	268
61	Increased natural cytotoxicity receptor expression and relevant IL-10 production in NK cells from chronically infected viremic HCV patients. <i>European Journal of Immunology</i> , 2007 , 37, 445-55	6.1	171
60	Differential NKp30 inducibility in chimpanzee NK cells and conserved NK cell phenotype and function in long-term HIV-1-infected animals. <i>Journal of Immunology</i> , 2007 , 178, 1702-12	5.3	26

59	Molecular analysis of the methylprednisolone-mediated inhibition of NK-cell function: evidence for different susceptibility of IL-2- versus IL-15-activated NK cells. <i>Blood</i> , 2007 , 109, 3767-75	2.2	63
58	Mesenchymal stem cell-natural killer cell interactions: evidence that activated NK cells are capable of killing MSCs, whereas MSCs can inhibit IL-2-induced NK-cell proliferation. <i>Blood</i> , 2006 , 107, 1484-90	2.2	834
57	Surface NK receptors and their ligands on tumor cells. <i>Seminars in Immunology</i> , 2006 , 18, 151-8	10.7	228
56	Analysis of natural killer cells isolated from human decidua: Evidence that 2B4 (CD244) functions as an inhibitory receptor and blocks NK-cell function. <i>Blood</i> , 2006 , 108, 4078-85	2.2	98
55	Effector and regulatory events during natural killer-dendritic cell interactions. <i>Immunological Reviews</i> , 2006 , 214, 219-28	11.3	235
54	Human natural killer cells undergoing in vivo differentiation after allogeneic bone marrow transplantation: analysis of the surface expression and function of activating NK receptors. <i>Molecular Immunology</i> , 2005 , 42, 405-11	4.3	19
53	PVR (CD155) and Nectin-2 (CD112) as ligands of the human DNAM-1 (CD226) activating receptor: involvement in tumor cell lysis. <i>Molecular Immunology</i> , 2005 , 42, 463-9	4.3	108
52	Analysis of the receptor-ligand interactions in the natural killer-mediated lysis of freshly isolated myeloid or lymphoblastic leukemias: evidence for the involvement of the Poliovirus receptor (CD155) and Nectin-2 (CD112). <i>Blood</i> , 2005 , 105, 2066-73	2.2	302
51	Human natural killer cells: Molecular mechanisms controlling NK cell activation and tumor cell lysis. <i>Immunology Letters</i> , 2005 , 100, 7-13	4.1	99
50	Human cytolytic T lymphocytes expressing HLA class-I-specific inhibitory receptors. <i>Current Opinion in Immunology</i> , 2005 , 17, 312-9	7.8	27
49	Identification of effector-memory CMV-specific T lymphocytes that kill CMV-infected target cells in an HLA-E-restricted fashion. <i>European Journal of Immunology</i> , 2005 , 35, 3240-7	6.1	61
48	Distinctive lack of CD48 expression in subsets of human dendritic cells tunes NK cell activation. <i>Journal of Immunology</i> , 2005 , 175, 3690-7	5.3	23
47	Analysis of the activating receptors and cytolytic function of human natural killer cells undergoing in vivo differentiation after allogeneic bone marrow transplantation. <i>European Journal of Immunology</i> , 2004 , 34, 455-60	6.1	47
46	Significant NK cell activation associated with decreased cytolytic function in peripheral blood of HIV-1-infected patients. <i>European Journal of Immunology</i> , 2004 , 34, 2313-21	6.1	108
45	The corticosteroid-induced inhibitory effect on NK cell function reflects down-regulation and/or dysfunction of triggering receptors involved in natural cytotoxicity. <i>European Journal of Immunology</i> , 2004 , 34, 3028-38	6.1	70
44	Different checkpoints in human NK-cell activation. <i>Trends in Immunology</i> , 2004 , 25, 670-6	14.4	130
43	HLA-E-restricted recognition of human cytomegalovirus by a subset of cytolytic T lymphocytes. <i>Human Immunology</i> , 2004 , 65, 437-45	2.3	36
42	HLA-E-restricted recognition of cytomegalovirus-derived peptides by human CD8+ cytolytic T lymphocytes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 10896-901	11.5	146

41	Update on natural killer cells: cross-talk with dendritic cells and role in the cure of acute myeloid leukemias. <i>Cancer Journal (Sudbury, Mass)</i> , 2003 , 9, 232-7	2.2	3
40	Comparative analysis of NK- or NK-CTL-mediated lysis of immature or mature autologous dendritic cells. <i>European Journal of Immunology</i> , 2003 , 33, 3427-32	6.1	16
39	Cellular and molecular basis of natural killer and natural killer-like activity. <i>Immunology Letters</i> , 2003 , 88, 89-93	4.1	23
38	Human natural killer cell function and their interactions with dendritic cells. <i>Vaccine</i> , 2003 , 21 Suppl 2, S38-42	4.1	34
37	NK-CTLs, a novel HLA-E-restricted T-cell subset. <i>Trends in Immunology</i> , 2003 , 24, 136-43	14.4	82
36	Human NK cells and their receptors. <i>Microbes and Infection</i> , 2002 , 4, 1539-44	9.3	58
35	What is a natural killer cell?. <i>Nature Immunology</i> , 2002 , 3, 6-8	19.1	282
34	Identification of HLA-E-specific alloreactive T lymphocytes: a cell subset that undergoes preferential expansion in mixed lymphocyte culture and displays a broad cytolytic activity against allogeneic cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 11328-33	11.5	74
33	p75/AIRM1 and CD33, two sialoadhesin receptors that regulate the proliferation or the survival of normal and leukemic myeloid cells. <i>Immunological Reviews</i> , 2001 , 181, 260-8	11.3	46
32	Activating receptors and coreceptors involved in human natural killer cell-mediated cytotoxicity. <i>Annual Review of Immunology</i> , 2001 , 19, 197-223	34.7	1446
31	Receptors involved in human NK cell activation in the process of natural cytotoxicity 2001 , 199-209		
30	Regulation of myeloid cell proliferation and survival by p75/AIRM1 and CD33 surface receptors. <i>Advances in Experimental Medicine and Biology</i> , 2001 , 495, 55-61	3.6	4
29	Expression of HLA class I-specific inhibitory receptors in human cytolytic T lymphocytes: a regulated mechanism that controls T-cell activation and function. <i>Human Immunology</i> , 2000 , 61, 44-50	2.3	47
28	Distinct regulation of HLA class II and class I cell surface expression in the THP-1 macrophage cell line after bacterial phagocytosis. <i>European Journal of Immunology</i> , 1999 , 29, 499-511	6.1	21
27	Distinct regulation of HLA class II and class I cell surface expression in the THP-1 macrophage cell line after bacterial phagocytosis 1999 , 29, 499		2
26	Regulation of KIR expression in human T cells: a safety mechanism that may impair protective T-cell responses. <i>Trends in Immunology</i> , 1998 , 19, 153-7		216
25	Major histocompatibility complex class I-specific receptors on human natural killer and T lymphocytes. <i>Immunological Reviews</i> , 1997 , 155, 105-17	11.3	305
24	Interleukin-15-induced maturation of human natural killer cells from early thymic precursors: selective expression of CD94/NKG2-A as the only HLA class I-specific inhibitory receptor. <i>European Journal of Immunology</i> , 1997 , 27, 1374-80	6.1	140

23	HLA-Class I-Specific Inhibitory Receptors of NK Type on a Subset of Human T Cells. <i>Chemical Immunology and Allergy</i> , 1996 , 64, 135-145		
22	Receptors for HLA class-I molecules in human natural killer cells. <i>Annual Review of Immunology</i> , 1996 , 14, 619-48	34.7	747
21	The molecular basis of natural killer (NK) cell recognition and function. <i>Journal of Clinical Immunology</i> , 1996 , 16, 243-53	5.7	32
20	Effect of superantigens on human thymocytes: selective proliferation of V beta 2+ cells in response to toxic shock syndrome toxin-1 and their deletion upon secondary stimulation. <i>International Immunology</i> , 1996 , 8, 203-9	4.9	18
19	Cytolytic T lymphocytes displaying natural killer (NK)-like activity: expression of NK-related functional receptors for HLA class I molecules (p58 and CD94) and inhibitory effect on the TCR-mediated target cell lysis or lymphokine production. <i>International Immunology</i> , 1995 , 7, 697-703	4.9	199
18	Role of major histocompatibility complex class I expression and natural killer-like T cells in the genetic control of endometriosis. <i>Fertility and Sterility</i> , 1995 , 64, 909-16	4.8	48
17	Human natural killer cells: origin, clonality, specificity, and receptors. <i>Advances in Immunology</i> , 1994 , 55, 341-80	5.6	165
16	T cell clones expressing the natural killer cell-related p58 receptor molecule display heterogeneity in phenotypic properties and p58 function. <i>European Journal of Immunology</i> , 1994 , 24, 2294-8	6.1	122
15	Molecular and cellular analysis of human T lymphocytes expressing gamma delta T-cell receptor. <i>Immunological Reviews</i> , 1991 , 120, 117-35	11.3	39
14	Specific recognition by CD3- NK cells: a limiting dilution analysis of the frequency of alloreactive CD3- lymphocyte precursors. <i>International Journal of Cancer</i> , 1989 , 4, 56-7	7.5	12
13	Surface molecules involved in the activation and regulation of T or natural killer lymphocytes in humans. <i>Immunological Reviews</i> , 1989 , 111, 145-75	11.3	61
12	Clonal analysis of CD4-CD8- human thymocytes expressing a T cell receptor gamma/delta chain. Direct evidence for the de novo expression of CD8 surface antigen and of cytolytic activity against tumor targets. <i>European Journal of Immunology</i> , 1988 , 18, 1831-4	6.1	35
11	Human CD3+4-8-WT31- T lymphocyte populations expressing the putative T cell receptor gamma-gene product. A limiting dilution and clonal analysis. <i>European Journal of Immunology</i> , 1987 , 17, 1229-34	6.1	34
10	CD3+4-8-WT31-(T cell receptor gamma+) cells and other unusual phenotypes are frequently detected among spontaneously interleukin 2-responsive T lymphocytes present in the joint fluid in juvenile rheumatoid arthritis. A clonal analysis. <i>European Journal of Immunology</i> , 1987 , 17, 1815-9	6.1	74
9	T cell nature of some lymphokine-activated killer (LAK) cells. Frequency analysis of LAK precursors within human T cell populations and clonal analysis of LAK effector cells. <i>European Journal of Immunology</i> , 1986 , 16, 1623-5	6.1	23
8	Assignment of human natural killer (NK)-like cells to the T cell lineage. Single allospecific T cell clones lyse specific or NK-sensitive target cells via distinct recognition structures. <i>European Journal of Immunology</i> , 1984 , 14, 121-5	6.1	53
7	Relationship between expression of Fc gamma receptors or Ia antigens and cytolytic activities of alloactivated human T cells. <i>Clinical Immunology and Immunopathology</i> , 1983 , 26, 232-9		2
6	Surface markers of resting and activated human T cells. Functional implications and experimental limits. <i>Seminars in Immunopathology</i> , 1982 , 5, 477-88		5

5	9 Receptors for immunoglobulins and activation markers on human T lymphocytes. <i>Clinics in Haematology</i> , 1982 , 11, 697-709		1
4	Receptors for immunoglobulins on resting and activated human T cells. <i>Immunological Reviews</i> , 1981 , 56, 141-62	11.3	50
3	Regulatory Interactions of Human T Cells 1980 , 275-288		1
2	Human T cell subpopulations in normal and pathologic conditions. <i>Immunological Reviews</i> , 1979 , 45, 163-213	11.3	88
1	Expression of a receptor for IgM by human T cells in vitro. <i>European Journal of Immunology</i> , 1975 , 5, 565-9	1	408